

## ***Mail.XML Version 25.0***

# **System Messages Specification**

**September 10, 2021**

### **Working Group Chair**

Bob Schimek, Quad

### **Technical Director**

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

### **Editor:**

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2021 – Delivery Technology Advocacy Council (“DTAC ”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



## **Copyright and Legal Notices**

**© 2021 Delivery Technology Advocacy Council. All Rights Reserved.**

Copyright 2021 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law

## **Abstract**

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

*Mail.XML and Mail.dat are trademarks of DTAC.*

## **About Mail.XML™**

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

## **What's New in Mail.XML Version 25.0?**

With this release, the Mail.XML Messaging Protocol moves to Version 25.0. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 25.0 include:

- CR 2501 – Creates a new simpleType in the base schema called machinabilityIndicatorType that defines machinability.
  - Modfy PeriodicalLineItemData to use the new machinabilityIndicatorType
  - Modify PostageStatementLineItemData to use the new machinabilityIndicatorType
- CR 2502 - Add enumerations to serviceCodeType to support Non-Standard Parcel Sizes.
- CR 2503 – Support USPS Tracking Plus Extra Service
  - Modify existing serviceCodeType to add 2 new enumeration values for USPS Tracking Plus
  - Modify existing serviceSubCode to add new enumerations for USPS Tracking Plus retention lengths.
- CR 2504 – Add new elements to the CampaignData block to accommodate new Informed Delivery features.
- CR 2506 - Modify MaildatMPUInfoType to use the new machinabilityIndicatorType
- CR 2507 – Remove fields related to ZAP certification status

## About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

## Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema\*\*.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations: xmlns:mailxml=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>  
targetNamespace=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0A/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML\_25.0A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0B/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML\_25.0B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML\_25.0.xsd' <- Major Version

## **Mail.XML 25.0 XSD Modules:**

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml\_base\_25.0.xsd*).

- mailxml\_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_tm;
- mailxml\_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_mm;
- mailxml\_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_iv;
- mailxml\_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_dd;
- mailxml\_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_id;
- mailxml\_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml\_sc;
- mailxml\_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml\_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml\_base;
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml;

## **The Mail.XML™ 25 Messaging Documentation Set**

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 25.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 25.0: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 25.0: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 25.0: Informed Visibility Specification documents all informed visibility messages
- Mail.XML™ 25.0: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 25.0: Identification Messaging Specification documents all identification messages
- Mail.XML™ 25.0: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 25.0: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 25.0: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 25.0: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 25.0: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification



## **Table of Contents**

<b>ABSTRACT .....</b>	<b>3</b>
<b>ABOUT MAIL.XML™ .....</b>	<b>3</b>
<b>WHAT'S NEW IN MAIL.XML VERSION 25.0? .....</b>	<b>3</b>
<b>ABOUT MAIL.XML SCHEMA MODULARIZATION .....</b>	<b>4</b>
<b>MAIL.XML MODULE VERSIONING RULES .....</b>	<b>4</b>
<b>MAIL.XML 25.0 XSD MODULES:.....</b>	<b>5</b>
<b>THE MAIL.XML™ 25 MESSAGING DOCUMENTATION SET .....</b>	<b>5</b>
<b>1 INDEX.....</b>	<b>8</b>
<b>2 ELEMENTS.....</b>	<b>10</b>

# 1 Index

Schema **mailxml\_defs\_25.0.xsd**

schema location: <..\MailXML v25.0\XSDs\mailxml defs 25.0.xsd>  
attributeFormDefault: **qualified**  
elementFormDefault: **qualified**  
targetNamespace: [http://delivery-tech.org/Specs/mailxml25.0/mailxml\\_defs](http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs)

Elements	Complex types	Simple types
<a href="#"><b>ContainerDetailData</b></a>	<a href="#"><b>addressType</b></a>	<a href="#"><b>bundleScanTypeType</b></a>
<a href="#"><b>ContainerInfoData</b></a>	<a href="#"><b>basicReturnInfoType</b></a>	<a href="#"><b>containerDiscrepancyCategoryType</b></a>
<a href="#"><b>DataRecipient</b></a>	<a href="#"><b>commonContactType</b></a>	<a href="#"><b>containerScanStateType</b></a>
<a href="#"><b>ExtraServiceData</b></a>	<a href="#"><b>consigneeFacilityType</b></a>	<a href="#"><b>containerStatusType</b></a>
<a href="#"><b>LargeTransactionDivider</b></a>	<a href="#"><b>consolidatorCommunicationInfoType</b></a>	<a href="#"><b>countTypeType</b></a>
<a href="#"><b>LargeTransactionDividerResult</b></a>	<a href="#"><b>pe</b></a>	<a href="#"><b>einductionDataSourceType</b></a>
<a href="#"><b>QueryError</b></a>	<a href="#"><b>contactIDType</b></a>	<a href="#"><b>fullServiceComplianceIndicatorType</b></a>
	<a href="#"><b>ContainerDiscrepancyType</b></a>	<a href="#"><b>MPSQueryType</b></a>
	<a href="#"><b>containerErrorWarningBlockType</b></a>	<a href="#"><b>MPSStateType</b></a>
	<a href="#"><b>containerIDType</b></a>	<a href="#"><b>pieceScanEventTypeType</b></a>
	<a href="#"><b>ContainerInductedType</b></a>	<a href="#"><b>problemCategoryType</b></a>
	<a href="#"><b>containerInfoDataType</b></a>	<a href="#"><b>problemTypeType</b></a>
	<a href="#"><b>containerKeysInfoType</b></a>	<a href="#"><b>reasonCodeType</b></a>
	<a href="#"><b>containerPostInductionInfoType</b></a>	<a href="#"><b>retrieveDataByType</b></a>
	<a href="#"><b>containerPreInductionInfoType</b></a>	
	<a href="#"><b>containerReleaseInfoType</b></a>	
	<a href="#"><b>containerStatusInfoType</b></a>	
	<a href="#"><b>contentIDType</b></a>	
	<a href="#"><b>CSQContainerDetailDataType</b></a>	
	<a href="#"><b>CSQcontainerInfoDataType</b></a>	
	<a href="#"><b>CSQlinkingContainerIDType</b></a>	
	<a href="#"><b>documentVersionDataforCSQType</b></a>	
	<a href="#"><b>errorWarningType</b></a>	
	<a href="#"><b>fullContainerIDType</b></a>	
	<a href="#"><b>gPSCoordinates</b></a>	
	<a href="#"><b>IMcbAndIMtbPieceScanInfoType</b></a>	
	<a href="#"><b>IMcbPieceScanInfoType</b></a>	
	<a href="#"><b>IMtbPieceScanInfoType</b></a>	
	<a href="#"><b>inductionCloseoutInfoType</b></a>	
	<a href="#"><b>inductionIssuesType</b></a>	
	<a href="#"><b>InductionProblemType</b></a>	
	<a href="#"><b>intelligentMailBarcodeType</b></a>	

[intelligentMailPackageBarcodeType](#)  
[e](#)  
[maildatContainerIDType](#)  
[MaildatMPUInfoType](#)  
[mailPieceIDType](#)  
[MailXMLContainerIDType](#)  
[mailxmlDetailType](#)  
[measurementType](#)  
[MIDType](#)  
[MPSRBlockType](#)  
[MPSVisIncludedInScanRecFlagType](#)  
[e](#)  
[MPSVisResultOptionsType](#)  
[palletHandoffInfoType](#)  
[participantIDType](#)  
[permitPublicationDataType](#)  
[pickupApptBlockResponseType](#)  
[postageStatementSummaryType](#)  
[PSRBlockType](#)  
[queryErrorType](#)  
[returnInfoType](#)  
[scanEventType](#)  
[submittingSoftwareType](#)  
[zipCode](#)

## 2 Elements

element **ContainerDetailData**

diagram	<pre> classDiagram     class ContainerDetailData {         &lt;&lt;mailxml_defs&gt;&gt; fs:MailOwner         &lt;&lt;mailxml_defs&gt;&gt; fs:ContainerDetailID         &lt;&lt;mailxml_defs&gt;&gt; fs:CarrierRouteN...         &lt;&lt;mailxml_defs&gt;&gt; fs:CumulativePo...         &lt;&lt;mailxml_defs&gt;&gt; fs:EntryDiscount...         &lt;&lt;mailxml_defs&gt;&gt; fs:MailEndSeqNo         &lt;&lt;mailxml_defs&gt;&gt; fs:MailStartSeqNo         &lt;&lt;mailxml_defs&gt;&gt; fs:Postage         &lt;&lt;mailxml_defs&gt;&gt; fs:RateLevel         &lt;&lt;mailxml_defs&gt;&gt; fs:TotalCopies         &lt;&lt;mailxml_defs&gt;&gt; fs:TotalPieces         &lt;&lt;mailxml_defs&gt;&gt; fs:Zone         &lt;&lt;mailxml_defs&gt;&gt; fs:VersionID         &lt;&lt;mailxml_defs&gt;&gt; fs:ZipThreeFive         &lt;&lt;mailxml_defs&gt;&gt; fs:InOutCounty...         &lt;&lt;mailxml_defs&gt;&gt; fs:RateLevelIndicator         &lt;&lt;mailxml_defs&gt;&gt; fs:ContainerChar...         &lt;&lt;mailxml_defs&gt;&gt; fs:ActualPieces         &lt;&lt;mailxml_defs&gt;&gt; fs:ServiceLevel...     }     ContainerDetailData &lt; --&gt; ...   </pre> <p>The diagram illustrates the structure of the <b>ContainerDetailData</b> element. It is a class with several attributes represented by rectangles. Some attributes are enclosed in dashed boxes, while others are in solid boxes. The attributes are:</p> <ul style="list-style-type: none"> <li><b>mailxml_defs:fs:MailOwner</b> (dashed box)</li> <li><b>mailxml_defs:fs:ContainerDetailID</b> (solid box)</li> <li><b>mailxml_defs:fs:CarrierRouteN...</b> (dashed box)</li> <li><b>mailxml_defs:fs:CumulativePo...</b> (dashed box)</li> <li><b>mailxml_defs:fs:EntryDiscount...</b> (solid box)</li> <li><b>mailxml_defs:fs:MailEndSeqNo</b> (dashed box)</li> <li><b>mailxml_defs:fs:MailStartSeqNo</b> (solid box)</li> <li><b>mailxml_defs:fs:Postage</b> (solid box)</li> <li><b>mailxml_defs:fs:RateLevel</b> (solid box)</li> <li><b>mailxml_defs:fs:TotalCopies</b> (solid box)</li> <li><b>mailxml_defs:fs:TotalPieces</b> (solid box)</li> <li><b>mailxml_defs:fs:Zone</b> (solid box)</li> <li><b>mailxml_defs:fs:VersionID</b> (solid box)</li> <li><b>mailxml_defs:fs:ZipThreeFive</b> (dashed box)</li> <li><b>mailxml_defs:fs:InOutCounty...</b> (dashed box)</li> <li><b>mailxml_defs:fs:RateLevelIndicator</b> (dashed box)</li> <li><b>mailxml_defs:fs:ContainerChar...</b> (dashed box)</li> <li><b>mailxml_defs:fs:ActualPieces</b> (dashed box)</li> <li><b>mailxml_defs:fs:ServiceLevel...</b> (solid box)</li> </ul>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MailOwner</a> <a href="#">mailxml_defs:ContainerDetailID</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CumulativePostage</a> <a href="#">mailxml_defs:EntryDiscountType</a> <a href="#">mailxml_defs:MailEndSeqNo</a> <a href="#">mailxml_defs:MailStartSeqNo</a> <a href="#">mailxml_defs:Postage</a> <a href="#">mailxml_defs:RateLevel</a> <a href="#">mailxml_defs:TotalCopies</a> <a href="#">mailxml_defs:TotalPieces</a> <a href="#">mailxml_defs:Zone</a> <a href="#">mailxml_defs:VersionID</a> <a href="#">mailxml_defs:ZipThreeFive</a> <a href="#">mailxml_defs:InOutCountyIndicator</a> <a href="#">mailxml_defs:RateLevelIndicator</a> <a href="#">mailxml_defs:ContainerChargeContainerLevel</a>

	<a href="#">mailxml_defs:ActualPieces</a> <a href="#">mailxml_defs:ServiceLevelIndicator</a>
used by	element <a href="#">ContainerInfoData</a> complexType <a href="#">containerInfoDataType</a>

element **ContainerDetailData/MailOwner**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:permitPublicationDataType</a>
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>

element **ContainerDetailData/ContainerDetailID**


diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#">mailxml_base:s09</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **ContainerDetailData/CarrierRouteNumber**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:es4</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

#### element **ContainerDetailData/CumulativePostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>


#### element **ContainerDetailData/EntryDiscountType**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																					
type	<b>mailxml_base:entryDiscountType</b>																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	B		enumeration	S		enumeration	D		enumeration	A		enumeration	H	
Kind	Value	Annotation																				
enumeration	N																					
enumeration	B																					
enumeration	S																					
enumeration	D																					
enumeration	A																					
enumeration	H																					

#### element **ContainerDetailData/MailEndSeqNo**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **ContainerDetailData/MailStartSeqNo**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **ContainerDetailData/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

element **ContainerDetailData/RateLevel**

diagram																																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																									
type	<b>mailxml_base:rateLevelType</b>																																																									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AB</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PSRT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NDC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ONDC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>WS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HDP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SP		enumeration	5B		enumeration	3B		enumeration	AB		enumeration	PSRT		enumeration	5D		enumeration	3D		enumeration	NDC		enumeration	ONDC		enumeration	BP		enumeration	MP		enumeration	AD		enumeration	MD		enumeration	WS		enumeration	HD		enumeration	HDP		enumeration	CR		enumeration	MB	
Kind	Value	Annotation																																																								
enumeration	SP																																																									
enumeration	5B																																																									
enumeration	3B																																																									
enumeration	AB																																																									
enumeration	PSRT																																																									
enumeration	5D																																																									
enumeration	3D																																																									
enumeration	NDC																																																									
enumeration	ONDC																																																									
enumeration	BP																																																									
enumeration	MP																																																									
enumeration	AD																																																									
enumeration	MD																																																									
enumeration	WS																																																									
enumeration	HD																																																									
enumeration	HDP																																																									
enumeration	CR																																																									
enumeration	MB																																																									

	enumeration FB enumeration BB enumeration SCF enumeration SD enumeration FS enumeration FF enumeration FC enumeration FN
--	---

element **ContainerDetailData/TotalCopies**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

element **ContainerDetailData/TotalPieces**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

element **ContainerDetailData/Zone**

diagram																																								
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																							
type	<b>mailxml_base:zoneIType</b>																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	A	
Kind	Value	Annotation																																						
enumeration	N																																							
enumeration	M																																							
enumeration	LC																																							
enumeration	1																																							
enumeration	3																																							
enumeration	4																																							
enumeration	5																																							
enumeration	6																																							
enumeration	7																																							
enumeration	8																																							
enumeration	9																																							
enumeration	A																																							

	enumeration DDU enumeration SCF enumeration ADC
--	---

element **ContainerDetailData/VersionID**

diagram	 mailxml_defs:VersionID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **ContainerDetailData/ZipThreeFive**

diagram	 mailxml_defs:ZipThreeFive
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

element **ContainerDetailData/InOutCountyIndicator**

diagram	 mailxml_defs:InOutCountyIndicator									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base.inCountyOutCountyIndicatorType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	I		enumeration	N	
Kind	Value	Annotation								
enumeration	I									
enumeration	N									

element **ContainerDetailData/RateLevelIndicator**

diagram	 mailxml_defs:RateLevelIndicator									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:rateLevelIndicatorType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B	
Kind	Value	Annotation								
enumeration	A									
enumeration	B									

	enumeration C enumeration M enumeration N
--	---

element **ContainerDetailData/ContainerChargeContainerLevel**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs															
type	<b>mailxml_base:cccLevelType</b>															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	M	
Kind	Value	Annotation														
enumeration	3															
enumeration	5															
enumeration	A															
enumeration	M															

element **ContainerDetailData/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **ContainerDetailData/ServiceLevellIndicator**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs															
type	<b>mailxml_base:serviceLevelIndicatorType</b>															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	B		enumeration	P		enumeration	O	
Kind	Value	Annotation														
enumeration	F															
enumeration	B															
enumeration	P															
enumeration	O															


element **ContainerInfoData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PhysicalPostalCodeEntryPoint</a> <a href="#">mailxml_defs:ActualContainerShipDateTime</a> <a href="#">mailxml_defs:CSADispatchNumber</a> <a href="#">mailxml_defs:CSAID</a> <a href="#">mailxml_defs:CSADispatchTime</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CinCode</a> <a href="#">mailxml_defs:ContainerBarcode</a> <a href="#">mailxml_defs:ContainerDetailData</a> <a href="#">mailxml_defs:ContainerDisplayName</a> <a href="#">mailxml_defs:ContainerType</a> <a href="#">mailxml_defs:IMpb</a> <a href="#">mailxml_defs:IncludedInOtherDoc</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ParentContainerID</a> <a href="#">mailxml_defs:DestinationZip</a> <a href="#">mailxml_defs:EntryPointFacilityType</a> <a href="#">mailxml_defs:EntryPointZip</a> <a href="#">mailxml_defs:EntryLocaleKey</a> <a href="#">mailxml_defs:SiblingContainerID</a> <a href="#">mailxml_defs:ProcessingCategory</a> <a href="#">mailxml_defs:SortationLevel</a> <a href="#">mailxml_defs:OverflowIndicator</a> <a href="#">mailxml_defs:SupplementalPhysicalContainerID</a> <a href="#">mailxml_defs:ScheduledInductionDateStartTime</a> <a href="#">mailxml_defs:ScheduledInductionDateEndTime</a> <a href="#">mailxml_defs:ScheduledShipDateTime</a> <a href="#">mailxml_defs:USPSPickup</a> <a href="#">mailxml_defs:MailOwnerCRID</a> <a href="#">mailxml_defs:MailOwnerMID</a> <a href="#">mailxml_defs:ConsigneeContentID</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:PostageStatementMailingDate</a> <a href="#">mailxml_defs:ContainerAcceptanceDate</a> <a href="#">mailxml_defs:ContainerAcceptanceTime</a> <a href="#">mailxml_defs:CarrierID</a> <a href="#">mailxml_defs:TruckAndDispatchNumber</a> <a href="#">mailxml_defs:TotalWeightOfContainer</a> <a href="#">mailxml_defs:AdditionalTrayPostageAmount</a> <a href="#">mailxml_defs:eInductionIndicator</a> <a href="#">mailxml_defs:ReadyForSASP</a> <a href="#">mailxml_defs:AcceptMisshipped</a> <a href="#">mailxml_defs:LabelDestLine1</a> <a href="#">mailxml_defs:LabelDestLine2</a> <a href="#">mailxml_defs:LabelContentLine1</a> <a href="#">mailxml_defs:LabelContentLine2</a> <a href="#">mailxml_defs:LabelEntryOriginPointLine</a> <a href="#">mailxml_defs:LabelUserInfoLine1</a> <a href="#">mailxml_defs:LabelUserInfoLine2</a> <a href="#">mailxml_defs:LabelContLabelCINCode</a> <a href="#">mailxml_defs:LabelContLabelType</a> <a href="#">mailxml_defs:PresortLabelingListEffectiveDate</a> <a href="#">mailxml_defs:LastUsedLabelingListEffectiveDate</a> <a href="#">mailxml_defs:PresortCityStatePublicationDate</a> <a href="#">mailxml_defs:LastUsedCityStatePublicationDate</a> <a href="#">mailxml_defs:PresortZoneChartMatrixPublicationDate</a> <a href="#">mailxml_defs:LastUsedZoneChartMatrixPublication</a> <a href="#">mailxml_defs:LastUsedMailDirectionPublicationDate</a> <a href="#">mailxml_defs:ReferenceableMailDateStart</a> <a href="#">mailxml_defs:ReferenceableMailDateEnd</a>

#### element ContainerInfoData/PhysicalPostalCodeEntryPoint

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

**element ContainerInfoData/ActualContainerShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element ContainerInfoData/CSADispatchNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s10</b>												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>10</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

**element ContainerInfoData/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s10</b>												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>10</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

**element ContainerInfoData/CSADispatchTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:time</b>

**element ContainerInfoData/CarrierRouteNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<b>mailxml_base:es4</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

#### element **ContainerInfoData/CinCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s03</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

#### element **ContainerInfoData/ContainerBarcode**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

#### element **ContainerInfoData/ContainerDisplayName**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

#### element **ContainerInfoData/ContainerType**

diagram	
---------	--


namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:mailXMLContainerType</b>		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	E	
	enumeration	F	
	enumeration	L	
	enumeration	O	
	enumeration	P	
	enumeration	S	
	enumeration	T	
	enumeration	V	
	enumeration	B	
	enumeration	U	
	enumeration	Z	
	enumeration	X	
	enumeration	H	
	enumeration	A	
	enumeration	G	
	enumeration	D	
	enumeration	R	
	enumeration	C	
	enumeration	CT	
	enumeration	M	
	enumeration	AB	
	enumeration	Y	

#### element **ContainerInfoData/IMpb**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMpbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

#### element ContainerInfoData/IncludedInOtherDoc

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:includedInOtherDocType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	L		enumeration	O		enumeration	I	
Kind	Value	Annotation											
enumeration	L												
enumeration	O												
enumeration	I												

#### element ContainerInfoData/ContainerID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

#### element ContainerInfoData/ParentContainerID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

**element ContainerInfoData/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>


**element ContainerInfoData/EntryPointFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:entryFacilityType</b>
facets	Kind Value Annotation enumeration O enumeration B enumeration S enumeration D enumeration A enumeration W enumeration H enumeration R


**element ContainerInfoData/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

**element ContainerInfoData/EntryLocaleKey**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:localeKeyType</b>
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

element **ContainerInfoData/SiblingContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **ContainerInfoData/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																				
type	<b>mailxml_base:processingCategoryType</b>																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

element **ContainerInfoData/SortationLevel**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																					
type	<b>mailxml_base:containerLevelType</b>																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F	
Kind	Value	Annotation																				
enumeration	A																					
enumeration	B																					
enumeration	C																					
enumeration	D																					
enumeration	E																					
enumeration	F																					

	enumeration G
	enumeration H
	enumeration I
	enumeration J
	enumeration K
	enumeration M
	enumeration N
	enumeration P
	enumeration Q
	enumeration R
	enumeration S
	enumeration T
	enumeration U
	enumeration V
	enumeration W
	enumeration X
	enumeration Y
	enumeration Z
	enumeration AA
	enumeration AB
	enumeration AC
	enumeration AD
	enumeration AE
	enumeration AF
	enumeration AG
	enumeration AH
	enumeration AI
	enumeration AJ
	enumeration AK
	enumeration AL
	enumeration AM
	enumeration AN
	enumeration AO
	enumeration AP
	enumeration AQ
	enumeration AR
	enumeration AS
	enumeration AT
	enumeration BA
	enumeration BB
	enumeration BC
	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH

	enumeration BI enumeration BJ enumeration BK enumeration BL enumeration BM
--	--

element **ContainerInfoData/OverflowIndicator**

diagram	 mailxml_defs:fs:OverflowIndic...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **ContainerInfoData/SupplementalPhysicalContainerID**

diagram	 mailxml_defs:fs:Supplemental...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **ContainerInfoData/ScheduledInductionDateStartTime**

diagram	 mailxml_defs:fs:ScheduledInd...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **ContainerInfoData/ScheduledInductionDateEndTime**

diagram	 mailxml_defs:fs:ScheduledInd...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **ContainerInfoData/ScheduledShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


element **ContainerInfoData/USPSPickup**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **ContainerInfoData/MailOwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:CRIDType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **ContainerInfoData/MailOwnerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_defs:MIDType</b>
children	<b>mailxml_defs:MID6</b> <b>mailxml_defs:MID9</b>

**element ContainerInfoData/ConsigneeContentID**

diagram	 mailxml_defs:fs:ConsigneeCon...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s09</b>
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

**element ContainerInfoData/ConsigneeApptID**

diagram	 mailxml_defs:fs:ConsigneeApp...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

**element ContainerInfoData/PostageStatementMailingDate**

diagram	 mailxml_defs:fs:PostageState...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

**element ContainerInfoData/ContainerAcceptanceDate**

diagram	 mailxml_defs:fs:ContainerAcce...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

**element ContainerInfoData/ContainerAcceptanceTime**


diagram	 mailxml_defs:fs:ContainerAcce...
---------	--

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:time</b>

#### element ContainerInfoData/CarrierID

diagram	 mailxml_defs:fs:CarrierID												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s15</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

#### element ContainerInfoData/TruckAndDispatchNumber

diagram	 mailxml_defs:fs:TruckAndDisp...												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:truckDispatchNumberType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												


#### element ContainerInfoData/TotalWeightOfContainer

diagram	 mailxml_defs:fs:TotalWeightO...
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:double</b>

#### element ContainerInfoData/AdditionalTrayPostageAmount

diagram	 mailxml_defs:fs:AdditionalTra...
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:double</b>


element **ContainerInfoData/eInductionIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **ContainerInfoData/ReadyForSASP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **ContainerInfoData/AcceptMisshipped**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **ContainerInfoData/LabelDestLine1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s30</b>
facets	Kind Value Annotation minLength 1 maxLength 30 whiteSpace preserve


element **ContainerInfoData/LabelDestLine2**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s30</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	whiteSpace	preserve	


element **ContainerInfoData/LabelContentLine1**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s30</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	whiteSpace	preserve	

element **ContainerInfoData/LabelContentLine2**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s30</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	whiteSpace	preserve	

element **ContainerInfoData/LabelEntryOriginPointLine**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s30</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	

	whiteSpace preserve
--	---------------------

element **ContainerInfoData/LabelUserInfoLine1**

diagram	 mailxml_defs:fs:LabelUserInfo...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:userInformationLine1Type</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

element **ContainerInfoData/LabelUserInfoLine2**

diagram	 mailxml_defs:fs:LabelUserInfo...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:userInformationLine2Type</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

element **ContainerInfoData/LabelContLabelCINCode**

diagram	 mailxml_defs:fs:LabelContLab...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **ContainerInfoData/LabelContLabelTexte**


diagram	 mailxml_defs:fs:LabelContLab...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s01</b>

facets	Kind minLength maxLength whiteSpace	Value 1 1 preserve	Annotation
--------	--	-----------------------------	------------


element **ContainerInfoData/PresortLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **ContainerInfoData/LastUsedLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **ContainerInfoData/PresortCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **ContainerInfoData/LastUsedCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **ContainerInfoData/PresortZoneChartMatrixPublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **ContainerInfoData/LastUsedZoneChartMatrixPublication**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **ContainerInfoData/LastUsedMailDirectionPublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **ContainerInfoData/ReferenceableMailDateStart**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **ContainerInfoData/ReferenceableMailDateEnd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **DataRecipient**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:CRID</a> <a href="#">mailxml_defs:Role</a>

**element DataRecipient/CRID**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:CRIDType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

**element DataRecipient/Role**

diagram																																																																																					
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																																																																				
type	<b>mailxml_base:roleType</b>																																																																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Data Update Agent</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Owner</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Confirm Subscriber</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Confirm Data Receiver</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ACS Data Receiver</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ACS Subscriber</td> <td></td> </tr> <tr> <td>enumeration</td> <td>List Owner</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Mail Creator</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Addressor</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Comail</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CoMingler</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MLOCR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Mail Owner</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Mail Agent</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Entry Point Planner</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Shipment Planner</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Consolidator</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Secondary Consolidator</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Appointment Management Receiver</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Consignee/Product Receiver</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Dispatcher</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker CONFIRM-scan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker CONFIRM-payer</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker Seed Source</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker Piece-level-scan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker ASN-scan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Tracker Induction-scan</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Data Update Agent		enumeration	Owner		enumeration	Confirm Subscriber		enumeration	Confirm Data Receiver		enumeration	ACS Data Receiver		enumeration	ACS Subscriber		enumeration	List Owner		enumeration	Mail Creator		enumeration	Addressor		enumeration	Comail		enumeration	CoMingler		enumeration	MLOCR		enumeration	Mail Owner		enumeration	Mail Agent		enumeration	Entry Point Planner		enumeration	Shipment Planner		enumeration	Consolidator		enumeration	Secondary Consolidator		enumeration	Appointment Management Receiver		enumeration	Consignee/Product Receiver		enumeration	Dispatcher		enumeration	Tracker CONFIRM-scan		enumeration	Tracker CONFIRM-payer		enumeration	Tracker Seed Source		enumeration	Tracker Piece-level-scan		enumeration	Tracker ASN-scan		enumeration	Tracker Induction-scan	
Kind	Value	Annotation																																																																																			
enumeration	Data Update Agent																																																																																				
enumeration	Owner																																																																																				
enumeration	Confirm Subscriber																																																																																				
enumeration	Confirm Data Receiver																																																																																				
enumeration	ACS Data Receiver																																																																																				
enumeration	ACS Subscriber																																																																																				
enumeration	List Owner																																																																																				
enumeration	Mail Creator																																																																																				
enumeration	Addressor																																																																																				
enumeration	Comail																																																																																				
enumeration	CoMingler																																																																																				
enumeration	MLOCR																																																																																				
enumeration	Mail Owner																																																																																				
enumeration	Mail Agent																																																																																				
enumeration	Entry Point Planner																																																																																				
enumeration	Shipment Planner																																																																																				
enumeration	Consolidator																																																																																				
enumeration	Secondary Consolidator																																																																																				
enumeration	Appointment Management Receiver																																																																																				
enumeration	Consignee/Product Receiver																																																																																				
enumeration	Dispatcher																																																																																				
enumeration	Tracker CONFIRM-scan																																																																																				
enumeration	Tracker CONFIRM-payer																																																																																				
enumeration	Tracker Seed Source																																																																																				
enumeration	Tracker Piece-level-scan																																																																																				
enumeration	Tracker ASN-scan																																																																																				
enumeration	Tracker Induction-scan																																																																																				

	enumeration	Tracker Planet-code
	enumeration	ACS receiver
	enumeration	ACS payer
	enumeration	Seamless Acceptance
	enumeration	Seamless Verification
	enumeration	Security
	enumeration	Logistics Provider
	enumeration	Carrier
	enumeration	Data Brokering Agent
	enumeration	Nixie
	enumeration	StartTheClock
	enumeration	ContainerVisibility
	enumeration	DeliveryPointValidation

#### element ExtraServiceData

diagram	<pre> classDiagram     class ExtraServiceData     class ServiceCode     class ServiceRate     class ServiceSubCode     class ServiceValue     class TotalAmount     class CollectAmount     class TotalPieces      ExtraServiceData "2" -- "1" ServiceCode     ExtraServiceData "2" -- "1" ServiceRate     ExtraServiceData "2" -- "1" ServiceSubCode     ExtraServiceData "2" -- "1" ServiceValue     ExtraServiceData "2" -- "1" TotalAmount     ExtraServiceData "2" -- "1" CollectAmount     ExtraServiceData "2" -- "1" TotalPieces   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:ServiceCode</a> <a href="#">mailxml_defs:ServiceRate</a> <a href="#">mailxml_defs:ServiceSubCode</a> <a href="#">mailxml_defs:ServiceValue</a> <a href="#">mailxml_defs:TotalAmount</a> <a href="#">mailxml_defs:CollectAmount</a> <a href="#">mailxml_defs:TotalPieces</a>

#### element ExtraServiceData/ServiceCode

diagram	<pre> classDiagram     class mailxml_defs:ServiceCode   </pre>																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<b>mailxml_base:serviceCodeType</b>																
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CM</td> <td></td> <td></td> </tr> <tr> <td>enumeration</td> <td>COD</td> <td></td> <td></td> </tr> <tr> <td>enumeration</td> <td>CODE</td> <td></td> <td></td> </tr> </tbody> </table>		Kind	Value	Annotation	enumeration	CM			enumeration	COD			enumeration	CODE		
	Kind	Value	Annotation														
enumeration	CM																
enumeration	COD																
enumeration	CODE																

	enumeration COM
	enumeration DC
	enumeration IM
	enumeration PAL
	enumeration RM
	enumeration RRE
	enumeration SC
	enumeration SH
	enumeration AS
	enumeration RAS
	enumeration DCD
	enumeration CBM
	enumeration NP
	enumeration AA
	enumeration DP
	enumeration HZ
	enumeration PR
	enumeration PP
	enumeration CA
	enumeration CD
	enumeration C2
	enumeration J2
	enumeration IR
	enumeration R2
	enumeration SC2
	enumeration RR
	enumeration L1
	enumeration L2
	enumeration L3
	enumeration L4
	enumeration B2
	enumeration B3

#### element ExtraServiceData/ServiceRate

diagram	 mailxml_defs:fs:ServiceR...
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:double</b>

#### element ExtraServiceData/ServiceSubCode


diagram	 mailxml_defs:fs:ServiceSubCo...
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:serviceSubCodeType</b>		
facets	Kind	Value	Annotation
	enumeration	N	
	enumeration	E	
	enumeration	R	
	enumeration	T	
	enumeration	B	
	enumeration	A	
	enumeration	C	
	enumeration	D	
	enumeration	F	
	enumeration	G	
	enumeration	H	
	enumeration	I	
	enumeration	J	
	enumeration	K	
	enumeration	L	
	enumeration	M	
	enumeration	O	
	enumeration	P	
	enumeration	Q	
	enumeration	S	
	enumeration	U	
	enumeration	V	
	enumeration	W	
	enumeration	X	
	enumeration	Y	
	enumeration	Z	

#### element ExtraServiceData/ServiceValue

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

#### element ExtraServiceData/TotalAmount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<b>xs:double</b>
------	------------------


**element ExtraServiceData/CollectAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

**element ExtraServiceData/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>


**element LargeTransactionDivider**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:TrackingID</a>
used by	element <a href="#">LargeTransactionDividerResult</a>

**element LargeTransactionDivider/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s20</b>												
facets	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; padding: 2px;">Kind</th> <th style="text-align: left; padding: 2px;">Value</th> <th style="text-align: left; padding: 2px;">Annotation</th> </tr> </thead> <tbody> <tr> <td style="text-align: left; padding: 2px;">minLength</td> <td style="text-align: left; padding: 2px;">1</td> <td></td> </tr> <tr> <td style="text-align: left; padding: 2px;">maxLength</td> <td style="text-align: left; padding: 2px;">20</td> <td></td> </tr> <tr> <td style="text-align: left; padding: 2px;">whiteSpace</td> <td style="text-align: left; padding: 2px;">preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

**element LargeTransactionDividerResult**

diagram	
---------	--

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml defs:LargeTransactionDivide...</b></a>

#### element **QueryError**

diagram	<p>QueryErr... — mailxml_defs:fs:ReturnInfo Error issued when the query data cannot be provided.</p>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml defs:ReturnInfo</b></a>
annotation	documentation Error issued when the query data cannot be provided.

#### element **QueryError/ReturnInfo**

diagram	<p>mailxml_defs:basicReturnInfoType mailxml_defs:fs:ReturnInfo — mailxml_defs:fs:ReturnCode mailxml_defs:fs:ReturnInfo — mailxml_defs:fs:ReturnDescription mailxml_defs:fs:ReturnInfo — mailxml_defs:fs:errorWarning mailxml_defs:fs:ReturnInfo — mailxml_defs:fs:ContainerErrorWarningBlock</p>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:basicReturnInfoType</b></a>
children	<a href="#"><b>mailxml_defs:ReturnCode</b></a> <a href="#"><b>mailxml_defs:ReturnDescription</b></a> <a href="#"><b>mailxml_defs:errorWarning</b></a> <a href="#"><b>mailxml_defs:ContainerErrorWarningBlock</b></a>

### complexType addressType

diagram	<pre> classDiagram     class addressType {         &lt;&lt;mailxml_defs:fs:CommunicationRole&gt;&gt;     }     addressType "2" --&gt; "1..&gt;" mailxml_defs:fs:CommunicationRole     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:Address1     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:Address2     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:Address3     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:Address4     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:City     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:County     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:State     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:ZipCode     mailxml_defs:fs:CommunicationRole "1..&gt;" --&gt; "1..&gt;" mailxml_defs:fs:GPSCoordinates   </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
children	<a href="#">mailxml_defs:Address1</a> <a href="#">mailxml_defs:Address2</a> <a href="#">mailxml_defs:Address3</a> <a href="#">mailxml_defs:Address4</a> <a href="#">mailxml_defs:City</a> <a href="#">mailxml_defs:County</a> <a href="#">mailxml_defs:State</a> <a href="#">mailxml_defs:ZipCode</a> <a href="#">mailxml_defs:GPSCoordinates</a>												
used by	elements <a href="#">consigneeFacilityType/FacilityAddress</a> <a href="#">consigneeFacilityType/FacilityAddress</a>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:CommunicationRole</a></td> <td><a href="#">mailxml_base:communicationRoleType</a></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	<a href="#">mailxml_defs:CommunicationRole</a>	<a href="#">mailxml_base:communicationRoleType</a>				
Name	Type	Used	Default	Fixed	Annotation								
<a href="#">mailxml_defs:CommunicationRole</a>	<a href="#">mailxml_base:communicationRoleType</a>												


### attribute addressType/@CommunicationRole

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<a href="#">mailxml_base:communicationRoleType</a>																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>From</td> <td></td> </tr> <tr> <td>enumeration</td> <td>To</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CC</td> <td></td> </tr> </tbody> </table>					Kind	Value	Annotation	enumeration	From		enumeration	To		enumeration	CC	
Kind	Value	Annotation															
enumeration	From																
enumeration	To																
enumeration	CC																


**element addressType/Address1**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s64</b>
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve


**element addressType/Address2**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s64</b>
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve

**element addressType/Address3**


diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s40</b>
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

**element addressType/Address4**


diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s40</b>
facets	Kind Value Annotation minLength 1 maxLength 40

	whiteSpace preserve
--	---------------------


element **addressType/City**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s45</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

element **addressType/County**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s45</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

element **addressType/State**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																				
type	<b>mailxml_base:stateCode</b>																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CO</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CT</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP		enumeration	AL		enumeration	AK		enumeration	AS		enumeration	AZ		enumeration	AR		enumeration	CA		enumeration	CO		enumeration	CT	
Kind	Value	Annotation																																			
enumeration	AA																																				
enumeration	AE																																				
enumeration	AP																																				
enumeration	AL																																				
enumeration	AK																																				
enumeration	AS																																				
enumeration	AZ																																				
enumeration	AR																																				
enumeration	CA																																				
enumeration	CO																																				
enumeration	CT																																				

	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW
	enumeration	PA
	enumeration	PR
	enumeration	RI
	enumeration	SC
	enumeration	SD
	enumeration	TN
	enumeration	TX
	enumeration	UT
	enumeration	VT
	enumeration	VI

	enumeration VA enumeration WA enumeration WV enumeration WI enumeration WY
--	--


### element addressType/ZipCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:zipCode</a>

### element addressType/GPSCoordinates

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_defs:gPSCoordinates</a>												
children	<a href="#">mailxml_defs:Latitude</a> <a href="#">mailxml_defs:Longitude</a> <a href="#">mailxml_defs:Height</a>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:GPSSystem</a></td> <td><a href="#">mailxml_base:gPSSystemType</a></td> <td></td> <td>MSL</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:GPSSystem</a>	<a href="#">mailxml_base:gPSSystemType</a>		MSL		
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:GPSSystem</a>	<a href="#">mailxml_base:gPSSystemType</a>		MSL										

complexType **basicReturnInfoType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:ReturnCode</b></a> <a href="#"><b>mailxml_defs:ReturnDescription</b></a> <a href="#"><b>mailxml_defs:errorWarning</b></a> <a href="#"><b>mailxml_defs:ContainerErrorWarningBlock</b></a>
used by	element <a href="#"><b>QueryError/ReturnInfo</b></a>

element **basicReturnInfoType/ReturnCode**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ns04</b>

element **basicReturnInfoType/ReturnDescription**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s260</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>260</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	260		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	260												
whiteSpace	preserve												

element **basicReturnInfoType/errorWarning**

diagram	<pre>graph LR; A["mailxml_defs:errorWarningT..."] -- "0..∞" --&gt; B["mailxml_defs:fs:Code"]; A -- "0..∞" --&gt; C["mailxml_defs:fs:Severity"]; A -- "0..∞" --&gt; D["mailxml_defs:fs:KeyIDvalues"]; A -- "0..∞" --&gt; E["mailxml_defs:fs:SubmissionDate"]; A -- "0..∞" --&gt; F["mailxml_defs:fs:ErrorDescription"]; A -- "0..∞" --&gt; G["mailxml_defs:fs:Action"]; A -- "0..∞" --&gt; H["mailxml_defs:fs:TrackingID"]; A -- "0..∞" --&gt; I["mailxml_defs:fs:SubmitterTrackingID"]; A -- "0..∞" --&gt; J["mailxml_defs:fs:MailxmlDetail"]</pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:errorWarningType</b></a>
children	<a href="#"><b>mailxml_defs:Code</b></a> <a href="#"><b>mailxml_defs:Severity</b></a> <a href="#"><b>mailxml_defs:KeyIDvalues</b></a> <a href="#"><b>mailxml_defs:SubmissionDate</b></a> <a href="#"><b>mailxml_defs:ErrorDescription</b></a> <a href="#"><b>mailxml_defs:Action</b></a> <a href="#"><b>mailxml_defs:TrackingID</b></a> <a href="#"><b>mailxml_defs:SubmitterTrackingID</b></a> <a href="#"><b>mailxml_defs:MailxmlDetail</b></a>

element **basicReturnInfoType/ContainerErrorWarningBlock**

diagram	<pre>graph TD; ContainerErrorWarningBlock["mailxml_defs:fs:ContainerErrorWarningBlock"] --- ConsigneeContainerGroupingID["mailxml_defs:fs:ConsigneeContainerGroupingID"]; ContainerErrorWarningBlock --- ConsigneeContentID["mailxml_defs:fs:ConsigneeContentID"]; ContainerErrorWarningBlock --- ShipperContainerGroupingID["mailxml_defs:fs:ShipperContainerGroupingID"]; ContainerErrorWarningBlock --- IMcb["mailxml_defs:fs:IMcb"]; ContainerErrorWarningBlock --- IMtb["mailxml_defs:fs:IMtb"]; ContainerErrorWarningBlock --- IMPb["mailxml_defs:fs:IMPb"]; ContainerErrorWarningBlock --- MailContentName["mailxml_defs:fs:MailContentName"]; ContainerErrorWarningBlock --- SchedulerContentID["mailxml_defs:fs:ScheduledContentID"]; style ContainerErrorWarningBlock fill:#ffffcc,stroke:#808080,stroke-width:1px; style ConsigneeContainerGroupingID fill:#e0e0ff,stroke:#808080,stroke-width:1px; style ConsigneeContentID fill:#e0e0ff,stroke:#808080,stroke-width:1px; style ShipperContainerGroupingID fill:#e0e0ff,stroke:#808080,stroke-width:1px; style IMcb fill:#e0e0ff,stroke:#808080,stroke-width:1px; style IMtb fill:#e0e0ff,stroke:#808080,stroke-width:1px; style IMPb fill:#e0e0ff,stroke:#808080,stroke-width:1px; style MailContentName fill:#e0e0ff,stroke:#808080,stroke-width:1px; style SchedulerContentID fill:#e0e0ff,stroke:#808080,stroke-width:1px;</pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:containerErrorWarningBlockType</a>
children	<a href="#">mailxml_defs:ConsigneeContainerGroupingID</a> <a href="#">mailxml_defs:ConsigneeContentID</a> <a href="#">mailxml_defs:ShipperContainerGroupingID</a> <a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:IMPb</a> <a href="#">mailxml_defs:MailContentName</a> <a href="#">mailxml_defs:ScheduledContentID</a>

complexType **commonContactType**

diagram	<pre>graph TD; commonContactType["commonContactType"] --&gt; attributes["attributes"]; commonContactType --&gt; ContactType["mailxml_defs:fs:ContactType"]; ContactType --- ContactName["mailxml_defs:fs:ContactName"]; ContactName --- Telephone["mailxml_defs:fs:Telephone"]; ContactName --- MobilePhone["mailxml_defs:fs:MobilePhone"]; ContactName --- Email["mailxml_defs:fs:Email"]; ContactName --- Fax["mailxml_defs:fs:Fax"]; ContactName --- GPSCoord["mailxml_defs:fs:GPSCoordinates"]; ContactName --- ContactID["mailxml_defs:fs:ContactID"]; style commonContactType fill:#e0e0ff,stroke:#808080,stroke-width:1px; style ContactType fill:#e0e0ff,stroke:#808080,stroke-width:1px; style ContactName fill:#e0e0ff,stroke:#808080,stroke-width:1px; style Telephone fill:#e0e0ff,stroke:#808080,stroke-width:1px; style MobilePhone fill:#e0e0ff,stroke:#808080,stroke-width:1px; style Email fill:#e0e0ff,stroke:#808080,stroke-width:1px; style Fax fill:#e0e0ff,stroke:#808080,stroke-width:1px; style GPSCoord fill:#e0e0ff,stroke:#808080,stroke-width:1px; style ContactID fill:#e0e0ff,stroke:#808080,stroke-width:1px;</pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs					
children	<a href="#">mailxml_defs:ContactName</a> <a href="#">mailxml_defs:Telephone</a> <a href="#">mailxml_defs:MobilePhone</a> <a href="#">mailxml_defs:Email</a> <a href="#">mailxml_defs:Fax</a> <a href="#">mailxml_defs:GPSCoordinates</a> <a href="#">mailxml_defs:ContactID</a>					
used by	elements <a href="#">inductionCloseoutInfoType</a> / <a href="#">ApptCloseOutEmployeeContactInfo</a> <a href="#">consigneeFacilityType</a> / <a href="#">CommonContact</a>					
attributes	Name <a href="#">mailxml_defs:ContactType</a>	Type <b>mailxml_base:contactType</b>	Use required	Default	Fixed	Annotation

#### attribute **commonContactType/@ContactType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:contactType</b>		
facets	Kind	Value	Annotation
	enumeration	AccountManager	
	enumeration	Carrier	
	enumeration	CrossDock	
	enumeration	CustomerService	
	enumeration	HelpDesk	
	enumeration	DropShipCoordinator	
	enumeration	ApptCoordinator	
	enumeration	Plant	
	enumeration	InboundFreightCoordinator	
	enumeration	SalesOffice	
	enumeration	TruckDriver	
	enumeration	Warehouse	
	enumeration	Other	

#### element **commonContactType/ContactName**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s60</b>		
facets	Kind minLength maxLength whiteSpace	Value 1 60 preserve	Annotation

#### element **commonContactType/Telephone**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:phoneNumberType</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	25	
	whiteSpace	preserve	


#### element **commonContactType/MobilePhone**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:phoneNumberType</b>
facets	Kind minLength maxLength whiteSpace
	Value 1 25 preserve

#### element **commonContactType/Email**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:emailType</b>

#### element **commonContactType/Fax**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:phoneNumberType</b>
facets	Kind minLength maxLength whiteSpace
	Value 1 25 preserve

element **commonContactType/GPSCoordinates**

diagram	<pre> classDiagram     class mailxml_defs:gPSCoordinates {         attribute mailxml_defs:fs:GPSSystem     }     mailxml_defs:fs:GPSSystem "1" -- "0..1" mailxml_defs:fs:Latitude     mailxml_defs:fs:GPSSystem "1" -- "0..1" mailxml_defs:fs:Longitude     mailxml_defs:fs:GPSSystem "1" -- "0..1" mailxml_defs:fs:Height   </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_defs:gPSCoordinates</a>												
children	<a href="#">mailxml_defs:Latitude</a> <a href="#">mailxml_defs:Longitude</a> <a href="#">mailxml_defs:Height</a>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:GPSSystem</a></td> <td><a href="#">mailxml_base:gPSSystemType</a></td> <td></td> <td>MSL</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:GPSSystem</a>	<a href="#">mailxml_base:gPSSystemType</a>		MSL		
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:GPSSystem</a>	<a href="#">mailxml_base:gPSSystemType</a>		MSL										

element **commonContactType/ContactID**

diagram	<pre> classDiagram     class mailxml_defs:contactIDType {         attribute mailxml_defs:fs:ContactID     }     mailxml_defs:fs:ContactID "0..∞" -- "1" mailxml_defs:fs:IDValue     mailxml_defs:fs:ContactID "0..∞" -- "1" mailxml_defs:fs:IDValueType   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:contactIDType</a>
children	<a href="#">mailxml_defs:IDValue</a> <a href="#">mailxml_defs:IDValueType</a>

complexType **consigneeFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>
used by	elements <a href="#">pickupApptBlockResponseType/ConsigneeFacility</a> <a href="#">returnInfoType/ConsigneeFacility</a> <a href="#">consolidatorCommunicationInfoType/ConsolidatorFacilityInfo</a> <a href="#">consolidatorCommunicationInfoType/CurrentLocation</a> <a href="#">containerStatusInfoType/eDocFacility</a> <a href="#">containerStatusInfoType/InductionFacility</a> <a href="#">consolidatorCommunicationInfoType/OriginFacilityInfo</a> <a href="#">pickupApptBlockResponseType/PickupLocation</a> <a href="#">containerStatusInfoType/PlannedAppointmentFacility</a>

element **consigneeFacilityType/CompanyName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s40</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

element **consigneeFacilityType/FacilityNumber**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s15</b>		
facets	Kind minLength maxLength whiteSpace	Value 1 15 preserve	Annotation

### element **consigneeFacilityType/FacilityAddress**

diagram	<pre> classDiagram     class addressType {         attribute mailxml_defs:fs:CommunicationRoleType         &lt;&lt;---&gt;&gt; FacilityAddress         *---&gt;&gt; Address1         *---&gt;&gt; Address2         *---&gt;&gt; Address3         *---&gt;&gt; Address4         *---&gt;&gt; City         *---&gt;&gt; County         *---&gt;&gt; State         *---&gt;&gt; ZipCode         *---&gt;&gt; GPSCoordinates     } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_defs:addressType</b>												
children	<a href="#">mailxml_defs:Address1</a> <a href="#">mailxml_defs:Address2</a> <a href="#">mailxml_defs:Address3</a> <a href="#">mailxml_defs:Address4</a> <a href="#">mailxml_defs:City</a> <a href="#">mailxml_defs:County</a> <a href="#">mailxml_defs:State</a> <a href="#">mailxml_defs:ZipCode</a> <a href="#">mailxml_defs:GPSCoordinates</a>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:CommunicationRole</a></td> <td><b>mailxml_base:communicationRoleType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	<a href="#">mailxml_defs:CommunicationRole</a>	<b>mailxml_base:communicationRoleType</b>				
Name	Type	User	Default	Fixed	Annotation								
<a href="#">mailxml_defs:CommunicationRole</a>	<b>mailxml_base:communicationRoleType</b>												

element **consigneeFacilityType/FacilityAddress**

diagram	<pre> classDiagram     class mailxml_defs:addressType {         &lt;&lt;attributes&gt;&gt;         mailxml_defs:fs:CommunicationRole     }     class mailxml_defs:fs:FacilityAddress     mailxml_defs:fs:FacilityAddress --&gt; mailxml_defs:addressType     mailxml_defs:addressType &lt; -- mailxml_defs:fs:Address1     mailxml_defs:addressType &lt; -- mailxml_defs:fs:Address2     mailxml_defs:addressType &lt; -- mailxml_defs:fs:Address3     mailxml_defs:addressType &lt; -- mailxml_defs:fs:Address4     mailxml_defs:addressType &lt; -- mailxml_defs:fs:City     mailxml_defs:addressType &lt; -- mailxml_defs:fs:County     mailxml_defs:addressType &lt; -- mailxml_defs:fs:State     mailxml_defs:addressType &lt; -- mailxml_defs:fs:ZipCode     mailxml_defs:addressType &lt; -- mailxml_defs:fs:GPSCoordinates   </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_defs:addressType</a>												
children	<a href="#">mailxml_defs:Address1</a> <a href="#">mailxml_defs:Address2</a> <a href="#">mailxml_defs:Address3</a> <a href="#">mailxml_defs:Address4</a> <a href="#">mailxml_defs:City</a> <a href="#">mailxml_defs:County</a> <a href="#">mailxml_defs:State</a> <a href="#">mailxml_defs:ZipCode</a> <a href="#">mailxml_defs:GPSCoordinates</a>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:CommunicationRole</a></td> <td><b>mailxml_base:communicationRoleType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	<a href="#">mailxml_defs:CommunicationRole</a>	<b>mailxml_base:communicationRoleType</b>				
Name	Type	User	Default	Fixed	Annotation								
<a href="#">mailxml_defs:CommunicationRole</a>	<b>mailxml_base:communicationRoleType</b>												

element **consigneeFacilityType/FacilityName**

diagram	<pre> classDiagram     class mailxml_base:s40   </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:s40</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40	
Kind	Value	Annotation								
minLength	1									
maxLength	40									

	whiteSpace preserve
--	---------------------

element **consigneeFacilityType/FacilityType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s15</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

element **consigneeFacilityType/URL**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:anyURI</b>


element **consigneeFacilityType/CommonContact**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<a href="#"><b>mailxml_defs:commonContactType</b></a>					
children	<a href="#"><b>mailxml_defs:ContactName</b></a> <a href="#"><b>mailxml_defs:Telephone</b></a> <a href="#"><b>mailxml_defs:MobilePhone</b></a> <a href="#"><b>mailxml_defs:Email</b></a> <a href="#"><b>mailxml_defs:Fax</b></a> <a href="#"><b>mailxml_defs:GPSCoordinates</b></a> <a href="#"><b>mailxml_defs:ContactID</b></a>					
attributes	Name <a href="#"><b>mailxml_defs:ContactType</b></a>	Type <b>mailxml_base:contactType</b>	Use required	Default	Fixed	Annotation

complexType **consolidatorCommunicationInfoType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PalletID</a> <a href="#">mailxml_defs:ContainerBarcode</a> <a href="#">mailxml_defs:InternalID</a> <a href="#">mailxml_defs:BillingNumber</a> <a href="#">mailxml_defs:OriginFacilityInfo</a> <a href="#">mailxml_defs:ConsolidatorFacilityInfo</a> <a href="#">mailxml_defs:PalletCount</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:DestinationCity</a> <a href="#">mailxml_defs:DestinationState</a> <a href="#">mailxml_defs:DestinationZipCode</a> <a href="#">mailxml_defs:LocaleKey</a> <a href="#">mailxml_defs:FirstpickupDate</a> <a href="#">mailxml_defs:ActualWarehouseDate</a> <a href="#">mailxml_defs:DueAtConsolidatorDate</a> <a href="#">mailxml_defs:RecdAtConsolidatorDate</a> <a href="#">mailxml_defs:ConsolidatedInventoryStatus</a> <a href="#">mailxml_defs:ShippedQuantity</a> <a href="#">mailxml_defs:ShipmentComplete</a> <a href="#">mailxml_defs:ConsolidatorShipDate</a> <a href="#">mailxml_defs:BeginDeliveryWindowDate</a> <a href="#">mailxml_defs:EndDeliveryWindowDate</a> <a href="#">mailxml_defs:ApptDate</a> <a href="#">mailxml_defs:ActualDeliveryDate</a> <a href="#">mailxml_defs:CoPalPoolDate</a> <a href="#">mailxml_defs:DeliveryType</a> <a href="#">mailxml_defs:PurchaseOrderNumber</a> <a href="#">mailxml_defs:SackTrayCount</a> <a href="#">mailxml_defs:PieceCount</a> <a href="#">mailxml_defs:Weight</a> <a href="#">mailxml_defs:ContainerStatus</a> <a href="#">mailxml_defs:LastPickupdate</a> <a href="#">mailxml_defs:LastPickupType</a> <a href="#">mailxml_defs:CurrentZone</a> <a href="#">mailxml_defs:CurrentLocation</a> <a href="#">mailxml_defs:AppointmentDate</a> <a href="#">mailxml_defs:AppointmentNumber</a> <a href="#">mailxml_defs:CustomerName</a> <a href="#">mailxml_defs:InvoiceNumber</a> <a href="#">mailxml_defs:BillTo</a> <a href="#">mailxml_defs:MailPreparerJobID</a> <a href="#">mailxml_defs:StatComment</a> <a href="#">mailxml_defs:ServiceRequestID</a> <a href="#">mailxml_defs:ServiceItem</a> <a href="#">mailxml_defs:ReferenceNumber</a> <a href="#">mailxml_defs:VersionNumber</a> <a href="#">mailxml_defs:Method</a> <a href="#">mailxml_defs:OutboundShippingDate</a> <a href="#">mailxml_defs:MiddleDayOfTransit</a> <a href="#">mailxml_defs:ActualTransit</a> <a href="#">mailxml_defs:HoldDays</a> <a href="#">mailxml_defs:DeliveryConfirmation</a> <a href="#">mailxml_defs:ScheduledPickupDateStart</a> <a href="#">mailxml_defs:ScheduledPickupDateEnd</a> <a href="#">mailxml_defs:PS8125ReceivedDate</a> <a href="#">mailxml_defs:SegmentTapeCode</a> <a href="#">mailxml_defs:BillingVersionNumber</a> <a href="#">mailxml_defs:MailPreparerJobName</a> <a href="#">mailxml_defs:MailPreparerJobNumber</a> <a href="#">mailxml_defs:StartInFacilityDate</a> <a href="#">mailxml_defs:EndInFacilityDate</a> <a href="#">mailxml_defs:DSMSStatus</a> <a href="#">mailxml_defs:ReleasedBy</a> <a href="#">mailxml_defs:ReleasedDate</a>
used by	element <a href="#">containerStatusInfoType/ConsolidatorCommunicationInfo</a>

#### element **consolidatorCommunicationInfoType/PalletID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s09</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/ContainerBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:IMcbType</b>
facets	Kind Value Annotation minLength 21 maxLength 24

element **consolidatorCommunicationInfoType/InternalID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve


element **consolidatorCommunicationInfoType/BillingNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **consolidatorCommunicationInfoType/OriginFacilityInfo**

diagram	<pre> classDiagram     class mailxml_defs:consigneeFacilityType {         mailxml_defs:fs:CompanyName         mailxml_defs:fs:FacilityNumber         mailxml_defs:fs:FacilityAddress         mailxml_defs:fs:FacilityName         mailxml_defs:fs:FacilityType         mailxml_defs:fs:URL         mailxml_defs:fs:CommonCon...     }     class mailxml_defs:OriginFacilityType     class mailxml_defs:consigneeFacili...     mailxml_defs:consigneeFacilityType "0..infinity" --&gt; mailxml_defs:OriginFacilityType     mailxml_defs:consigneeFacilityType "0..infinity" --&gt; mailxml_defs:consigneeFacili...   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **consolidatorCommunicationInfoType/ConsolidatorFacilityInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>

children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>
----------	--

#### element consolidatorCommunicationInfoType/PalletCount

diagram	 <a href="#">mailxml_defs:fs:PalletCount</a>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

#### element consolidatorCommunicationInfoType/FacilityType

diagram	 <a href="#">mailxml_defs:fs:FacilityType</a>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s15</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

#### element consolidatorCommunicationInfoType/DestinationCity

diagram	 <a href="#">mailxml_defs:fs:DestinationCity</a>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s45</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

#### element consolidatorCommunicationInfoType/DestinationState

diagram	 <a href="#">mailxml_defs:fs:DestinationSt...</a>						
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>						
type	<b>mailxml_base:stateCode</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA	
Kind	Value	Annotation					
enumeration	AA						


	enumeration	AE
	enumeration	AP
	enumeration	AL
	enumeration	AK
	enumeration	AS
	enumeration	AZ
	enumeration	AR
	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW

	enumeration PA
	enumeration PR
	enumeration RI
	enumeration SC
	enumeration SD
	enumeration TN
	enumeration TX
	enumeration UT
	enumeration VT
	enumeration VI
	enumeration VA
	enumeration WA
	enumeration WV
	enumeration WI
	enumeration WY

#### element **consolidatorCommunicationInfoType/DestinationZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:zipCode</a>


#### element **consolidatorCommunicationInfoType/LocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_base:localeKeyType</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												


#### element **consolidatorCommunicationInfoType/FirstpickupDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">xs:dateTime</a>

**element consolidatorCommunicationInfoType/ActualWarehouseDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/DueAtConsolidatorDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/RecdAtConsolidatorDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


**element consolidatorCommunicationInfoType/ConsolidatedInventoryStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

**element consolidatorCommunicationInfoType/ShippedQuantity**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>


element **consolidatorCommunicationInfoType/ShipmentComplete**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **consolidatorCommunicationInfoType/ConsolidatorShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **consolidatorCommunicationInfoType/BeginDeliveryWindowDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


element **consolidatorCommunicationInfoType/EndDeliveryWindowDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **consolidatorCommunicationInfoType/ApptDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/ActualDeliveryDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/CoPalPoolDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/DeliveryType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:pickupOrDeliveryType</b>
facets	Kind Value Annotation enumeration Pickup enumeration Delivery

**element consolidatorCommunicationInfoType/PurchaseOrderNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

**element consolidatorCommunicationInfoType/SackTrayCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **consolidatorCommunicationInfoType/PieceCount**

diagram	mailxml_defs:fs:PieceCount
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **consolidatorCommunicationInfoType/Weight**

diagram	mailxml_defs:fs:Weight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

element **consolidatorCommunicationInfoType/ContainerStatus**

diagram	mailxml_defs:fs:ContainerStatus																																																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																												
type	<b>mailxml_defs:containerStatusType</b>																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Accepted</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OnHold</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Rejected</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NotPaid</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TransportationInfoUpdated</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DispatchedforInduction</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DispatchedforPickup</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PickedUp</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Warehoused</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Planned</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Docked</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailReadyforPickUp</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Delivered</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DepositedWithShipper</td> <td></td> </tr> <tr> <td>enumeration</td> <td>eDocSubmitted</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailReadytobeShipped</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PostageFinalized</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailVerifiedAndReleased</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailInCopalPool</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Accepted		enumeration	OnHold		enumeration	Rejected		enumeration	NotPaid		enumeration	TransportationInfoUpdated		enumeration	DispatchedforInduction		enumeration	DispatchedforPickup		enumeration	PickedUp		enumeration	Warehoused		enumeration	Planned		enumeration	Docked		enumeration	MailReadyforPickUp		enumeration	Delivered		enumeration	DepositedWithShipper		enumeration	eDocSubmitted		enumeration	MailReadytobeShipped		enumeration	PostageFinalized		enumeration	MailVerifiedAndReleased		enumeration	MailInCopalPool	
Kind	Value	Annotation																																																											
enumeration	Accepted																																																												
enumeration	OnHold																																																												
enumeration	Rejected																																																												
enumeration	NotPaid																																																												
enumeration	TransportationInfoUpdated																																																												
enumeration	DispatchedforInduction																																																												
enumeration	DispatchedforPickup																																																												
enumeration	PickedUp																																																												
enumeration	Warehoused																																																												
enumeration	Planned																																																												
enumeration	Docked																																																												
enumeration	MailReadyforPickUp																																																												
enumeration	Delivered																																																												
enumeration	DepositedWithShipper																																																												
enumeration	eDocSubmitted																																																												
enumeration	MailReadytobeShipped																																																												
enumeration	PostageFinalized																																																												
enumeration	MailVerifiedAndReleased																																																												
enumeration	MailInCopalPool																																																												


**element consolidatorCommunicationInfoType/LastPickupdate**

diagram	 mailxml_defs:fs:LastPickupdate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/LastPickupType**

diagram	 mailxml_defs:fs:LastPickupType
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:uspsPickupType</b>
facets	Kind Value Annotation enumeration Y enumeration N

**element consolidatorCommunicationInfoType/CurrentZone**

diagram	 mailxml_defs:fs:CurrentZone
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zoneICType</b>
facets	Kind Value Annotation enumeration N enumeration M enumeration LC enumeration 1 enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration DDU enumeration SCF enumeration ADC

element **consolidatorCommunicationInfoType/CurrentLocation**

diagram	<pre> classDiagram     class mailxml_defs {         class consigneeFacili...         class fs {             CompanyName             FacilityNumber             FacilityAddress             FacilityName             FacilityType             URL             CommonCon...         }     }     mailxml_defs &lt; -- fs     fs &lt; -- FacilityAddress *--&gt; FacilityAddress   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>


element **consolidatorCommunicationInfoType/AppointmentDate**

diagram	<pre> classDiagram     class mailxml_defs {         class fs {             Appointment...         }     }     mailxml_defs &lt; -- fs   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">xs:dateTime</a>

element **consolidatorCommunicationInfoType/AppointmentNumber**

diagram	<pre> classDiagram     class mailxml_defs {         class fs {             Appointment...         }     }     mailxml_defs &lt; -- fs   </pre>																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<a href="#">mailxml_base:s12</a>																
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td></td> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	12			whiteSpace	preserve	
	Kind	Value	Annotation														
	minLength	1															
	maxLength	12															
	whiteSpace	preserve															


element **consolidatorCommunicationInfoType/CustomerName**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s50</b>
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

element **consolidatorCommunicationInfoType/InvoiceNumber**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **consolidatorCommunicationInfoType/BillTo**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **consolidatorCommunicationInfoType/MailPreparerJobID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s08</b>
facets	Kind Value Annotation minLength 1 maxLength 8

	whiteSpace preserve
--	---------------------

element **consolidatorCommunicationInfoType/StatComment**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s500</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>500</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	500		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	500												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/ServiceRequestID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s20</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/ServicelItem**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s20</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/ReferenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s06</b>

facets	Kind minLength maxLength whiteSpace	Value 1 6 preserve	Annotation
--------	--	-----------------------------	------------

element **consolidatorCommunicationInfoType/VersionNumber**

diagram	 mailxml_defs:fs:VersionNumber
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s04</b>
facets	Kind minLength maxLength whiteSpace

element **consolidatorCommunicationInfoType/Method**

diagram	 mailxml_defs:fs:Method
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s10</b>
facets	Kind minLength maxLength whiteSpace

element **consolidatorCommunicationInfoType/OutboundShippingDate**

diagram	 mailxml_defs:fs:OutboundShi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **consolidatorCommunicationInfoType/MiddleDayOfTransit**

diagram	 mailxml_defs:fs:MiddleDayOf...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:ns03</b>

**element consolidatorCommunicationInfoType/ActualTransit**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:ns03</b>


**element consolidatorCommunicationInfoType/HoldDays**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:ns03</b>


**element consolidatorCommunicationInfoType/DeliveryConfirmation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:apptStatusType</b>
facets	Kind Value Annotation enumeration Open enumeration Closed enumeration No Show enumeration Unscheduled enumeration Rejected

**element consolidatorCommunicationInfoType/ScheduledPickupDateStart**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

**element consolidatorCommunicationInfoType/ScheduledPickupDateEnd**


diagram	
---------	---

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:dateTime</b>


element **consolidatorCommunicationInfoType/PS8125ReceivedDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:dateTime</b>


element **consolidatorCommunicationInfoType/SegmentTapeCode**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/BillingVersionNumber**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s96</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>96</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	96		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	96												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/MailPreparerJobName**

diagram							
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>						
type	<b>mailxml_base:s30</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 30 whiteSpace preserve
--	-------------------------------------

element **consolidatorCommunicationInfoType/MailPreparerJobNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												


element **consolidatorCommunicationInfoType/StartInFacilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **consolidatorCommunicationInfoType/EndInFacilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **consolidatorCommunicationInfoType/DSMSStatus**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												


element **consolidatorCommunicationInfoType/ReleasedBy**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **consolidatorCommunicationInfoType/ReleasedDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

complexType **contactIDType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<b>mailxml_defs:IDValue mailxml_defs:IDValueType</b>
used by	element <a href="#">commonContactType/ContactID</a>


element **contactIDType/IDValue**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **contactIDType/IDValueType**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IDType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>DriversLicense</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EmployeeID</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	DriversLicense		enumeration	EmployeeID	
Kind	Value	Annotation								
enumeration	DriversLicense									
enumeration	EmployeeID									


complexType **ContainerDiscrepancyType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:ContainerDiscrepancyID</a> <a href="#">mailxml_defs:ContainerDiscrepancyDescription</a> <a href="#">mailxml_defs:ContainerDiscrepancyCategory</a> <a href="#">mailxml_defs:ContainerDiscrepancyCount</a>
used by	element <a href="#">inductionCloseoutInfoType/ContainerDiscrepancies</a>

element **ContainerDiscrepancyType/ContainerDiscrepancyID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

element **ContainerDiscrepancyType/ContainerDiscrepancyDescription**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s260</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	260	
		whiteSpace	preserve	


element **ContainerDiscrepancyType/ContainerDiscrepancyCategory**

	diagram	 mailxml_defs:fs:ContainerDisc...																																																															
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																															
	type	<a href="#"><b>mailxml_defs:containerDiscrepancyCategoryType</b></a>																																																															
	facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> <tr> <td>enumeration</td> <td>08</td> <td></td> </tr> <tr> <td>enumeration</td> <td>09</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>14</td> <td></td> </tr> <tr> <td>enumeration</td> <td>15</td> <td></td> </tr> <tr> <td>enumeration</td> <td>16</td> <td></td> </tr> <tr> <td>enumeration</td> <td>17</td> <td></td> </tr> <tr> <td>enumeration</td> <td>18</td> <td></td> </tr> <tr> <td>enumeration</td> <td>19</td> <td></td> </tr> <tr> <td>enumeration</td> <td>20</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17		enumeration	18		enumeration	19		enumeration	20	
Kind	Value	Annotation																																																															
enumeration	01																																																																
enumeration	02																																																																
enumeration	03																																																																
enumeration	04																																																																
enumeration	05																																																																
enumeration	06																																																																
enumeration	07																																																																
enumeration	08																																																																
enumeration	09																																																																
enumeration	10																																																																
enumeration	11																																																																
enumeration	12																																																																
enumeration	13																																																																
enumeration	14																																																																
enumeration	15																																																																
enumeration	16																																																																
enumeration	17																																																																
enumeration	18																																																																
enumeration	19																																																																
enumeration	20																																																																

element **ContainerDiscrepancyType/ContainerDiscrepancyCount**

	diagram	 mailxml_defs:fs:ContainerDisc...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
	type	<b>xs:nonNegativeInteger</b>

complexType **containerErrorWarningBlockType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml defs:ConsigneeContainerGroupingID</a> <a href="#">mailxml defs:ConsigneeContentID</a> <a href="#">mailxml defs:ShipperContainerGroupingID</a> <a href="#">mailxml defs:IMcb</a> <a href="#">mailxml defs:IMtb</a> <a href="#">mailxml defs:IMpb</a> <a href="#">mailxml defs:MailContentName</a> <a href="#">mailxml defs:ScheduledContentID</a>
used by	elements <a href="#">basicReturnInfoType/ContainerErrorWarningBlock</a> <a href="#">returnInfoType/ContainerErrorWarningBlock</a>

element **containerErrorWarningBlockType/ConsigneeContainerGroupingID**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s16</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>16</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	16		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	16												
whiteSpace	preserve												

element **containerErrorWarningBlockType/ConsigneeContentID**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:s12</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12	
Kind	Value	Annotation								
minLength	1									
maxLength	12									

	whiteSpace preserve
--	---------------------

element **containerErrorWarningBlockType/ShipperContainerGroupingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s16</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>16</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	16		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	16												
whiteSpace	preserve												

element **containerErrorWarningBlockType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **containerErrorWarningBlockType/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMtbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **containerErrorWarningBlockType/IMpb**


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs						
type	<b>mailxml_base:IMpbType</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21	
Kind	Value	Annotation					
minLength	21						

	maxLength 34
--	--------------


element **containerErrorWarningBlockType/MailContentName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **containerErrorWarningBlockType/SchedulerContentID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

complexType **containerIDType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MaildatContainer</a> <a href="#">mailxml_defs:MailXMLContainer</a>
used by	elements <a href="#">containerStatusInfoType/ContainerID</a> <a href="#">ContainerInductedType/ContainerID</a> <a href="#">ContainerInductedType/eInductionContainerID</a>

element **containerIDType/MaildatContainer**

diagram	<pre> classDiagram     class mailxml_defs::maildatContainer {         &lt;&lt;attributes&gt;&gt;         mailxml_defs::fs::UserLicenseCo...         mailxml_defs::fs::MaildatJobID         mailxml_defs::fs::ContainerID         mailxml_defs::fs::UniqueContai...     }   </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																														
type	<a href="#">mailxml_defs:maildatContainerIDType</a>																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:UserLicenseCode</td> <td><a href="#">mailxml_base:userLicenseCodeType</a></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td><a href="#">mailxml_base:jobIDType</a></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ContainerID</td> <td><a href="#">mailxml_base:s06</a></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UniqueContainerBarcode</td> <td><a href="#">mailxml_base:IMcbType</a></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:UserLicenseCode	<a href="#">mailxml_base:userLicenseCodeType</a>					mailxml_defs:MaildatJobID	<a href="#">mailxml_base:jobIDType</a>					mailxml_defs:ContainerID	<a href="#">mailxml_base:s06</a>					mailxml_defs:UniqueContainerBarcode	<a href="#">mailxml_base:IMcbType</a>				
Name	Type	User	Default	Fixed	Annotation																										
mailxml_defs:UserLicenseCode	<a href="#">mailxml_base:userLicenseCodeType</a>																														
mailxml_defs:MaildatJobID	<a href="#">mailxml_base:jobIDType</a>																														
mailxml_defs:ContainerID	<a href="#">mailxml_base:s06</a>																														
mailxml_defs:UniqueContainerBarcode	<a href="#">mailxml_base:IMcbType</a>																														

element **containerIDType/MailXMLContainer**

diagram	<pre> classDiagram     class mailxml_defs::MailXMLContainer {         &lt;&lt;children&gt;&gt;         mailxml_defs::fs::MailingGroupID         mailxml_defs::fs::CustomerGrou...         mailxml_defs::fs::ContainerID         mailxml_defs::fs::ContainerBarc...     }   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:MailXMLContainerIDType</a>
children	<a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:CustomerGroupID</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ContainerBarcode</a>

complexType **ContainerInductedType**

diagram	<pre> classDiagram     class ContainerInductedType     class eInductionContainerID     class IMcb     class ContainerID     class JobID     class MailingGroupID     class ConsigneeContainerManifestID     class ContainerUnloadTime     class ContainerUnloadState     class IrregularIndicator     class FullServiceIndicator      ContainerInductedType &lt; -- eInductionContainerID     ContainerInductedType &lt; -- IMcb     ContainerInductedType &lt; -- ContainerID     ContainerInductedType &lt; -- JobID     ContainerInductedType &lt; -- MailingGroupID     ContainerInductedType &lt; -- ConsigneeContainerManifestID     ContainerInductedType &lt; -- ContainerUnloadTime     ContainerInductedType &lt; -- ContainerUnloadState     ContainerInductedType &lt; -- IrregularIndicator     ContainerInductedType &lt; -- FullServiceIndicator   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:eInductionContainerID</a> <a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:JobID</a> <a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:ConsigneeContainerManifestID</a> <a href="#">mailxml_defs:ContainerUnloadTime</a> <a href="#">mailxml_defs:ContainerUnloadState</a> <a href="#">mailxml_defs:IrregularIndicator</a> <a href="#">mailxml_defs:FullServiceIndicator</a>
used by	element <a href="#">inductionCloseoutInfoType/ContainersInducted</a>


element **ContainerInductedType/eInductionContainerID**

diagram	<pre> classDiagram     class eInductionContainerID     class containerIDType     class MaildatContainer     class MailXMLContainer      eInductionContainerID &lt; -- containerIDType     eInductionContainerID &lt; -- MaildatContainer     eInductionContainerID &lt; -- MailXMLContainer   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:containerIDType</a>
children	<a href="#">mailxml_defs:MaildatContainer</a> <a href="#">mailxml_defs:MailXMLContainer</a>


element **ContainerInductedType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									


element **ContainerInductedType/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_defs:containerIDType</b>
children	<b>mailxml_defs:MaildatContainer</b> <b>mailxml_defs:MailXMLContainer</b>

element **ContainerInductedType/JobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:jobIDType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **ContainerInductedType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **ContainerInductedType/ConsigneeContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

element **ContainerInductedType/ContainerUnloadTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


element **ContainerInductedType/ContainerUnloadState**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

element **ContainerInductedType/IrregularIndicator**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

element **ContainerInductedType/FullServiceIndicator**

diagram	 mailxml_defs:fs:FullServiceInd...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:yesNo</b>												
facets	<table><thead><tr><th></th><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td></td><td>enumeration</td><td>Yes</td><td></td></tr><tr><td></td><td>enumeration</td><td>No</td><td></td></tr></tbody></table>		Kind	Value	Annotation		enumeration	Yes			enumeration	No	
	Kind	Value	Annotation										
	enumeration	Yes											
	enumeration	No											

complexType **containerInfoDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PhysicalPostalCodeEntryPoint</a> <a href="#">mailxml_defs:ActualContainerShipDateTime</a> <a href="#">mailxml_defs:CSADispatchNumber</a> <a href="#">mailxml_defs:CSAID</a> <a href="#">mailxml_defs:CSADispatchTime</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CinCode</a> <a href="#">mailxml_defs:ContainerBarcode</a> <a href="#">mailxml_defs:ContainerDetailData</a> <a href="#">mailxml_defs:ContainerDisplayName</a> <a href="#">mailxml_defs:ContainerType</a> <a href="#">mailxml_defs:IMpb</a> <a href="#">mailxml_defs:IncludedInOtherDoc</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ParentContainerID</a> <a href="#">mailxml_defs:DestinationZip</a> <a href="#">mailxml_defs:EntryPointFacilityType</a> <a href="#">mailxml_defs:EntryPointZip</a> <a href="#">mailxml_defs:EntryLocaleKey</a> <a href="#">mailxml_defs:SiblingContainerID</a> <a href="#">mailxml_defs:ProcessingCategory</a> <a href="#">mailxml_defs:SortationLevel</a> <a href="#">mailxml_defs:OverflowIndicator</a> <a href="#">mailxml_defs:ScheduledInductionDateTime</a> <a href="#">mailxml_defs:ScheduledShipDateTime</a> <a href="#">mailxml_defs:USPSPickup</a> <a href="#">mailxml_defs:MailOwnerCRID</a> <a href="#">mailxml_defs:ConsigneeContentID</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:PostageStatementMailingDate</a> <a href="#">mailxml_defs:ContainerAcceptanceDate</a> <a href="#">mailxml_defs:ContainerAcceptanceTime</a> <a href="#">mailxml_defs:CarrierID</a> <a href="#">mailxml_defs:TruckAndDispatchNumber</a> <a href="#">mailxml_defs:TotalWeightOfContainer</a> <a href="#">mailxml_defs:AdditionalTrayPostageAmount</a> <a href="#">mailxml_defs:eInductionIndicator</a> <a href="#">mailxml_defs:ReadyForSASP</a> <a href="#">mailxml_defs:AcceptMisshipped</a>

#### element **containerInfoDataType/PhysicalPostalCodeEntryPoint**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

#### element **containerInfoDataType/ActualContainerShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

#### element **containerInfoDataType/CSADispatchNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **containerInfoDataType/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												


element **containerInfoDataType/CSADispatchTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:time</b>

element **containerInfoDataType/CarrierRouteNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:es4</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

element **containerInfoDataType/CinCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s03</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	3	
		whiteSpace	preserve	

element **containerInfoDataType/ContainerBarcode**

	diagram	mailxml_defs:fs:ContainerBarcode
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:IMcbType</b>
facets		Kind Value Annotation minLength 21 maxLength 24

element **containerInfoDataType/ContainerDisplayName**

	diagram	mailxml_defs:fs:ContainerDisp...
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:s50</b>
facets		Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

element **containerInfoDataType/ContainerType**

	diagram	mailxml_defs:fs:ContainerType
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:mailXMLContainerType</b>
facets		Kind Value Annotation enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration 10

	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

#### element **containerInfoDataType/IMpb**

diagram	 mailxml_defs:fs:IMpb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMpbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

#### element **containerInfoDataType/IncludedInOtherDoc**

diagram	 mailxml_defs:fs:IncludedInOth...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:includedInOtherDocType</b>

	facets	Kind	Value	Annotation
		enumeration	L	
		enumeration	O	
		enumeration	I	


element **containerInfoDataType/ContainerID**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:s06</b>
facets		Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

element **containerInfoDataType/ParentContainerID**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:s06</b>
facets		Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

element **containerInfoDataType/DestinationZip**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

element **containerInfoDataType/EntryPointFacilityType**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type		<b>mailxml_base:entryFacilityType</b>
facets		Kind Value Annotation

	enumeration O enumeration B enumeration S enumeration D enumeration A enumeration W enumeration H enumeration R
--	--

element **containerInfoDataType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

element **containerInfoDataType/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:localeKeyType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **containerInfoDataType/SiblingContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **containerInfoDataType/ProcessingCategory**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:processingCategoryType</b>		
facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

#### element **containerInfoDataType/SortationLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:containerLevelType</b>
facets	Kind Value Annotation
	enumeration A
	enumeration B
	enumeration C
	enumeration D
	enumeration E
	enumeration F
	enumeration G
	enumeration H
	enumeration I
	enumeration J
	enumeration K
	enumeration M
	enumeration N
	enumeration P
	enumeration Q
	enumeration R
	enumeration S
	enumeration T
	enumeration U
	enumeration V
	enumeration W
	enumeration X


	enumeration Y
	enumeration Z
	enumeration AA
	enumeration AB
	enumeration AC
	enumeration AD
	enumeration AE
	enumeration AF
	enumeration AG
	enumeration AH
	enumeration AI
	enumeration AJ
	enumeration AK
	enumeration AL
	enumeration AM
	enumeration AN
	enumeration AO
	enumeration AP
	enumeration AQ
	enumeration AR
	enumeration AS
	enumeration AT
	enumeration BA
	enumeration BB
	enumeration BC
	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH
	enumeration BI
	enumeration BJ
	enumeration BK
	enumeration BL
	enumeration BM

#### element **containerInfoDataType/OverflowIndicator**


diagram							
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>						
type	<b>mailxml_base:yesNo</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------

element **containerInfoDataType/ScheduledInductionDateTime**

diagram	 mailxml_defs:fs:ScheduledInd...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **containerInfoDataType/ScheduledShipDateTime**

diagram	 mailxml_defs:fs:ScheduledShi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **containerInfoDataType/USPSPickup**

diagram	 mailxml_defs:fs:USPSPickup									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **containerInfoDataType/MailOwnerCRID**

diagram	 mailxml_defs:fs:MailOwnerCRID									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:CRIDType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **containerInfoDataType/ConsigneeContentID**

diagram	 mailxml_defs:fs:ConsigneeCon...
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s09</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	9	
	whiteSpace	preserve	

element **containerInfoDataType/ConsigneeApptID**

diagram	 mailxml_defs:fs:ConsigneeApp...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s10</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	whiteSpace	preserve	

element **containerInfoDataType/PostageStatementMailingDate**

diagram	 mailxml_defs:fs:PostageState...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **containerInfoDataType/ContainerAcceptanceDate**

diagram	 mailxml_defs:fs:ContainerAcc...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **containerInfoDataType/ContainerAcceptanceTime**

diagram	 mailxml_defs:fs:ContainerAcc...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:time</b>

**element containerInfoDataType/CarrierID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

**element containerInfoDataType/TruckAndDispatchNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:truckDispatchNumberType</b>
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

**element containerInfoDataType/TotalWeightOfContainer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

**element containerInfoDataType/AdditionalTrayPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

**element containerInfoDataType/eInductionIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **containerInfoDataType/ReadyForSASP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **containerInfoDataType/AcceptMisshipped**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

complexType **containerKeysInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<p style="color: blue;"> <a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:ContainerID</a>  <a href="#">mailxml_defs:ContainerType</a> <a href="#">mailxml_defs:FSNonFSAvailabilityDate</a>  <a href="#">mailxml_defs:FullServiceIndicator</a> </p>

used by	element <a href="#">containerStatusInfoType/ContainerKeysInfo</a>
---------	---

element **containerKeysInfoType/IMcb**

diagram	 mailxml_defs:fs:IMcb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **containerKeysInfoType/IMtb**

diagram	 mailxml_defs:fs:IMtb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMtbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **containerKeysInfoType/ContainerID**

diagram	 mailxml_defs:fs:ContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **containerKeysInfoType/ContainerType**


diagram	 mailxml_defs:fs:ContainerType						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs						
type	<b>mailxml_base:mailXMLContainerType</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1	
Kind	Value	Annotation					
enumeration	1						

	enumeration 2
	enumeration 3
	enumeration 4
	enumeration 5
	enumeration 6
	enumeration 7
	enumeration 8
	enumeration 9
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y


element **containerKeysInfoType/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **containerKeysInfoType/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


complexType **containerPostInductionInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:UniqueBarcodeValidation</a> <a href="#">mailxml_defs:EPDValidation</a> <a href="#">mailxml_defs:PaymentValidation</a> <a href="#">mailxml_defs&gt;NewZoneValidation</a> <a href="#">mailxml_defs:LabelingListValidation</a> <a href="#">mailxml_defs:PostInductionStatus</a> <a href="#">mailxml_defs:ReturnInfo</a>
used by	element <a href="#">containerStatusInfoType/PostInductionInfo</a>


element **containerPostInductionInfoType/UniqueBarcodeValidation**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **containerPostInductionInfoType/EPDValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **containerPostInductionInfoType/PaymentValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **containerPostInductionInfoType/NewZoneValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **containerPostInductionInfoType/LabelingListValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No

element **containerPostInductionInfoType/PostInductionStatus**

diagram																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																												
type	<a href="#">mailxml defs:containerStatusType</a>																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td><td>Accepted</td><td></td></tr> <tr> <td>enumeration</td><td>OnHold</td><td></td></tr> <tr> <td>enumeration</td><td>Rejected</td><td></td></tr> <tr> <td>enumeration</td><td>NotPaid</td><td></td></tr> <tr> <td>enumeration</td><td>TransportationInfoUpdated</td><td></td></tr> <tr> <td>enumeration</td><td>DispatchedforInduction</td><td></td></tr> <tr> <td>enumeration</td><td>DispatchedforPickup</td><td></td></tr> <tr> <td>enumeration</td><td>PickedUp</td><td></td></tr> <tr> <td>enumeration</td><td>Warehoused</td><td></td></tr> <tr> <td>enumeration</td><td>Planned</td><td></td></tr> <tr> <td>enumeration</td><td>Docked</td><td></td></tr> <tr> <td>enumeration</td><td>MailReadyforPickUp</td><td></td></tr> <tr> <td>enumeration</td><td>Delivered</td><td></td></tr> <tr> <td>enumeration</td><td>DepositedWithShipper</td><td></td></tr> <tr> <td>enumeration</td><td>eDocSubmitted</td><td></td></tr> <tr> <td>enumeration</td><td>MailReadytobeShipped</td><td></td></tr> <tr> <td>enumeration</td><td>PostageFinalized</td><td></td></tr> <tr> <td>enumeration</td><td>MailVerifiedAndReleased</td><td></td></tr> <tr> <td>enumeration</td><td>MailInCopalPool</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Accepted		enumeration	OnHold		enumeration	Rejected		enumeration	NotPaid		enumeration	TransportationInfoUpdated		enumeration	DispatchedforInduction		enumeration	DispatchedforPickup		enumeration	PickedUp		enumeration	Warehoused		enumeration	Planned		enumeration	Docked		enumeration	MailReadyforPickUp		enumeration	Delivered		enumeration	DepositedWithShipper		enumeration	eDocSubmitted		enumeration	MailReadytobeShipped		enumeration	PostageFinalized		enumeration	MailVerifiedAndReleased		enumeration	MailInCopalPool	
Kind	Value	Annotation																																																											
enumeration	Accepted																																																												
enumeration	OnHold																																																												
enumeration	Rejected																																																												
enumeration	NotPaid																																																												
enumeration	TransportationInfoUpdated																																																												
enumeration	DispatchedforInduction																																																												
enumeration	DispatchedforPickup																																																												
enumeration	PickedUp																																																												
enumeration	Warehoused																																																												
enumeration	Planned																																																												
enumeration	Docked																																																												
enumeration	MailReadyforPickUp																																																												
enumeration	Delivered																																																												
enumeration	DepositedWithShipper																																																												
enumeration	eDocSubmitted																																																												
enumeration	MailReadytobeShipped																																																												
enumeration	PostageFinalized																																																												
enumeration	MailVerifiedAndReleased																																																												
enumeration	MailInCopalPool																																																												

element **containerPostInductionInfoType/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml defs:returnInfoType</a>
children	<a href="#">mailxml defs:ConsigneeFacility</a> <a href="#">mailxml defs:ErrorWarning</a> <a href="#">mailxml defs:ContainerErrorWarningBlock</a>


complexType **containerPreInductionInfoType**

diagram	<pre> classDiagram     containerPreInductionInfoT... &lt; -- ReturnInfo     containerPreInductionInfoT... &lt; -- BarcodeFormatValidation     containerPreInductionInfoT... &lt; -- UniqueBarcodeValidation     containerPreInductionInfoT... &lt; -- EPDValidation     containerPreInductionInfoT... &lt; -- SingleAppointmentValidation     containerPreInductionInfoT... &lt; -- IMcbToAppointmentLinage     containerPreInductionInfoT... &lt; -- PaymentValidation     containerPreInductionInfoT... &lt; -- LabelingListValidation     containerPreInductionInfoT... &lt; -- TransportedMailAppointmentValidation     containerPreInductionInfoT... &lt; -- ContainerManifestValidation     containerPreInductionInfoT... &lt; -- NewZoneValidation     containerPreInductionInfoT... &lt; -- PreInductionStatus   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:BarcodeFormatValidation</a> <a href="#">mailxml_defs:UniqueBarcodeValidation</a> <a href="#">mailxml_defs:EPDValidation</a> <a href="#">mailxml_defs:SingleAppointmentValidation</a> <a href="#">mailxml_defs:IMcbToAppointmentLinage</a> <a href="#">mailxml_defs:PaymentValidation</a> <a href="#">mailxml_defs:LabelingListValidation</a> <a href="#">mailxml_defs:TransportedMailAppointmentValidation</a> <a href="#">mailxml_defs:ContainerManifestValidation</a> <a href="#">mailxml_defs&gt;NewZoneValidation</a> <a href="#">mailxml_defs:PreInductionStatus</a> <a href="#">mailxml_defs:ReturnInfo</a>
used by	element <a href="#">containerStatusInfoType/PreInductionInfo</a>


element **containerPreInductionInfoType/BarcodeFormatValidation**

diagram	<pre> classDiagram     containerPreInductionInfoT... &lt; -- BarcodeFormatValidation   </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **containerPreInductionInfoType/UniqueBarcodeValidation**

diagram	 mailxml_defs:fs:UniqueBarcodeValidation									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **containerPreInductionInfoType/EPDValidation**

diagram	 mailxml_defs:fs:EPDValidation									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **containerPreInductionInfoType/SingleAppointmentValidation**

diagram	 mailxml_defs:fs:SingleAppointmentValidation									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **containerPreInductionInfoType/IMcbToAppointmentLinage**

diagram	 mailxml_defs:fs:IMcbToAppointmentLinage									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


**element containerPreInductionInfoType/PaymentValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No

**element containerPreInductionInfoType/LabelingListValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No

**element containerPreInductionInfoType/TransportedMailAppointmentValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No

**element containerPreInductionInfoType/ContainerManifestValidation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No


element **containerPreInductionInfoType/NewZoneValidation**

diagram	 mailxml_defs:fs:NewZoneValid...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **containerPreInductionInfoType/PreInductionStatus**

diagram	 mailxml_defs:fs:PreInductionS...																																																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																												
type	<b>mailxml_defs:containerStatusType</b>																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Accepted</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OnHold</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Rejected</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NotPaid</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TransportationInfoUpdated</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DispatchedforInduction</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DispatchedforPickup</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PickedUp</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Warehoused</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Planned</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Docked</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailReadyforPickUp</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Delivered</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DepositedWithShipper</td> <td></td> </tr> <tr> <td>enumeration</td> <td>eDocSubmitted</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailReadytobeShipped</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PostageFinalized</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailVerifiedAndReleased</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MaillnCopalPool</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Accepted		enumeration	OnHold		enumeration	Rejected		enumeration	NotPaid		enumeration	TransportationInfoUpdated		enumeration	DispatchedforInduction		enumeration	DispatchedforPickup		enumeration	PickedUp		enumeration	Warehoused		enumeration	Planned		enumeration	Docked		enumeration	MailReadyforPickUp		enumeration	Delivered		enumeration	DepositedWithShipper		enumeration	eDocSubmitted		enumeration	MailReadytobeShipped		enumeration	PostageFinalized		enumeration	MailVerifiedAndReleased		enumeration	MaillnCopalPool	
Kind	Value	Annotation																																																											
enumeration	Accepted																																																												
enumeration	OnHold																																																												
enumeration	Rejected																																																												
enumeration	NotPaid																																																												
enumeration	TransportationInfoUpdated																																																												
enumeration	DispatchedforInduction																																																												
enumeration	DispatchedforPickup																																																												
enumeration	PickedUp																																																												
enumeration	Warehoused																																																												
enumeration	Planned																																																												
enumeration	Docked																																																												
enumeration	MailReadyforPickUp																																																												
enumeration	Delivered																																																												
enumeration	DepositedWithShipper																																																												
enumeration	eDocSubmitted																																																												
enumeration	MailReadytobeShipped																																																												
enumeration	PostageFinalized																																																												
enumeration	MailVerifiedAndReleased																																																												
enumeration	MaillnCopalPool																																																												

element **containerPreInductionInfoType/ReturnInfo**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:returnInfoType</b></a>
children	<a href="#"><b>mailxml_defs:ConsigneeFacility</b></a> <a href="#"><b>mailxml_defs:ErrorWarning</b></a> <a href="#"><b>mailxml_defs:ContainerErrorWarningBlock</b></a>

complexType **containerReleaseInfoType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:TransactionID</b></a> <a href="#"><b>mailxml_defs:MessageGeneratedDate</b></a> <a href="#"><b>mailxml_defs:MessageSentTarget</b></a> <a href="#"><b>mailxml_defs:MessageType</b></a>
used by	element <a href="#"><b>containerStatusInfoType/ContainerReleaseInfo</b></a>

element **containerReleaseInfoType/TransactionID**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#"><b>mailxml_base:s50</b></a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **containerReleaseInfoType/MessageGeneratedDate**

diagram	 mailxml_defs:fs:MessageGener...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **containerReleaseInfoType/MessageSentTarget**

diagram	 mailxml_defs:fs:MessageSentT...																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<b>mailxml_base:s10</b>																
facets	<table><thead><tr><th></th><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td></td><td>minLength</td><td>1</td><td></td></tr><tr><td></td><td>maxLength</td><td>10</td><td></td></tr><tr><td></td><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>		Kind	Value	Annotation		minLength	1			maxLength	10			whiteSpace	preserve	
	Kind	Value	Annotation														
	minLength	1															
	maxLength	10															
	whiteSpace	preserve															

element **containerReleaseInfoType/MessageType**

diagram	 mailxml_defs:fs:MessageType																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<b>mailxml_base:s50</b>																
facets	<table><thead><tr><th></th><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td></td><td>minLength</td><td>1</td><td></td></tr><tr><td></td><td>maxLength</td><td>50</td><td></td></tr><tr><td></td><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>		Kind	Value	Annotation		minLength	1			maxLength	50			whiteSpace	preserve	
	Kind	Value	Annotation														
	minLength	1															
	maxLength	50															
	whiteSpace	preserve															

complexType **containerStatusInfoType**

diagram	<pre> classDiagram     containerStatusInfoType &lt; -- fs:ApptInfo     containerStatusInfoType &lt; -- fs:ContainerID     containerStatusInfoType &lt; -- fs:IMcb     containerStatusInfoType &lt; -- fs:ConsigneeApp...     containerStatusInfoType &lt; -- fs:ShipperApptR...     containerStatusInfoType &lt; -- fs:ContentID     containerStatusInfoType &lt; -- fs:UserLicenseCo...     containerStatusInfoType &lt; -- fs:MaildatJobID     containerStatusInfoType &lt; -- fs:CustomerGrou...     containerStatusInfoType &lt; -- fs:MailingGroupID     containerStatusInfoType &lt; -- fs:eInductionInd...     containerStatusInfoType &lt; -- fs:ContainerKey...     containerStatusInfoType &lt; -- fs:ContainerDet...     containerStatusInfoType &lt; -- fs:Consolidator...     containerStatusInfoType &lt; -- fs:PaymentInfo     containerStatusInfoType &lt; -- fs:ApptInfo     containerStatusInfoType &lt; -- fs:eDocFacility     containerStatusInfoType &lt; -- fs:PlannedAppo...     containerStatusInfoType &lt; -- fs:InductionFaci...     containerStatusInfoType &lt; -- fs:PreInductionI...     containerStatusInfoType &lt; -- fs:ContainerRel...     containerStatusInfoType &lt; -- fs:InductionClo...     containerStatusInfoType &lt; -- fs:InductionIssue...     containerStatusInfoType &lt; -- fs:PostInductio...   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

children	<a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:ShipperApptRequestID</a> <a href="#">mailxml_defs:ConsigneeContainerManifestID</a> <a href="#">mailxml_defs:ContentID</a> <a href="#">mailxml_defs:UserLicenseCode</a> <a href="#">mailxml_defs:MaildatJobID</a> <a href="#">mailxml_defs:CustomerGroupID</a> <a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:eInductionIndicator</a> <a href="#">mailxml_defs:ContainerKeysInfo</a> <a href="#">mailxml_defs:ContainerDetail</a> <a href="#">mailxml_defs:ConsolidatorCommunicationInfo</a> <a href="#">mailxml_defs:PaymentInfo</a> <a href="#">mailxml_defs:ApptInfo</a> <a href="#">mailxml_defs:eDocFacility</a> <a href="#">mailxml_defs:PlannedAppointmentFacility</a> <a href="#">mailxml_defs:InductionFacility</a> <a href="#">mailxml_defs:PreInductionInfo</a> <a href="#">mailxml_defs:ContainerReleaseInfo</a> <a href="#">mailxml_defs:InductionCloseoutInfo</a> <a href="#">mailxml_defs:InductionIssues</a> <a href="#">mailxml_defs:PostInductionInfo</a>
----------	---

#### element **containerStatusInfoType/ContainerID**

diagram	<pre> classDiagram     class mailxml_defs::fs::ContainerID     class mailxml_defs::containerIDType     class mailxml_defs::fs::MaildatConta...     class mailxml_defs::fs::MailXMLCont...      mailxml_defs::fs::ContainerID --&gt; mailxml_defs::containerIDType     mailxml_defs::containerIDType &lt;--&gt; mailxml_defs::fs::MaildatConta...     mailxml_defs::containerIDType &lt;--&gt; mailxml_defs::fs::MailXMLCont...   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:containerIDType</a>
children	<a href="#">mailxml_defs:MaildatContainer</a> <a href="#">mailxml_defs:MailXMLContainer</a>

#### element **containerStatusInfoType/IMcb**


diagram	<pre> classDiagram     class mailxml_defs::fs::IMcb   </pre>									
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<a href="#">mailxml_base:IMcbType</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

#### element **containerStatusInfoType/ConsigneeApptID**

diagram	<pre> classDiagram     class mailxml_defs::fs::ConsigneeApp...   </pre>			
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>			
type	<a href="#">mailxml_base:s12</a>			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	<pre>minLength    1 maxLength    12 whiteSpace   preserve</pre>
--	---


element **containerStatusInfoType/ShipperApptRequestID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												


element **containerStatusInfoType/ConsigneeContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **containerStatusInfoType/ContentID**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																		
type	<b>mailxml_defs:contentIDType</b>																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:ConsigneeContentID</a></td> <td><b>mailxml_base:s12</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ScheduledContentID</a></td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:ConsigneeContentID</a>	<b>mailxml_base:s12</b>	required				<a href="#">mailxml_defs:ScheduledContentID</a>	<b>mailxml_base:s12</b>				
Name	Type	Use	Default	Fixed	Annotation														
<a href="#">mailxml_defs:ConsigneeContentID</a>	<b>mailxml_base:s12</b>	required																	
<a href="#">mailxml_defs:ScheduledContentID</a>	<b>mailxml_base:s12</b>																		


element **containerStatusInfoType/UserLicenseCode**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:userLicenseCodeType</b>
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve


element **containerStatusInfoType/MaildatJobID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:jobIDType</b>
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element **containerStatusInfoType/CustomerGroupID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s25</b>
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve


element **containerStatusInfoType/MailingGroupID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

element **containerStatusInfoType/eInductionIndicator**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **containerStatusInfoType/ContainerKeysInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_defs:containerKeysInfoType</b>
children	<a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ContainerType</a> <a href="#">mailxml_defs:FSNonFSAvailabilityDate</a> <a href="#">mailxml_defs:FullServiceIndicator</a>

element **containerStatusInfoType/ContainerDetail**


diagram



namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml defs:CSQcontainerInfoDataType</b></a>
children	<a href="#"><b>mailxml defs:PhysicalPostalCodeEntryPoint</b></a> <a href="#"><b>mailxml defs:ActualContainerShipDateTime</b></a> <a href="#"><b>mailxml defs:CSADispatchNumber</b></a> <a href="#"><b>maixml defs:CSAID</b></a> <a href="#"><b>mailxml defs:CSADispatchTime</b></a> <a href="#"><b>mailxml defs:CarrierRouteNumber</b></a> <a href="#"><b>mailxml defs:CinCode</b></a> <a href="#"><b>mailxml defs:ContainerBarcode</b></a> <a href="#"><b>mailxml defs:CSQContainerDetailData</b></a> <a href="#"><b>mailxml defs:ContainerDisplayName</b></a> <a href="#"><b>mailxml defs:ContainerType</b></a> <a href="#"><b>mailxml defs:IMpb</b></a> <a href="#"><b>mailxml defs:IncludedInOtherDoc</b></a> <a href="#"><b>mailxml defs:ContainerID</b></a> <a href="#"><b>mailxml defs:ParentContainerID</b></a> <a href="#"><b>mailxml defs:DestinationZip</b></a> <a href="#"><b>mailxml defs:EntryPointFacilityType</b></a> <a href="#"><b>mailxml defs:EntryPointZip</b></a> <a href="#"><b>mailxml defs:EntryLocaleKey</b></a> <a href="#"><b>mailxml defs:SiblingContainerID</b></a> <a href="#"><b>mailxml defs:ProcessingCategory</b></a> <a href="#"><b>mailxml defs:SortationLevel</b></a> <a href="#"><b>mailxml defs:OverflowIndicator</b></a> <a href="#"><b>mailxml defs:ScheduledInductionDateStartTime</b></a> <a href="#"><b>mailxml defs:ScheduledInductionDateEndTime</b></a> <a href="#"><b>mailxml defs:ScheduledShipDateTime</b></a> <a href="#"><b>mailxml defs:USPSPickup</b></a> <a href="#"><b>maixml defs:MailOwnerCRID</b></a> <a href="#"><b>mailxml defs:MailOwnerMID</b></a> <a href="#"><b>mailxml defs:ConsigneeContentID</b></a> <a href="#"><b>mailxml defs:ConsigneeApptID</b></a> <a href="#"><b>mailxml defs:PostageStatementMailingDate</b></a> <a href="#"><b>mailxml defs:ContainerAcceptanceDate</b></a> <a href="#"><b>mailxml defs:ContainerAcceptanceTime</b></a> <a href="#"><b>mailxml defs:CarrierID</b></a> <a href="#"><b>mailxml defs:TruckAndDispatchNumber</b></a> <a href="#"><b>mailxml defs:TotalWeightOfContainer</b></a> <a href="#"><b>mailxml defs:AdditionalTrayPostageAmount</b></a> <a href="#"><b>mailxml defs:eInductionIndicator</b></a> <a href="#"><b>mailxml defs:LabelDestLine1</b></a> <a href="#"><b>mailxml defs:LabelDestLine2</b></a> <a href="#"><b>mailxml defs:LabelContentLine1</b></a> <a href="#"><b>mailxml defs:LabelContentLine2</b></a> <a href="#"><b>mailxml defs:LabelEntryOriginPointLine</b></a> <a href="#"><b>mailxml defs:LabelUserInfoLine1</b></a> <a href="#"><b>mailxml defs:LabelUserInfoLine2</b></a> <a href="#"><b>mailxml defs:LabelContLabelCINCode</b></a> <a href="#"><b>mailxml defs:LabelContLabelType</b></a> <a href="#"><b>mailxml defs:PresortLabelingListEffectiveDate</b></a> <a href="#"><b>mailxml defs:LastUsedLabelingListEffectiveDate</b></a> <a href="#"><b>mailxml defs:PresortCityStatePublicationDate</b></a> <a href="#"><b>mailxml defs:LastUsedCityStatePublicationDate</b></a> <a href="#"><b>mailxml defs:PresortZoneChartMatrixPublicationDate</b></a> <a href="#"><b>mailxml defs:LastUsedZoneChartMatrixPublication</b></a> <a href="#"><b>mailxml defs:LastUsedMailDirectionPublicationDate</b></a> <a href="#"><b>mailxml defs:Incentive</b></a> <a href="#"><b>mailxml defs:Fee</b></a> <a href="#"><b>mailxml defs:ReadyForSASP</b></a> <a href="#"><b>mailxml defs:AcceptMisshipped</b></a> <a href="#"><b>mailxml defs:OCILinkedData</b></a>

element **containerStatusInfoType/ConsolidatorCommunicationInfo**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#"><b>mailxml_defs:consolidatorCommunicationInfoType</b></a>
children	<a href="#">mailxml_defs:PalletID</a> <a href="#">mailxml_defs:ContainerBarcode</a> <a href="#">mailxml_defs:InternalID</a> <a href="#">mailxml_defs:BillingNumber</a> <a href="#">mailxml_defs:OriginFacilityInfo</a> <a href="#">mailxml_defs:ConsolidatorFacilityInfo</a> <a href="#">mailxml_defs:PalletCount</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:DestinationCity</a> <a href="#">mailxml_defs:DestinationState</a> <a href="#">mailxml_defs:DestinationZipCode</a> <a href="#">mailxml_defs:LocaleKey</a> <a href="#">mailxml_defs:FirstpickupDate</a> <a href="#">mailxml_defs:ActualWarehouseDate</a> <a href="#">mailxml_defs:DueAtConsolidatorDate</a> <a href="#">mailxml_defs:RecdAtConsolidatorDate</a> <a href="#">mailxml_defs:ConsolidatedInventoryStatus</a> <a href="#">mailxml_defs:ShippedQuantity</a> <a href="#">mailxml_defs:ShipmentComplete</a> <a href="#">mailxml_defs:ConsolidatorShipDate</a> <a href="#">mailxml_defs:BeginDeliveryWindowDate</a> <a href="#">mailxml_defs:EndDeliveryWindowDate</a> <a href="#">mailxml_defs:ApptDate</a> <a href="#">mailxml_defs:ActualDeliveryDate</a> <a href="#">mailxml_defs:CoPalPoolDate</a> <a href="#">mailxml_defs:DeliveryType</a> <a href="#">mailxml_defs:PurchaseOrderNumber</a> <a href="#">mailxml_defs:SackTrayCount</a> <a href="#">mailxml_defs:PieceCount</a> <a href="#">mailxml_defs:Weight</a> <a href="#">mailxml_defs:ContainerStatus</a> <a href="#">mailxml_defs&gt;LastPickupdate</a> <a href="#">mailxml_defs&gt;LastPickupType</a> <a href="#">mailxml_defs:CurrentZone</a> <a href="#">mailxml_defs:CurrentLocation</a> <a href="#">mailxml_defs:AppointmentDate</a> <a href="#">mailxml_defs:AppointmentNumber</a> <a href="#">mailxml_defs:CustomerName</a> <a href="#">mailxml_defs:InvoiceNumber</a> <a href="#">mailxml_defs:BilledTo</a> <a href="#">mailxml_defs:MailPreparerJobID</a> <a href="#">mailxml_defs:StatComment</a> <a href="#">mailxml_defs:ServiceRequestID</a> <a href="#">mailxml_defs:ServiceItem</a> <a href="#">mailxml_defs:ReferenceNumber</a> <a href="#">mailxml_defs:VersionNumber</a> <a href="#">mailxml_defs:Method</a> <a href="#">mailxml_defs:OutboundShippingDate</a> <a href="#">mailxml_defs:MiddleDayOfTransit</a> <a href="#">mailxml_defs:ActualTransit</a> <a href="#">mailxml_defs:HoldDays</a> <a href="#">mailxml_defs:DeliveryConfirmation</a> <a href="#">mailxml_defs:ScheduledPickupDateStart</a> <a href="#">mailxml_defs:ScheduledPickupDateEnd</a> <a href="#">mailxml_defs:PS8125ReceivedDate</a> <a href="#">mailxml_defs:SegmentTapeCode</a> <a href="#">mailxml_defs:BillingVersionNumber</a> <a href="#">mailxml_defs:MailPreparerJobName</a> <a href="#">mailxml_defs:MailPreparerJobNumber</a> <a href="#">mailxml_defs:StartInFacilityDate</a> <a href="#">mailxml_defs:EndInFacilityDate</a> <a href="#">mailxml_defs:DSMSStatus</a> <a href="#">mailxml_defs:ReleasedBy</a> <a href="#">mailxml_defs:ReleasedDate</a>

#### element containerStatusInfoType/PaymentInfo

diagram	<p>The diagram illustrates a UML Class Diagram. On the left, there is a class box labeled "mailxml_defs:fs:PaymentInfo". A line with a diamond connector points from this class to another class box labeled "mailxml_defs:postageStatementList". The line has a multiplicity of "0..∞" at the "PaymentInfo" end and a multiplicity of "1" at the "postageStatementList" end.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<a href="#">mailxml_defs:postageStatementSummaryType</a>
children	<a href="#">mailxml_defs:StatementID</a> <a href="#">mailxml_defs:UserPostageStatementID</a> <a href="#">mailxml_defs:UserPostageStatementSequenceID</a> <a href="#">mailxml_defs:USPSPostageStatementSequenceID</a> <a href="#">mailxml_defs:PostageStatementStatus</a>

element **containerStatusInfoType/ApptInfo**

diagram	<pre> classDiagram     class ApptInfo {         &lt;&lt;mailxml_defs:fs&gt;&gt;     }     class pickupApptBlockResponseType {         &lt;&lt;mailxml_defs:fs&gt;&gt;         TrackingID         ConsigneeAppID         ConsigneeFacilityID         PickupLocation         ScheduledAppt         Comment         TransportationResponsibility     }     ApptInfo "0..∞" --&gt; pickupApptBlockResponseType   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:pickupApptBlockResponseType</a>
children	<a href="#">mailxml_defs:TrackingID</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:ConsigneeFacility</a> <a href="#">mailxml_defs:PickupLocation</a> <a href="#">mailxml_defs:ScheduledAppt</a> <a href="#">mailxml_defs:Comment</a> <a href="#">mailxml_defs:TransportationResponsibility</a>

element **containerStatusInfoType/eDocFacility**

diagram	<pre> classDiagram     class eDocFacility {         &lt;&lt;mailxml_defs:fs:eDocFacility&gt;&gt;     }     class consigneeFacilityType {         &lt;&lt;mailxml_defs:consigneeFacilityType&gt;&gt;         mailxml_defs:fs:CompanyName         mailxml_defs:fs:FacilityNumber         mailxml_defs:fs:FacilityAddress         mailxml_defs:fs:FacilityName         mailxml_defs:fs:FacilityType         mailxml_defs:fs:URL         mailxml_defs:fs:CommonCon...     }     eDocFacility "0..1" -- "0..∞" consigneeFacilityType   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **containerStatusInfoType/PlannedAppointmentFacility**

diagram	<pre> classDiagram     class PlannedAppointmentFacility {         &lt;&lt;mailxml_defs:fs:PlannedAppointmentFacility&gt;&gt;     }     class consigneeFacilityType {         &lt;&lt;mailxml_defs:consigneeFacilityType&gt;&gt;         mailxml_defs:fs:CompanyName         mailxml_defs:fs:FacilityNumber         mailxml_defs:fs:FacilityAddress         mailxml_defs:fs:FacilityName         mailxml_defs:fs:FacilityType         mailxml_defs:fs:URL         mailxml_defs:fs:CommonCon...     }     PlannedAppointmentFacility "0..1" -- "0..∞" consigneeFacilityType   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **containerStatusInfoType/InductionFacility**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>


element **containerStatusInfoType/PreInductionInfo**

diagram	<pre> classDiagram     class mailxml_defs::containerPreInductionInfoType {         mailxml_defs::fs::BarcodeFormatValidation         mailxml_defs::fs::UniqueBarcodeValidation         mailxml_defs::fs::EPDValidation         mailxml_defs::fs::SingleAppointmentValidation         mailxml_defs::fs::IMcbToAppointmentLinage         mailxml_defs::fs::PaymentValidation         mailxml_defs::fs::LabelingListValidation         mailxml_defs::fs::TransportedMailAppointmentValidation         mailxml_defs::fs::ContainerManifestValidation         mailxml_defs::fs::NewZoneValidation         mailxml_defs::fs::PreInductionStatus         mailxml_defs::fs::ReturnInfo     }     mailxml_defs::fs::PreInductionStatus *--&gt; mailxml_defs::fs::ReturnInfo   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:containerPreInductionInfoType</a>
children	<a href="#">mailxml_defs:BarcodeFormatValidation</a> <a href="#">mailxml_defs:UniqueBarcodeValidation</a> <a href="#">mailxml_defs:EPDValidation</a> <a href="#">mailxml_defs:SingleAppointmentValidation</a> <a href="#">mailxml_defs:IMcbToAppointmentLinage</a> <a href="#">mailxml_defs:PaymentValidation</a> <a href="#">mailxml_defs:LabelingListValidation</a> <a href="#">mailxml_defs:TransportedMailAppointmentValidation</a> <a href="#">mailxml_defs:ContainerManifestValidation</a> <a href="#">mailxml_defs&gt;NewZoneValidation</a> <a href="#">mailxml_defs:PreInductionStatus</a> <a href="#">mailxml_defs:ReturnInfo</a>

element **containerStatusInfoType/ContainerReleasInfo**

diagram	<p>The diagram illustrates the relationship between two UML classes: <b>mailxml_defs:containerReleaseInfo</b> and <b>mailxml_defs:fs:ContainerReleasInfo</b>. The <b>mailxml_defs:fs:ContainerReleasInfo</b> class is shown as a dashed-line box containing four attributes: <b>mailxml_defs:fs:TransactionID</b>, <b>mailxml_defs:fs:MessageGeneratedDate</b>, <b>mailxml_defs:fs:MessageSentTarget</b>, and <b>mailxml_defs:fs:MessageType</b>. A solid-line association connects the <b>mailxml_defs:fs:ContainerReleasInfo</b> class to the <b>mailxml_defs:containerReleaseInfo</b> class, which is also enclosed in a dashed-line box. The multiplicity at the end of the association line is <b>0..∞</b>.</p>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:containerReleaseInfoType</b></a>
children	<a href="#"><b>mailxml_defs:TransactionID</b></a> <a href="#"><b>mailxml_defs:MessageGeneratedDate</b></a> <a href="#"><b>mailxml_defs:MessageSentTarget</b></a> <a href="#"><b>mailxml_defs:MessageType</b></a>

element **containerStatusInfoType/InductionCloseoutInfo**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#"><b>mailxml_defs:inductionCloseoutInfoType</b></a>
children	<a href="#"><b>mailxml_defs:TransactionID</b></a> <a href="#"><b>mailxml_defs:MessageGeneratedDate</b></a> <a href="#"><b>mailxml_defs:ConsigneeApptID</b></a> <a href="#"><b>mailxml_defs:ShipperApptRequestID</b></a> <a href="#"><b>mailxml_defs:ApptStatus</b></a> <a href="#"><b>mailxml_defs:CloseoutEmployeeUserID</b></a> <a href="#"><b>mailxml_defs:ApptCloseOutDateTime</b></a> <a href="#"><b>mailxml_defs:ApptCloseOutEmployeeContactInfo</b></a> <a href="#"><b>mailxml_defs:DropShipOrOrigin</b></a> <a href="#"><b>mailxml_defs:ApptAuthorizationAction</b></a> <a href="#"><b>mailxml_defs:VerificationEmployeeUserID</b></a> <a href="#"><b>mailxml_defs:ActualConsigneeFacilityID</b></a> <a href="#"><b>mailxml_defs:ActualFacilityType</b></a> <a href="#"><b>mailxml_defs:ActualSiteNassCode</b></a> <a href="#"><b>mailxml_defs:ActualSiteName</b></a> <a href="#"><b>mailxml_defs:FacilityArrival</b></a> <a href="#"><b>mailxml_defs:FacilityDeparture</b></a> <a href="#"><b>mailxml_defs:ActualDockDoorArrival</b></a> <a href="#"><b>mailxml_defs:ActualStartUnload</b></a> <a href="#"><b>mailxml_defs:ActualEndUnload</b></a> <a href="#"><b>mailxml_defs:DockDoorNo</b></a> <a href="#"><b>mailxml_defs:ConsigneeMailLoadAcceptanceAction</b></a> <a href="#"><b>mailxml_defs:ContainersInducted</b></a> <a href="#"><b>mailxml_defs:ContainerDiscrepancies</b></a> <a href="#"><b>mailxml_defs:SourceofData</b></a>

#### element **containerStatusInfoType/InductionIssues**

diagram	<pre> classDiagram     class mailxml_defs:inductionIssue...     class mailxml_defs:fs:ContainerPro...     class mailxml_defs:fs:Appointment...     class mailxml_defs:fs:TruckLoadPro...      mailxml_defs:inductionIssue... "0..∞" --&gt; mailxml_defs:fs:ContainerPro...     mailxml_defs:inductionIssue... "0..∞" --&gt; mailxml_defs:fs:Appointment...     mailxml_defs:inductionIssue... "0..∞" --&gt; mailxml_defs:fs:TruckLoadPro...   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#"><b>mailxml_defs:inductionIssuesType</b></a>
children	<a href="#"><b>mailxml_defs:ContainerProblem</b></a> <a href="#"><b>mailxml_defs:AppointmentProblem</b></a> <a href="#"><b>mailxml_defs:TruckLoadProblem</b></a>

## element **containerStatusInfoType/PostInductionInfo**

diagram	<pre> classDiagram     class mailxml_defs:fs:PostInductionInfo     class mailxml_defs:fs:UniqueBarcodeValidation     class mailxml_defs:fs:EPDValidation     class mailxml_defs:fs:PaymentValidation     class mailxml_defs:fs&gt;NewZoneValidation     class mailxml_defs:fs:LabelingListValidation     class mailxml_defs:fs:PostInductionStatus     class mailxml_defs:fs:ReturnInfo      mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:UniqueBarcodeValidation     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:EPDValidation     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:PaymentValidation     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs&gt;NewZoneValidation     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:LabelingListValidation     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:PostInductionStatus     mailxml_defs:fs:PostInductionInfo --&gt; mailxml_defs:fs:ReturnInfo   </pre> <p>The diagram illustrates the structure of the <code>PostInductionInfo</code> element. It is represented as a class with a multiplicity of <code>0..∞</code>. Seven associations lead from it to other validation classes: <code>UniqueBarcodeValidation</code>, <code>EPDValidation</code>, <code>PaymentValidation</code>, <code>NewZoneValidation</code>, <code>LabelingListValidation</code>, <code>PostInductionStatus</code>, and <code>ReturnInfo</code>.</p>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:containerPostInductionInfoType</b></a>
children	<a href="#"><b>mailxml_defs:UniqueBarcodeValidation</b></a> <a href="#"><b>mailxml_defs:EPDValidation</b></a> <a href="#"><b>mailxml_defs:PaymentValidation</b></a> <a href="#"><b>mailxml_defs&gt;NewZoneValidation</b></a> <a href="#"><b>mailxml_defs:LabelingListValidation</b></a> <a href="#"><b>mailxml_defs:PostInductionStatus</b></a> <a href="#"><b>mailxml_defs:ReturnInfo</b></a>

## complexType **contentIDType**

diagram	<pre> classDiagram     class contentIDType {         attributes         class mailxml_defs:fs:ConsigneeContentID         class mailxml_defs:fs:SchedulerContentID     }   </pre> <p>The diagram shows the <code>contentIDType</code> complex type. It contains an <code>attributes</code> section and two subtypes: <code>ConsigneeContentID</code> and <code>SchedulerContentID</code>.</p>																		
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																		
used by	element <a href="#"><b>containerStatusInfoType/ContentID</b></a>																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:ConsigneeContentID</a></td> <td><a href="#">mailxml_base:s12</a></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ScheduledContentID</a></td> <td><a href="#">mailxml_base:s12</a></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:ConsigneeContentID</a>	<a href="#">mailxml_base:s12</a>	required				<a href="#">mailxml_defs:ScheduledContentID</a>	<a href="#">mailxml_base:s12</a>				
Name	Type	Use	Default	Fixed	Annotation														
<a href="#">mailxml_defs:ConsigneeContentID</a>	<a href="#">mailxml_base:s12</a>	required																	
<a href="#">mailxml_defs:ScheduledContentID</a>	<a href="#">mailxml_base:s12</a>																		

## attribute **contentIDType/@ConsigneeContentID**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_base:s12</b></a>
facets	Kind Value Annotation

	minLength 1 maxLength 12 whiteSpace preserve
--	--

attribute **contentIDType/@SchedulerContentID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

complexType **CSQContainerDetailDataType**

diagram	<pre> classDiagram     class CSQContainerDetailDataType {         mailxml_defs:MailOwner         mailxml_defs:ContainerDetailID         mailxml_defs:CarrierRouteNumber         mailxml_defs:CumulativePostage         mailxml_defs:EntryDiscountType         mailxml_defs:MailEndSeqNo         mailxml_defs:MailStartSeqNo         mailxml_defs:Postage         mailxml_defs:RateLevel         mailxml_defs:TotalCopies         mailxml_defs:TotalPieces         mailxml_defs:Zone         mailxml_defs:VersionID         mailxml_defs:ZipThreeFive         mailxml_defs:InOutCountyIndicator         mailxml_defs:RateLevelIndicator         mailxml_defs:ContainerCharacteristics         mailxml_defs:ActualPieces         mailxml_defs:ServiceLevelIndicator         mailxml_defs:DocumentVersion         mailxml_defs:MaildatMPUI     }     CSQContainerDetailDataType --&gt; DocumentVersion     CSQContainerDetailDataType --&gt; MaildatMPUI   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MailOwner</a> <a href="#">mailxml_defs:ContainerDetailID</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CumulativePostage</a> <a href="#">mailxml_defs:EntryDiscountType</a> <a href="#">mailxml_defs:MailEndSeqNo</a> <a href="#">mailxml_defs:MailStartSeqNo</a> <a href="#">mailxml_defs:Postage</a> <a href="#">mailxml_defs:RateLevel</a> <a href="#">mailxml_defs:TotalCopies</a> <a href="#">mailxml_defs:TotalPieces</a> <a href="#">mailxml_defs:Zone</a> <a href="#">mailxml_defs:VersionID</a> <a href="#">mailxml_defs:ZipThreeFive</a> <a href="#">mailxml_defs:InOutCountyIndicator</a>

	<a href="#">mailxml_defs:RateLevelIndicator</a> <a href="#">mailxml_defs:ContainerChargeContainerLevel</a> <a href="#">mailxml_defs:ActualPieces</a> <a href="#">mailxml_defs:ServiceLevelIndicator</a> <a href="#">mailxml_defs:DocumentVersionDataforCSQType</a> <a href="#">mailxml_defs:MaildatMPUInfo</a>
used by	element <a href="#">CSQcontainerInfoDataType/CSQContainerDetailData</a>

element **CSQContainerDetailDataType/MailOwner**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:permitPublicationDataType</a>
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>

element **CSQContainerDetailDataType/ContainerDetailID**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#">mailxml_base:s09</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **CSQContainerDetailDataType/CarrierRouteNumber**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:es4</b>		
facets	Kind	Value	Annotation
	minLength	4	
	maxLength	4	
	whiteSpace	preserve	

#### element **CSQContainerDetailDataType/CumulativePostage**

diagram	mailxml_defs:fs:CumulativePo... [ ]
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>


#### element **CSQContainerDetailDataType/EntryDiscountType**

diagram	mailxml_defs:fs:EntryDiscoun... [ ]		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:entryDiscountType</b>		
facets	Kind	Value	Annotation
	enumeration	N	
	enumeration	B	
	enumeration	S	
	enumeration	D	
	enumeration	A	
	enumeration	H	

#### element **CSQContainerDetailDataType/MailEndSeqNo**

diagram	mailxml_defs:fs:MailEndSeqNo [ ]		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s50</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	50	
	whiteSpace	preserve	

element **CSQContainerDetailDataType/MailStartSeqNo**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **CSQContainerDetailDataType/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

element **CSQContainerDetailDataType/RateLevel**

diagram																																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																									
type	<b>mailxml_base:rateLevelType</b>																																																									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AB</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PSRT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NDC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ONDC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>WS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HDP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SP		enumeration	5B		enumeration	3B		enumeration	AB		enumeration	PSRT		enumeration	5D		enumeration	3D		enumeration	NDC		enumeration	ONDC		enumeration	BP		enumeration	MP		enumeration	AD		enumeration	MD		enumeration	WS		enumeration	HD		enumeration	HDP		enumeration	CR		enumeration	MB	
Kind	Value	Annotation																																																								
enumeration	SP																																																									
enumeration	5B																																																									
enumeration	3B																																																									
enumeration	AB																																																									
enumeration	PSRT																																																									
enumeration	5D																																																									
enumeration	3D																																																									
enumeration	NDC																																																									
enumeration	ONDC																																																									
enumeration	BP																																																									
enumeration	MP																																																									
enumeration	AD																																																									
enumeration	MD																																																									
enumeration	WS																																																									
enumeration	HD																																																									
enumeration	HDP																																																									
enumeration	CR																																																									
enumeration	MB																																																									

	enumeration FB enumeration BB enumeration SCF enumeration SD enumeration FS enumeration FF enumeration FC enumeration FN
--	---


element **CSQContainerDetailDataType/TotalCopies**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

element **CSQContainerDetailDataType/TotalPieces**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:nonNegativeInteger</b>

element **CSQContainerDetailDataType/Zone**


diagram																																								
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																							
type	<b>mailxml_base:zoneIContentType</b>																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	A	
Kind	Value	Annotation																																						
enumeration	N																																							
enumeration	M																																							
enumeration	LC																																							
enumeration	1																																							
enumeration	3																																							
enumeration	4																																							
enumeration	5																																							
enumeration	6																																							
enumeration	7																																							
enumeration	8																																							
enumeration	9																																							
enumeration	A																																							

	enumeration DDU enumeration SCF enumeration ADC
--	---


element **CSQContainerDetailDataType/VersionID**

diagram	 mailxml_defs:VersionID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **CSQContainerDetailDataType/ZipThreeFive**

diagram	 mailxml_defs:ZipThreeFive
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

element **CSQContainerDetailDataType/InOutCountyIndicator**

diagram	 mailxml_defs:InOutCounty...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base.inCountyOutCountyIndicatorType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	I		enumeration	N	
Kind	Value	Annotation								
enumeration	I									
enumeration	N									

element **CSQContainerDetailDataType/RateLevelIndicator**

diagram	 mailxml_defs:RateLevelIndic...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:rateLevelIndicatorType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B	
Kind	Value	Annotation								
enumeration	A									
enumeration	B									

	enumeration C enumeration M enumeration N
--	---

element **CSQContainerDetailDataType/ContainerChargeContainerLevel**

diagram	A diagram showing the path mailxml_defs:fs:ContainerChar... with a dashed box highlighting the 'ContainerChar...' part.															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs															
type	<b>mailxml_base:cccLevelType</b>															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	M	
Kind	Value	Annotation														
enumeration	3															
enumeration	5															
enumeration	A															
enumeration	M															

element **CSQContainerDetailDataType/ActualPieces**

diagram	A diagram showing the path mailxml_defs:fs:ActualPieces with a dashed box highlighting the 'ActualPieces' part.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>


element **CSQContainerDetailDataType/ServiceLevellIndicator**

diagram	A diagram showing the path mailxml_defs:fs:ServiceLevell... with a dashed box highlighting the 'ServiceLevell...' part.															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs															
type	<b>mailxml_base:serviceLevelIndicatorType</b>															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	B		enumeration	P		enumeration	O	
Kind	Value	Annotation														
enumeration	F															
enumeration	B															
enumeration	P															
enumeration	O															

element **CSQContainerDetailDataType/DocumentVersionDataforCSQType**

diagram	<pre> classDiagram     class mailxml_defs {         documentVersionDataforCSQType     }     class mailxml_defs {         fs {             VersionID             VersionName             VersionDescri...             PieceWeight             AdPercent             RateAffixed             PermitPublicic...             TotalCopies             MailPieceBlock         }     }     mailxml_defs::fs::DocumentVer... --&gt; mailxml_defs::documentVersionDataforCSQType     mailxml_defs::documentVersionDataforCSQType "0..∞"   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:documentVersionDataforCSQType</a>
children	<a href="#">mailxml_defs:VersionID</a> <a href="#">mailxml_defs:VersionName</a> <a href="#">mailxml_defs:VersionDescription</a> <a href="#">mailxml_defs:PieceWeight</a> <a href="#">mailxml_defs:AdPercent</a> <a href="#">mailxml_defs:RateAffixed</a> <a href="#">mailxml_defs:PermitPublicationData</a> <a href="#">mailxml_defs:TotalCopies</a> <a href="#">mailxml_defs:MailPieceBlock</a>


element **CSQContainerDetailDataType/MaildatMPUInfo**



namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml defs:MaildatMPUInfoType</b></a>
children	<a href="#"><b>mailxml defs:SegmentID</b></a> <a href="#"><b>mailxml defs:MPUID</b></a> <a href="#"><b>mailxml defs:MPUName</b></a> <a href="#"><b>mailxml defs:MPUDescription</b></a> <a href="#"><b>mailxml defs:MPUWeight</b></a> <a href="#"><b>mailxml defs:MPUWeightSource</b></a> <a href="#"><b>mailxml defs:MPUWeightStatus</b></a> <a href="#"><b>mailxml defs:MPULength</b></a> <a href="#"><b>mailxml defs:MPUWidth</b></a> <a href="#"><b>mailxml defs:MPUThickness</b></a> <a href="#"><b>mailxml defs:MPUClass</b></a> <a href="#"><b>mailxml defs:MPURateType</b></a> <a href="#"><b>mailxml defs:RateSchedule</b></a> <a href="#"><b>mailxml defs:MPUProcessingCategory</b></a> <a href="#"><b>mailxml defs:Country</b></a> <a href="#"><b>mailxml defs:MPUSurcharge</b></a> <a href="#"><b>mailxml defs:CoPalletizationCode</b></a> <a href="#"><b>mailxml defs:FiveDigitSchemeDatabaseDate</b></a> <a href="#"><b>mailxml defs:MachinabilityIndicator</b></a> <a href="#"><b>mailxml defs:PreDenominatedAmount</b></a> <a href="#"><b>mailxml defs:PostageAffixedType</b></a> <a href="#"><b>mailxml defs:BulkInsurance</b></a> <a href="#"><b>mailxml defs:StandardParcelType</b></a> <a href="#"><b>mailxml defs:MailPieceBlock</b></a>


complexType **CSQcontainerInfoDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PhysicalPostalCodeEntryPoint</a> <a href="#">mailxml_defs:ActualContainerShipDateTime</a> <a href="#">mailxml_defs:CSADispatchNumber</a> <a href="#">mailxml_defs:CSAID</a> <a href="#">mailxml_defs:CSADispatchTime</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CinCode</a> <a href="#">mailxml_defs:ContainerBarcode</a> <a href="#">mailxml_defs:CSQContainerDetailData</a> <a href="#">mailxml_defs:ContainerDisplayName</a> <a href="#">mailxml_defs:ContainerType</a> <a href="#">mailxml_defs:IMpb</a> <a href="#">mailxml_defs:IncludedInOtherDoc</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ParentContainerID</a> <a href="#">mailxml_defs:DestinationZip</a> <a href="#">mailxml_defs:EntryPointFacilityType</a> <a href="#">mailxml_defs:EntryPointZip</a> <a href="#">mailxml_defs:EntryLocaleKey</a> <a href="#">mailxml_defs:SiblingContainerID</a> <a href="#">mailxml_defs:ProcessingCategory</a> <a href="#">mailxml_defs:SortationLevel</a> <a href="#">mailxml_defs:OverflowIndicator</a> <a href="#">mailxml_defs:ScheduledInductionDateStartTime</a> <a href="#">mailxml_defs:ScheduledInductionDateEndTime</a> <a href="#">mailxml_defs:ScheduledShipDateTime</a> <a href="#">mailxml_defs:USPSPickup</a> <a href="#">mailxml_defs:MailOwnerCRID</a> <a href="#">mailxml_defs:MailOwnerMID</a> <a href="#">mailxml_defs:ConsigneeContentID</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:PostageStatementMailingDate</a> <a href="#">mailxml_defs:ContainerAcceptanceDate</a> <a href="#">mailxml_defs:ContainerAcceptanceTime</a> <a href="#">mailxml_defs:CarrierID</a> <a href="#">mailxml_defs:TruckAndDispatchNumber</a> <a href="#">mailxml_defs:TotalWeightOfContainer</a> <a href="#">mailxml_defs:AdditionalTrayPostageAmount</a> <a href="#">mailxml_defs:eInductionIndicator</a> <a href="#">mailxml_defs:LabelDestLine1</a> <a href="#">mailxml_defs:LabelDestLine2</a> <a href="#">mailxml_defs:LabelContentLine1</a> <a href="#">mailxml_defs:LabelContentLine2</a> <a href="#">mailxml_defs:LabelEntryOriginPointLine</a> <a href="#">mailxml_defs:LabelUserInfoLine1</a> <a href="#">mailxml_defs:LabelUserInfoLine2</a> <a href="#">mailxml_defs:LabelContLabelCINCode</a> <a href="#">mailxml_defs:LabelContLabelType</a> <a href="#">mailxml_defs:PresortLabelingListEffectiveDate</a> <a href="#">mailxml_defs:LastUsedLabelingListEffectiveDate</a> <a href="#">mailxml_defs:PresortCityStatePublicationDate</a> <a href="#">mailxml_defs:LastUsedCityStatePublicationDate</a> <a href="#">mailxml_defs:PresortZoneChartMatrixPublicationDate</a> <a href="#">mailxml_defs:LastUsedZoneChartMatrixPublication</a> <a href="#">mailxml_defs:LastUsedMailDirectionPublicationDate</a> <a href="#">mailxml_defs:Incentive</a> <a href="#">mailxml_defs:Fee</a> <a href="#">mailxml_defs:ReadyForSASP</a> <a href="#">mailxml_defs:AcceptMisshipped</a> <a href="#">mailxml_defs:OCILinkedData</a>
used by	element <a href="#">containerStatusInfoType/ContainerDetail</a>


#### element CSQcontainerInfoDataType/PhysicalPostalCodeEntryPoint

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/ActualContainerShipDateTime**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:dateTime</b>


element **CSQcontainerInfoDataType/CSADispatchNumber**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **CSQcontainerInfoDataType/CSAID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s10</b>
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **CSQcontainerInfoDataType/CSADispatchTime**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:time</b>

element **CSQcontainerInfoDataType/CarrierRouteNumber**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:es4</b>		
facets	Kind	Value	Annotation

minLength 4  
 maxLength 4  
 whiteSpace preserve

#### element **CSQcontainerInfoDataType/CinCode**

diagram	 mailxml_defs:fs:CinCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s03</b>												
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

#### element **CSQcontainerInfoDataType/ContainerBarcode**

diagram	 mailxml_defs:fs:ContainerBarcode									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **CSQcontainerInfoDataType/CSQContainerDetailData**

diagram	<pre> classDiagram     class mailxml_defs:CSQContainerDetailData {         &lt;&lt;extension&gt;&gt;         mailxml_defs:fs:MailOwner         mailxml_defs:fs:ContainerDetailID         mailxml_defs:fs:CarrierRouteNumber         mailxml_defs:fs:CumulativePostage         mailxml_defs:fs:EntryDiscountType         mailxml_defs:fs:MailEndSeqNo         mailxml_defs:fs:MailStartSeqNo         mailxml_defs:fs:Postage         mailxml_defs:fs:RateLevel         mailxml_defs:fs:TotalCopies         mailxml_defs:fs:TotalPieces         mailxml_defs:fs:Zone         mailxml_defs:fs:VersionID         mailxml_defs:fs:ZipThreeFive         mailxml_defs:fs:InOutCounty         mailxml_defs:fs:RateLevelIndic         mailxml_defs:fs:ContainerCharacteristics         mailxml_defs:fs:ActualPieces         mailxml_defs:fs:ServiceLevelIndic         mailxml_defs:fs:DocumentVersion         mailxml_defs:fs:MaildatMPUI     }     class mailxml_defs:CSQContainerDetailDataType {         &lt;&lt;extension&gt;&gt;     }     mailxml_defs:CSQContainerDetailData "1" -- "1" mailxml_defs:CSQContainerDetailDataType     </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	extension of <a href="#">mailxml_defs:CSQContainerDetailDataType</a>
children	<a href="#">mailxml_defs:MailOwner</a> <a href="#">mailxml_defs:ContainerDetailID</a> <a href="#">mailxml_defs:CarrierRouteNumber</a> <a href="#">mailxml_defs:CumulativePostage</a> <a href="#">mailxml_defs:EntryDiscountType</a> <a href="#">mailxml_defs:MailEndSeqNo</a> <a href="#">mailxml_defs:MailStartSeqNo</a> <a href="#">mailxml_defs:Postage</a>

	<a href="#"><b>mailxml_defs:RateLevel</b></a> <a href="#"><b>mailxml_defs:TotalCopies</b></a> <a href="#"><b>mailxml_defs:TotalPieces</b></a> <a href="#"><b>mailxml_defs:Zone</b></a> <a href="#"><b>mailxml_defs:VersionID</b></a> <a href="#"><b>mailxml_defs:ZipThreeFive</b></a> <a href="#"><b>mailxml_defs:InOutCountyIndicator</b></a> <a href="#"><b>mailxml_defs:RateLevelIndicator</b></a> <a href="#"><b>mailxml_defs:ContainerChargeContainerLevel</b></a> <a href="#"><b>mailxml_defs:ActualPieces</b></a> <a href="#"><b>mailxml_defs:ServiceLevelIndicator</b></a> <a href="#"><b>mailxml_defs:DocumentVersionDataforCSQType</b></a> <a href="#"><b>mailxml_defs:MaildatMPUInfo</b></a>
--	--

#### element **CSQcontainerInfoDataType/ContainerDisplayName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

#### element **CSQcontainerInfoDataType/ContainerType**

diagram																																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																									
type	<b>mailxml_base:mailXMLContainerType</b>																																																									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>14</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	E		enumeration	F		enumeration	L		enumeration	O	
Kind	Value	Annotation																																																								
enumeration	1																																																									
enumeration	2																																																									
enumeration	3																																																									
enumeration	4																																																									
enumeration	5																																																									
enumeration	6																																																									
enumeration	7																																																									
enumeration	8																																																									
enumeration	9																																																									
enumeration	10																																																									
enumeration	11																																																									
enumeration	12																																																									
enumeration	13																																																									
enumeration	14																																																									
enumeration	E																																																									
enumeration	F																																																									
enumeration	L																																																									
enumeration	O																																																									

	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

#### element **CSQcontainerInfoDataType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMpbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									


#### element **CSQcontainerInfoDataType/IncludedInOtherDoc**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:includedInOtherDocType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	L		enumeration	O		enumeration	I	
Kind	Value	Annotation											
enumeration	L												
enumeration	O												
enumeration	I												

element **CSQcontainerInfoDataType/ContainerID**

diagram	 mailxml_defs:fs:ContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/ParentContainerID**

diagram	 mailxml_defs:fs:ParentContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/DestinationZip**

diagram	 mailxml_defs:fs:DestinationZip
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

element **CSQcontainerInfoDataType/EntryPointFacilityType**

diagram	 mailxml_defs:fs:EntryPointFacilityType																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																					
type	<b>mailxml_base:entryFacilityType</b>																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>W</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	O		enumeration	B		enumeration	S		enumeration	D		enumeration	A		enumeration	W	
Kind	Value	Annotation																				
enumeration	O																					
enumeration	B																					
enumeration	S																					
enumeration	D																					
enumeration	A																					
enumeration	W																					

	enumeration H enumeration R
--	--------------------------------

#### element **CSQcontainerInfoDataType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:zipCodeThreeOrFiveDigit</b>

#### element **CSQcontainerInfoDataType/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:localeKeyType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

#### element **CSQcontainerInfoDataType/SiblingContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

#### element **CSQcontainerInfoDataType/ProcessingCategory**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:processingCategoryType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL	
Kind	Value	Annotation								
enumeration	LT									
enumeration	FL									

	enumeration CD
	enumeration OS
	enumeration MP
	enumeration IR
	enumeration PF
	enumeration CM
	enumeration NP
	enumeration SP
	enumeration MB

element **CSQcontainerInfoDataType/SortationLevel**


diagram	 mailxml_defs:SortationLevel																																																																																				
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																																																																				
type	<b>mailxml_base:containerLevelType</b>																																																																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>U</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> <tr><td>enumeration</td><td>W</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>Y</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>AA</td><td></td></tr> <tr><td>enumeration</td><td>AB</td><td></td></tr> <tr><td>enumeration</td><td>AC</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	T		enumeration	U		enumeration	V		enumeration	W		enumeration	X		enumeration	Y		enumeration	Z		enumeration	AA		enumeration	AB		enumeration	AC	
Kind	Value	Annotation																																																																																			
enumeration	A																																																																																				
enumeration	B																																																																																				
enumeration	C																																																																																				
enumeration	D																																																																																				
enumeration	E																																																																																				
enumeration	F																																																																																				
enumeration	G																																																																																				
enumeration	H																																																																																				
enumeration	I																																																																																				
enumeration	J																																																																																				
enumeration	K																																																																																				
enumeration	M																																																																																				
enumeration	N																																																																																				
enumeration	P																																																																																				
enumeration	Q																																																																																				
enumeration	R																																																																																				
enumeration	S																																																																																				
enumeration	T																																																																																				
enumeration	U																																																																																				
enumeration	V																																																																																				
enumeration	W																																																																																				
enumeration	X																																																																																				
enumeration	Y																																																																																				
enumeration	Z																																																																																				
enumeration	AA																																																																																				
enumeration	AB																																																																																				
enumeration	AC																																																																																				

	enumeration AD
	enumeration AE
	enumeration AF
	enumeration AG
	enumeration AH
	enumeration AI
	enumeration AJ
	enumeration AK
	enumeration AL
	enumeration AM
	enumeration AN
	enumeration AO
	enumeration AP
	enumeration AQ
	enumeration AR
	enumeration AS
	enumeration AT
	enumeration BA
	enumeration BB
	enumeration BC
	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH
	enumeration BI
	enumeration BJ
	enumeration BK
	enumeration BL
	enumeration BM


#### element **CSQcontainerInfoDataType/OverflowIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **CSQcontainerInfoDataType/ScheduledInductionDateStartTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **CSQcontainerInfoDataType/ScheduledInductionDateEndTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


element **CSQcontainerInfoDataType/ScheduledShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>


element **CSQcontainerInfoDataType/USPSPickup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind Value Annotation enumeration Yes enumeration No

element **CSQcontainerInfoDataType/MailOwnerCRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:CRIDType</b>
facets	Kind Value Annotation minLength 1 maxLength 15

element **CSQcontainerInfoDataType/MailOwnerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:MIDType</a>
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:MID9</a>

element **CSQcontainerInfoDataType/ConsigneeContentID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_base:s09</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/ConsigneeApptID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<a href="#">mailxml_base:s10</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												


element **CSQcontainerInfoDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">xs:date</a>


element **CSQcontainerInfoDataType/ContainerAcceptanceDate**

diagram	 mailxml_defs:fs:ContainerAcce...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>


element **CSQcontainerInfoDataType/ContainerAcceptanceTime**

diagram	 mailxml_defs:fs:ContainerAcce...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:time</b>

element **CSQcontainerInfoDataType/CarrierID**

diagram	 mailxml_defs:fs:CarrierID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s15</b>												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>15</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/TruckAndDispatchNumber**

diagram	 mailxml_defs:fs:TruckAndDisp...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:truckDispatchNumberType</b>												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/TotalWeightOfContainer**

diagram	 mailxml_defs:fs:TotalWeightO...
---------	---

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:double</b>

element **CSQcontainerInfoDataType/AdditionalTrayPostageAmount**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:double</b>

element **CSQcontainerInfoDataType/eInductionIndicator**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **CSQcontainerInfoDataType/LabelDestLine1**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/LabelDestLine2**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:s30</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30	
Kind	Value	Annotation								
minLength	1									
maxLength	30									

	whiteSpace preserve
--	---------------------

element **CSQcontainerInfoDataType/LabelContentLine1**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/LabelContentLine2**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/LabelEntryOriginPointLine**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **CSQcontainerInfoDataType/LabelUserInfoLine1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:userInformationLine1Type</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	40	
		whiteSpace	preserve	

element **CSQcontainerInfoDataType/LabelUserInfoLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:userInformationLine2Type</b>
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

element **CSQcontainerInfoDataType/LabelContLabelCINCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s30</b>
facets	Kind Value Annotation minLength 1 maxLength 30 whiteSpace preserve

element **CSQcontainerInfoDataType/LabelContLabelText**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s01</b>
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve

element **CSQcontainerInfoDataType/PresortLabelingListEffectiveDate**

diagram	
---------	---

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>


element **CSQcontainerInfoDataType/LastUsedLabelingListEffectiveDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>

element **CSQcontainerInfoDataType/PresortCityStatePublicationDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>


element **CSQcontainerInfoDataType/LastUsedCityStatePublicationDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>

element **CSQcontainerInfoDataType/PresortZoneChartMatrixPublicationDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>

element **CSQcontainerInfoDataType/LastUsedZoneChartMatrixPublication**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>

element **CSQcontainerInfoDataType/LastUsedMailDirectionPublicationDate**


diagram	mailxml_defs:fs:LastUsedMail...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:date</b>

element **CSQcontainerInfoDataType/Incentive**

diagram	mailxml_defs:fs:Incentive																																																																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																																																										
type	<b>mailxml_base:characteristicIncentiveType</b>																																																																																										
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>SS</td><td></td></tr> <tr><td>enumeration</td><td>MT</td><td></td></tr> <tr><td>enumeration</td><td>VV</td><td></td></tr> <tr><td>enumeration</td><td>VP</td><td></td></tr> <tr><td>enumeration</td><td>RE</td><td></td></tr> <tr><td>enumeration</td><td>PI</td><td></td></tr> <tr><td>enumeration</td><td>PP</td><td></td></tr> <tr><td>enumeration</td><td>PS</td><td></td></tr> <tr><td>enumeration</td><td>SB</td><td></td></tr> <tr><td>enumeration</td><td>CT</td><td></td></tr> <tr><td>enumeration</td><td>RR</td><td></td></tr> <tr><td>enumeration</td><td>DC</td><td></td></tr> <tr><td>enumeration</td><td>RT</td><td></td></tr> <tr><td>enumeration</td><td>MI</td><td></td></tr> <tr><td>enumeration</td><td>ME</td><td></td></tr> <tr><td>enumeration</td><td>IV</td><td></td></tr> <tr><td>enumeration</td><td>AD</td><td></td></tr> <tr><td>enumeration</td><td>CP</td><td></td></tr> <tr><td>enumeration</td><td>EM</td><td></td></tr> <tr><td>enumeration</td><td>PM</td><td></td></tr> <tr><td>enumeration</td><td>CO</td><td></td></tr> <tr><td>enumeration</td><td>HD</td><td></td></tr> <tr><td>enumeration</td><td>0X</td><td></td></tr> <tr><td>enumeration</td><td>1X</td><td></td></tr> <tr><td>enumeration</td><td>2X</td><td></td></tr> <tr><td>enumeration</td><td>3X</td><td></td></tr> <tr><td>enumeration</td><td>4X</td><td></td></tr> <tr><td>enumeration</td><td>5X</td><td></td></tr> <tr><td>enumeration</td><td>6X</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SS		enumeration	MT		enumeration	VV		enumeration	VP		enumeration	RE		enumeration	PI		enumeration	PP		enumeration	PS		enumeration	SB		enumeration	CT		enumeration	RR		enumeration	DC		enumeration	RT		enumeration	MI		enumeration	ME		enumeration	IV		enumeration	AD		enumeration	CP		enumeration	EM		enumeration	PM		enumeration	CO		enumeration	HD		enumeration	0X		enumeration	1X		enumeration	2X		enumeration	3X		enumeration	4X		enumeration	5X		enumeration	6X	
Kind	Value	Annotation																																																																																									
enumeration	SS																																																																																										
enumeration	MT																																																																																										
enumeration	VV																																																																																										
enumeration	VP																																																																																										
enumeration	RE																																																																																										
enumeration	PI																																																																																										
enumeration	PP																																																																																										
enumeration	PS																																																																																										
enumeration	SB																																																																																										
enumeration	CT																																																																																										
enumeration	RR																																																																																										
enumeration	DC																																																																																										
enumeration	RT																																																																																										
enumeration	MI																																																																																										
enumeration	ME																																																																																										
enumeration	IV																																																																																										
enumeration	AD																																																																																										
enumeration	CP																																																																																										
enumeration	EM																																																																																										
enumeration	PM																																																																																										
enumeration	CO																																																																																										
enumeration	HD																																																																																										
enumeration	0X																																																																																										
enumeration	1X																																																																																										
enumeration	2X																																																																																										
enumeration	3X																																																																																										
enumeration	4X																																																																																										
enumeration	5X																																																																																										
enumeration	6X																																																																																										

	enumeration 7X enumeration 8X enumeration 9X
--	--

element **CSQcontainerInfoDataType/Fee**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																		
type	<b>mailxml_base:characteristicFeeType</b>																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PM</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	OS		enumeration	GS		enumeration	PP		enumeration	EM		enumeration	PM	
Kind	Value	Annotation																	
enumeration	OS																		
enumeration	GS																		
enumeration	PP																		
enumeration	EM																		
enumeration	PM																		

element **CSQcontainerInfoDataType/ReadyForSASP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **CSQcontainerInfoDataType/AcceptMisshipped**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **CSQcontainerInfoDataType/OCILinkedData**

diagram	<pre> classDiagram     class CSQcontainerInfoDataType {         &lt;&lt;OCILinkedData&gt;&gt;     }     class MaildatContainer     class MailXMLContainer     class ContainerBarcode      CSQcontainerInfoDataType "0..∞" *--&gt; MaildatContainer     CSQcontainerInfoDataType "0..∞" *--&gt; MailXMLContainer     CSQcontainerInfoDataType "0..∞" *--&gt; ContainerBarcode   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:CSQlinkingContainerIDType</a>
children	<a href="#">mailxml_defs:MaildatContainer</a> <a href="#">mailxml_defs:MailXMLContainer</a> <a href="#">mailxml_defs:ContainerBarcode</a>

complexType **CSQlinkingContainerIDType**


diagram	<pre> classDiagram     class CSQlinkingContainerIDType {         &lt;&lt;ContainerID&gt;&gt;     }     class MaildatContainer     class MailXMLContainer     class ContainerBarcode      CSQlinkingContainerIDType "0..∞" *--&gt; MaildatContainer     CSQlinkingContainerIDType "0..∞" *--&gt; MailXMLContainer     CSQlinkingContainerIDType "0..∞" *--&gt; ContainerBarcode   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:MaildatContainer</a> <a href="#">mailxml_defs:MailXMLContainer</a> <a href="#">mailxml_defs:ContainerBarcode</a>
used by	element <a href="#">CSQcontainerInfoDataType/OCILinkedData</a>

element **CSQlinkingContainerIDType/MaildatContainer**

diagram	<pre> classDiagram     class MaildatContainer {         &lt;&lt;MaildatContainer&gt;&gt;         &lt;&lt;attributes&gt;&gt;         UserLicenseCode         MaildatJobID         ContainerID         UniqueContainerID     }   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<a href="#">mailxml_defs:maildatContainerIDType</a>					
attributes	Name	Type	User	Default	Fixed	Annotation
	mailxml_defs:UserLicenseCode	<a href="#">mailxml_base:userLicenseCodeType</a>				
	mailxml_defs:MaildatJobID	<a href="#">mailxml_base:jobIDType</a>				
	mailxml_defs:ContainerID	<a href="#">mailxml_base:s06</a>				
	mailxml_defs:UniqueContainerBarcode	<a href="#">mailxml_base:IMcbType</a>				
	de					

#### element CSQlinkingContainerIDType/MailXMLContainer

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:MailXMLContainerIDType</a>
children	<a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:CustomerGroupID</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ContainerBarcode</a>

#### element CSQlinkingContainerIDType/ContainerBarcode

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<a href="#">mailxml_base:IMcbType</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

complexType **documentVersionDataforCSQType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:VersionID</b></a> <a href="#"><b>mailxml_defs:VersionName</b></a> <a href="#"><b>mailxml_defs:VersionDescription</b></a> <a href="#"><b>mailxml_defs:PieceWeight</b></a> <a href="#"><b>mailxml_defs:AdPercent</b></a> <a href="#"><b>mailxml_defs:RateAffixed</b></a> <a href="#"><b>mailxml_defs:PermitPublicationData</b></a> <a href="#"><b>mailxml_defs:TotalCopies</b></a> <a href="#"><b>mailxml_defs:MailPieceBlock</b></a>
used by	element <a href="#"><b>CSQContainerDetailDataType/DocumentVersionDataforCSQType</b></a>

element **documentVersionDataforCSQType/VersionID**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s10</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **documentVersionDataforCSQType/VersionName**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s12</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	12	
		whiteSpace	preserve	

element **documentVersionDataforCSQType/VersionDescription**

diagram	 mailxml_defs:fs:VersionDescri...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s30</b>
facets	Kind minLength maxLength whiteSpace

element **documentVersionDataforCSQType/PieceWeight**

diagram	 mailxml_defs:fs:PieceWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>


element **documentVersionDataforCSQType/AdPercent**

diagram	 mailxml_defs:fs:AdPercent
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:percentageType</b>
facets	Kind minInclusive maxInclusive totalDigits fractionDigits

element **documentVersionDataforCSQType/RateAffixed**

diagram	 mailxml_defs:fs:RateAffixed
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:double</b>

element **documentVersionDataforCSQType/PermitPublicationData**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:permitPublicationDataType</b></a>
children	<a href="#"><b>mailxml_defs:PermitNumber</b></a> <a href="#"><b>mailxml_defs:PaymentAccountNumber</b></a> <a href="#"><b>mailxml_defs:PermitType</b></a> <a href="#"><b>mailxml_defs:PermitZip4</b></a> <a href="#"><b>mailxml_defs:PublicationNumber</b></a> <a href="#"><b>mailxml_defs:PaymentAccountNumber</b></a>

element **documentVersionDataforCSQType/TotalCopies**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>xs:nonNegativeInteger</b></a>

element **documentVersionDataforCSQType/MailPieceBlock**


diagram	<pre> sequenceDiagram     participant MPB as mailxml_defs:fs:MailPieceBlock     participant B as mailxml_defs:fs:BarcodeID     participant MC as mailxml_defs:fs:MailClass     participant STC as mailxml_defs:fs:ServiceTypeCode     participant M6 as mailxml_defs:fs:MailerID6     participant SN9 as mailxml_defs:fs:SerialNumber9     participant M9 as mailxml_defs:fs:MailerID9     participant SN6 as mailxml_defs:fs:SerialNumber6     participant DPZ as mailxml_defs:fs:DeliveryPointZIP      MPB-&gt;&gt;B:      activate B     B--&gt;&gt;MC:      activate MC     MC--&gt;&gt;STC:      activate STC     STC--&gt;&gt;M6:      activate M6     M6--&gt;&gt;SN9:      activate SN9     SN9--&gt;&gt;M9:      activate M9     M9--&gt;&gt;SN6:      activate SN6     SN6--&gt;&gt;DPZ:      activate DPZ     deactivate SN6     deactivate M9     deactivate SN9     deactivate M6     deactivate STC     deactivate MC     deactivate B     deactivate MPB   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:intelligentMailBarcodeType</a>
children	<a href="#">mailxml_defs:BarcodeID</a> <a href="#">mailxml_defs:MailClass</a> <a href="#">mailxml_defs:ServiceTypeCode</a> <a href="#">mailxml_defs:MailerID6</a> <a href="#">mailxml_defs:SerialNumber9</a> <a href="#">mailxml_defs:MailerID9</a> <a href="#">mailxml_defs:SerialNumber6</a> <a href="#">mailxml_defs:DeliveryPointZIP</a>

complexType **errorWarningType**


diagram	<pre> sequenceDiagram     participant EWT as errorWarningType     participant C as mailxml_defs:fs:Code     participant S as mailxml_defs:fs:Severity     participant KV as mailxml_defs:fs:KeyIDvalues     participant SD as mailxml_defs:fs:SubmissionDate      EWT-&gt;&gt;C:      activate C     C--&gt;&gt;S:      activate S     S--&gt;&gt;KV:      activate KV     KV--&gt;&gt;SD:      activate SD     deactivate SD     deactivate KV     deactivate S     deactivate C      EWT--&gt;&gt;ED:      activate ED     ED--&gt;&gt;A:      activate A     A--&gt;&gt;TI:      activate TI     TI--&gt;&gt;ST:      activate ST     ST--&gt;&gt;MD:      activate MD     MD--&gt;&gt;EWT:      deactivate MD     deactivate ST     deactivate TI     deactivate A     deactivate ED   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:Code</a> <a href="#">mailxml_defs:Severity</a> <a href="#">mailxml_defs:KeyIDvalues</a> <a href="#">mailxml_defs:SubmissionDate</a> <a href="#">mailxml_defs:ErrorDescription</a> <a href="#">mailxml_defs:Action</a>

	<a href="#"><b>mailxml_defs:TrackingID</b></a> <a href="#"><b>mailxml_defs:SubmitterTrackingID</b></a> <a href="#"><b>mailxml_defs:MailxmlDetail</b></a>
used by	elements <a href="#"><b>basicReturnInfoType/errorWarning</b></a> <a href="#"><b>returnInfoType/ErrorWarning</b></a>


#### element **errorWarningType/Code**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s08</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												


#### element **errorWarningType/Severity**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:severityType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Error</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Warning</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Information</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Error		enumeration	Warning		enumeration	Information	
Kind	Value	Annotation											
enumeration	Error												
enumeration	Warning												
enumeration	Information												

#### element **errorWarningType/KeyIDvalues**


diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s500</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>500</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	500		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	500												
whiteSpace	preserve												

#### element **errorWarningType/SubmissionDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>xs:dateTime</b>
------	--------------------


**element errorWarningType/ErrorDescription**

diagram	 <b>mailxml_defs:fs:ErrorDescription</b>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s1000</b>												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 15%;">Kind</th> <th style="text-align: left; width: 15%;">Value</th> <th style="text-align: left; width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1000</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1000		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1000												
whiteSpace	preserve												


**element errorWarningType/Action**

diagram	 <b>mailxml_defs:fs:Action</b>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s1000</b>												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 15%;">Kind</th> <th style="text-align: left; width: 15%;">Value</th> <th style="text-align: left; width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1000</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1000		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1000												
whiteSpace	preserve												

**element errorWarningType/TrackingID**


diagram	 <b>mailxml_defs:fs:TrackingID</b>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s20</b>												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 15%;">Kind</th> <th style="text-align: left; width: 15%;">Value</th> <th style="text-align: left; width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

**element errorWarningType/SubmitterTrackingID**


diagram	 <b>mailxml_defs:fs:SubmitterTrac...</b>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s20</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

### element **errorWarningType/MailxmlDetail**

	diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs	
type	<a href="#">mailxml_defs:mailxmlDetailType</a>	
children		<a href="#">mailxml_defs:MailXMLVersion</a> <a href="#">mailxml_defs:MailXMLMsgSize</a> <a href="#">mailxml_defs:MailXMLMsgName</a> <a href="#">mailxml_defs:MailXMLBlockName</a>

### complexType **fullContainerIDType**

	diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs	
children		<a href="#">mailxml_defs:CustomerGroupID</a> <a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:UserLicenseCode</a> <a href="#">mailxml_defs:MaildatJobID</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:IMcb</a>

**element fullContainerIDType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s25</b>
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve

**element fullContainerIDType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

**element fullContainerIDType/UserLicenseCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:userLicenseCodeType</b>
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve

**element fullContainerIDType/MaildatJobID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:jobIDType</b>
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element **fullContainerIDType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												


element **fullContainerIDType/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMtbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **fullContainerIDType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

complexType **gPSCoordinates**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs					
children	<a href="#">mailxml_defs:Latitude</a> <a href="#">mailxml_defs:Longitude</a> <a href="#">mailxml_defs:Height</a>					
used by	elements <a href="#">addressType/GPSCoordinates</a> <a href="#">commonContactType/GPSCoordinates</a>					
attributes	Name <a href="#">mailxml_defs:GPSSystem</a>	Type <a href="#">mailxml_base:gPSSystemType</a>	Use	Default	Fixed	Annotation MSL

#### attribute gPSCoordinates/@GPSSystem

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<a href="#">mailxml_base:gPSSystemType</a>																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ECEF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HAE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MSL</td> <td></td> </tr> </tbody> </table>					Kind	Value	Annotation	enumeration	ECEF		enumeration	HAE		enumeration	MSL	
Kind	Value	Annotation															
enumeration	ECEF																
enumeration	HAE																
enumeration	MSL																


#### element gPSCoordinates/Latitude

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<a href="#">mailxml_base:dec18-8</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	8	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	8									


#### element gPSCoordinates/Longitude

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<a href="#">mailxml_base:dec18-8</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	8	
Kind	Value	Annotation								
totalDigits	18									
fractionDigits	8									


element **gPSCoordinates/Height**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:measurementType</b></a>
children	<a href="#"><b>mailxml_defs:Value</b></a> <a href="#"><b>mailxml_defs:RangeMin</b></a> <a href="#"><b>mailxml_defs:RangeMax</b></a>


complexType **IMcbAndIMtbPieceScanInfoType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:IMcb</b></a> <a href="#"><b>mailxml_defs:IMtbPieceScanInfo</b></a>


element **IMcbAndIMtbPieceScanInfoType/IMcb**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<a href="#"><b>mailxml_base:IMcbType</b></a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									


element **IMcbAndIMtbPieceScanInfoType/IMtbPieceScanInfo**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:IMtbPieceScanInfoType</b></a>
children	<a href="#"><b>mailxml_defs:IMtb mailxml_defs:IMbScanRec</b></a>

complexType **IMcbPieceScanInfoType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:IMcb mailxml_defs:IMbScanRec</b></a>

element **IMcbPieceScanInfoType/IMcb**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<a href="#"><b>mailxml_base:IMcbType</b></a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **IMcbPieceScanInfoType/IMbScanRec**

diagram							
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>						
type	<a href="#"><b>mailxml_base:s500</b></a>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	<pre>maxLength 500 whiteSpace preserve</pre>
--	--

### complexType **IMtbPieceScanInfoType**

diagram	<pre> classDiagram     class IMtbPieceScanInfoType {         &lt;&lt;IMtb&gt;&gt;         &lt;&lt;IMbScanRec&gt;&gt;     }     IMtbPieceScanInfoType "1..&gt;" IMtb     IMtbPieceScanInfoType "1..&gt;" IMbScanRec   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:IMbScanRec</a>
used by	element <a href="#">IMcbAndIMtbPieceScanInfoType/IMtbPieceScanInfo</a>

### element **IMtbPieceScanInfoType/IMtb**

diagram	<pre> classDiagram     class mailxml_defs:IMtb   </pre>									
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<a href="#">mailxml_base:IMtbType</a>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

### element **IMtbPieceScanInfoType/IMbScanRec**

diagram	<pre> classDiagram     class mailxml_defs:IMbScanRec   </pre>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#">mailxml_base:s500</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>500</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	500		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	500												
whiteSpace	preserve												

complexType **inductionCloseoutInfoType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:TransactionID</a> <a href="#">mailxml_defs:MessageGeneratedDate</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:ShipperApptRequestID</a> <a href="#">mailxml_defs:ApptStatus</a> <a href="#">mailxml_defs:CloseoutEmployeeUserID</a> <a href="#">mailxml_defs:ApptCloseOutDateTime</a> <a href="#">mailxml_defs:ApptCloseOutEmployeeContactInfo</a> <a href="#">mailxml_defs:DropShipOrOrigin</a> <a href="#">mailxml_defs:ApptAuthorizationAction</a> <a href="#">mailxml_defs:VerificationEmployeeUserID</a> <a href="#">mailxml_defs:ActualConsigneeFacilityID</a> <a href="#">mailxml_defs:ActualFacilityType</a> <a href="#">mailxml_defs:ActualSiteNassCode</a> <a href="#">mailxml_defs:ActualSiteName</a> <a href="#">mailxml_defs:FacilityArrival</a> <a href="#">mailxml_defs:FacilityDeparture</a> <a href="#">mailxml_defs:ActualDockDoorArrival</a> <a href="#">mailxml_defs:ActualStartUnload</a> <a href="#">mailxml_defs:ActualEndUnload</a> <a href="#">mailxml_defs:DockDoorNo</a> <a href="#">mailxml_defs:ConsigneeMailLoadAcceptanceAction</a> <a href="#">mailxml_defs:ContainersInducted</a> <a href="#">mailxml_defs:ContainerDiscrepancies</a> <a href="#">mailxml_defs:SourceofData</a>
used by	element <a href="#">containerStatusInfoType/InductionCloseoutInfo</a>

#### element **inductionCloseoutInfoType/TransactionID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

#### element **inductionCloseoutInfoType/MessageGeneratedDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

#### element **inductionCloseoutInfoType/ConsigneeApptID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:s12</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12	
Kind	Value	Annotation								
minLength	1									
maxLength	12									

	whiteSpace preserve
--	---------------------

element **inductionCloseoutInfoType/ShipperApptRequestID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

element **inductionCloseoutInfoType/ApptStatus**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																		
type	<b>mailxml_base:apptStatusType</b>																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Open</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Closed</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No Show</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Unscheduled</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Rejected</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Open		enumeration	Closed		enumeration	No Show		enumeration	Unscheduled		enumeration	Rejected	
Kind	Value	Annotation																	
enumeration	Open																		
enumeration	Closed																		
enumeration	No Show																		
enumeration	Unscheduled																		
enumeration	Rejected																		

element **inductionCloseoutInfoType/CloseoutEmployeeUserID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

element **inductionCloseoutInfoType/ApptCloseOutDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<b>xs:dateTime</b>
------	--------------------

element **inductionCloseoutInfoType/ApptCloseOutEmployeeContactInfo**

diagram	<pre> classDiagram     class ApptCloseOutEmployeeContactInfo {         mailxml_defs:commonContactType         mailxml_defs:fs:ContactName     }     class commonContactType {         fs:ContactType         fs:ContactName         fs:Telephone         fs:MobilePhone         fs:Email         fs:Fax         fs:GPSCoordinates         fs:ContactID     }     ApptCloseOutEmployeeContactInfo "0..∞" -- "1" commonContactType   </pre>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#"><b>mailxml_defs:commonContactType</b></a>												
children	<a href="#"><b>mailxml_defs:ContactName</b></a> <a href="#"><b>mailxml_defs:Telephone</b></a> <a href="#"><b>mailxml_defs:MobilePhone</b></a> <a href="#"><b>mailxml_defs:Email</b></a> <a href="#"><b>mailxml_defs:Fax</b></a> <a href="#"><b>mailxml_defs:GPSCoordinates</b></a> <a href="#"><b>mailxml_defs:ContactID</b></a>												
attributes	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:ContactType</a></td> <td><a href="#">mailxml_base:contactType</a></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:ContactType</a>	<a href="#">mailxml_base:contactType</a>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:ContactType</a>	<a href="#">mailxml_base:contactType</a>	required											

element **inductionCloseoutInfoType/DropShipOrOrigin**

diagram	<pre> classDiagram     class DropShipOrOrigin {         mailxml_base:s12     }     class s12 {         ...     }     DropShipOrOrigin "1" -- "1" s12   </pre>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#"><b>mailxml_base:s12</b></a>												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

**element inductionCloseoutInfoType/ApptAuthorizationAction**

diagram	 mailxml_defs:fs:ApptAuthoriz...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s12</b>
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

**element inductionCloseoutInfoType/VerificationEmployeeUserID**

diagram	 mailxml_defs:fs:VerificationE...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s12</b>
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

**element inductionCloseoutInfoType/ActualConsigneeFacilityID**

diagram	 mailxml_defs:fs:ActualConsign...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

**element inductionCloseoutInfoType/ActualFacilityType**

diagram	 mailxml_defs:fs:ActualFacility...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1

	<pre>maxLength    15 whiteSpace   preserve</pre>
--	--

#### element **inductionCloseoutInfoType/ActualSiteNassCode**

diagram	 mailxml_defs:fs:ActualSiteNassCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s05</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

#### element **inductionCloseoutInfoType/ActualSiteName**

diagram	 mailxml_defs:fs:ActualSiteName												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

#### element **inductionCloseoutInfoType/FacilityArrival**

diagram	 mailxml_defs:fs:FacilityArrival
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

#### element **inductionCloseoutInfoType/FacilityDeparture**

diagram	 mailxml_defs:fs:FacilityDeparture
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **inductionCloseoutInfoType/ActualDockDoorArrival**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **inductionCloseoutInfoType/ActualStartUnload**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **inductionCloseoutInfoType/ActualEndUnload**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

element **inductionCloseoutInfoType/DockDoorNo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

element **inductionCloseoutInfoType/ConsigneeMailLoadAcceptanceAction**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s15</b>
facets	Kind Value Annotation minLength 1 maxLength 15

	whiteSpace preserve
--	---------------------

element **inductionCloseoutInfoType/ContainersInducted**

diagram	<pre> classDiagram     class mailxml_defs {         ContainerInducted         fs:fs         fs:ContainerID         fs:JobID         fs:MailingGroupID         fs:ConsigneeContainerManifestID         fs:ContainerUnloadTime         fs:ContainerUnloadState         fs:IrregularIndicator         fs:FullServiceIndicator     }     class fs {         inductionContainerID         IMcb         ContainerID         JobID         MailingGroupID         ConsigneeContainerManifestID         ContainerUnloadTime         ContainerUnloadState         IrregularIndicator         FullServiceIndicator     }     ContainerInducted "1..∞" --&gt; fs:fs   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:ContainerInductedType</a>
children	<a href="#">mailxml_defs:eInductionContainerID</a> <a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:JobID</a> <a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:ConsigneeContainerManifestID</a> <a href="#">mailxml_defs:ContainerUnloadTime</a> <a href="#">mailxml_defs:ContainerUnloadState</a> <a href="#">mailxml_defs:IrregularIndicator</a> <a href="#">mailxml_defs:FullServiceIndicator</a>


element **inductionCloseoutInfoType/ContainerDiscrepancies**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:ContainerDiscrepancyType</b></a>
children	<a href="#"><b>mailxml_defs:ContainerDiscrepancyID</b></a> <a href="#"><b>mailxml_defs:ContainerDiscrepancyDescription</b></a> <a href="#"><b>mailxml_defs:ContainerDiscrepancyCategory</b></a> <a href="#"><b>mailxml_defs:ContainerDiscrepancyCount</b></a>

element **inductionCloseoutInfoType/SourceofData**

diagram																
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>															
type	<a href="#"><b>mailxml_defs:einductionDataSourceType</b></a>															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>PO</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IMDAS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FAST</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PO		enumeration	SV		enumeration	IMDAS		enumeration	FAST	
Kind	Value	Annotation														
enumeration	PO															
enumeration	SV															
enumeration	IMDAS															
enumeration	FAST															

complexType **inductionIssuesType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#"><b>mailxml_defs:ContainerProblem</b></a> <a href="#"><b>mailxml_defs:AppointmentProblem</b></a> <a href="#"><b>mailxml_defs:TruckLoadProblem</b></a>

used by	element <a href="#">containerStatusInfoType/InductionIssues</a>
---------	---


element **inductionIssuesType/ContainerProblem**

diagram	<pre> classDiagram     class mailxml_defs:InductionProblems {         mailxml_defs:fs:ProblemID         mailxml_defs:fs:ProblemDescription         mailxml_defs:fs:ProblemType         mailxml_defs:fs:ProblemCategory         mailxml_defs:fs:ProblemResolution     }     class mailxml_defs:ContainerProblems {         * mailxml_defs:fs:ContainerProblems     }     mailxml_defs:ContainerProblems "0..∞" --&gt; mailxml_defs:InductionProblems   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:InductionProblemType</a>
children	<a href="#">mailxml_defs:ProblemID</a> <a href="#">mailxml_defs:ProblemDescription</a> <a href="#">mailxml_defs:ProblemType</a> <a href="#">mailxml_defs:ProblemCategory</a> <a href="#">mailxml_defs:ProblemResolution</a>


element **inductionIssuesType/AppointmentProblem**

diagram	<pre> classDiagram     class mailxml_defs:InductionProblems {         mailxml_defs:fs:ProblemID         mailxml_defs:fs:ProblemDescription         mailxml_defs:fs:ProblemType         mailxml_defs:fs:ProblemCategory         mailxml_defs:fs:ProblemResolution     }     class mailxml_defs:AppointmentProblems {         * mailxml_defs:fs:AppointmentProblems     }     mailxml_defs:AppointmentProblems "0..∞" --&gt; mailxml_defs:InductionProblems   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:InductionProblemType</a>
children	<a href="#">mailxml_defs:ProblemID</a> <a href="#">mailxml_defs:ProblemDescription</a> <a href="#">mailxml_defs:ProblemType</a> <a href="#">mailxml_defs:ProblemCategory</a> <a href="#">mailxml_defs:ProblemResolution</a>

element **inductionIssuesType/TruckLoadProblem**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:InductionProblemType</a>
children	<a href="#">mailxml_defs:ProblemID</a> <a href="#">mailxml_defs:ProblemDescription</a> <a href="#">mailxml_defs:ProblemType</a> <a href="#">mailxml_defs:ProblemCategory</a> <a href="#">mailxml_defs:ProblemResolution</a>

complexType **InductionProblemType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:ProblemID</a> <a href="#">mailxml_defs:ProblemDescription</a> <a href="#">mailxml_defs:ProblemType</a> <a href="#">mailxml_defs:ProblemCategory</a> <a href="#">mailxml_defs:ProblemResolution</a>
used by	elements <a href="#">inductionIssuesType/AppointmentProblem</a> <a href="#">inductionIssuesType/ContainerProblem</a> <a href="#">inductionIssuesType/TruckLoadProblem</a>

element **InductionProblemType/ProblemID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_base:s12</a>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	12	
		whiteSpace	preserve	


#### element **InductionProblemType/ProblemDescription**

diagram	mailxml_defs:fs:ProblemDescr... [ ]												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s260</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>260</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	260		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	260												
whiteSpace	preserve												

#### element **InductionProblemType/ProblemType**

diagram	mailxml_defs:fs:ProblemType [ ]																																																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																															
type	<b>mailxml_defs:problemTypeType</b>																																																															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td><td>01</td><td></td></tr> <tr> <td>enumeration</td><td>02</td><td></td></tr> <tr> <td>enumeration</td><td>03</td><td></td></tr> <tr> <td>enumeration</td><td>04</td><td></td></tr> <tr> <td>enumeration</td><td>05</td><td></td></tr> <tr> <td>enumeration</td><td>06</td><td></td></tr> <tr> <td>enumeration</td><td>07</td><td></td></tr> <tr> <td>enumeration</td><td>08</td><td></td></tr> <tr> <td>enumeration</td><td>09</td><td></td></tr> <tr> <td>enumeration</td><td>10</td><td></td></tr> <tr> <td>enumeration</td><td>11</td><td></td></tr> <tr> <td>enumeration</td><td>12</td><td></td></tr> <tr> <td>enumeration</td><td>13</td><td></td></tr> <tr> <td>enumeration</td><td>14</td><td></td></tr> <tr> <td>enumeration</td><td>15</td><td></td></tr> <tr> <td>enumeration</td><td>16</td><td></td></tr> <tr> <td>enumeration</td><td>17</td><td></td></tr> <tr> <td>enumeration</td><td>18</td><td></td></tr> <tr> <td>enumeration</td><td>19</td><td></td></tr> <tr> <td>enumeration</td><td>20</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17		enumeration	18		enumeration	19		enumeration	20	
Kind	Value	Annotation																																																														
enumeration	01																																																															
enumeration	02																																																															
enumeration	03																																																															
enumeration	04																																																															
enumeration	05																																																															
enumeration	06																																																															
enumeration	07																																																															
enumeration	08																																																															
enumeration	09																																																															
enumeration	10																																																															
enumeration	11																																																															
enumeration	12																																																															
enumeration	13																																																															
enumeration	14																																																															
enumeration	15																																																															
enumeration	16																																																															
enumeration	17																																																															
enumeration	18																																																															
enumeration	19																																																															
enumeration	20																																																															


element **InductionProblemType/ProblemCategory**

diagram	 mailxml_defs:fs:ProblemCate...																																																															
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																																															
type	<b>mailxml_defs:problemCategoryType</b>																																																															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>01</td><td></td></tr> <tr><td>enumeration</td><td>02</td><td></td></tr> <tr><td>enumeration</td><td>03</td><td></td></tr> <tr><td>enumeration</td><td>04</td><td></td></tr> <tr><td>enumeration</td><td>05</td><td></td></tr> <tr><td>enumeration</td><td>06</td><td></td></tr> <tr><td>enumeration</td><td>07</td><td></td></tr> <tr><td>enumeration</td><td>08</td><td></td></tr> <tr><td>enumeration</td><td>09</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>16</td><td></td></tr> <tr><td>enumeration</td><td>17</td><td></td></tr> <tr><td>enumeration</td><td>18</td><td></td></tr> <tr><td>enumeration</td><td>19</td><td></td></tr> <tr><td>enumeration</td><td>20</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17		enumeration	18		enumeration	19		enumeration	20	
Kind	Value	Annotation																																																														
enumeration	01																																																															
enumeration	02																																																															
enumeration	03																																																															
enumeration	04																																																															
enumeration	05																																																															
enumeration	06																																																															
enumeration	07																																																															
enumeration	08																																																															
enumeration	09																																																															
enumeration	10																																																															
enumeration	11																																																															
enumeration	12																																																															
enumeration	13																																																															
enumeration	14																																																															
enumeration	15																																																															
enumeration	16																																																															
enumeration	17																																																															
enumeration	18																																																															
enumeration	19																																																															
enumeration	20																																																															

element **InductionProblemType/ProblemResolution**

diagram	 mailxml_defs:fs:ProblemResol...												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s260</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>minLength</td><td>1</td><td></td></tr> <tr><td>maxLength</td><td>260</td><td></td></tr> <tr><td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	260		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	260												
whiteSpace	preserve												

complexType **intelligentMailBarcodeType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:BarcodeID</a> <a href="#">mailxml_defs:MailClass</a> <a href="#">mailxml_defs:ServiceTypeCode</a> <a href="#">mailxml_defs:MailerID6</a> <a href="#">mailxml_defs:SerialNumber9</a> <a href="#">mailxml_defs:MailerID9</a> <a href="#">mailxml_defs:SerialNumber6</a> <a href="#">mailxml_defs:DeliveryPointZIP</a>
used by	elements <a href="#">mailPieceIDType/IMB documentVersionDataforCSQType/MailPieceBlock</a> <a href="#">MaildatMPUInfoType/MailPieceBlock</a>

element **intelligentMailBarcodeType/BarcodeID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_base:iMBarcodeIDType</a>

element **intelligentMailBarcodeType/MailClass**

diagram																			
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																		
type	<a href="#">mailxml_base:mailClassType</a>																		
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **intelligentMailBarcodeType/ServiceTypeCode**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ServiceTypeCodeType</b>

element **intelligentMailBarcodeType/MailerID6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID6Type</b>

element **intelligentMailBarcodeType/SerialNumber9**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:iMBSerialNumber9Type</b>

element **intelligentMailBarcodeType/MailerID9**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID9Type</b>

element **intelligentMailBarcodeType/SerialNumber6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:iMBSerialNumber6Type</b>

element **intelligentMailBarcodeType/DeliveryPointZIP**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:RoutingZipCodeType</b>									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>0</td><td></td></tr> <tr> <td>maxLength</td><td>11</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	0		maxLength	11	
Kind	Value	Annotation								
minLength	0									
maxLength	11									

### complexType **intelligentMailPackageBarcodeType**

diagram	<pre> classDiagram     class intelligentMailPackageBarcodeType {         &lt;&lt;PostalRoutingCodeAppID&gt;&gt;         &lt;&lt;DestinationZipCode&gt;&gt;         &lt;&lt;ChannelApplicationIdentifier&gt;&gt;         &lt;&lt;ServiceTypeCode&gt;&gt;         &lt;&lt;MailerID6&gt;&gt;         &lt;&lt;SerialNumber10or14&gt;&gt;         &lt;&lt;MailerID9&gt;&gt;         &lt;&lt;SerialNumber7or11&gt;&gt;         &lt;&lt;Mod10CheckDigit&gt;&gt;     }     intelligentMailPackageBarcodeType &lt; -- PostalRoutingCodeAppID     intelligentMailPackageBarcodeType &lt; -- DestinationZipCode     intelligentMailPackageBarcodeType &lt; -- ChannelApplicationIdentifier     intelligentMailPackageBarcodeType &lt; -- ServiceTypeCode     intelligentMailPackageBarcodeType &lt; -- MailerID6     intelligentMailPackageBarcodeType &lt; -- SerialNumber10or14     intelligentMailPackageBarcodeType &lt; -- MailerID9     intelligentMailPackageBarcodeType &lt; -- SerialNumber7or11     intelligentMailPackageBarcodeType &lt; -- Mod10CheckDigit   </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PostalRoutingCodeAppID</a> <a href="#">mailxml_defs:DestinationZipCode</a> <a href="#">mailxml_defs:ChannelApplicationIdentifier</a> <a href="#">mailxml_defs:ServiceTypeCode</a> <a href="#">mailxml_defs:MailerID6</a> <a href="#">mailxml_defs:SerialNumber10or14</a> <a href="#">mailxml_defs:MailerID9</a> <a href="#">mailxml_defs:SerialNumber7or11</a> <a href="#">mailxml_defs:Mod10CheckDigit</a>

### element **intelligentMailPackageBarcodeType/PostalRoutingCodeAppID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s03</b>												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>3</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

### element **intelligentMailPackageBarcodeType/DestinationZipCode**

diagram	
---------	--

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:zipCodeFiveOrNineDigit</b>

element **intelligentMailPackageBarcodeType/ChannelApplicationIdentifier**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s02</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

element **intelligentMailPackageBarcodeType/ServiceTypeCode**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ServiceTypeCodeType</b>

element **intelligentMailPackageBarcodeType/MailerID6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID6Type</b>

element **intelligentMailPackageBarcodeType/SerialNumber10or14**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:serialNumberTenOrFourteen</b>

element **intelligentMailPackageBarcodeType/MailerID9**


diagram	
---------	--

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID9Type</b>

element **intelligentMailPackageBarcodeType/SerialNumber7or11**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:serialNumberSevenOrEleven</b>

element **intelligentMailPackageBarcodeType/Mod10CheckDigit**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s01</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

complexType **maildatContainerIDType**

diagram																			
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																		
used by	elements <a href="#">containerIDType/MaildatContainer CSQlinkingContainerIDType/MaildatContainer</a>																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:UserLicenseCode</td> <td><b>mailxml_base:userLicenseCodeType</b></td> <td>s</td> <td>t</td> <td>d</td> <td>n</td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td><b>mailxml_base:jobIDType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:UserLicenseCode	<b>mailxml_base:userLicenseCodeType</b>	s	t	d	n	mailxml_defs:MaildatJobID	<b>mailxml_base:jobIDType</b>				
Name	Type	User	Default	Fixed	Annotation														
mailxml_defs:UserLicenseCode	<b>mailxml_base:userLicenseCodeType</b>	s	t	d	n														
mailxml_defs:MaildatJobID	<b>mailxml_base:jobIDType</b>																		

	mailxml_defs:ContainerID mailxml_defs:UniqueContainerBarco de	<b>mailxml_base:s06</b> <b>mailxml_base:IMcbType</b>
--	---	---

complexType **MaildatMPUInfoType**

diagram	<p>The diagram illustrates the structure of the <b>MaildatMPUInfoType</b> complex type. It starts with a rounded rectangle labeled <b>MaildatMPUInfoType</b>, followed by a sequence of three dashed ovals connected by lines. From the third oval, a vertical line descends to a list of attributes. The attributes are represented by rectangles with the prefix "mailxml_defs:fs:" and the suffix "...". The attributes listed are: SegmentID, MPUID, MPUName, MPUDescription, MPUWeight, MPUWeightSo..., MPUWeightSt..., MPULength, MPUWidth, MPUThickness, MPUClass, MPURateType, RateSchedule, MPUProcessin..., Count..., MPUSurcharge, CoPalletizatio..., FiveDigitSche..., Machinabilityl..., PreDenominat..., PostageAffixe..., BulkInsurance, StandardParce..., and MailPieceBlock. The <b>MailPieceBlock</b> attribute is enclosed in a dashed box with a plus sign and the multiplicity "0..∞" below it.</p>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

children	<a href="#">mailxml_defs:SegmentID</a> <a href="#">mailxml_defs:MPUID</a> <a href="#">mailxml_defs:MPUName</a> <a href="#">mailxml_defs:MPUDescription</a> <a href="#">mailxml_defs:MPUWeight</a> <a href="#">mailxml_defs:MPUWeightSource</a> <a href="#">mailxml_defs:MPUWeightStatus</a> <a href="#">mailxml_defs:MPULength</a> <a href="#">mailxml_defs:MPUWidth</a> <a href="#">mailxml_defs:MPUThickness</a> <a href="#">mailxml_defs:MPUClass</a> <a href="#">mailxml_defs:MPURateType</a> <a href="#">mailxml_defs:RateSchedule</a> <a href="#">mailxml_defs:MPUProcessingCategory</a> <a href="#">mailxml_defs:Country</a> <a href="#">mailxml_defs:MPUSurcharge</a> <a href="#">mailxml_defs:CoPalletizationCode</a> <a href="#">mailxml_defs:FiveDigitSchemeDatabaseDate</a> <a href="#">mailxml_defs:MachinabilityIndicator</a> <a href="#">mailxml_defs:PreDenominatedAmount</a> <a href="#">mailxml_defs:PostageAffixedType</a> <a href="#">mailxml_defs:BulkInsurance</a> <a href="#">mailxml_defs:StandardParcelType</a> <a href="#">mailxml_defs:MailPieceBlock</a>
used by	element <a href="#">CSQContainerDetailDataType/MaildatMPUInfo</a>

#### element MaildatMPUInfoType/SegmentID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s04</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

#### element MaildatMPUInfoType/MPUID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s05</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

#### element MaildatMPUInfoType/MPUName

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs						
type	<b>mailxml_base:s12</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 12 whiteSpace preserve
--	-------------------------------------

#### element **MaildatMPUInfoType/MPUDescription**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s30</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

#### element **MaildatMPUInfoType/MPUWeight**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s06</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

#### element **MaildatMPUInfoType/MPUWeightSource**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s01</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

#### element **MaildatMPUInfoType/MPUWeightStatus**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:s01</b>		
facets	Kind	Value	Annotation

minLength 1  
 maxLength 1  
 whiteSpace preserve

#### element **MaildatMPUInfoType/MPULength**

diagram	 mailxml_defs:fs:MPULength												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s07</b>												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>7</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	7		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	7												
whiteSpace	preserve												

#### element **MaildatMPUInfoType/MPUWidth**

diagram	 mailxml_defs:fs:MPUWidth												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s06</b>												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>6</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

#### element **MaildatMPUInfoType/MPUThickness**

diagram	 mailxml_defs:fs:MPUThickness												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s06</b>												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>6</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

**element MaildatMPUInfoType/MPUClass**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s01</b>
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve

**element MaildatMPUInfoType/MPURateType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s02</b>
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

**element MaildatMPUInfoType/RateSchedule**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s01</b>
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve

**element MaildatMPUInfoType/MPUProcessingCategory**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s02</b>
facets	Kind Value Annotation minLength 1 maxLength 2

	whiteSpace preserve
--	---------------------

element **MaildatMPUInfoType/Country**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s03</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

element **MaildatMPUInfoType/MPUSurcharge**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s01</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

element **MaildatMPUInfoType/CoPalletizationCode**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<b>mailxml_base:s02</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

element **MaildatMPUInfoType/FiveDigitSchemeDatabaseDate**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:s08</b>

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	8	
		whiteSpace	preserve	

#### element **MaildatMPUInfoType/MachinabilityIndicator**

	diagram	 mailxml_defs:fs:Machinability...												
	namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
	type	<b>mailxml_base:machinabilityIndicatorType</b>												
	facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>Y</td> <td>documentation Y=Machinable</td> </tr> <tr> <td>enumeration</td> <td>U</td> <td>documentation U=Flat Machinable on UFSM 1000</td> </tr> <tr> <td>enumeration</td> <td>N</td> <td>documentation N=Not Machinable</td> </tr> </table>	Kind	Value	Annotation	enumeration	Y	documentation Y=Machinable	enumeration	U	documentation U=Flat Machinable on UFSM 1000	enumeration	N	documentation N=Not Machinable
Kind	Value	Annotation												
enumeration	Y	documentation Y=Machinable												
enumeration	U	documentation U=Flat Machinable on UFSM 1000												
enumeration	N	documentation N=Not Machinable												

#### element **MaildatMPUInfoType/PreDenominatedAmount**

	diagram	 mailxml_defs:fs:PreDenominat...												
	namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
	type	<b>mailxml_base:s05</b>												
	facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation												
minLength	1													
maxLength	5													
whiteSpace	preserve													

#### element **MaildatMPUInfoType/PostageAffixedType**

	diagram	 mailxml_defs:fs:PostageAffixe...												
	namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
	type	<b>mailxml_base:s01</b>												
	facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation												
minLength	1													
maxLength	1													
whiteSpace	preserve													


element **MaildatMPUInfoType/BulkInsurance**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s01</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

element **MaildatMPUInfoType/StandardParcelType**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s01</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

element **MaildatMPUInfoType/MailPieceBlock**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_defs:intelligentMailBarcodeType</b>
children	<a href="#">mailxml_defs:BarcodeID</a> <a href="#">mailxml_defs:MailClass</a> <a href="#">mailxml_defs:ServiceTypeCode</a> <a href="#">mailxml_defs:MailerID6</a> <a href="#">mailxml_defs:SerialNumber9</a> <a href="#">mailxml_defs:MailerID9</a> <a href="#">mailxml_defs:SerialNumber6</a> <a href="#">mailxml_defs:DeliveryPoint</a>

	<a href="#">mailxml_defs:SerialNumber6</a> <a href="#">mailxml_defs:DeliveryPointZIP</a>
--	--


complexType **mailPieceIDType**

diagram	
namespace	<a href="#">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:IMB</a> <a href="#">mailxml_defs:PlanetCode</a> <a href="#">mailxml_defs:DeliveryPointZIP</a> <a href="#">mailxml_defs:DeliveryContainerID</a> <a href="#">mailxml_defs:DeliveryPointZIP</a>

element **mailPieceIDType/IMB**

diagram	
namespace	<a href="#">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:intelligentMailBarcodeType</a>
children	<a href="#">mailxml_defs:BarcodeID</a> <a href="#">mailxml_defs:MailClass</a> <a href="#">mailxml_defs:ServiceTypeCode</a> <a href="#">mailxml_defs:MailerID6</a> <a href="#">mailxml_defs:SerialNumber9</a> <a href="#">mailxml_defs:MailerID9</a> <a href="#">mailxml_defs:SerialNumber6</a> <a href="#">mailxml_defs:DeliveryPointZIP</a>

element **mailPieceIDType/PlanetCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:planetCodeType</b>
facets	Kind Value Annotation minLength 11 maxLength 13

element **mailPieceIDType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:RoutingZipCodeType</b>
facets	Kind Value Annotation minLength 0 maxLength 11


element **mailPieceIDType/DeliveryContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:ns22</b>

element **mailPieceIDType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:RoutingZipCodeType</b>
facets	Kind Value Annotation minLength 0 maxLength 11


complexType **MailXMLContainerIDType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MailingGroupID</a> <a href="#">mailxml_defs:CustomerGroupID</a> <a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:ContainerBarcode</a>
used by	elements <a href="#">containerIDType/MailXMLContainer</a> <a href="#">CSLinkingContainerIDType/MailXMLContainer</a>

element **MailXMLContainerIDType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **MailXMLContainerIDType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s25</b>
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve

element **MailXMLContainerIDType/ContainerID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s06</b>
facets	Kind Value Annotation minLength 1 maxLength 6

	whiteSpace preserve
--	---------------------


element **MailXMLContainerIDType/ContainerBarcode**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:IMcbType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									


complexType **mailxmlDetailType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MailXMLVersion</a> <a href="#">mailxml_defs:MailXMLMsgSize...</a> <a href="#">mailxml_defs:MailXMLMsgName</a> <a href="#">mailxml_defs:MailXMLBlockName</a>
used by	element <a href="#">errorWarningType/MailxmlDetail</a>

element **mailxmlDetailType/MailXMLVersion**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s08</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **mailxmlDetailType/MailXMLMsgSize**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s20</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	


#### element **mailxmlDetailType/MailXMLMsgName**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s80</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	80	
	whiteSpace	preserve	


#### element **mailxmlDetailType/MailXMLBlockName**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s500</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	500	
	whiteSpace	preserve	

#### complexType **measurementType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:Value</a> <a href="#">mailxml_defs:RangeMin</a> <a href="#">mailxml_defs:RangeMax</a>
used by	element <a href="#">gPSCoordinates/Height</a>

element **measurementType/Value**

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	extension of <b>mailxml_base:dec18-8</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	8				
Kind	Value	Annotation											
totalDigits	18												
fractionDigits	8												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:UOM</a></td> <td><b>mailxml_base:uOMType</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required											

attribute **measurementType/Value/@UOM**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>		
type	<b>mailxml_base:uOMType</b>		
facets	Kind	Value	Annotation
	enumeration	AirDryMetricTonne	
	enumeration	AirDryPercent	
	enumeration	AirDryShortTon	
	enumeration	Bale	
	enumeration	BoardFoot	
	enumeration	BookUnit	
	enumeration	Box	
	enumeration	Bundle	
	enumeration	C-Size	
	enumeration	Centimeter	
	enumeration	Cord	
	enumeration	CubicFoot	
	enumeration	CubicMeter	
	enumeration	Cubit	
	enumeration	Day	
	enumeration	DotsPerInch	
	enumeration	Foot	
	enumeration	Gallon	
	enumeration	Gram	
	enumeration	GramsPerSquareMeter	
	enumeration	Hour	
	enumeration	HundredBoardFeet	
	enumeration	HundredLinealFeet	
	enumeration	HundredPound	
	enumeration	HundredSquareFeet	
	enumeration	Inch	

	enumeration	Kilogram
	enumeration	KilogramsPerDay
	enumeration	KilogramsPerWeek
	enumeration	KnownBreaks
	enumeration	Layer
	enumeration	Leaves
	enumeration	LinearFoot
	enumeration	LinesPerInch
	enumeration	Load
	enumeration	MagazineUnit
	enumeration	Megabyte
	enumeration	Meter
	enumeration	MetricTon
	enumeration	MetricTonsPerDay
	enumeration	MetricTonsPerWeek
	enumeration	Micron
	enumeration	Millimeter
	enumeration	Minute
	enumeration	Month
	enumeration	None
	enumeration	Package
	enumeration	Page
	enumeration	PagesPerInch
	enumeration	PalletUnit
	enumeration	Percentage
	enumeration	PerThousand
	enumeration	Picas
	enumeration	Piece
	enumeration	PixelsPerInch
	enumeration	Pound
	enumeration	PoundsPerDay
	enumeration	PoundsPerHour
	enumeration	PoundsPerWeek
	enumeration	PulpUnit
	enumeration	Rream
	enumeration	Reel
	enumeration	Set
	enumeration	Sheet
	enumeration	ShortTon
	enumeration	ShortTonsPerDay
	enumeration	ShortTonsPerHour
	enumeration	ShortTonsPerWeek
	enumeration	Signature
	enumeration	Skid
	enumeration	SquareInch
	enumeration	SquareFeet

	enumeration	SquareMeter
	enumeration	ThousandBoardFeet
	enumeration	ThousandLinealFeet
	enumeration	ThousandPieces
	enumeration	ThousandSquareCentimeters
	enumeration	ThousandSquareFeet
	enumeration	ThousandSquareInch
	enumeration	Ton
	enumeration	TonsPerHour
	enumeration	Unit
	enumeration	UnknownBreaks
	enumeration	Week
	enumeration	Yard

#### element **measurementType/RangeMin**

diagram	<pre> classDiagram     class measurementType {         &lt;&lt;mailxml_defs:fs:RangeMin&gt;&gt;         &lt;&lt;mailxml_defs:fs:UOM&gt;&gt;     }     measurementType &lt; -- RangeMin     measurementType &lt; -- UOM     RangeMin "1" -- "1" UOM : "mailxml_defs:fs:UOM"   </pre>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	extension of <b>mailxml_base:dec18-8</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	8				
Kind	Value	Annotation											
totalDigits	18												
fractionDigits	8												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:UOM</a></td> <td><b>mailxml_base:uOMType</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required											

#### attribute **measurementType/RangeMin/@UOM**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																								
type	<b>mailxml_base:uOMType</b>																																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AirDryMetricTonne</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AirDryPercent</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AirDryShortTon</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Bale</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BoardFoot</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BookUnit</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Box</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Bundle</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C-Size</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Centimeter</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Cord</td> <td></td> </tr> </tbody> </table>					Kind	Value	Annotation	enumeration	AirDryMetricTonne		enumeration	AirDryPercent		enumeration	AirDryShortTon		enumeration	Bale		enumeration	BoardFoot		enumeration	BookUnit		enumeration	Box		enumeration	Bundle		enumeration	C-Size		enumeration	Centimeter		enumeration	Cord	
Kind	Value	Annotation																																							
enumeration	AirDryMetricTonne																																								
enumeration	AirDryPercent																																								
enumeration	AirDryShortTon																																								
enumeration	Bale																																								
enumeration	BoardFoot																																								
enumeration	BookUnit																																								
enumeration	Box																																								
enumeration	Bundle																																								
enumeration	C-Size																																								
enumeration	Centimeter																																								
enumeration	Cord																																								

	enumeration	CubicFoot
	enumeration	CubicMeter
	enumeration	Cubit
	enumeration	Day
	enumeration	DotsPerInch
	enumeration	Foot
	enumeration	Gallon
	enumeration	Gram
	enumeration	GramsPerSquareMeter
	enumeration	Hour
	enumeration	HundredBoardFeet
	enumeration	HundredLinealFeet
	enumeration	HundredPound
	enumeration	HundredSquareFeet
	enumeration	Inch
	enumeration	Kilogram
	enumeration	KilogramsPerDay
	enumeration	KilogramsPerWeek
	enumeration	KnownBreaks
	enumeration	Layer
	enumeration	Leaves
	enumeration	LinearFoot
	enumeration	LinesPerInch
	enumeration	Load
	enumeration	MagazineUnit
	enumeration	Megabyte
	enumeration	Meter
	enumeration	MetricTon
	enumeration	MetricTonsPerDay
	enumeration	MetricTonsPerWeek
	enumeration	Micron
	enumeration	Millimeter
	enumeration	Minute
	enumeration	Month
	enumeration	None
	enumeration	Package
	enumeration	Page
	enumeration	PagesPerInch
	enumeration	PalletUnit
	enumeration	Percentage
	enumeration	PerThousand
	enumeration	Picas
	enumeration	Piece
	enumeration	PixelsPerInch
	enumeration	Pound
	enumeration	PoundsPerDay

	enumeration PoundsPerHour
	enumeration PoundsPerWeek
	enumeration PulpUnit
	enumeration Ream
	enumeration Reel
	enumeration Set
	enumeration Sheet
	enumeration ShortTon
	enumeration ShortTonsPerDay
	enumeration ShortTonsPerHour
	enumeration ShortTonsPerWeek
	enumeration Signature
	enumeration Skid
	enumeration SquareInch
	enumeration SquareFeet
	enumeration SquareMeter
	enumeration ThousandBoardFeet
	enumeration ThousandLinealFeet
	enumeration ThousandPieces
	enumeration ThousandSquareCentimeters
	enumeration ThousandSquareFeet
	enumeration ThousandSquareInch
	enumeration Ton
	enumeration TonsPerHour
	enumeration Unit
	enumeration UnknownBreaks
	enumeration Week
	enumeration Yard

#### element **measurementType/RangeMax**


diagram	<p>The diagram shows a UML class named <code>fs:RangeMax</code> which is a specialization of <code>mailxml_defs:UOM</code>. The <code>fs:RangeMax</code> class has an associated attribute block labeled <code>attributes</code>.</p>												
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	extension of <b>mailxml_base:dec18-8</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>18</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	18		fractionDigits	8				
Kind	Value	Annotation											
totalDigits	18												
fractionDigits	8												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:UOM</a></td> <td><b>mailxml_base:uOMType</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required			
Name	Type	Use	Default	Fixed	Annotation								
<a href="#">mailxml_defs:UOM</a>	<b>mailxml_base:uOMType</b>	required											

attribute **measurementType/RangeMax/@UOM**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs	
type	<b>mailxml_base:uOMType</b>	
facets	Kind	Value
	enumeration	AirDryMetricTonne
	enumeration	AirDryPercent
	enumeration	AirDryShortTon
	enumeration	Bale
	enumeration	BoardFoot
	enumeration	BookUnit
	enumeration	Box
	enumeration	Bundle
	enumeration	C-Size
	enumeration	Centimeter
	enumeration	Cord
	enumeration	CubicFoot
	enumeration	CubicMeter
	enumeration	Cubit
	enumeration	Day
	enumeration	DotsPerInch
	enumeration	Foot
	enumeration	Gallon
	enumeration	Gram
	enumeration	GramsPerSquareMeter
	enumeration	Hour
	enumeration	HundredBoardFeet
	enumeration	HundredLinealFeet
	enumeration	HundredPound
	enumeration	HundredSquareFeet
	enumeration	Inch
	enumeration	Kilogram
	enumeration	KilogramsPerDay
	enumeration	KilogramsPerWeek
	enumeration	KnownBreaks
	enumeration	Layer
	enumeration	Leaves
	enumeration	LinearFoot
	enumeration	LinesPerInch
	enumeration	Load
	enumeration	MagazineUnit
	enumeration	Megabyte
	enumeration	Meter
	enumeration	MetricTon
	enumeration	MetricTonsPerDay
	enumeration	MetricTonsPerWeek

	enumeration	Micron
	enumeration	Millimeter
	enumeration	Minute
	enumeration	Month
	enumeration	None
	enumeration	Package
	enumeration	Page
	enumeration	PagesPerInch
	enumeration	PalletUnit
	enumeration	Percentage
	enumeration	PerThousand
	enumeration	Picas
	enumeration	Piece
	enumeration	PixelsPerInch
	enumeration	Pound
	enumeration	PoundsPerDay
	enumeration	PoundsPerHour
	enumeration	PoundsPerWeek
	enumeration	PulpUnit
	enumeration	Ram
	enumeration	Reel
	enumeration	Set
	enumeration	Sheet
	enumeration	ShortTon
	enumeration	ShortTonsPerDay
	enumeration	ShortTonsPerHour
	enumeration	ShortTonsPerWeek
	enumeration	Signature
	enumeration	Skid
	enumeration	SquareInch
	enumeration	SquareFeet
	enumeration	SquareMeter
	enumeration	ThousandBoardFeet
	enumeration	ThousandLinealFeet
	enumeration	ThousandPieces
	enumeration	ThousandSquareCentimeters
	enumeration	ThousandSquareFeet
	enumeration	ThousandSquareInch
	enumeration	Ton
	enumeration	TonsPerHour
	enumeration	Unit
	enumeration	UnknownBreaks
	enumeration	Week
	enumeration	Yard

### complexType **MIDType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:MID9</a>
used by	elements <a href="#">ContainerInfoData/MailOwnerMID</a> <a href="#">CSQcontainerInfoDataType/MailOwnerMID</a>


### element **MIDType/MID6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_base:mailerID6Type</a>

### element **MIDType/MID9**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_base:mailerID9Type</a>

### complexType **MPSRBlockType**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:ContainerID</a> <a href="#">mailxml_defs:PSRBlock</a>

### element **MPSRBlockType/ContainerID**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:s06</b>												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>6</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

### element MPSRBlockType/PSRBlock

diagram	<pre> sequenceDiagram     participant PSRBlock as mailxml_defs:fs:PSRBlock     participant PRID as mailxml_defs:fs:PRID     participant IMBLS as mailxml_defs:fs:IMBLS     participant IMBUS as mailxml_defs:fs:IMBUS     participant STCode as mailxml_defs:fs:STCode     participant Class as mailxml_defs:fs:Class     participant SLI as mailxml_defs:fs:SLI      PSRBlock-&gt;&gt;PRID:      activate PRID     PRID--&gt;&gt;IMBLS:      activate IMBLS     IMBLS--&gt;&gt;IMBUS:      activate IMBUS     IMBUS--&gt;&gt;STCode:      activate STCode     STCode--&gt;&gt;Class:      activate Class     Class--&gt;&gt;SLI:      activate SLI     SLI--&gt;&gt;PSRBlock:      deactivate SLI     deactivate Class     deactivate STCode     deactivate IMBUS     deactivate IMBLS     deactivate PRID   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#">mailxml_defs:PSRBlockType</a>
children	<a href="#">mailxml_defs:PRID</a> <a href="#">mailxml_defs:IMBLS</a> <a href="#">mailxml_defs:IMBUS</a> <a href="#">mailxml_defs:STCode</a> <a href="#">mailxml_defs:Class</a> <a href="#">mailxml_defs:SLI</a>

### complexType MPSVisIncludedInScanRecFlagType

diagram	<pre> sequenceDiagram     participant MPSVisIncludedInScanRecFlagType as MPSVisIncludedInScanRecFl...     participant IMcb as mailxml_defs:fs:IMcb     participant IMtb as mailxml_defs:fs:IMtb     participant BundleID as mailxml_defs:fs:BundleID      MPSVisIncludedInScanRecFlagType-&gt;&gt;IMcb:      activate IMcb     IMcb--&gt;&gt;IMtb:      activate IMtb     IMtb--&gt;&gt;BundleID:      activate BundleID     BundleID--&gt;&gt;MPSVisIncludedInScanRecFlagType:      deactivate BundleID     deactivate IMtb     deactivate IMcb   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:BundleID</a>

### element MPSVisIncludedInScanRecFlagType/IMcb

diagram	<pre> sequenceDiagram     participant IMcb as mailxml_defs:fs:IMcb   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

type	<b>mailxml_base:yesNo</b>									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>Yes</td><td></td></tr> <tr> <td>enumeration</td><td>No</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **MPSVisIncludedInScanRecFlagType/IMtb**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>Yes</td><td></td></tr> <tr> <td>enumeration</td><td>No</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **MPSVisIncludedInScanRecFlagType/BundleID**

diagram										
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>									
type	<b>mailxml_base:yesNo</b>									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>Yes</td><td></td></tr> <tr> <td>enumeration</td><td>No</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

complexType **MPSVisResultOptionsType**


diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:IMcb</a> <a href="#">mailxml_defs:IMtb</a> <a href="#">mailxml_defs:IMB</a> <a href="#">mailxml_defs:IMPb</a>

element **MPSVisResultOptionsType/IMcb**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:yesNo</b>		
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	


#### element **MPSVisResultOptionsType/IMtb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind enumeration Yes enumeration No

#### element **MPSVisResultOptionsType/IMB**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind enumeration Yes enumeration No

#### element **MPSVisResultOptionsType/IMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:yesNo</b>
facets	Kind enumeration Yes enumeration No

complexType **palletHandoffInfoType**

diagram																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:ShipperApptReques tID</td> <td><b>mailxml_base:s12</b></td> <td>require d</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ConsigneeApptID</td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerCorpID</td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerCRID</td> <td><b>mailxml_base:CRIDType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CreatorSchedulerCo rpID</td> <td><b>mailxml_base:s12</b></td> <td>require d</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CreatorSchedulerID</td> <td><b>mailxml_base:s12</b></td> <td>option al</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CreatorSchedulerCR ID</td> <td><b>mailxml_base:CRIDType</b></td> <td>option al</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShipperMultiStopID</td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:ShipperApptReques tID	<b>mailxml_base:s12</b>	require d				mailxml_defs:ConsigneeApptID	<b>mailxml_base:s12</b>					mailxml_defs:SchedulerCorpID	<b>mailxml_base:s12</b>					mailxml_defs:SchedulerID	<b>mailxml_base:s12</b>					mailxml_defs:SchedulerCRID	<b>mailxml_base:CRIDType</b>					mailxml_defs:CreatorSchedulerCo rpID	<b>mailxml_base:s12</b>	require d				mailxml_defs:CreatorSchedulerID	<b>mailxml_base:s12</b>	option al				mailxml_defs:CreatorSchedulerCR ID	<b>mailxml_base:CRIDType</b>	option al				mailxml_defs:ShipperMultiStopID	<b>mailxml_base:s12</b>				
Name	Type	Use	Default	Fixed	Annotation																																																								
mailxml_defs:ShipperApptReques tID	<b>mailxml_base:s12</b>	require d																																																											
mailxml_defs:ConsigneeApptID	<b>mailxml_base:s12</b>																																																												
mailxml_defs:SchedulerCorpID	<b>mailxml_base:s12</b>																																																												
mailxml_defs:SchedulerID	<b>mailxml_base:s12</b>																																																												
mailxml_defs:SchedulerCRID	<b>mailxml_base:CRIDType</b>																																																												
mailxml_defs:CreatorSchedulerCo rpID	<b>mailxml_base:s12</b>	require d																																																											
mailxml_defs:CreatorSchedulerID	<b>mailxml_base:s12</b>	option al																																																											
mailxml_defs:CreatorSchedulerCR ID	<b>mailxml_base:CRIDType</b>	option al																																																											
mailxml_defs:ShipperMultiStopID	<b>mailxml_base:s12</b>																																																												

	mailxml_defs:ConsigneeMultiStopID mailxml_defs:ShipperStopNumber mailxml_defs:ApptType mailxml_defs:PickupOrDelivery mailxml_defs:PalletPositionCount mailxml_defs:TransferAllContent mailxml_defs:Start mailxml_defs:End	<b>mailxml_base:s12</b> <b>mailxml_base:n06</b> <b>mailxml_base:apptTypeType</b> <b>mailxml_base:pickupOrDeliveryType</b> <b>mailxml_base:n02</b> <b>mailxml_base:yesNo</b> <b>xs:dateTime</b> <b>xs:dateTime</b>	required optional optional optional
--	--	--	--

#### complexType **participantIDType**

diagram	<pre> classDiagram     participantIDType {         &lt;&lt;attributes&gt;&gt;         mailxml_defs:fs:MailerID6         mailxml_defs:fs:MailerID9         mailxml_defs:fs:CRID         mailxml_defs:fs:SchedulerID         mailxml_defs:fs:MaildatUserLi...         mailxml_defs:fs:ShippingAgen...         mailxml_defs:fs:ReceivingAge...     }   </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:MailerID6</a></td> <td><b>mailxml_base:mailerID6Type</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:MailerID9</a></td> <td><b>mailxml_base:mailerID9Type</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:CRID</a></td> <td><b>mailxml_base:CRIDType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:SchedulerID</a></td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:MaildatUserLicense</a></td> <td><b>mailxml_base:userLicenseCodeType</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ShippingAgentID</a></td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ReceivingAgentID</a></td> <td><b>mailxml_base:s12</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	<a href="#">mailxml_defs:MailerID6</a>	<b>mailxml_base:mailerID6Type</b>					<a href="#">mailxml_defs:MailerID9</a>	<b>mailxml_base:mailerID9Type</b>					<a href="#">mailxml_defs:CRID</a>	<b>mailxml_base:CRIDType</b>					<a href="#">mailxml_defs:SchedulerID</a>	<b>mailxml_base:s12</b>					<a href="#">mailxml_defs:MaildatUserLicense</a>	<b>mailxml_base:userLicenseCodeType</b>					<a href="#">mailxml_defs:ShippingAgentID</a>	<b>mailxml_base:s12</b>					<a href="#">mailxml_defs:ReceivingAgentID</a>	<b>mailxml_base:s12</b>				
Name	Type	Used	Default	Fixed	Annotation																																												
<a href="#">mailxml_defs:MailerID6</a>	<b>mailxml_base:mailerID6Type</b>																																																
<a href="#">mailxml_defs:MailerID9</a>	<b>mailxml_base:mailerID9Type</b>																																																
<a href="#">mailxml_defs:CRID</a>	<b>mailxml_base:CRIDType</b>																																																
<a href="#">mailxml_defs:SchedulerID</a>	<b>mailxml_base:s12</b>																																																
<a href="#">mailxml_defs:MaildatUserLicense</a>	<b>mailxml_base:userLicenseCodeType</b>																																																
<a href="#">mailxml_defs:ShippingAgentID</a>	<b>mailxml_base:s12</b>																																																
<a href="#">mailxml_defs:ReceivingAgentID</a>	<b>mailxml_base:s12</b>																																																

#### attribute **participantIDType/@MailerID6**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:mailerID6Type</b>

attribute **participantIDType/@MailerID9**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:mailerID9Type</b>

attribute **participantIDType/@CRID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:CRIDType</b>
facets	Kind Value Annotation minLength 1 maxLength 15

attribute **participantIDType/@SchedulerID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s12</b>
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

attribute **participantIDType/@MaildatUserLicense**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:userLicenseCodeType</b>
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve


attribute **participantIDType/@ShippingAgentID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s12</b>
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

attribute **participantIDType/@ReceivingAgentID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s12</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	12	
	whiteSpace	preserve	

complexType **permitPublicationDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>
used by	elements <a href="#">ContainerDetailData/MailOwner</a> <a href="#">CSQContainerDetailDataType/MailOwner</a> <a href="#">documentVersionDataforCSQType/PermitPublicationData</a>

element **permitPublicationDataType/PermitNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s08</b>
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element **permitPublicationDataType/PaymentAccountNumber**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:s20</b>		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

element **permitPublicationDataType/PermitType**

diagram																																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																	
type	<b>mailxml_base:permitTypeType</b>																																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td><td>PI</td><td></td></tr> <tr> <td>enumeration</td><td>MT</td><td></td></tr> <tr> <td>enumeration</td><td>PC</td><td></td></tr> <tr> <td>enumeration</td><td>BR</td><td></td></tr> <tr> <td>enumeration</td><td>PE</td><td></td></tr> <tr> <td>enumeration</td><td>GH</td><td></td></tr> <tr> <td>enumeration</td><td>OI</td><td></td></tr> <tr> <td>enumeration</td><td>OM</td><td></td></tr> <tr> <td>enumeration</td><td>PP</td><td></td></tr> <tr> <td>enumeration</td><td>PA</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PI		enumeration	MT		enumeration	PC		enumeration	BR		enumeration	PE		enumeration	GH		enumeration	OI		enumeration	OM		enumeration	PP		enumeration	PA	
Kind	Value	Annotation																																
enumeration	PI																																	
enumeration	MT																																	
enumeration	PC																																	
enumeration	BR																																	
enumeration	PE																																	
enumeration	GH																																	
enumeration	OI																																	
enumeration	OM																																	
enumeration	PP																																	
enumeration	PA																																	

element **permitPublicationDataType/PermitZip4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:ns09</b>


element **permitPublicationDataType/PublicationNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s08</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>8</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **permitPublicationDataType/PaymentAccountNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s20</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

complexType **pickupApptBlockResponseType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:TrackingID</a> <a href="#">mailxml_defs:ConsigneeApptID</a> <a href="#">mailxml_defs:ConsigneeFacility</a> <a href="#">mailxml_defs:PickupLocation</a> <a href="#">mailxml_defs:ScheduledAppt</a> <a href="#">mailxml_defs:Comment</a> <a href="#">mailxml_defs:TransportationResponsibility</a>
used by	element <a href="#">containerStatusInfoType/ApptInfo</a>

element **pickupApptBlockResponseType/TrackingID**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:s20</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									

	whiteSpace preserve
--	---------------------

element **pickupApptBlockResponseType/ConsigneeApptID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s12</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

element **pickupApptBlockResponseType/ConsigneeFacility**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_defs:consigneeFacilityType</b>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **pickupApptBlockResponseType/PickupLocation**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **pickupApptBlockResponseType/ScheduledAppt**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">xs:dateTime</a>


element **pickupApptBlockResponseType/Comment**

diagram																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																
type	<a href="#">mailxml_base:s256</a>																
facets	<table> <thead> <tr> <th></th> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td></td> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td></td> <td>maxLength</td> <td>256</td> <td></td> </tr> <tr> <td></td> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>		Kind	Value	Annotation		minLength	1			maxLength	256			whiteSpace	preserve	
	Kind	Value	Annotation														
	minLength	1															
	maxLength	256															
	whiteSpace	preserve															


element **pickupApptBlockResponseType/TransportationResponsibility**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs									
type	<b>mailxml_base:responsibleTransportationPartyType</b>									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Shipper</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Consignee</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Shipper		enumeration	Consignee	
Kind	Value	Annotation								
enumeration	Shipper									
enumeration	Consignee									


complexType **postageStatementSummaryType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:StatementID</a> <a href="#">mailxml_defs:UserPostageStatementID</a> <a href="#">mailxml_defs:UserPostageStatementSequenceID</a> <a href="#">mailxml_defs:USPSPostageStatementSequenceID</a> <a href="#">mailxml_defs:PostageStatementStatus</a>
used by	element <a href="#">containerStatusInfoType/PaymentInfo</a>

element **postageStatementSummaryType/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:nonNegativeInteger</b>

element **postageStatementSummaryType/UserPostageStatementID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs						
type	<b>mailxml_base:s10</b>						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 10 whiteSpace preserve
--	-------------------------------------

element **postageStatementSummaryType/UserPostageStatementSequenceID**

diagram	mailxml_defs:UserPostageSt...
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ns10</b>


element **postageStatementSummaryType/USPSPostageStatementSequenceID**

diagram	mailxml_defs:USPSPostageS...
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ns10</b>

element **postageStatementSummaryType/PostageStatementStatus**

diagram	mailxml_defs:PostageState...																																																						
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																																						
type	<b>mailxml_base:postageStatementStatusType</b>																																																						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>UPD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FIN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REW</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CAN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FAI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PEN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PAS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>INC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NAP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EST</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CON</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ERR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>COM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AVW</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PAV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FPP</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	UPD		enumeration	FIN		enumeration	REW		enumeration	REV		enumeration	CAN		enumeration	FAI		enumeration	PEN		enumeration	PAS		enumeration	INC		enumeration	NAP		enumeration	EST		enumeration	CON		enumeration	ERR		enumeration	COM		enumeration	AVW		enumeration	PAV		enumeration	FPP	
Kind	Value	Annotation																																																					
enumeration	UPD																																																						
enumeration	FIN																																																						
enumeration	REW																																																						
enumeration	REV																																																						
enumeration	CAN																																																						
enumeration	FAI																																																						
enumeration	PEN																																																						
enumeration	PAS																																																						
enumeration	INC																																																						
enumeration	NAP																																																						
enumeration	EST																																																						
enumeration	CON																																																						
enumeration	ERR																																																						
enumeration	COM																																																						
enumeration	AVW																																																						
enumeration	PAV																																																						
enumeration	FPP																																																						


### complexType PSRBlockType

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:PRID</a> <a href="#">mailxml_defs:IMBLS</a> <a href="#">mailxml_defs:IMBUS</a> <a href="#">mailxml_defs:STCode</a> <a href="#">mailxml_defs:Class</a> <a href="#">mailxml_defs:SLI</a>
used by	element <a href="#">MPSRBlockType/PSRBlock</a>

### element PSRBlockType/PRID

diagram													
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>												
type	<a href="#">mailxml_base:s22</a>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

### element PSRBlockType/IMBLS

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:SN9</a> <a href="#">mailxml_defs:MID9</a> <a href="#">mailxml_defs:SN6</a>

element **PSRBlockType/IMBLS/MID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:mailerID6Type</b>

element **PSRBlockType/IMBLS/SN9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:iMBSerialNumber9Type</b>

element **PSRBlockType/IMBLS/MID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:mailerID9Type</b>


element **PSRBlockType/IMBLS/SN6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:iMBSerialNumber6Type</b>


element **PSRBlockType/IMBUS**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:SN9</a> <a href="#">mailxml_defs:MID9</a> <a href="#">mailxml_defs:SN6</a>


**element PSRBlockType/IMBUS/MID6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID6Type</b>


**element PSRBlockType/IMBUS/SN9**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:iMBSerialNumber9Type</b>


**element PSRBlockType/IMBUS/MID9**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:mailerID9Type</b>


**element PSRBlockType/IMBUS/SN6**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:iMBSerialNumber6Type</b>

**element PSRBlockType/STCode**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>mailxml_base:ServiceTypeCodeType</b>

**element PSRBlockType/Class**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:mailClassType</b>		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	6	


### element **PSRBlockType/SLI**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:serviceLevelIndicatorType</b>
facets	Kind enumeration F enumeration B enumeration P enumeration O

### complexType **queryErrorType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:ReturnInfo</a>

### element **queryErrorType/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs

type	<a href="#">mailxml_defs:returnInfoType</a>
children	<a href="#">mailxml_defs:ConsigneeFacility</a> <a href="#">mailxml_defs:ErrorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>


### complexType returnInfoType

diagram	<pre> graph LR     R[returnInfoType] --- C1[mailxml_defs:fs:ConsigneeFac...]     R --- C2[mailxml_defs:fs:ErrorWarning]     R --- C3[mailxml_defs:fs:ContainerErr...]     style C1 fill:#d3d3d3     style C2 fill:#d3d3d3     style C3 fill:#d3d3d3     </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
children	<a href="#">mailxml_defs:ConsigneeFacility</a> <a href="#">mailxml_defs:ErrorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>
used by	elements <a href="#">containerPostInductionInfoType/ReturnInfo</a> <a href="#">containerPreInductionInfoType/ReturnInfo</a> <a href="#">queryErrorType/ReturnInfo</a>

### element returnInfoType/ConsigneeFacility

diagram	<pre> graph TD     R[mailxml_defs:consigneeFacili...] --- C1[mailxml_defs:fs:CompanyName]     R --- C2[mailxml_defs:fs:FacilityNumber]     R --- C3[mailxml_defs:fs:FacilityAddress]     R --- C4[mailxml_defs:fs:FacilityAddress]     R --- C5[mailxml_defs:fs:FacilityName]     R --- C6[mailxml_defs:fs:FacilityType]     R --- C7[mailxml_defs:fs:URL]     R --- C8[mailxml_defs:fs:CommonCon...]     </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<a href="#">mailxml_defs:consigneeFacilityType</a>
children	<a href="#">mailxml_defs:CompanyName</a> <a href="#">mailxml_defs:FacilityNumber</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityAddress</a> <a href="#">mailxml_defs:FacilityName</a> <a href="#">mailxml_defs:FacilityType</a> <a href="#">mailxml_defs:URL</a> <a href="#">mailxml_defs:CommonContact</a>

element **returnInfoType/ErrorWarning**

diagram	
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:errorWarningType</b></a>
children	<a href="#"><b>mailxml_defs:Code</b></a> <a href="#"><b>mailxml_defs:Severity</b></a> <a href="#"><b>mailxml_defs:KeyIDvalues</b></a> <a href="#"><b>mailxml_defs:SubmissionDate</b></a> <a href="#"><b>mailxml_defs:ErrorDescription</b></a> <a href="#"><b>mailxml_defs:Action</b></a> <a href="#"><b>mailxml_defs:TrackingID</b></a> <a href="#"><b>mailxml_defs:SubmitterTrackingID</b></a> <a href="#"><b>mailxml_defs:MailxmlDetail</b></a>

element **returnInfoType/ContainerErrorWarningBlock**

diagram	<pre> classDiagram     class mailxml_defs::ContainerErrorWarningBlock {         mailxml_defs::fs::ConsigneeContainerID         mailxml_defs::fs::ConsigneeContentID         mailxml_defs::fs::ShipperContainerGroupingID         mailxml_defs::fs::IMcb         mailxml_defs::fs::IMtb         mailxml_defs::fs::IMpb         mailxml_defs::fs::MailContentName         mailxml_defs::fs::SchedulerContentID     }     mailxml_defs::ContainerErrorWarningBlock "0..∞" --&gt; "mailxml_defs::ContainerErrorWarningBlock"   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<a href="#"><b>mailxml_defs:ContainerErrorWarningBlockType</b></a>
children	<a href="#"><b>mailxml_defs:ConsigneeContainerGroupingID</b></a> <a href="#"><b>mailxml_defs:ConsigneeContentID</b></a> <a href="#"><b>mailxml_defs:ShipperContainerGroupingID</b></a> <a href="#"><b>mailxml_defs:IMcb</b></a> <a href="#"><b>mailxml_defs:IMtb</b></a> <a href="#"><b>mailxml_defs:IMpb</b></a> <a href="#"><b>mailxml_defs:MailContentName</b></a> <a href="#"><b>mailxml_defs:SchedulerContentID</b></a>

complexType **scanEventType**

diagram	<pre> classDiagram     class scanEventType {         fs:USPSFacilityLocation         fs:City         fs:State         fs:USPSFacilityName         fs:ScanDateTime         fs:ContainerScanStatus         fs:ScanStatus         fs:ScanIssueDescription         fs:ScanIssueResolution     }     scanEventType "1..∞" --&gt; "scanEventType"   </pre>
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>

children	<a href="#">mailxml_defs:USPSFacilityLocaleKey</a> <a href="#">mailxml_defs:City</a> <a href="#">mailxml_defs:State</a> <a href="#">mailxml_defs:USPSFacilityName</a> <a href="#">mailxml_defs:ScanDateTime</a> <a href="#">mailxml_defs:ContainerScanState</a> <a href="#">mailxml_defs:ScanStatus</a> <a href="#">mailxml_defs:ScanIssueDescription</a> <a href="#">mailxml_defs:ScanIssueResolution</a>
----------	---

#### element **scanEventType/USPSFacilityLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:localeKeyType</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

#### element **scanEventType/City**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s45</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

#### element **scanEventType/State**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																											
type	<b>mailxml_base:stateCode</b>																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AR</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP		enumeration	AL		enumeration	AK		enumeration	AS		enumeration	AZ		enumeration	AR	
Kind	Value	Annotation																										
enumeration	AA																											
enumeration	AE																											
enumeration	AP																											
enumeration	AL																											
enumeration	AK																											
enumeration	AS																											
enumeration	AZ																											
enumeration	AR																											

	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW
	enumeration	PA
	enumeration	PR
	enumeration	RI
	enumeration	SC
	enumeration	SD
	enumeration	TN
	enumeration	TX

	enumeration UT enumeration VT enumeration VI enumeration VA enumeration WA enumeration WV enumeration WI enumeration WY
--	--

#### element **scanEventType/USPSFacilityName**

diagram	 mailxml_defs:USPSFacilityN...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs												
type	<b>mailxml_base:s50</b>												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

#### element **scanEventType/ScanDateTime**

diagram	 mailxml_defs:ScanDateTime
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>xs:dateTime</b>

#### element **scanEventType/ContainerScanState**

diagram	 mailxml_defs:ContainerScan...																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																											
type	<b>mailxml_defs:containerScanStateType</b>																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Electronic Information Received</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Entered at USPS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Enroute Depart</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Enroute</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Enroute Arrive</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Arrival At Unit</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Out for Delivery</td> <td></td> </tr> <tr> <td>enumeration</td> <td>All Scan States</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Electronic Information Received		enumeration	Entered at USPS		enumeration	Enroute Depart		enumeration	Enroute		enumeration	Enroute Arrive		enumeration	Arrival At Unit		enumeration	Out for Delivery		enumeration	All Scan States	
Kind	Value	Annotation																										
enumeration	Electronic Information Received																											
enumeration	Entered at USPS																											
enumeration	Enroute Depart																											
enumeration	Enroute																											
enumeration	Enroute Arrive																											
enumeration	Arrival At Unit																											
enumeration	Out for Delivery																											
enumeration	All Scan States																											

**element scanEventType/ScanStatus**

diagram	 mailxml_defs:fs:ScanStatus
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:inductionStatusType</b>
facets	Kind Value Annotation enumeration A enumeration N

**element scanEventType/ScanIssueDescription**

diagram	 mailxml_defs:fs:ScanIssueDesc...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s50</b>
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

**element scanEventType/ScanIssueResolution**

diagram	 mailxml_defs:fs:ScanIssueReso...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	<b>mailxml_base:s50</b>
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

complexType **submittingSoftwareType**

diagram	<pre> graph LR     A[submittingSoftwareType] --- B[mailxml_defs:fs:SoftwareName]     A --- C[mailxml_defs:fs:Vendor]     A --- D[mailxml_defs:fs:Version]     A --- E[mailxml_defs:fs:ApprovalDate]     A --- F[mailxml_defs:fs:ApprovalKey]     style E fill:none,stroke:none     style F fill:none,stroke:none   </pre>																																				
namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><a href="#">mailxml_defs:SoftwareName</a></td> <td><b>xs:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:Vendor</a></td> <td><b>xs:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:Version</a></td> <td><b>xs:string</b></td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ApprovalDate</a></td> <td><b>xs:date</b></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><a href="#">mailxml_defs:ApprovalKey</a></td> <td><b>xs:string</b></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<a href="#">mailxml_defs:SoftwareName</a>	<b>xs:string</b>	required				<a href="#">mailxml_defs:Vendor</a>	<b>xs:string</b>	required				<a href="#">mailxml_defs:Version</a>	<b>xs:string</b>	required				<a href="#">mailxml_defs:ApprovalDate</a>	<b>xs:date</b>					<a href="#">mailxml_defs:ApprovalKey</a>	<b>xs:string</b>				
Name	Type	Use	Default	Fixed	Annotation																																
<a href="#">mailxml_defs:SoftwareName</a>	<b>xs:string</b>	required																																			
<a href="#">mailxml_defs:Vendor</a>	<b>xs:string</b>	required																																			
<a href="#">mailxml_defs:Version</a>	<b>xs:string</b>	required																																			
<a href="#">mailxml_defs:ApprovalDate</a>	<b>xs:date</b>																																				
<a href="#">mailxml_defs:ApprovalKey</a>	<b>xs:string</b>																																				

attribute **submittingSoftwareType/@SoftwareName**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:string</b>

attribute **submittingSoftwareType/@Vendor**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:string</b>

attribute **submittingSoftwareType/@Version**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:string</b>

attribute **submittingSoftwareType/@ApprovalDate**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
type	<b>xs:date</b>

attribute **submittingSoftwareType/@ApprovalKey**

namespace	<a href="http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs">http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs</a>
-----------	---

type	<b>xs:string</b>
------	------------------

**complexType zipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	extension of <b>mailxml_base:ns09</b>
used by	elements <a href="#"><b>consolidatorCommunicationInfoType/DestinationZipCode</b></a> <a href="#"><b>addressType/ZipCode</b></a>

**simpleType bundleScanTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs														
type	restriction of <b>xs:string</b>														
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 33%;">Kind</th> <th style="text-align: left; width: 33%;">Value</th> <th style="text-align: left; width: 33%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ActualScan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AssumedScan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	ActualScan		enumeration	AssumedScan		enumeration	Both	
Kind	Value	Annotation													
enumeration	ActualScan														
enumeration	AssumedScan														
enumeration	Both														

**simpleType containerDiscrepancyCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																					
type	restriction of <b>xs:string</b>																																																					
used by	element <a href="#"><b>ContainerDiscrepancyType/ContainerDiscrepancyCategory</b></a>																																																					
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; width: 33%;">Kind</th> <th style="text-align: left; width: 33%;">Value</th> <th style="text-align: left; width: 33%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>01</td> <td></td> </tr> <tr> <td>enumeration</td> <td>02</td> <td></td> </tr> <tr> <td>enumeration</td> <td>03</td> <td></td> </tr> <tr> <td>enumeration</td> <td>04</td> <td></td> </tr> <tr> <td>enumeration</td> <td>05</td> <td></td> </tr> <tr> <td>enumeration</td> <td>06</td> <td></td> </tr> <tr> <td>enumeration</td> <td>07</td> <td></td> </tr> <tr> <td>enumeration</td> <td>08</td> <td></td> </tr> <tr> <td>enumeration</td> <td>09</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>14</td> <td></td> </tr> <tr> <td>enumeration</td> <td>15</td> <td></td> </tr> <tr> <td>enumeration</td> <td>16</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	01		enumeration	02		enumeration	03		enumeration	04		enumeration	05		enumeration	06		enumeration	07		enumeration	08		enumeration	09		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16	
Kind	Value	Annotation																																																				
enumeration	01																																																					
enumeration	02																																																					
enumeration	03																																																					
enumeration	04																																																					
enumeration	05																																																					
enumeration	06																																																					
enumeration	07																																																					
enumeration	08																																																					
enumeration	09																																																					
enumeration	10																																																					
enumeration	11																																																					
enumeration	12																																																					
enumeration	13																																																					
enumeration	14																																																					
enumeration	15																																																					
enumeration	16																																																					

	enumeration 17
	enumeration 18
	enumeration 19
	enumeration 20

#### simpleType **containerScanStateType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs	
type	restriction of <b>xs:string</b>	
used by	element <a href="#"><b>scanEventType/ContainerScanState</b></a>	
facets	Kind	Value Annotation
	enumeration	Electronic Information Received
	enumeration	Entered at USPS
	enumeration	Enroute Depart
	enumeration	Enroute
	enumeration	Enroute Arrive
	enumeration	Arrival At Unit
	enumeration	Out for Delivery
	enumeration	All Scan States
annotation	documentation	Scan data for Container Scan States

#### simpleType **containerStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs	
type	restriction of <b>xs:string</b>	
used by	elements <a href="#"><b>consolidatorCommunicationInfoType/ContainerStatus</b></a> <a href="#"><b>containerPostInductionInfoType/PostInductionStatus</b></a> <a href="#"><b>containerPreInductionInfoType/PreInductionStatus</b></a>	
facets	Kind	Value Annotation
	enumeration	Accepted
	enumeration	OnHold
	enumeration	Rejected
	enumeration	NotPaid
	enumeration	TransportationInfoUpdated
	enumeration	DispatchedforInduction
	enumeration	DispatchedforPickup
	enumeration	PickedUp
	enumeration	Warehoused
	enumeration	Planned
	enumeration	Docked
	enumeration	MailReadyforPickUp
	enumeration	Delivered
	enumeration	DepositedWithShipper
	enumeration	eDocSubmitted

	enumeration	MailReadytobeShipped
	enumeration	PostageFinalized
	enumeration	MailVerifiedAndReleased
	enumeration	MailInCopalPool

#### simpleType **countTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
facets	Kind	Value	Annotation
	enumeration	IMcb	
	enumeration	IMtb	
	enumeration	IMpb	

#### simpleType **einductionDataSourceType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
used by	element <a href="#"><b>inductionCloseoutInfoType/SourceofData</b></a>		
facets	Kind	Value	Annotation
	enumeration	PO	
	enumeration	SV	
	enumeration	IMDAS	
	enumeration	FAST	

#### simpleType **fullServiceComplianceIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	<b>mailxml_base:yesNo</b>		
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

#### simpleType **MPSQueryType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	S	
	enumeration	PC	
	enumeration	BC	

annotation	documentation Mail Piece Scan Query Type
------------	---

### simpleType **MPSStateType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs																																																																																													
type	restriction of <b>xs:string</b>																																																																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> <tr><td>enumeration</td><td>16</td><td></td></tr> <tr><td>enumeration</td><td>17</td><td></td></tr> <tr><td>enumeration</td><td>18</td><td></td></tr> <tr><td>enumeration</td><td>19</td><td></td></tr> <tr><td>enumeration</td><td>20</td><td></td></tr> <tr><td>enumeration</td><td>21</td><td></td></tr> <tr><td>enumeration</td><td>22</td><td></td></tr> <tr><td>enumeration</td><td>23</td><td></td></tr> <tr><td>enumeration</td><td>24</td><td></td></tr> <tr><td>enumeration</td><td>25</td><td></td></tr> <tr><td>enumeration</td><td>26</td><td></td></tr> <tr><td>enumeration</td><td>27</td><td></td></tr> <tr><td>enumeration</td><td>28</td><td></td></tr> <tr><td>enumeration</td><td>29</td><td></td></tr> <tr><td>enumeration</td><td>30</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17		enumeration	18		enumeration	19		enumeration	20		enumeration	21		enumeration	22		enumeration	23		enumeration	24		enumeration	25		enumeration	26		enumeration	27		enumeration	28		enumeration	29		enumeration	30	
Kind	Value	Annotation																																																																																												
enumeration	1																																																																																													
enumeration	2																																																																																													
enumeration	3																																																																																													
enumeration	4																																																																																													
enumeration	5																																																																																													
enumeration	6																																																																																													
enumeration	7																																																																																													
enumeration	8																																																																																													
enumeration	9																																																																																													
enumeration	10																																																																																													
enumeration	11																																																																																													
enumeration	12																																																																																													
enumeration	13																																																																																													
enumeration	14																																																																																													
enumeration	15																																																																																													
enumeration	16																																																																																													
enumeration	17																																																																																													
enumeration	18																																																																																													
enumeration	19																																																																																													
enumeration	20																																																																																													
enumeration	21																																																																																													
enumeration	22																																																																																													
enumeration	23																																																																																													
enumeration	24																																																																																													
enumeration	25																																																																																													
enumeration	26																																																																																													
enumeration	27																																																																																													
enumeration	28																																																																																													
enumeration	29																																																																																													
enumeration	30																																																																																													
annotation	documentation Scan States for Mail Piece Scan Data																																																																																													

### simpleType **pieceScanEventTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs
type	restriction of <b>xs:string</b>

	Kind	Value	Annotation
facets	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	15	
	enumeration	16	
	enumeration	17	
	enumeration	18	
	enumeration	19	
	enumeration	20	

### simpleType **problemCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
used by	element <a href="#"><b>InductionProblemType/ProblemCategory</b></a>		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	15	
	enumeration	16	
	enumeration	17	

	enumeration 18
	enumeration 19
	enumeration 20

### simpleType **problemTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
used by	element <b><a href="#">InductionProblemType/ProblemType</a></b>		
facets	Kind	Value	Annotation
	enumeration	01	
	enumeration	02	
	enumeration	03	
	enumeration	04	
	enumeration	05	
	enumeration	06	
	enumeration	07	
	enumeration	08	
	enumeration	09	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	15	
	enumeration	16	
	enumeration	17	
	enumeration	18	
	enumeration	19	
	enumeration	20	

### simpleType **reasonCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	B	
	enumeration	D	
	enumeration	E	
	enumeration	I	
	enumeration	L	
	enumeration	M	
	enumeration	N	

	enumeration P enumeration Q enumeration R enumeration S enumeration U enumeration V enumeration X
--	---

**simpleType `retrieveDataByType`**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_defs		
type	restriction of <b>xs:string</b>		
facets	Kind	Value	Annotation
	enumeration	FS	
	enumeration	NFS	
	enumeration	Both	