

Mail.XML Version 25.0

System Messages Specification

September 10, 2021

Working Group Chair

Bob Schimek, Quad

Technical Director

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Editor:

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2021 – Delivery Technology Advocacy Council (“DTAC ”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



Copyright and Legal Notices

© 2021 Delivery Technology Advocacy Council. All Rights Reserved.

Copyright 2021 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

Mail.XML and Mail.dat are trademarks of DTAC.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

What's New in Mail.XML Version 25.0?

With this release, the Mail.XML Messaging Protocol moves to Version 25.0. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 25.0 include:

- CR 2501 – Creates a new simpleType in the base schema called machinabilityIndicatorType that defines machinability.
 - Modfy PeriodicalLineItemData to use the new machinabilityIndicatorType
 - Modify PostageStatementLineItemData to use the new machinabilityIndicatorType
- CR 2502 - Add enumerations to serviceCodeType to support Non-Standard Parcel Sizes.
- CR 2503 – Support USPS Tracking Plus Extra Service
 - Modify existing serviceCodeType to add 2 new enumeration values for USPS Tracking Plus
 - Modify existing serviceSubCode to add new enumerations for USPS Tracking Plus retention lengths.
- CR 2504 – Add new elements to the CampaignData block to accommodate new Informed Delivery features.
- CR 2506 - Modify MaildatMPUInfoType to use the new machinabilityIndicatorType
- CR 2507 – Remove fields related to ZAP certification status

About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema**.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations: xmlns:mailxml=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>
targetNamespace=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0A/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0B/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0.xsd' <- Major Version

Mail.XML 25.0 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml_base_25.0.xsd*).

- mailxml_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_tm;
- mailxml_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_mm;
- mailxml_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_iv;
- mailxml_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_dd;
- mailxml_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_id;
- mailxml_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_sc;
- mailxml_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml_base;
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml;

The Mail.XML™ 25 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 25.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 25.0: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 25.0: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 25.0: Informed Visibility Specification documents all informed visibility messages
- Mail.XML™ 25.0: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 25.0: Identification Messaging Specification documents all identification messages
- Mail.XML™ 25.0: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 25.0: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 25.0: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 25.0: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 25.0: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

Table of Contents

ABSTRACT	3
ABOUT MAIL.XML™	3
WHAT'S NEW IN MAIL.XML VERSION 25.0?	3
ABOUT MAIL.XML SCHEMA MODULARIZATION	4
MAIL.XML MODULE VERSIONING RULES	4
MAIL.XML 25.0 XSD MODULES:.....	5
THE MAIL.XML™ 25 MESSAGING DOCUMENTATION SET	5
1 INDEX.....	8
2 ELEMENTS.....	10

1 Index

Schema **mailxml_dd_25.0.xsd**

schema location: [..\MailXML v25.0\XSDs\mailxml dd 25.0.xsd](#)
attributeFormDefault: **qualified**
elementFormDefault: **qualified**
targetNamespace: http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

Elements

[**AddressCorrection**](#)

[**AddressCorrectionDelivery**](#)

[**AddressCorrectionNotification**](#)

[**AddressCorrectionQueryRequest**](#)

[**AddressCorrectionQueryResponse**](#)

[**ByForConflictDelivery**](#)

[**ByForConflictNotification**](#)

[**ByForConflictQueryRequest**](#)

[**ByForConflictQueryResponse**](#)

[**ContainerVisibilityEntry**](#)

[**DataQualityVerificationReportDelivery**](#)

[**DataQualityVerificationReportNotification**](#)

[**DataQualityVerificationReportQueryRequest**](#)

[**DataQualityVerificationReportQueryResponse**](#)

[**DeliveryPointValidation**](#)

[**DeliveryPointValidationDelivery**](#)

[**DeliveryPointValidationNotification**](#)

[**DeliveryPointValidationQueryRequest**](#)

[**DeliveryPointValidationQueryResponse**](#)

[**IMbMailpieceScanData**](#)

[**NixieDetail**](#)

[**NixieDetailDelivery**](#)

[**NixieDetailNotification**](#)

[**NixieDetailQueryRequest**](#)

[**NixieDetailQueryResponse**](#)

Complex types

[**addressCorrectionAddressType**](#)

[**byForConflictType**](#)

[**clockStartedType**](#)

[**dqrContainerInfoType**](#)

[**foreignAddressType**](#)

[**manifestScanEventDetailType**](#)

[**manifestScanNotificationDataType**](#)

[**manifestScanQueryType**](#)

[**MPSNotificationDataType**](#)

[**MPSRResponseBlockType**](#)

[**MPSVisScanQueryType**](#)

[**newAddressCorrectionAddressType**](#)

[**nonComplianceDataWithPostageOwedReportType**](#)

[**PSRResponseBlockType**](#)

[**unManifestedScanEventDetailType**](#)

[**verificationErrorType**](#)

Simple types

[**addressCorrectionModeType**](#)

[**addressTypeType**](#)

[**containerScanStateType**](#)

[**pe**](#)

[**deliverabilityCodeType**](#)

[**pe**](#)

[**eDocTypeType**](#)

[**primarySecondaryIndicatorType**](#)

[**verificationErrorHandlerType**](#)


[**verificationWarningType**](#)

[**verificationWarningType**](#)

[NonComplianceDataWithPostageOwedQueryRequest](#)
[NonComplianceDataWithPostageOwedReportDelivery](#)
[NonComplianceDataWithPostageOwedReportNotification](#)
[NonComplianceDataWithPostageOwedReportQueryResponse](#)
[ScanSTCCount](#)
[ScanSTCReconciliationDelivery](#)
[ScanSTCReconciliationNotification](#)
[ScanSTCReconciliationQueryRequest](#)
[ScanSTCReconciliationQueryResponse](#)
[StartTheClockBEMUBlock](#)
[StartTheClockDropShipOrOrigin](#)
[StartTheClockPlantLoadBlock](#)

2 Elements

element **AddressCorrection**

diagram	
namespac	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

e	
children	mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:OriginalMailerID6 mailxml dd:OriginalMailerID9 mailxml dd:OriginalIMB mailxml dd:RecordCreationDate mailxml dd:MoveEffectiveDate mailxml dd:MoveType mailxml dd:DeliverabilityCodeType mailxml dd:FullServiceComplianceIndicator mailxml dd:FullServiceNonComplianceReasonCode mailxml dd:COAName mailxml dd:KeylineFromEDoc mailxml dd:OldAddress mailxml dd>NewAddress mailxml dd:PrivateMailBox mailxml dd:ClassNotificationType mailxml dd:FeeNotification mailxml dd:BillReasonCode mailxml dd:FreeChargeFlag mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:ReturnInfo
used by	elements AddressCorrectionDelivery AddressCorrectionQueryResponse/QueryResults

element **AddressCorrection/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **AddressCorrection/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **AddressCorrection/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	25	
		whiteSpace	preserve	

element **AddressCorrection/MailingGroupID**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		xs:nonNegativeInteger


element **AddressCorrection/OriginalMailerID6**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:mailerID6Type

element **AddressCorrection/OriginalMailerID9**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:mailerID9Type

element **AddressCorrection/OriginalIMB**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:iMBType
facets		Kind Value Annotation minLength 20 maxLength 34

element **AddressCorrection/RecordCreationDate**

	diagram	
--	---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **AddressCorrection/MoveEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **AddressCorrection/MoveType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_dd:addressCorrectionMoveType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	I		enumeration	B	
Kind	Value	Annotation											
enumeration	F												
enumeration	I												
enumeration	B												

element **AddressCorrection/DeliverabilityCodeType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_dd:deliverabilityCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>K</td> <td></td> </tr> <tr> <td>enumeration</td> <td>G</td> <td></td> </tr> <tr> <td>enumeration</td> <td>W</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	K		enumeration	G		enumeration	W	
Kind	Value	Annotation											
enumeration	K												
enumeration	G												
enumeration	W												

element **AddressCorrection/FullServiceComplianceIndicator**


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_defs:fullServiceComplianceIndicatorType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------

element **AddressCorrection/FullServiceNonComplianceReasonCode**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:reasonCodeType																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td><td>A</td><td></td></tr> <tr> <td>enumeration</td><td>B</td><td></td></tr> <tr> <td>enumeration</td><td>D</td><td></td></tr> <tr> <td>enumeration</td><td>E</td><td></td></tr> <tr> <td>enumeration</td><td>I</td><td></td></tr> <tr> <td>enumeration</td><td>L</td><td></td></tr> <tr> <td>enumeration</td><td>M</td><td></td></tr> <tr> <td>enumeration</td><td>N</td><td></td></tr> <tr> <td>enumeration</td><td>P</td><td></td></tr> <tr> <td>enumeration</td><td>Q</td><td></td></tr> <tr> <td>enumeration</td><td>R</td><td></td></tr> <tr> <td>enumeration</td><td>S</td><td></td></tr> <tr> <td>enumeration</td><td>U</td><td></td></tr> <tr> <td>enumeration</td><td>V</td><td></td></tr> <tr> <td>enumeration</td><td>X</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	D		enumeration	E		enumeration	I		enumeration	L		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	U		enumeration	V		enumeration	X	
Kind	Value	Annotation																																															
enumeration	A																																																
enumeration	B																																																
enumeration	D																																																
enumeration	E																																																
enumeration	I																																																
enumeration	L																																																
enumeration	M																																																
enumeration	N																																																
enumeration	P																																																
enumeration	Q																																																
enumeration	R																																																
enumeration	S																																																
enumeration	U																																																
enumeration	V																																																
enumeration	X																																																

element **AddressCorrection/COAName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:BusinessName mailxml_dd:LastName mailxml_dd:FirstNameMiddleName mailxml_dd:prefix mailxml_dd:suffix

element **AddressCorrection/COAName/BusinessName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												


element **AddressCorrection/COAName/LastName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **AddressCorrection/COAName/FirstNameMiddleName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

element **AddressCorrection/COAName/prefix**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s15									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

	whiteSpace preserve
--	---------------------

element **AddressCorrection/COAName/suffix**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

element **AddressCorrection/KeylineFromEDoc**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element **AddressCorrection/OldAddress**

diagram	<pre> classDiagram class mailxml_dd::addressCorrectio... AddressType UrbanizationName PrimaryNumber PreDirectional StreetName StreetSuffix PostDirectional UnitDesignator SecondaryNumber City State ZipCode ZipCodePlus4 DeliveryPoint11DigitZip OldAddress < -- addressCorrectio... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:addressCorrectionAddressType
children	mailxml_dd:AddressType mailxml_dd:UrbanizationName mailxml_dd:PrimaryNumber mailxml_dd:PreDirectional mailxml_dd:StreetName mailxml_dd:StreetSuffix mailxml_dd:PostDirectional mailxml_dd:UnitDesignator mailxml_dd:SecondaryNumber mailxml_dd:City mailxml_dd:State mailxml_dd:ZipCode mailxml_dd:ZipCodePlus4 mailxml_dd:DeliveryPoint11DigitZip

element **AddressCorrection/NewAddress**


diagram	<pre> classDiagram class mailxml_dd::newAddressCorr... NewDomesticAddress NewForeignAddress NewAddress < -- newAddressCorr... </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:newAddressCorrectionAddressType
children	mailxml_dd:NewDomesticAddress mailxml_dd:NewForeignAddress

element **AddressCorrection/PrivateMailBox**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s37												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>37</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	37		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	37												
whiteSpace	preserve												

element **AddressCorrection/ClassNotificationType**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																					
type	mailxml_base:classNotificationType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	F		enumeration	E	
Kind	Value	Annotation																				
enumeration	A																					
enumeration	B																					
enumeration	C																					
enumeration	D																					
enumeration	F																					
enumeration	E																					

element **AddressCorrection/FeeNotification**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd															
type	mailxml_base:feeNotificationType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation														
enumeration	E															
enumeration	1															
enumeration	2															
enumeration	3															


element AddressCorrection/BillReasonCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:billReasonCodeType
facets	Kind Value Annotation enumeration E enumeration F enumeration M enumeration N


element AddressCorrection/FreeChargeFlag

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No


element AddressCorrection/FSNonFSAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element AddressCorrection/FullServiceIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

element **AddressCorrection/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **AddressCorrectionDelivery**


diagram	 <p>Delivery of address correction delivery data from USPS.</p>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd					
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml dd:PushMessageID mailxml dd:AddressCorrection					
attributes	Name mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCount mailxml_defs:MessageSerialNumber mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs>LastMessage	Type mailxml_base:s20 xs:positiveInteger xs:positiveInteger xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	Use optional	Default	Fixed	Annotation
annotation	documentation Delivery of address correction delivery data from USPS.					


element **AddressCorrectionDelivery/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **AddressCorrectionDelivery/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **AddressCorrectionDelivery/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **AddressCorrectionNotification**

diagram	<pre> classDiagram class AddressCorrectionNotification { <<Notification from UPS that address correction data is ready to pick up.>> } class SubmittingParty class SubmittingSoftware class CRID class PushMessageID class UserLicenseCode class MaildatJobID class CustomerGroupID class MailingGroupID class FSNonFSAvailabilityDate class NotificationDate class AvailableRecordCount AddressCorrectionNotification "1" --> "1" SubmittingParty AddressCorrectionNotification "1" --> "1" SubmittingSoftware AddressCorrectionNotification "1" --> "1" CRID AddressCorrectionNotification "1" --> "1" PushMessageID AddressCorrectionNotification "*" --> "1" UserLicenseCode AddressCorrectionNotification "*" --> "1" MaildatJobID AddressCorrectionNotification "*" --> "1" CustomerGroupID AddressCorrectionNotification "*" --> "1" MailingGroupID AddressCorrectionNotification "*" --> "1" FSNonFSAvailabilityDate AddressCorrectionNotification "*" --> "1" NotificationDate AddressCorrectionNotification "*" --> "1" AvailableRecordCount </pre> <p>The diagram illustrates the structure of the AddressCorrectionNotification element. It consists of the following components:</p> <ul style="list-style-type: none"> AddressCorrectionNotification: The main element, represented by a rectangle with a dashed border. SubmittingParty, SubmittingSoftware, CRID, and PushMessageID: These are child elements, each enclosed in a dashed box. UserLicenseCode, MaildatJobID, CustomerGroupID, and MailingGroupID: These are child elements associated with the AddressCorrectionNotification element via multiplicity "*" and cardinality "1". FSNonFSAvailabilityDate, NotificationDate, and AvailableRecordCount: These are child elements associated with the AddressCorrectionNotification element via multiplicity "*" and cardinality "1". Documentation: A note indicating that the element represents a notification from UPS that address correction data is ready to be picked up.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:CRID mailxml dd:PushMessageID mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:FSNonFSAvailabilityDate mailxml dd:NotificationDate mailxml dd:AvailableRecordCount
annotation	<p>documentation</p> <p>Notification from UPS that address correction data is ready to pick up.</p>

element **AddressCorrectionNotification/SubmittingParty**

diagram	<pre> classDiagram class mailxml_defs:participantIDType { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } class mailxml_dd:id:SubmittingParty mailxml_dd:id:SubmittingParty "1" -- "1" mailxml_defs:participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element AddressCorrectionNotification/SubmittingSoftware

diagram	<pre> graph LR A[mailxml_defs:submittingSoft...] B[id:SubmittingSoft...] C[SoftwareName] D[Vendor] E[Version] F[ApprovalDate] G[ApprovalKey] A --> B B --> C B --> D B --> E B --> F B --> G </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element AddressCorrectionNotification/CRID

diagram	<pre> graph LR A(mailxml_dd:Id:CRID) </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element AddressCorrectionNotification/PushMessageID

diagram	<pre> graph LR A(mailxml_dd:Id:PushMessageID) </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s25									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25	
Kind	Value	Annotation								
minLength	1									
maxLength	25									

	whiteSpace preserve
--	---------------------

element **AddressCorrectionNotification/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **AddressCorrectionNotification/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												


element **AddressCorrectionNotification/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **AddressCorrectionNotification/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element AddressCorrectionNotification/FSNonFSAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element AddressCorrectionNotification/NotificationDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element AddressCorrectionNotification/AvailableRecordCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element AddressCorrectionQueryRequest

diagram	 <p>The diagram illustrates the structure of the AddressCorrectionQueryRequest element. It consists of a central box labeled "AddressCorrectionQueryRe..." connected by a line to a dashed box labeled "mailxml_dd:Id:SubmittingParty". This dashed box is part of a larger dashed rectangle containing several other dashed boxes: "mailxml_dd:Id:SubmittingSoft...", "mailxml_dd:Id:SubmitterTracki...", "mailxml_dd:Id:OwningParty", and "mailxml_dd:Id:PieceRequest". Below these dashed boxes is a box labeled "mailxml_dd:Id:retrieveDataBy". A small note below the main box states: "Query request for full service address correction data."</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:SubmitterTrackingID mailxml_dd:OwningParty mailxml_dd:PieceRequest mailxml_dd:retrieveDataBy

annotation	documentation Query request for full service address correction data.
------------	--

element **AddressCorrectionQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty class participantIDType { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } SubmittingParty "1" --> "1" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us</th> <th>Defaul</th> <th>Fixe</th> <th>Annotatio</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td>e</td> <td>t</td> <td>d</td> <td>n</td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us	Defaul	Fixe	Annotatio	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n	mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us	Defaul	Fixe	Annotatio																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n																																												
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **AddressCorrectionQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoft...] A --> B[id:SubmittingSoft...] A --> C[mailxml_defs:fs:SoftwareName] A --> D[mailxml_defs:fs:Vendor] A --> E[mailxml_defs:fs:Version] A --> F[mailxml_defs:fs:ApprovalDate] A --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **AddressCorrectionQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD A(mailxml_dd:id:SubmitterTracki...) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **AddressCorrectionQueryRequest/OwningParty**

diagram	<pre> graph TD A["mailxml_defs:participantIDType"] --> B["mailxml_dd:id:OwningParty"] </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **AddressCorrectionQueryRequest/PieceRequest**

diagram	<pre> classDiagram class mailxml_dd::Id::PieceRequest class mailxml_dd::Id::MailClass class mailxml_dd::Id::LowerIMBRange class mailxml_dd::Id::UpperIMBRange class mailxml_dd::Id::UserLicenseCode class mailxml_dd::Id::MaildatJobID class mailxml_dd::Id::CustomerGroupID class mailxml_dd::Id::MailingGroupID class mailxml_dd::Id::DateRange PieceRequest "1..∞" --> MailClass MailClass --> LowerIMBRange MailClass --> UpperIMBRange MailClass --> UserLicenseCode MailClass --> MaildatJobID MailClass --> CustomerGroupID MailClass --> MailingGroupID MailClass --> DateRange </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MailClass mailxml_dd:LowerIMBRange mailxml_dd:UpperIMBRange mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:DateRange

element **AddressCorrectionQueryRequest/PieceRequest/MailClass**

diagram	<pre> classDiagram class mailxml_dd::Id::MailClass </pre>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **AddressCorrectionQueryRequest/PieceRequest/LowerIMBRange**

diagram	<pre> classDiagram class mailxml_dd::Id::LowerIMBRange </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

element **AddressCorrectionQueryRequest/PieceRequest/UpperIMBRange**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

element **AddressCorrectionQueryRequest/PieceRequest/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **AddressCorrectionQueryRequest/PieceRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **AddressCorrectionQueryRequest/PieceRequest/CustomerGroupID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s25									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25	
Kind	Value	Annotation								
minLength	1									
maxLength	25									

	whiteSpace preserve
--	---------------------

element **AddressCorrectionQueryRequest/PieceRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **AddressCorrectionQueryRequest/PieceRequest/DateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:LowerDateRange mailxml_dd:UpperDateRange

element **AddressCorrectionQueryRequest/PieceRequest/DateRange/LowerDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **AddressCorrectionQueryRequest/PieceRequest/DateRange/UpperDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **AddressCorrectionQueryRequest/retrieveDataBy**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:retrieveDataByType
facets	Kind Value Annotation enumeration FS

	enumeration NFS
	enumeration Both

element AddressCorrectionQueryResponse

diagram	<p>The diagram illustrates the structure of the AddressCorrectionQueryResponse element. It features a central box labeled AddressCorrectionQueryRe... which contains a description: "Response to the query request for full service address correction data." This box is connected to a larger box labeled attributes, which lists several properties:</p> <ul style="list-style-type: none"> grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs:TotalRecordsA... mailxml_defs:fs:LastMessage <p>Below these attributes, there are two dashed-line boxes representing associations:</p> <ul style="list-style-type: none"> mailxml_dd:Id:TrackingID: Associated with a mailxml_dd:SubmitterTrackingID. mailxml_dd:Id:QueryResults: Associated with a mailxml_defs:QueryError. <p>A note at the bottom right states: "Error issued when the query data cannot be provided."</p>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	documentation Response to the query request for full service address correction data.																																										

element AddressCorrectionQueryResponse/TrackingID


diagram	<p>The diagram shows a single attribute box labeled mailxml_dd:Id:TrackingID.</p>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd														
type	mailxml_base:s20														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	20														
whiteSpace	preserve														

element **AddressCorrectionQueryResponse/SubmitterTrackingID**

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd														
type	mailxml_base:s20														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	20														
whiteSpace	preserve														

element **AddressCorrectionQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_defs:LargeTransactionDividerResult mailxml_dd:AddressCorrection

element **ByForConflictDelivery**

diagram	<pre> classDiagram class ByForConflictDelivery { grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs:TotalRecordsA... mailxml_defs:fs:LastMessage } class SubmittingParty class SubmittingSoftware class DataRecipient class PushMessageID class ByForConflict ByForConflictDelivery "1..∞" --> SubmittingParty ByForConflictDelivery "1..∞" --> SubmittingSoftware ByForConflictDelivery "1..∞" --> DataRecipient ByForConflictDelivery "1..∞" --> PushMessageID ByForConflictDelivery "1..∞" --> ByForConflict </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml_dd:PushMessageID mailxml_dd:ByForConflict																																										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Delivery of by / for conflict information from USPS.</p>																																										

element **ByForConflictDelivery/SubmittingParty**

diagram	<pre> graph LR SP[mailxml_dd:id:SubmittingParty] --- AT[attributes] subgraph ComplexType [mailxml_defs:participantIDType] direction TB subgraph Attributes [attributes] direction TB fsMailerID6[mailxml_defs:fs:MailerID6] fsMailerID9[mailxml_defs:fs:MailerID9] fsCRID[mailxml_defs:fs:CRID] fsSchedulerID[mailxml_defs:fs:SchedulerID] fsMaildatUserLicense[mailxml_defs:fs:MaildatUserLi...] fsShippingAgentID[mailxml_defs:fs:ShippingAgen...] fsReceivingAgentID[mailxml_defs:fs:ReceivingAge...] end end </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **ByForConflictDelivery/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **ByForConflictDelivery/PushMessageID**

diagram	<pre> graph TD A[mailxml_dd:PushMessageID] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **ByForConflictDelivery/ByForConflict**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:byForConflictType
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:MailOwnerConflict mailxml_dd:MailPreparerConflict mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator mailxml_dd:ReturnInfo

element **ByForConflictNotification**

diagram	<pre> graph LR A[ByForConflictNotification] --- B(()) B --- C1[...] B --- C2[...] C1 --- D1[mailxml_dd:id:SubmittingParty] C1 --- D2[mailxml_dd:id:SubmittingSoftware] C1 --- D3[mailxml_dd:id:PushMessageID] C2 --- D4[mailxml_dd:id:UserLicenseCode] C2 --- D5[mailxml_dd:id:MaildatJobID] C2 --- D6[mailxml_dd:id:CustomerGroupID] C2 --- D7[mailxml_dd:id:MailingGroupID] C2 --- D8[mailxml_dd:id:FSNonFSAvailabilityDate] C2 --- D9[mailxml_dd:id:NotificationDate] C2 --- D10[mailxml_dd:id:AvailableRecordCount] </pre> <p>Notification from USPS that a by / for conflict resolution is ready for pickup.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:PushMessageID mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:FSNonFSAvailabilityDate mailxml dd:NotificationDate mailxml dd:AvailableRecordCount
annotation	<p>documentation</p> <p>Notification from USPS that a by / for conflict resolution is ready for pickup.</p>

element **ByForConflictNotification/SubmittingParty**

diagram	<pre> graph LR A[mailxml_defs:participantID...] --- B[mailxml_dd:id:SubmittingParty] </pre> <p>The diagram shows a yellow box labeled "mailxml_defs:participantID..." containing a list of attributes:</p> <ul style="list-style-type: none"> attributes mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge...
namespac	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

e						
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e			
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:ScheduledID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **ByForConflictNotification/SubmittingSoftware**

diagram	<pre> mailxml_defs:submittingSoft... attributes mailxml_defs:fs:SoftwareName mailxml_defs:fs:Vendor mailxml_defs:fs:Version mailxml_defs:fs:ApprovalDate mailxml_defs:fs:ApprovalKey </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **ByForConflictNotification/PushMessageID**

diagram	<pre> mailxml_base:s25 attributes mailxml_dd:id:PushMessageID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25

facets	Kind minLength maxLength whiteSpace	Value 1 25 preserve	Annotation
--------	--	------------------------------	------------

element **ByForConflictNotification/UserLicenseCode**

diagram	 mailxml_dd:Id:UserLicenseCode
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:userLicenseCodeType
facets	Kind minLength maxLength whiteSpace

Kind	Value	Annotation
minLength	1	
maxLength	4	
whiteSpace	preserve	

element **ByForConflictNotification/MaildatJobID**

diagram	 mailxml_dd:Id:MaildatJobID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:jobIDType
facets	Kind minLength maxLength whiteSpace

Kind	Value	Annotation
minLength	1	
maxLength	8	
whiteSpace	preserve	

element **ByForConflictNotification/CustomerGroupID**

diagram	 mailxml_dd:Id:CustomerGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25
facets	Kind minLength maxLength whiteSpace

Kind	Value	Annotation
minLength	1	
maxLength	25	
whiteSpace	preserve	

element **ByForConflictNotification/MailingGroupID**

diagram	 mailxml_dd:Id:MailingGroupID
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **ByForConflictNotification/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **ByForConflictNotification/NotificationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **ByForConflictNotification/AvailableRecordCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **ByForConflictQueryRequest**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

The diagram illustrates the structure of the **ByForConflictQueryRequest** element. It starts with a main element **ByForConflictQueryRequ...** which has a note: "Query request for by(preparer) / for(owner) conflicts information in edocs." This main element connects to several other components via dashed lines:

- SubmittingParty**: Represented by a dashed box containing **mailxml_dd:Id:SubmittingParty**.
- SubmittingSoftware**: Represented by a dashed box containing **mailxml_dd:Id:SubmittingSoft...**.
- SubmitterTracking**: Represented by a dashed box containing **mailxml_dd:Id:SubmitterTracki...**.
- UserLicenseCode**: Represented by a dashed box containing **mailxml_dd:Id:UserLicenseCode**.
- MaildatJobID**: Represented by a dashed box containing **mailxml_dd:Id:MaildatJobID**.
- CustomerGroupID**: Represented by a dashed box containing **mailxml_dd:Id:CustomerGroupID**.
- MailingGroupID**: Represented by a dashed box containing **mailxml_dd:Id:MailingGroupID**.
- retrieveDataBy**: Represented by a dashed box containing **mailxml_dd:Id:retrieveDataBy**.

children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:SubmitterTrackingID mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:retrieveDataBy
annotation	documentation Query request for by(preparer) / for(owner) conflicts information in edocs.

element **ByForConflictQueryRequest/SubmittingParty**

diagram																																																	
namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **ByForConflictQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **ByForConflictQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD A(mailxml_dd:Id:SubmitterTrackingID) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **ByForConflictQueryRequest/UserLicenseCode**

diagram	<pre> graph TD A(mailxml_dd:Id:UserLicenseCode) </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

element **ByForConflictQueryRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **ByForConflictQueryRequest/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **ByForConflictQueryRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **ByForConflictQueryRequest/retrieveDataBy**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_defs:retrieveDataByType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS	
Kind	Value	Annotation								
enumeration	FS									
enumeration	NFS									

	enumeration Both
--	------------------

element **ByForConflictQueryResponse**

diagram	<pre> classDiagram class ByForConflictQueryResponse { <<Response to the query by(preparer) / for(owner) conflicts information in edocs.>> attribute grp mailxml_defs:LargeTra... attribute mailxml_defs:fs:MessageGrou... attribute mailxml_defs:fs:TotalMessage... attribute mailxml_defs:fs:MessageSerial... attribute mailxml_defs:fs:TransmittedRe... attribute mailxml_defs:fs:TotalRecordsA... attribute mailxml_defs:fs:LastMessage association "1..>" *--- TrackingID association "1..>" *--- SubmitterTrackingID association "1..>" *--- QueryResults association "1..>" *--- QueryError } </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Response to the query by(preparer) / for(owner) conflicts information in edocs.</p>																																										

element **ByForConflictQueryResponse/TrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd


type	mailxml_base:s20		
facets	Kind	Value	Annotation

minLength 1
maxLength 20
whiteSpace preserve

element **ByForConflictQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s20
facets	Kind minLength 1 maxLength 20 whiteSpace preserve

element **ByForConflictQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_defs:LargeTransactionDividerResult mailxml_dd:ByForConflict

element **ByForConflictQueryResponse/QueryResults/ByForConflict**

diagram	<pre> classDiagram class mailxml_dd::ByForConflict class mailxml_dd::UserLicenseCode class mailxml_dd::MaildatJobID class mailxml_dd::CustomerGroupID class mailxml_dd::MailingGroupID class mailxml_dd::MailOwnerConflict class mailxml_dd::MailPreparerConflict class mailxml_dd::FSNonFSAvailabilityDate class mailxml_dd::FullServiceIndicator class mailxml_dd::ReturnInfo mailxml_dd::ByForConflict < -- mailxml_dd::byForConflictType mailxml_dd::UserLicenseCode "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::MaildatJobID "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::CustomerGroupID "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::MailingGroupID "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::MailOwnerConflict "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::MailPreparerConflict "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::FSNonFSAvailabilityDate "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::FullServiceIndicator "0..∞" --> mailxml_dd::ByForConflict mailxml_dd::ReturnInfo "0..∞" --> mailxml_dd::ByForConflict </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd::byForConflictType
children	mailxml_dd::UserLicenseCode mailxml_dd::MaildatJobID mailxml_dd::CustomerGroupID mailxml_dd::MailingGroupID mailxml_dd::MailOwnerConflict mailxml_dd::MailPreparerConflict mailxml_dd::FSNonFSAvailabilityDate mailxml_dd::FullServiceIndicator mailxml_dd::ReturnInfo

element **ContainerVisibilityEntry**

diagram	<pre> classDiagram class ContainerVisibilityEntry { <<ContainerVisibilityEntry>> mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:ConsigneeApptID mailxml_dd:LogicalIndicator mailxml_dd:CSAID mailxml_dd:ContainerID mailxml_dd:ParentContainerID mailxml_dd:SiblingContainerID mailxml_dd:ContainerType mailxml_dd:ScanEvent mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:IMpb mailxml_dd:FullServiceComplianceIndicator mailxml_dd:FullServiceNonComplianceReasonCode mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator } ContainerVisibilityEntry "1" --> "1" UserLicenseCode ContainerVisibilityEntry "1" --> "1" MaildatJobID ContainerVisibilityEntry "1" --> "1" CustomerGroupID ContainerVisibilityEntry "1" --> "1" MailingGroupID ContainerVisibilityEntry "1" --> "1" ConsigneeApptID ContainerVisibilityEntry "1" --> "1" LogicalIndicator ContainerVisibilityEntry "1" --> "1" CSAID ContainerVisibilityEntry "1" --> "1" ContainerID ContainerVisibilityEntry "1" --> "1" ParentContainerID ContainerVisibilityEntry "1" --> "1" SiblingContainerID ContainerVisibilityEntry "1" --> "1" ContainerType ContainerVisibilityEntry "1" --> "1" ScanEvent ContainerVisibilityEntry "1" --> "1" IMcb ContainerVisibilityEntry "1" --> "1" IMtb ContainerVisibilityEntry "1" --> "1" IMpb ContainerVisibilityEntry "1" --> "1" FullServiceComplianceIndicator ContainerVisibilityEntry "1" --> "1" FullServiceNonComplianceReasonCode ContainerVisibilityEntry "1" --> "1" FSNonFSAvailabilityDate ContainerVisibilityEntry "1" --> "1" FullServiceIndicator </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:ConsigneeApptID mailxml_dd:LogicalIndicator mailxml_dd:CSAID mailxml_dd:ContainerID mailxml_dd:ParentContainerID mailxml_dd:SiblingContainerID mailxml_dd:ContainerType mailxml_dd:ScanEvent mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:IMpb mailxml_dd:FullServiceComplianceIndicator mailxml_dd:FullServiceNonComplianceReasonCode mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator


element **ContainerVisibilityEntry/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **ContainerVisibilityEntry/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **ContainerVisibilityEntry/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **ContainerVisibilityEntry/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element ContainerVisibilityEntry/ConsigneeApptID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s12
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

element ContainerVisibilityEntry/LogicalIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

element ContainerVisibilityEntry/CSAID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s10
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve


element ContainerVisibilityEntry/ContainerID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

element **ContainerVisibilityEntry/ParentContainerID**

diagram	 mailxml_dd:id:ParentContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **ContainerVisibilityEntry/SiblingContainerID**

diagram	 mailxml_dd:id:SiblingContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **ContainerVisibilityEntry/ContainerType**

diagram	 mailxml_dd:id:ContainerType																																							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																							
type	mailxml_base:mailXMLContainerType																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12	
Kind	Value	Annotation																																						
enumeration	1																																							
enumeration	2																																							
enumeration	3																																							
enumeration	4																																							
enumeration	5																																							
enumeration	6																																							
enumeration	7																																							
enumeration	8																																							
enumeration	9																																							
enumeration	10																																							
enumeration	11																																							
enumeration	12																																							

	enumeration	13
	enumeration	14
	enumeration	E
	enumeration	F
	enumeration	L
	enumeration	O
	enumeration	P
	enumeration	S
	enumeration	T
	enumeration	V
	enumeration	B
	enumeration	U
	enumeration	Z
	enumeration	X
	enumeration	H
	enumeration	A
	enumeration	G
	enumeration	D
	enumeration	R
	enumeration	C
	enumeration	CT
	enumeration	M
	enumeration	AB
	enumeration	Y

element **ContainerVisibilityEntry/ScanEvent**

diagram	<pre> classDiagram class mailxml_defs::scanEventType { mailxml_defs::fs::USPSFacilityLocaleKey mailxml_defs::City mailxml_defs::State mailxml_defs::USPSFacilityName mailxml_defs::ScanDateTime mailxml_defs::ContainerScanState mailxml_defs::ScanStatus mailxml_defs::ScanIssueDescription mailxml_defs::ScanIssueResolution } class mailxml_dd::Id::ScanEvent mailxml_dd::Id::ScanEvent "1..∞" --> mailxml_defs::scanEventType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:scanEventType
children	mailxml_defs:USPSFacilityLocaleKey mailxml_defs:City mailxml_defs:State mailxml_defs:USPSFacilityName mailxml_defs:ScanDateTime mailxml_defs:ContainerScanState mailxml_defs:ScanStatus mailxml_defs:ScanIssueDescription mailxml_defs:ScanIssueResolution

element **ContainerVisibilityEntry/IMcb**

diagram	<pre> classDiagram class mailxml_dd::Id::IMcb </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **ContainerVisibilityEntry/IMtb**

diagram	<pre> classDiagram class mailxml_dd::Id::IMtb </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									


element **ContainerVisibilityEntry/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

element **ContainerVisibilityEntry/FullServiceComplianceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_defs:fullServiceComplianceIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **ContainerVisibilityEntry/FullServiceNonComplianceReasonCode**

diagram																																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																	
type	mailxml_defs:reasonCodeType																																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Q</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	D		enumeration	E		enumeration	I		enumeration	L		enumeration	M		enumeration	N		enumeration	P		enumeration	Q	
Kind	Value	Annotation																																
enumeration	A																																	
enumeration	B																																	
enumeration	D																																	
enumeration	E																																	
enumeration	I																																	
enumeration	L																																	
enumeration	M																																	
enumeration	N																																	
enumeration	P																																	
enumeration	Q																																	

	enumeration R enumeration S enumeration U enumeration V enumeration X
--	---

element **ContainerVisibilityEntry/FSNonFSAvailabilityDate**


diagram	 mailxml_dd:Id:FSNonFSAvaila...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **ContainerVisibilityEntry/FullServiceIndicator**

diagram	 mailxml_dd:Id:FullServiceIndi...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **DataQualityVerificationReportDelivery**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd					
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:eDocSenderCRID mailxml dd:PushMessageID mailxml dd:TotalJobContainerCount mailxml dd:TotalJobHandlingUnitCount mailxml dd:TotalJobPieceCount mailxml dd:TotalJobContainerHUErrorCount mailxml dd:TotalJobPieceErrorCount mailxml dd:TotalJobContainerHUWarningCount mailxml dd:TotalJobPieceWarningCount mailxml dd:PreparerCRID mailxml dd:TotalPreparerContainerCount mailxml dd:TotalPreparerHandlingUnitCount mailxml dd:TotalPreparerPieceCount mailxml dd:TotalPreparerContainerHUErrorCount mailxml dd:TotalPreparerPieceErrorCount mailxml dd:TotalPreparerContainerHUWarningCount mailxml dd:TotalPreparerPieceWarningCount mailxml dd:OwnerCRID mailxml dd:TotalOwnerContainerCount mailxml dd:TotalOwnerHandlingUnitCount mailxml dd:TotalOwnerPieceCount mailxml dd:TotalOwnerContainerHUErrorCount mailxml dd:TotalOwnerPieceErrorCount mailxml dd:TotalOwnerContainerHUWarningCount mailxml dd:TotalOwnerPieceWarningCount mailxml dd:VerificationErrorType mailxml dd:DataQualityContainerInfo mailxml dd:VerificationWarningType mailxml dd:DataQualityContainerInfo					
attributes	Name mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCount mailxml_defs:MessageSerialNumber mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs:LastMessage	Type mailxml_base:s20 xs:positiveInteger xs:positiveInteger xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	Use optional optional optional optional optional optional	Default	Fixed	Annotation
annotation	<p>documentation</p> <p>Delivery Message should be similar to FullServiceDatQualityVerificationQueryResponse, The Query should mimic the query for COC without the role, transtype and participant, do need to add the LargeDataTransactionDivider to Delivery and Response messages</p>					

element **DataQualityVerificationReportDelivery/SubmittingParty**

diagram	<pre> graph LR SubmittingParty[mailxml_dd:id:SubmittingParty] --- participantIDType[mailxml_defs:participantIDType] participantIDType --- attributes[attributes] attributes --- fsMailerID6[mailxml_defs:fs:MailerID6] attributes --- fsMailerID9[mailxml_defs:fs:MailerID9] attributes --- fsCRID[mailxml_defs:fs:CRID] attributes --- fsSchedulerID[mailxml_defs:fs:SchedulerID] attributes --- fsMaildatUserLicense[mailxml_defs:fs:MaildatUserLi...] attributes --- fsShippingAgentID[mailxml_defs:fs:ShippingAgen...] attributes --- fsReceivingAgentID[mailxml_defs:fs:ReceivingAge...] </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DataQualityVerificationReportDelivery/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoft...] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DataQualityVerificationReportDelivery/UserLicenseCode**

diagram	<pre> graph TD A(mailxml_dd:UserLicenseCode) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **DataQualityVerificationReportDelivery/MaildatJobID**

diagram	<pre> graph TD A(mailxml_dd:MaildatJobID) </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:jobIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 8 whiteSpace preserve
--	------------------------------------

element **DataQualityVerificationReportDelivery/CustomerGroupID**

diagram	 mailxml_dd:Id:CustomerGroupID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												


element **DataQualityVerificationReportDelivery/MailingGroupID**

diagram	 mailxml_dd:Id:MailingGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/eDocSenderCRID**

diagram	 mailxml_dd:Id:eDocSenderCRID									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **DataQualityVerificationReportDelivery/PushMessageID**

diagram	 mailxml_dd:Id:PushMessageID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element DataQualityVerificationReportDelivery/TotalJobContainerCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobHandlingUnitCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobPieceCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobContainerHUErrorCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobPieceErrorCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobContainerHUWarningCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalJobPieceWarningCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/PreparerCRID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

element DataQualityVerificationReportDelivery/TotalPreparerContainerCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportDelivery/TotalPreparerHandlingUnitCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalPreparerPieceCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalPreparerContainerHUErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalPreparerPieceErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger


element **DataQualityVerificationReportDelivery/TotalPreparerContainerHUWarningCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalPreparerPieceWarningCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/OwnerCRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:CRIDType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **DataQualityVerificationReportDelivery/TotalOwnerContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerHandlingUnitCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerPieceCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerContainerHUErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerPieceErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerContainerHUWarningCount**

diagram	 mailxml_dd:Id:TotalOwnerCon...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/TotalOwnerPieceWarningCount**

diagram	 mailxml_dd:Id:TotalOwnerPiec...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportDelivery/VerificationErrorType**

diagram	 mailxml_dd:Id:VerificationErro...																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																													
type	mailxml_dd:verificationErrorTypeType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AllErrors</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NoErrors</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError		enumeration	AllErrors		enumeration	NoErrors	
Kind	Value	Annotation																																												
enumeration	CSAVerification																																													
enumeration	ContainerBarcodeVerification																																													
enumeration	HandlingUnitBarcodeVerification																																													
enumeration	PieceBarcodeVerification																																													
enumeration	ByForConflictVerification																																													
enumeration	ServiceTypeVerification																																													
enumeration	AppointmentVerification																																													
enumeration	MailerIDVerification																																													
enumeration	DeliveryPointVerification																																													
enumeration	ServicePerformanceVerification																																													
enumeration	EntryFacilityVerification																																													
enumeration	DefaultTrayBarcodeError																																													
enumeration	AllErrors																																													
enumeration	NoErrors																																													

element **DataQualityVerificationReportDelivery/DataQualityContainerInfo**

diagram	<pre> classDiagram class DataQualityContainerInfo { mailxml_dd:Id:ContainerID mailxml_dd:Id:SiblingRefConta... mailxml_dd:Id:ParentContaine... mailxml_dd:Id:ProcessingCate... mailxml_dd:Id:MailClass mailxml_dd:Id:USPSFacilityLoc... mailxml_dd:Id:City mailxml_dd:Id:State mailxml_dd:Id:MailingDate mailxml_dd:Id:ContainerType mailxml_dd:Id:IMcb mailxml_dd:Id:IMtb mailxml_dd:Id:CSAID mailxml_dd:Id:ConsigneeAppTID mailxml_dd:Id:FSNonFSAvaila... mailxml_dd:Id:FullServiceIndi... mailxml_dd:Id:VerificationError mailxml_dd:Id:PreparerCRID mailxml_dd:Id:OwnerCRID mailxml_dd:Id:PieceInfo mailxml_dd:Id:PieceRanglInfo } class DataQualityCo... { <>--> DataQualityContainerInfo : 1..∞ } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:dqrContainerInfoType

children	mailxml dd:ContainerID mailxml dd:SiblingRefContainerID mailxml dd:ParentContainerID mailxml dd:ProcessingCategory mailxml dd:MailClass mailxml dd:USPSFacilityLocaleKey mailxml dd:City mailxml dd:State mailxml dd:MailingDate mailxml dd:ContainerType mailxml dd:IMcb mailxml dd:IMtb mailxml dd:CSAID mailxml dd:ConsigneeAppTID mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:VerificationError mailxml dd:PreparerCRID mailxml dd:OwnerCRID mailxml dd:PieceInfo mailxml dd:PieceRangeInfo
----------	---

element **DataQualityVerificationReportDelivery/VerificationWarningType**

diagram	 mailxml_dd:dd:VerificationWar...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml dd:verificationWarningTypeType		
facets	Kind	Value	Annotation
	enumeration	CSAVerification	
	enumeration	ContainerBarcodeVerification	
	enumeration	HandlingUnitBarcodeVerification	
	enumeration	PieceBarcodeVerification	
	enumeration	ByForConflictVerification	
	enumeration	ServiceTypeVerification	
	enumeration	AppointmentVerification	
	enumeration	MailerIDVerification	
	enumeration	DeliveryPointVerification	
	enumeration	ServicePerformanceVerification	
	enumeration	EntryFacilityVerification	
	enumeration	DefaultTrayBarcodeError	
	enumeration	AllWarnings	
	enumeration	NoWarnings	

element **DataQualityVerificationReportDelivery/DataQualityContainerInfo**

diagram	<pre> classDiagram class DataQualityContainerInfo { mailxml_dd:Id:ContainerID mailxml_dd:Id:SiblingRefConta... mailxml_dd:Id:ParentContaine... mailxml_dd:Id:ProcessingCate... mailxml_dd:Id:MailClass mailxml_dd:Id:USPSFacilityLoc... mailxml_dd:Id:City mailxml_dd:Id:State mailxml_dd:Id:MailingDate mailxml_dd:Id:ContainerType mailxml_dd:Id:IMcb mailxml_dd:Id:IMtb mailxml_dd:Id:CSAID mailxml_dd:Id:ConsigneeAppTID mailxml_dd:Id:FSNonFSAvaila... mailxml_dd:Id:FullServiceIndi... mailxml_dd:Id:VerificationError mailxml_dd:Id:PreparerCRID mailxml_dd:Id:OwnerCRID mailxml_dd:Id:PieceInfo mailxml_dd:Id:PieceRanglInfo } class DataQualityCo... { <>--> DataQualityContainerInfo : 1..∞ } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:dqrContainerInfoType

children	mailxml dd:ContainerID mailxml dd:SiblingRefContainerID mailxml dd:ParentContainerID mailxml dd:ProcessingCategory mailxml dd:MailClass mailxml dd:USPSFacilityLocaleKey mailxml dd:City mailxml dd:State mailxml dd:MailingDate mailxml dd:ContainerType mailxml dd:IMcb mailxml dd:IMtb mailxml dd:CSAID mailxml dd:ConsigneeAppTID mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:VerificationError mailxml dd:PreparerCRID mailxml dd:OwnerCRID mailxml dd:PieceInfo mailxml dd:PieceRangeInfo
----------	---

element DataQualityVerificationReportNotification

diagram	<pre> classDiagram class DataQualityVerificationReportNotification { <<Notification from USPS that a full service data quality verification report is ready for pickup.>> } class SubmittingParty class SubmittingSoftware class PushMessageID class UserLicenseCode class MaildatJobID class CustomerGroupID class MailingGroupID class eDocSenderCRID class VerificationErrorType class VerificationWarningType class FSNonFSAvailabilityDate class NotificationDate class AvailableRecordCount DataQualityVerificationReportNotification "1..oo" --> VerificationErrorType DataQualityVerificationReportNotification "1..oo" --> VerificationWarningType DataQualityVerificationReportNotification --> SubmittingParty DataQualityVerificationReportNotification --> SubmittingSoftware DataQualityVerificationReportNotification --> PushMessageID DataQualityVerificationReportNotification --> UserLicenseCode DataQualityVerificationReportNotification --> MaildatJobID DataQualityVerificationReportNotification --> CustomerGroupID DataQualityVerificationReportNotification --> MailingGroupID DataQualityVerificationReportNotification --> eDocSenderCRID DataQualityVerificationReportNotification --> FSNonFSAvailabilityDate DataQualityVerificationReportNotification --> NotificationDate DataQualityVerificationReportNotification --> AvailableRecordCount </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:PushMessageID mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:eDocSenderCRID mailxml dd:VerificationErrorType mailxml dd:VerificationWarningType mailxml dd:FSNonFSAvailabilityDate mailxml dd:NotificationDate mailxml dd:AvailableRecordCount
annotation	<p>documentation</p> <p>Notification from USPS that a full service data quality verification report is ready for pickup.</p>

element **DataQualityVerificationReportNotification/SubmittingParty**

diagram	<pre> classDiagram class mailxml_defs:participantIDType { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } class mailxml_dd:id:SubmittingParty mailxml_dd:id:SubmittingParty --> mailxml_defs:participantIDType </pre>																																																
name space	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DataQualityVerificationReportNotification/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DataQualityVerificationReportNotification/PushMessageID**

diagram	<pre> graph TD A(mailxml_dd:id:PushMessageID) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DataQualityVerificationReportNotification/UserLicenseCode**

diagram	<pre> graph TD A(mailxml_dd:id:UserLicenseCode) </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

element **DataQualityVerificationReportNotification/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **DataQualityVerificationReportNotification/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DataQualityVerificationReportNotification/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportNotification/eDocSenderCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **DataQualityVerificationReportNotification/VerificationErrorType**

diagram																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																													
type	mailxml_dd:verificationErrorTypeType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AllErrors</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NoErrors</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError		enumeration	AllErrors		enumeration	NoErrors	
Kind	Value	Annotation																																												
enumeration	CSAVerification																																													
enumeration	ContainerBarcodeVerification																																													
enumeration	HandlingUnitBarcodeVerification																																													
enumeration	PieceBarcodeVerification																																													
enumeration	ByForConflictVerification																																													
enumeration	ServiceTypeVerification																																													
enumeration	AppointmentVerification																																													
enumeration	MailerIDVerification																																													
enumeration	DeliveryPointVerification																																													
enumeration	ServicePerformanceVerification																																													
enumeration	EntryFacilityVerification																																													
enumeration	DefaultTrayBarcodeError																																													
enumeration	AllErrors																																													
enumeration	NoErrors																																													

element **DataQualityVerificationReportNotification/VerificationWarningType**

diagram																																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																							
type	mailxml_dd:verificationWarningTypeType																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError	
Kind	Value	Annotation																																						
enumeration	CSAVerification																																							
enumeration	ContainerBarcodeVerification																																							
enumeration	HandlingUnitBarcodeVerification																																							
enumeration	PieceBarcodeVerification																																							
enumeration	ByForConflictVerification																																							
enumeration	ServiceTypeVerification																																							
enumeration	AppointmentVerification																																							
enumeration	MailerIDVerification																																							
enumeration	DeliveryPointVerification																																							
enumeration	ServicePerformanceVerification																																							
enumeration	EntryFacilityVerification																																							
enumeration	DefaultTrayBarcodeError																																							

	enumeration AllWarnings enumeration NoWarnings
--	---

element **DataQualityVerificationReportNotification/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DataQualityVerificationReportNotification/NotificationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DataQualityVerificationReportNotification/AvailableRecordCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryRequest**

diagram	<pre> classDiagram class DataQualityVerificationReportQueryRequest { mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:SubmitterTrackingID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:VerificationErrorType mailxml_dd:VerificationWarningType mailxml_dd:retrieveDataBy } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:SubmitterTrackingID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:VerificationErrorType mailxml_dd:VerificationWarningType mailxml_dd:retrieveDataBy
annotation	<p>documentation</p> <p>Query request for full service data quality reports.</p>

element **DataQualityVerificationReportQueryRequest/SubmittingParty**

diagram	<pre> graph LR SP[mailxml_dd:id:SubmittingParty] --- participantIDType[mailxml_defs:participantIDType] participantIDType --- attributes[attributes] attributes --- fsMailerID6[mailxml_defs:fs:MailerID6] attributes --- fsMailerID9[mailxml_defs:fs:MailerID9] attributes --- fsCRID[mailxml_defs:fs:CRID] attributes --- fsSchedulerID[mailxml_defs:fs:ScheduledID] attributes --- fsMaildatUserLicense[mailxml_defs:fs:MaildatUserLicense] attributes --- fsShippingAgentID[mailxml_defs:fs:ShippingAgentID] attributes --- fsReceivingAgentID[mailxml_defs:fs:ReceivingAgentID] </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DataQualityVerificationReportQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DataQualityVerificationReportQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD A(mailxml_dd:SubmitterTrackingID) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DataQualityVerificationReportQueryRequest/UserLicenseCode**

diagram	<pre> graph TD A(mailxml_dd:UserLicenseCode) </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

element **DataQualityVerificationReportQueryRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **DataQualityVerificationReportQueryRequest/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DataQualityVerificationReportQueryRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryRequest/eDocSenderCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element DataQualityVerificationReportQueryRequest/VerificationErrorType

diagram																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																													
type	mailxml_dd:verificationErrorTypeType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AllErrors</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NoErrors</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError		enumeration	AllErrors		enumeration	NoErrors	
Kind	Value	Annotation																																												
enumeration	CSAVerification																																													
enumeration	ContainerBarcodeVerification																																													
enumeration	HandlingUnitBarcodeVerification																																													
enumeration	PieceBarcodeVerification																																													
enumeration	ByForConflictVerification																																													
enumeration	ServiceTypeVerification																																													
enumeration	AppointmentVerification																																													
enumeration	MailerIDVerification																																													
enumeration	DeliveryPointVerification																																													
enumeration	ServicePerformanceVerification																																													
enumeration	EntryFacilityVerification																																													
enumeration	DefaultTrayBarcodeError																																													
enumeration	AllErrors																																													
enumeration	NoErrors																																													

element DataQualityVerificationReportQueryRequest/VerificationWarningType


diagram																																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																							
type	mailxml_dd:verificationWarningTypeType																																							
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError	
Kind	Value	Annotation																																						
enumeration	CSAVerification																																							
enumeration	ContainerBarcodeVerification																																							
enumeration	HandlingUnitBarcodeVerification																																							
enumeration	PieceBarcodeVerification																																							
enumeration	ByForConflictVerification																																							
enumeration	ServiceTypeVerification																																							
enumeration	AppointmentVerification																																							
enumeration	MailerIDVerification																																							
enumeration	DeliveryPointVerification																																							
enumeration	ServicePerformanceVerification																																							
enumeration	EntryFacilityVerification																																							
enumeration	DefaultTrayBarcodeError																																							

	enumeration AllWarnings
	enumeration NoWarnings

element **DataQualityVerificationReportQueryRequest/retrieveDataBy**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:retrieveDataByType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS		enumeration	Both	
Kind	Value	Annotation											
enumeration	FS												
enumeration	NFS												
enumeration	Both												

element **DataQualityVerificationReportQueryResponse**

diagram	 <p>Response to the Request for Full Service Data Quality Verification Reports</p> <p>Error issued when the query data cannot be provided.</p>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs>TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs>TotalMessageCount	xs:positiveInteger	optional			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																	
mailxml_defs>TotalMessageCount	xs:positiveInteger	optional																	

	mailxml_defs:MessageSerialNumber mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs:LastMessage	xs:positiveInteger xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	optional optional optional optional No
annotation	documentation Response to the Request for Full Service Data Quality Verification Reports		


element **DataQualityVerificationReportQueryResponse/TrackingID**

diagram	 mailxml_dd:Id:TrackingID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DataQualityVerificationReportQueryResponse/SubmitterTrackingID**

diagram	 mailxml_dd:Id:SubmitterTracki...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DataQualityVerificationReportQueryResponse/QueryResults**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml_defs:LargeTransactionDividerResult mailxml dd:eDocSenderCRID mailxml dd:TotalJobContainerCount mailxml dd:TotalJobHandlingUnitCount mailxml dd:TotalJobPieceCount mailxml dd:TotalJobContainerHUErrorCount mailxml dd:TotalJobPieceErrorCount mailxml dd:TotalJobContainerHUWarningCount mailxml dd:TotalJobPieceWarningCount mailxml dd:PreparerCRID mailxml dd:TotalPreparerContainerCount mailxml dd:TotalPreparerHandlingUnitCount mailxml dd:TotalPreparerPieceCount mailxml dd:TotalPreparerContainerHUErrorCount mailxml dd:TotalPreparerPieceErrorCount mailxml dd:TotalPreparerContainerHUWarningCount mailxml dd:TotalPreparerPieceWarningCount mailxml dd:OwnerCRID mailxml dd:TotalOwnerContainerCount mailxml dd:TotalOwnerHandlingUnitCount mailxml dd:TotalOwnerPieceCount mailxml dd:TotalOwnerContainerHUErrorCount mailxml dd:TotalOwnerPieceErrorCount mailxml dd:TotalOwnerContainerHUWarningCount mailxml dd:TotalOwnerPieceWarningCount mailxml dd:VerificationErrorType mailxml dd:DQRContainerInfo mailxml dd:VerificationWarningType mailxml dd:DQRContainerInfo

element DataQualityVerificationReportQueryResponse/QueryResults/SubmittingParty

diagram	<pre> classDiagram participant IDSubmittingParty as mailxml_dd::id:SubmittingParty participant ParticipantIDType as mailxml_defs::participantIDType IDSubmittingParty "3" --> "1" ParticipantIDType ParticipantIDType << attributes >> MailerID6 MailerID9 CRID SchedulerID MaildatUserLi... ShippingAgen... ReceivingAge... end </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:participantIDType												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailerID6	mailxml_base:mailerID6Type				
Name	Type	User	Default	Fixed	Annotation								
mailerID6	mailxml_base:mailerID6Type												

	<p>mailxml_defs:MailerID9 mailxml_base:mailerID9Type</p> <p>mailxml_defs:CRID mailxml_base:CRIDType</p> <p>mailxml_defs:SchedulerID mailxml_base:s12</p> <p>mailxml_defs:MaildatUserLicense mailxml_base:userLicenseCodeType</p> <p>mailxml_defs:ShippingAgentID mailxml_base:s12</p> <p>mailxml_defs:ReceivingAgentID mailxml_base:s12</p>
--	---

element **DataQualityVerificationReportQueryResponse/QueryResults/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_dd:Id:SubmittingSoftware...] --- B[attributes] B --- C[mailxml_defs:fs:SoftwareName] B --- D[mailxml_defs:fs:Vendor] B --- E[mailxml_defs:fs:Version] B --- F[mailxml_defs:fs:ApprovalDate] B --- G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DataQualityVerificationReportQueryResponse/QueryResults/UserLicenseCode**

diagram	<pre> graph LR A[mailxml_dd:Id:UserLicenseCode...] --- B[attributes] B --- C[minLength] B --- D[maxLength] B --- E[whiteSpace] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element DataQualityVerificationReportQueryResponse/QueryResults/MaildatJobID

diagram	 mailxml_dd:Id:MaildatJobID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:jobIDType
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element DataQualityVerificationReportQueryResponse/QueryResults/CustomerGroupID

diagram	 mailxml_dd:Id:CustomerGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve

element DataQualityVerificationReportQueryResponse/QueryResults/MailingGroupID

diagram	 mailxml_dd:Id:MailingGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element DataQualityVerificationReportQueryResponse/QueryResults/eDocSenderCRID

diagram	 mailxml_dd:Id:eDocSenderCRID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobHandlingUnitCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobPieceCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobContainerHUErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobPieceErrorCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element

DataQualityVerificationReportQueryResponse/QueryResults/TotalJobContainerHUWarningCount

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalJobPieceWarningCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/PreparerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerHandlingUnitCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerPieceCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	xs:nonNegativeInteger
------	------------------------------

element

DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerContainerHUErrorCount

diagram	 mailxml_dd:Id:TotalPreparerCo...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerPieceErrorCount**

diagram	 mailxml_dd:Id:TotalPreparerPi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element

DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerContainerHUWarningCount

diagram	 mailxml_dd:Id:TotalPreparerCo...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalPreparerPieceWarningCount**

diagram	 mailxml_dd:Id:TotalPreparerPi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/OwnerCRID**

diagram	 mailxml_dd:Id:OwnerCRID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:CRIDType

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	15	

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerContainerCount**

diagram	 mailxml_dd:Id:TotalOwnerCon...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerHandlingUnitCount**

diagram	 mailxml_dd:Id:TotalOwnerHan...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerPieceCount**

diagram	 mailxml_dd:Id:TotalOwnerPiec...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element

DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerContainerHUErrorCount


diagram	 mailxml_dd:Id:TotalOwnerCon...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerPieceErrorCount**

diagram	 mailxml_dd:Id:TotalOwnerPiec...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element


DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerContainerHUWarningCount

diagram	 mailxml_dd:Id:TotalOwnerCon...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/TotalOwnerPieceWarningCount**

diagram	 mailxml_dd:Id:TotalOwnerPiec...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DataQualityVerificationReportQueryResponse/QueryResults/VerificationErrorType**

diagram	 mailxml_dd:Id:VerificationErro...																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																													
type	mailxml_dd:verificationErrorTypeType																																													
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>CSAVerification</td><td></td></tr><tr><td>enumeration</td><td>ContainerBarcodeVerification</td><td></td></tr><tr><td>enumeration</td><td>HandlingUnitBarcodeVerification</td><td></td></tr><tr><td>enumeration</td><td>PieceBarcodeVerification</td><td></td></tr><tr><td>enumeration</td><td>ByForConflictVerification</td><td></td></tr><tr><td>enumeration</td><td>ServiceTypeVerification</td><td></td></tr><tr><td>enumeration</td><td>AppointmentVerification</td><td></td></tr><tr><td>enumeration</td><td>MailerIDVerification</td><td></td></tr><tr><td>enumeration</td><td>DeliveryPointVerification</td><td></td></tr><tr><td>enumeration</td><td>ServicePerformanceVerification</td><td></td></tr><tr><td>enumeration</td><td>EntryFacilityVerification</td><td></td></tr><tr><td>enumeration</td><td>DefaultTrayBarcodeError</td><td></td></tr><tr><td>enumeration</td><td>AllErrors</td><td></td></tr><tr><td>enumeration</td><td>NoErrors</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError		enumeration	AllErrors		enumeration	NoErrors	
Kind	Value	Annotation																																												
enumeration	CSAVerification																																													
enumeration	ContainerBarcodeVerification																																													
enumeration	HandlingUnitBarcodeVerification																																													
enumeration	PieceBarcodeVerification																																													
enumeration	ByForConflictVerification																																													
enumeration	ServiceTypeVerification																																													
enumeration	AppointmentVerification																																													
enumeration	MailerIDVerification																																													
enumeration	DeliveryPointVerification																																													
enumeration	ServicePerformanceVerification																																													
enumeration	EntryFacilityVerification																																													
enumeration	DefaultTrayBarcodeError																																													
enumeration	AllErrors																																													
enumeration	NoErrors																																													

element **DataQualityVerificationReportQueryResponse/QueryResults/DQRContainerInfo**

diagram	<pre> classDiagram class DQRContainerInfo { <<mailxml_dd:DQRContainerInfo>> id:ContainerID id:SiblingRefConta... id:ParentContaine... id:ProcessingCate... id:MailClass id:USPSFacilityLoc... id:City id:State id:MailingDate id:ContainerType id:IMcb id:IMtb id:CSAID id:ConsigneeAppTID id:FSNonFSAvaila... id:FullServiceIndi... id:VerificationError id:PreparerCRID id:OwnerCRID id:PieceInfo id:PieceRanglInfo } DQRContainerInfo "1" *-- "*" "0..∞" : id:DQRContainerl... </pre> <p>The diagram illustrates the structure of the <code>DQRContainerInfo</code> element. It is a class with the following attributes:</p> <ul style="list-style-type: none"> <code>id:ContainerID</code> <code>id:SiblingRefConta...</code> <code>id:ParentContaine...</code> <code>id:ProcessingCate...</code> <code>id:MailClass</code> <code>id:USPSFacilityLoc...</code> <code>id:City</code> <code>id:State</code> <code>id:MailingDate</code> <code>id:ContainerType</code> <code>id:IMcb</code> <code>id:IMtb</code> <code>id:CSAID</code> <code>id:ConsigneeAppTID</code> <code>id:FSNonFSAvaila...</code> <code>id:FullServiceIndi...</code> <code>id:VerificationError</code> (multiplicity 0..∞) <code>id:PreparerCRID</code> <code>id:OwnerCRID</code> <code>id:PieceInfo</code> (multiplicity 0..∞) <code>id:PieceRanglInfo</code> (multiplicity 0..∞) <p>There is also an association named <code>id:DQRContainerl...</code> with multiplicity 1..*.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	<code>mailxml_dd:dqrContainerInfoType</code>

children	mailxml dd:ContainerID mailxml dd:SiblingRefContainerID mailxml dd:ParentContainerID mailxml dd:ProcessingCategory mailxml dd:MailClass mailxml dd:USPSFacilityLocaleKey mailxml dd:City mailxml dd:State mailxml dd:MailingDate mailxml dd:ContainerType mailxml dd:IMcb mailxml dd:IMtb mailxml dd:CSAID mailxml dd:ConsigneeAppTID mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:VerificationError mailxml dd:PreparerCRID mailxml dd:OwnerCRID mailxml dd:PieceInfo mailxml dd:PieceRangeInfo
----------	---

element **DataQualityVerificationReportQueryResponse/QueryResults/VerificationWarningType**

diagram	 mailxml_dd:dd:VerificationWar...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml dd:verificationWarningTypeType		
facets	Kind	Value	Annotation
	enumeration	CSAVerification	
	enumeration	ContainerBarcodeVerification	
	enumeration	HandlingUnitBarcodeVerification	
	enumeration	PieceBarcodeVerification	
	enumeration	ByForConflictVerification	
	enumeration	ServiceTypeVerification	
	enumeration	AppointmentVerification	
	enumeration	MailerIDVerification	
	enumeration	DeliveryPointVerification	
	enumeration	ServicePerformanceVerification	
	enumeration	EntryFacilityVerification	
	enumeration	DefaultTrayBarcodeError	
	enumeration	AllWarnings	
	enumeration	NoWarnings	

element **DataQualityVerificationReportQueryResponse/QueryResults/DQRContainerInfo**

diagram	<pre> classDiagram class DQRContainerInfo { <<mailxml_dd:DQRContainerInfo>> id:ContainerID id:SiblingRefConta... id:ParentContaine... id:ProcessingCate... id:MailClass id:USPSFacilityLoc... id:City id:State id:MailingDate id:ContainerType id:IMcb id:IMtb id:CSAID id:ConsigneeAppTID id:FSNonFSAvaila... id:FullServiceIndi... id:VerificationError id:PreparerCRID id:OwnerCRID id:PieceInfo id:PieceRanglInfo } DQRContainerInfo "1" *-- "*" "0..∞" : id:DQRContainerl... </pre> <p>The diagram illustrates the structure of the <code>DQRContainerInfo</code> element. It is a class with the following attributes:</p> <ul style="list-style-type: none"> <code>id:ContainerID</code> <code>id:SiblingRefConta...</code> <code>id:ParentContaine...</code> <code>id:ProcessingCate...</code> <code>id:MailClass</code> <code>id:USPSFacilityLoc...</code> <code>id:City</code> <code>id:State</code> <code>id:MailingDate</code> <code>id:ContainerType</code> <code>id:IMcb</code> <code>id:IMtb</code> <code>id:CSAID</code> <code>id:ConsigneeAppTID</code> <code>id:FSNonFSAvaila...</code> <code>id:FullServiceIndi...</code> <code>id:VerificationError</code> (multiplicity 0..∞) <code>id:PreparerCRID</code> <code>id:OwnerCRID</code> <code>id:PieceInfo</code> (multiplicity 0..∞) <code>id:PieceRanglInfo</code> (multiplicity 0..∞) <p>There is also an association named <code>id:DQRContainerl...</code> with multiplicity 1..*.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	<code>mailxml_dd:dqrContainerInfoType</code>

children	mailxml dd:ContainerID mailxml dd:SiblingRefContainerID mailxml dd:ParentContainerID mailxml dd:ProcessingCategory mailxml dd:MailClass mailxml dd:USPSFacilityLocaleKey mailxml dd:City mailxml dd:State mailxml dd:MailingDate mailxml dd:ContainerType mailxml dd:IMcb mailxml dd:IMtb mailxml dd:CSAID mailxml dd:ConsigneeAppTID mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:VerificationError mailxml dd:PreparerCRID mailxml dd:OwnerCRID mailxml dd:PieceInfo mailxml dd:PieceRangeInfo
----------	---

element **DeliveryPointValidation**

diagram	<pre> classDiagram class DeliveryPointValidation { <>--> mailxml_dd_Id_OriginalMailerID6 <>--> mailxml_dd_Id_OriginalMailerID9 <>--> mailxml_dd_Id_UserLicenseCode <>--> mailxml_dd_Id_MaildatJobID <>--> mailxml_dd_Id_CustomerGroupID <>--> mailxml_dd_Id_MailingGroupID <>--> mailxml_dd_Id_InvalidDeliveryPointIMB <>--> mailxml_dd_Id_PrimarySecondaryIndicator <>--> mailxml_dd_Id_DPVDataRecipientCRID <>--> mailxml_dd_Id_FullServiceComplianceIndicator <>--> mailxml_dd_Id_FullServiceNonComplianceReasonCode <>--> mailxml_dd_Id_FullServiceIndicator <>--> mailxml_dd_Id_FSNonFSAvailabilityDate <>--> mailxml_dd_Id_ReturnInfo } </pre> <p>The diagram illustrates the structure of the DeliveryPointValidation element. It is a central node connected to several other nodes representing different types of identifiers (IDs). These include OriginalMailerID (with variants 6 and 9), UserLicenseCode, MaildatJobID, CustomerGroupID, MailingGroupID, InvalidDeliveryPointIMB, PrimarySecondaryIndicator, DPVDataRecipientCRID, FullServiceComplianceIndicator, FullServiceNonComplianceReasonCode, FullServiceIndicator, FSNonFSAvailabilityDate, and ReturnInfo. The connections are represented by lines with open arrowheads pointing from the DeliveryPointValidation node to each of these ID nodes.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:OriginalMailerID6 mailxml dd:OriginalMailerID9 mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:InvalidDeliveryPointIMB mailxml dd:PrimarySecondaryIndicator mailxml dd:DPVDataRecipientCRID mailxml dd:FullServiceComplianceIndicator mailxml dd:FullServiceNonComplianceReasonCode mailxml dd:FullServiceIndicator mailxml dd:FSNonFSAvailabilityDate mailxml dd:ReturnInfo
used by	elements DeliveryPointValidationDelivery DeliveryPointValidationQueryResponse/QueryResults

element DeliveryPointValidation/OriginalMailerID6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element DeliveryPointValidation/OriginalMailerID9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element DeliveryPointValidation/UserLicenseCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:userLicenseCodeType
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve

element DeliveryPointValidation/MaildatJobID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:jobIDType
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element DeliveryPointValidation/CustomerGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DeliveryPointValidation/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DeliveryPointValidation/InvalidDeliveryPointIMB**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

element **DeliveryPointValidation/PrimarySecondaryIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_dd:primarySecondaryIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	P		enumeration	S	
Kind	Value	Annotation								
enumeration	P									
enumeration	S									

element **DeliveryPointValidation/DPVDataRecipientCRID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:CRIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 15
--	--------------

element **DeliveryPointValidation/FullServiceComplianceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_defs:fullServiceComplianceIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **DeliveryPointValidation/FullServiceNonComplianceReasonCode**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:reasonCodeType																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Q</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>U</td> <td></td> </tr> <tr> <td>enumeration</td> <td>V</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	D		enumeration	E		enumeration	I		enumeration	L		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	U		enumeration	V		enumeration	X	
Kind	Value	Annotation																																															
enumeration	A																																																
enumeration	B																																																
enumeration	D																																																
enumeration	E																																																
enumeration	I																																																
enumeration	L																																																
enumeration	M																																																
enumeration	N																																																
enumeration	P																																																
enumeration	Q																																																
enumeration	R																																																
enumeration	S																																																
enumeration	U																																																
enumeration	V																																																
enumeration	X																																																

element **DeliveryPointValidation/FullServiceIndicator**


diagram				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd			
type	mailxml_base:yesNo			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	enumeration Yes
	enumeration No

element **DeliveryPointValidation/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DeliveryPointValidation/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **DeliveryPointValidationDelivery**

diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:PushMessageID mailxml dd:DeliveryPointValidation																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	documentation Delivery of Delivery Point Validation by USPS.																																										

element **DeliveryPointValidationDelivery/SubmittingParty**

diagram	<pre> classDiagram participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } submittingParty { <<mailxml_dd:id:SubmittingParty>> } participantIDType "3" --> "1" submittingParty </pre>																																																
name space	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DeliveryPointValidationDelivery/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_defs:submittingSoftware] --- B[attributes] B --- C[mailxml_defs:fs:SoftwareName] B --- D[mailxml_defs:fs:Vendor] B --- E[mailxml_defs:fs:Version] B --- F[mailxml_defs:fs:ApprovalDate] B --- G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DeliveryPointValidationDelivery/UserLicenseCode**

diagram	<pre> graph LR A(mailxml_dd:UserLicenseCode) </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **DeliveryPointValidationDelivery/MaildatJobID**

diagram	<pre> graph LR A(mailxml_dd:MaildatJobID) </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:jobIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 8 whiteSpace preserve
--	------------------------------------

element **DeliveryPointValidationDelivery/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DeliveryPointValidationDelivery/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DeliveryPointValidationDelivery/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DeliveryPointValidationNotification**

diagram	<pre> classDiagram class DeliveryPointValidationNotification { <<Notification by UPS that Delivery Point Validation is ready for pickup.>> mailxml_dd:Id:SubmittingParty mailxml_dd:Id:SubmittingSoftware mailxml_dd:Id:CRID mailxml_dd:Id:PushMessageID mailxml_dd:Id:UserLicenseCode mailxml_dd:Id:MaildatJobID mailxml_dd:Id:CustomerGroupID mailxml_dd:Id:MailingGroupID mailxml_dd:Id:FSNonFSAvailabilityDate mailxml_dd:Id:NotificationDate mailxml_dd:Id:AvailableRecordCount } class DeliveryPointValidationNotification < -- DeliveryPointValidation </pre> <p>The diagram shows the <code>DeliveryPointValidationNotification</code> class with the following attributes:</p> <ul style="list-style-type: none"> <code>mailxml_dd:Id:SubmittingParty</code> <code>mailxml_dd:Id:SubmittingSoftware</code> <code>mailxml_dd:Id:CRID</code> <code>mailxml_dd:Id:PushMessageID</code> <code>mailxml_dd:Id:UserLicenseCode</code> <code>mailxml_dd:Id:MaildatJobID</code> <code>mailxml_dd:Id:CustomerGroupID</code> <code>mailxml_dd:Id:MailingGroupID</code> <code>mailxml_dd:Id:FSNonFSAvailabilityDate</code> <code>mailxml_dd:Id:NotificationDate</code> <code>mailxml_dd:Id:AvailableRecordCount</code> <p>A note below the class definition states: "Notification by UPS that Delivery Point Validation is ready for pickup."</p>
namespace	<code>http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd</code>
children	<code>mailxml_dd:SubmittingParty</code> <code>mailxml_dd:SubmittingSoftware</code> <code>mailxml_dd:CRID</code> <code>mailxml_dd:PushMessageID</code> <code>mailxml_dd:UserLicenseCode</code> <code>mailxml_dd:MaildatJobID</code> <code>mailxml_dd:CustomerGroupID</code> <code>mailxml_dd:MailingGroupID</code> <code>mailxml_dd:FSNonFSAvailabilityDate</code> <code>mailxml_dd:NotificationDate</code> <code>mailxml_dd:AvailableRecordCount</code>
annotation	<p>documentation</p> <p>Notification by UPS that Delivery Point Validation is ready for pickup.</p>

element **DeliveryPointValidationNotification/SubmittingParty**

diagram	<pre> classDiagram participant IDType { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } SubmittingParty < -- IDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DeliveryPointValidationNotification/SubmittingSoftware**

diagram	<pre> graph LR SD[mailxml_dd:Id:SubmittingSoft...] --- Attributes[attributes] Attributes --- SN[mailxml_defs:fs:SoftwareName] Attributes --- V[mailxml_defs:fs:Vendor] Attributes --- Ver[mailxml_defs:fs:Version] Attributes --- AD[mailxml_defs:fs:ApprovalDate] Attributes --- AK[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DeliveryPointValidationNotification/CRID**

diagram	<pre> graph LR CRID[mailxml_dd:Id:CRID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **DeliveryPointValidationNotification/PushMessageID**

diagram	<pre> graph LR PMID[mailxml_dd:Id:PushMessageID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s25									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25	
Kind	Value	Annotation								
minLength	1									
maxLength	25									

	whiteSpace preserve
--	---------------------


element **DeliveryPointValidationNotification/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **DeliveryPointValidationNotification/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **DeliveryPointValidationNotification/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DeliveryPointValidationNotification/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DeliveryPointValidationNotification/FSNonFSAvailabilityDate**

diagram	 mailxml_dd:Id:FSNonFSAvailabilityDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DeliveryPointValidationNotification/NotificationDate**

diagram	 mailxml_dd:Id:NotificationDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DeliveryPointValidationNotification/AvailableRecordCount**

diagram	 mailxml_dd:Id:AvailableRecordCount
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DeliveryPointValidationQueryRequest**

diagram	<pre> classDiagram class DeliveryPointValidationQueryRequest { <<Query request for USPS for delivery point validation.>> } class mailxml_dd { <<SubmittingParty>> <<SubmittingSoftware>> <<SubmitterTrackingID>> <<RequestorCRID>> <<OriginalMailerID6>> <<OriginalMailerID9>> <<UserLicenseCode>> <<MaildatJobID>> <<CustomerGroupID>> <<MailingGroupID>> <<DateRange>> <<retrieveDataBy>> } DeliveryPointValidationQueryRequest "1" -- "*" mailxml_dd : <<...>> mailxml_dd "1" -- "*" mailxml_dd : <<SubmittingParty>> mailxml_dd "1" -- "*" mailxml_dd : <<SubmittingSoftware>> mailxml_dd "1" -- "*" mailxml_dd : <<SubmitterTrackingID>> mailxml_dd "1" -- "*" mailxml_dd : <<RequestorCRID>> mailxml_dd "1" -- "*" mailxml_dd : <<OriginalMailerID6>> mailxml_dd "1" -- "*" mailxml_dd : <<OriginalMailerID9>> mailxml_dd "1" -- "*" mailxml_dd : <<UserLicenseCode>> mailxml_dd "1" -- "*" mailxml_dd : <<MaildatJobID>> mailxml_dd "1" -- "*" mailxml_dd : <<CustomerGroupID>> mailxml_dd "1" -- "*" mailxml_dd : <<MailingGroupID>> mailxml_dd "1" -- "*" mailxml_dd : <<DateRange>> mailxml_dd "1" -- "*" mailxml_dd : <<retrieveDataBy>> </pre> <p>The diagram illustrates the structure of the DeliveryPointValidationQueryRequest element. It is a complex object with many attributes and associations. The main object is labeled DeliveryPointValidationQu.... It has several associations with other objects, each represented by a line with a connector symbol. The associated objects are: SubmittingParty, SubmittingSoftware, SubmitterTrackingID, RequestorCRID, OriginalMailerID6, OriginalMailerID9, UserLicenseCode, MaildatJobID, CustomerGroupID, MailingGroupID, DateRange, and retrieveDataBy. The SubmittingParty, SubmittingSoftware, SubmitterTrackingID, RequestorCRID, OriginalMailerID6, OriginalMailerID9, UserLicenseCode, MaildatJobID, CustomerGroupID, MailingGroupID, and DateRange objects are all associated with the DeliveryPointValidationQueryRequest object. The retrieveDataBy object is also associated with the DeliveryPointValidationQueryRequest object.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:SubmitterTrackingID mailxml_dd:RequestorCRID mailxml_dd:OriginalMailerID6 mailxml_dd:OriginalMailerID9 mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:DateRange mailxml_dd:retrieveDataBy
annotation	<p>documentation</p> <p>Query request for USPS for delivery point validation.</p>

element **DeliveryPointValidationQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_dd_id>> } class ParticipantIDType { <<mailxml_defs:ParticipantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... </> } SubmittingParty "1" -- "1" ParticipantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **DeliveryPointValidationQueryRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_defs:submittingSoft...] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **DeliveryPointValidationQueryRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_dd:Id:SubmitterTracki...] A -.-> B[minLength] A -.-> C[maxLength] A -.-> D:whiteSpace </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DeliveryPointValidationQueryRequest/RequestorCRID**

diagram	<pre> graph LR A[mailxml_dd:Id:RequestorCRID] A -.-> B[minLength] </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:CRIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 15
--	--------------

element **DeliveryPointValidationQueryRequest/OriginalMailerID6**

diagram	 mailxml_dd:Id:OriginalMailerID6
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **DeliveryPointValidationQueryRequest/OriginalMailerID9**

diagram	 mailxml_dd:Id:OriginalMailerID9
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **DeliveryPointValidationQueryRequest/UserLicenseCode**

diagram	 mailxml_dd:Id:UserLicenseCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **DeliveryPointValidationQueryRequest/MaildatJobID**

diagram	 mailxml_dd:Id:MaildatJobID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												


element **DeliveryPointValidationQueryRequest/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **DeliveryPointValidationQueryRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **DeliveryPointValidationQueryRequest/DateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:LowerDateRange mailxml_dd:UpperDateRange

element **DeliveryPointValidationQueryRequest/DateRange/LowerDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **DeliveryPointValidationQueryRequest/DateRange/UpperDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **DeliveryPointValidationQueryRequest/retrieveDataBy**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:retrieveDataByType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS		enumeration	Both	
Kind	Value	Annotation											
enumeration	FS												
enumeration	NFS												
enumeration	Both												

element **DeliveryPointValidationQueryResponse**

diagram	 <p>DeliveryPointValidationQu... Response to the Query request for USPS for delivery point validation.</p> <p>grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs>TotalRecordsA... mailxml_defs:fs>LastMessage</p> <p>mailxml_dd:TrackingID mailxml_dd:SubmitterTracki... mailxml_dd:QueryResu... mailxml_defs:QueryErr...</p> <p>Error issued when the query data cannot be provided.</p>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required			
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																			
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																			
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																			
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																			
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																			

	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No
annotation	documentation Response to the Query request for USPS for delivery point validation.			


element **DeliveryPointValidationQueryResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DeliveryPointValidationQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **DeliveryPointValidationQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:DeliveryPointValidation


element **IMbMailpieceScanData**

diagram	<pre> classDiagram IMbMailpieceScanData { mailxml_dd::Id:UserLicenseCode mailxml_dd::Id:MaildatJobID mailxml_dd::Id:CustomerGroupID mailxml_dd::Id:MailingGroupID mailxml_dd::Id:MailBundleCount mailxml_dd::Id:MPSCOUNT mailxml_dd::Id:IMcbAndIMtbP... mailxml_dd::Id:IMcbPieceScanI... mailxml_dd::Id:IMtbPieceScanI... mailxml_dd::Id:IMbScanRec } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd::UserLicenseCode mailxml_dd::MaildatJobID mailxml_dd::CustomerGroupID mailxml_dd::MailingGroupID mailxml_dd::MailBundleCount mailxml_dd::MPSCOUNT mailxml_dd::IMcbAndIMtbPieceScanInfo mailxml_dd::IMcbPieceScanInfo mailxml_dd::IMtbPieceScanInfo mailxml_dd::IMbScanRec


element **IMbMailpieceScanData/UserLicenseCode**

diagram	<pre> classDiagram IMbMailpieceScanData { mailxml_dd::Id:UserLicenseCode } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												


element IMbMailpieceScanData/MaildatJobID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:jobIDType
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

element IMbMailpieceScanData/CustomerGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve

element IMbMailpieceScanData/MailingGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element IMbMailpieceScanData/MailBundleCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element IMbMailpieceScanData/MPSCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	xs:nonNegativeInteger
------	------------------------------

element IMbMailpieceScanData/IMcbAndIMtbPieceScanInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:IMcbAndIMtbPieceScanInfoType
children	mailxml_defs:IMcb mailxml_defs:IMtbPieceScanInfo

element IMbMailpieceScanData/IMcbPieceScanInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:IMcbPieceScanInfoType
children	mailxml_defs:IMcb mailxml_defs:IMbScanRec

element IMbMailpieceScanData/IMtbPieceScanInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:IMtbPieceScanInfoType

children	mailxml_defs:IMtb mailxml_defs:IMbScanRec
----------	--

element **IMbMailpieceScanData/IMbScanRec**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s500												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>500</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	500		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	500												
whiteSpace	preserve												

element **NixieDetail**

diagram	<p>The diagram illustrates the structure of the NixieDetail element. It starts with a base class Nixie, indicated by a dashed line connecting to a box labeled Nixie. This is followed by a sequence of inheritance arrows pointing down to specific detail classes. The first arrow points to FullServiceNixieDetail, which then branches into two parallel paths. The top path leads to MaildatJobID, UserLicenseCode, and CustomerGroupID. The bottom path leads to MailingGroupID. Both of these then merge into a single path leading to OriginalMailerID6 and OriginalMailerID9. From there, the path continues through OriginalIMB, RecordCreation..., ActionCode, ParsedAddress..., OnPieceCityStat..., ReturnedToAdd..., ReturnedToCity..., ReasonCode, KeylineFromEDoc, ClassNotificatio..., FeeNotification, FullServiceCo..., FullServiceNon..., BillReasonCode, FreeChargeFlag, FSNonFSAvaila..., FullServiceIndi..., and finally ReturnInfo.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

children	mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:OriginalMailerID6 mailxml dd:OriginalMailerID9 mailxml dd:OriginalIMB mailxml dd:RecordCreationDate mailxml dd:ActionCode mailxml dd:ParsedAddressOnPiece mailxml dd:OnPieceCityStateZip mailxml dd:ReturnedToAddress mailxml dd:ReturnedToCityStateZip mailxml dd:ReasonCode mailxml dd:KeylineFromEDoc mailxml dd:ClassNotificationType mailxml dd:FeeNotification mailxml dd:FullServiceComplianceIndicator mailxml dd:FullServiceNonComplianceReasonCode mailxml dd:BillReasonCode mailxml dd:FreeChargeFlag mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:ReturnInfo
used by	elements NixieDetailQueryResponse/QueryResults NixieDetailDelivery
annotation	documentation Full service nixie detail.

element NixieDetail/UserLicenseCode

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element NixieDetail/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element NixieDetail/CustomerGroupID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25

facets	Kind minLength maxLength whiteSpace	Value 1 25 preserve	Annotation
--------	--	------------------------------	------------


element **NixieDetail/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger


element **NixieDetail/OriginalMailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **NixieDetail/OriginalMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **NixieDetail/OriginalIMB**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBType
facets	Kind minLength maxLength


Value Annotation
20
34

element **NixieDetail/RecordCreationDate**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NixieDetail/ActionCode**

diagram	 mailxml_dd:Id:ActionCode															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd															
type	mailxml_base:actionCodeType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>W</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>U</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	W		enumeration	R		enumeration	U	
Kind	Value	Annotation														
enumeration	F															
enumeration	W															
enumeration	R															
enumeration	U															

element **NixieDetail/ParsedAddressOnPiece**

diagram	 mailxml_dd:Id:ParsedAddressOnPiece
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element **NixieDetail/OnPieceCityStateZip**

diagram	 mailxml_dd:Id:OnPieceCityStateZip
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element **NixieDetail/ReturnedToAddress**

diagram	 mailxml_dd:Id:ReturnedToAddress
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element NixieDetail/ReturnedToCityStateZip

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string


element NixieDetail/ReasonCode

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:reasonCodeType																																																
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>A</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>D</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>I</td><td></td></tr><tr><td>enumeration</td><td>L</td><td></td></tr><tr><td>enumeration</td><td>M</td><td></td></tr><tr><td>enumeration</td><td>N</td><td></td></tr><tr><td>enumeration</td><td>P</td><td></td></tr><tr><td>enumeration</td><td>Q</td><td></td></tr><tr><td>enumeration</td><td>R</td><td></td></tr><tr><td>enumeration</td><td>S</td><td></td></tr><tr><td>enumeration</td><td>U</td><td></td></tr><tr><td>enumeration</td><td>V</td><td></td></tr><tr><td>enumeration</td><td>X</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	D		enumeration	E		enumeration	I		enumeration	L		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	U		enumeration	V		enumeration	X	
Kind	Value	Annotation																																															
enumeration	A																																																
enumeration	B																																																
enumeration	D																																																
enumeration	E																																																
enumeration	I																																																
enumeration	L																																																
enumeration	M																																																
enumeration	N																																																
enumeration	P																																																
enumeration	Q																																																
enumeration	R																																																
enumeration	S																																																
enumeration	U																																																
enumeration	V																																																
enumeration	X																																																

element NixieDetail/KeylineFromEDoc

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element NixieDetail/ClassNotificationType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:classNotificationType	
facets		
	Kind	Value
	enumeration	A
	enumeration	B
	enumeration	C
	enumeration	D
	enumeration	F
	enumeration	E

element NixieDetail/FeeNotification

diagram	 mailxml_dd:Id:FeeNotification	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd	
type	mailxml_base:feeNotificationType	
facets		
	Kind	Value
	enumeration	E
	enumeration	1
	enumeration	2
	enumeration	3

element NixieDetail/FullServiceComplianceIndicator

diagram	 mailxml_dd:Id:FullServiceCo...	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd	
type	mailxml_defs:fullServiceComplianceIndicatorType	
facets		
	Kind	Value
	enumeration	Yes
	enumeration	No

element NixieDetail/FullServiceNonComplianceReasonCode

diagram	 mailxml_dd:Id:FullServiceNon...	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd	
type	mailxml_defs:reasonCodeType	
facets		
	Kind	Value
	enumeration	A
	enumeration	B
	enumeration	D
	enumeration	E

	enumeration I
	enumeration L
	enumeration M
	enumeration N
	enumeration P
	enumeration Q
	enumeration R
	enumeration S
	enumeration U
	enumeration V
	enumeration X


element **NixieDetail/BillReasonCode**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd															
type	mailxml_base:billReasonCodeType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E		enumeration	F		enumeration	M		enumeration	N	
Kind	Value	Annotation														
enumeration	E															
enumeration	F															
enumeration	M															
enumeration	N															

element **NixieDetail/FreeChargeFlag**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **NixieDetail/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NixieDetail/FullServiceIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

element **NixieDetail/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element NixieDetailDelivery

diagram	<pre> classDiagram class NixieDetailDelivery { grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs>TotalRecordsA... mailxml_defs:fs>LastMessage } note over NixieDetailDelivery: Delivery from USPS of full service nixie detail. 1..∞ note over 1..∞: Full service nixie detail. </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml_dd:PushMessageID mailxml_dd:NixieDetail																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	documentation Delivery from USPS of full service nixie detail.																																										

element **NixieDetailDelivery/SubmittingParty**

diagram	<pre> graph TD participantIDType["mailxml_defs:participantIDType"] submittingParty["mailxml_dd:id:SubmittingParty"] participantIDType --> submittingParty participantIDType --> attr1["mailxml_defs:fs:MailerID6"] participantIDType --> attr2["mailxml_defs:fs:MailerID9"] participantIDType --> attr3["mailxml_defs:fs:CRID"] participantIDType --> attr4["mailxml_defs:fs:SchedulerID"] participantIDType --> attr5["mailxml_defs:fs:MaildatUserLi..."] participantIDType --> attr6["mailxml_defs:fs:ShippingAgen..."] participantIDType --> attr7["mailxml_defs:fs:ReceivingAge..."] </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **NixieDetailDelivery/SubmittingSoftware**

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **NixieDetailDelivery/PushMessageID**

diagram	<pre> graph TD A[mailxml_dd:PushMessageID] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **NixieDetailNotification**

diagram	<pre> classDiagram class NixieDetailNotification { mailxml_dd:Id:SubmittingParty mailxml_dd:Id:SubmittingSoftware mailxml_dd:CRID mailxml_dd:Id:PushMessageID mailxml_dd:Id:UserLicenseCode mailxml_dd:Id:MaildatJobID mailxml_dd:Id:CustomerGroupID mailxml_dd:Id:MailingGroupID mailxml_dd:Id:FSNonFSAvailabilityDate mailxml_dd:Id:NotificationDate mailxml_dd:Id:AvailableRecordCount } NixieDetailNotification < --> PushMessageID </pre> <p>NixieDetailNotification Notification by USPS that full service nixie detail is ready for pickup.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:CRID mailxml_dd:PushMessageID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:NotificationDate mailxml_dd:AvailableRecordCount
annotation	<p>documentation</p> <p>Notification by USPS that full service nixie detail is ready for pickup.</p>

element **NixieDetailNotification/SubmittingParty**

diagram	<pre> classDiagram class mailxml_defs:participantIDType { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } mailxml_dd:id:SubmittingParty --> mailxml_defs:participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element NixieDetailNotification/SubmittingSoftware

diagram	<pre> graph TD A[mailxml_defs:submittingSoftware] --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element NixieDetailNotification/CRID

diagram	<pre> graph TD A(mailxml_dd:Id:CRID) </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element NixieDetailNotification/PushMessageID

diagram	<pre> graph TD A(mailxml_dd:Id:PushMessageID) </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s25									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25	
Kind	Value	Annotation								
minLength	1									
maxLength	25									

	whiteSpace preserve
--	---------------------

element **NixieDetailNotification/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **NixieDetailNotification/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **NixieDetailNotification/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **NixieDetailNotification/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element NixieDetailNotification/FSNonFSAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element NixieDetailNotification/NotificationDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element NixieDetailNotification/AvailableRecordCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element NixieDetailQueryRequest

diagram	<p>NixieDetailQueryRequ... <small>Query request for full service nixie detail.</small></p> <p>Relationships shown in the diagram:</p> <ul style="list-style-type: none">NixieDetailQueryRequest connects to SubmittingParty, SubmittingSoft, SubmitterTrack, RequestorCRID, OriginalMailerID6, OriginalMailerID9, PieceRequest, and retrieveDataBy.SubmittingParty, SubmittingSoft, SubmitterTrack, and RequestorCRID are grouped together in a dashed box.OriginalMailerID6 and OriginalMailerID9 are grouped together in another dashed box.PieceRequest and retrieveDataBy are grouped together in a third dashed box.A cardinality of 1..∞ is indicated between PieceRequest and retrieveDataBy.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:SubmitterTrackingID mailxml dd:RequestorCRID mailxml dd:OriginalMailerID6 mailxml dd:OriginalMailerID9 mailxml dd:PieceRequest mailxml dd:retrieveDataBy
annotation	documentation Query request for full service nixie detail.

element NixieDetailQueryRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ScheduledID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:ScheduledID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:ScheduledID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **NixieDetailQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD A["mailxml_defs:submittingSoft..."] --> B["attributes"] B --> C["mailxml_defs:fs:SoftwareName"] B --> D["mailxml_defs:fs:Vendor"] B --> E["mailxml_defs:fs:Version"] B --> F["mailxml_defs:fs:ApprovalDate"] B --> G["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **NixieDetailQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD A["mailxml_dd:Id:SubmitterTracki..."] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **NixieDetailQueryRequest/RequestorCRID**

diagram	<pre> graph TD A["mailxml_dd:Id:RequestorCRID"] </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:CRIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 15
--	--------------


element **NixieDetailQueryRequest/OriginalMailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **NixieDetailQueryRequest/OriginalMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **NixieDetailQueryRequest/PieceRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MailClass mailxml_dd:LowerIMBRange mailxml_dd:UpperIMBRange mailxml_dd:DateRange mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID

element **NixieDetailQueryRequest/PieceRequest/MailClass**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>enumeration</td><td>1</td><td></td></tr> <tr> <td>enumeration</td><td>2</td><td></td></tr> <tr> <td>enumeration</td><td>3</td><td></td></tr> <tr> <td>enumeration</td><td>4</td><td></td></tr> <tr> <td>enumeration</td><td>6</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		


element **NixieDetailQueryRequest/PieceRequest/LowerIMBRange**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minLength</td><td>20</td><td></td></tr> <tr> <td>maxLength</td><td>34</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									


element **NixieDetailQueryRequest/PieceRequest/UpperIMBRange**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minLength</td><td>20</td><td></td></tr> <tr> <td>maxLength</td><td>34</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

element **NixieDetailQueryRequest/PieceRequest/DateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:LowerDateRange mailxml_dd:UpperDateRange

element **NixieDetailQueryRequest/PieceRequest/DateRange/LowerDateRange**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NixieDetailQueryRequest/PieceRequest/DateRange/UpperDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NixieDetailQueryRequest/PieceRequest/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **NixieDetailQueryRequest/PieceRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **NixieDetailQueryRequest/PieceRequest/CustomerGroupID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s25						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 25 whiteSpace preserve
--	-------------------------------------

element **NixieDetailQueryRequest/PieceRequest/MailingGroupID**

diagram	 mailxml_dd:Id:MailingGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **NixieDetailQueryRequest/retrieveDataBy**

diagram	 mailxml_dd:Id:retrieveDataBy												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:retrieveDataByType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS		enumeration	Both	
Kind	Value	Annotation											
enumeration	FS												
enumeration	NFS												
enumeration	Both												

element NixieDetailQueryResponse

diagram	<p>The diagram illustrates the structure of the NixieDetailQueryResponse element. It features a main class box labeled "NixieDetailQueryRespon..." with a description: "Response to the Query request for full service nixie detail." A dashed line connects this class to a box titled "attributes". Inside the "attributes" box, there is a group named "grp mailxml_defs:LargeTra..." containing several attributes: "mailxml_defs:fs:MessageGrou...", "mailxml_defs:fs:TotalMessage...", "mailxml_defs:fs:MessageSerial...", "mailxml_defs:fs:TransmittedRe...", "mailxml_defs:fs:TotalRecordsA...", and "mailxml_defs:fs:LastMessage...". Below these attributes is another dashed line connecting to a box labeled "mailxml_dd:Id:TrackingID". This tracking ID is associated via a dashed line to a box labeled "mailxml_dd:Id:SubmitterTracki...". From this submitter tracking ID, two dashed lines lead to boxes labeled "mailxml_dd:Id:QueryResu..." and "mailxml_defs:QueryErr...". A note below the "QueryResults" box states: "Error issued when the query data cannot be provided."</p>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Response to the Query request for full service nixie detail.</p>																																										

element NixieDetailQueryResponse/TrackingID

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s20						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 20 whiteSpace preserve
--	-------------------------------------

element NixieDetailQueryResponse/SubmitterTrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element NixieDetailQueryResponse/QueryResults

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_defs:LargeTransactionDividerResult mailxml_dd:NixieDetail mailxml_dd:ReturnInfo

element NixieDetailQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **NonComplianceDataWithPostageOwedQueryRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:SubmitterTrackingID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:StartDate mailxml_dd:EndDate mailxml_dd:retrieveDataBy mailxml_dd:VerificationErrorType
annotation	<p>documentation</p> <p>Query request for full service Non Compliance Data reports.</p>

element **NonComplianceDataWithPostageOwedQueryRequest/SubmittingParty**

diagram	<pre> graph LR SP[mailxml_dd:id:SubmittingParty] --- participantIDType subgraph participantIDType [mailxml_defs:participantIDType] direction TB attr[attributes] attr --- fsMailerID6[mailxml_defs:fs:MailerID6] attr --- fsMailerID9[mailxml_defs:fs:MailerID9] attr --- fsCRID[mailxml_defs:fs:CRID] attr --- fsSchedulerID[mailxml_defs:fs:ScheduledID] attr --- fsMaildatUserLicense[mailxml_defs:fs:MaildatUserLicense] attr --- fsShippingAgentID[mailxml_defs:fs:ShippingAgentID] attr --- fsReceivingAgentID[mailxml_defs:fs:ReceivingAgentID] end </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **NonComplianceDataWithPostageOwedQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD NS[mailxml_defs:submittingSoftware] --> SoftwareName[mailxml_defs:fs:SoftwareName] NS --> Vendor[mailxml_defs:fs:Vendor] NS --> Version[mailxml_defs:fs:Version] NS --> ApprovalDate[mailxml_defs:fs:ApprovalDate] NS --> ApprovalKey[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **NonComplianceDataWithPostageOwedQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD STID[mailxml_dd:SubmitterTrackingID] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedQueryRequest/UserLicenseCode**

diagram	<pre> graph TD ULC[mailxml_dd:UserLicenseCode] </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

element **NonComplianceDataWithPostageOwedQueryRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedQueryRequest/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedQueryRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **NonComplianceDataWithPostageOwedQueryRequest/eDocSenderCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **NonComplianceDataWithPostageOwedQueryRequest/StartDate**

diagram	 mailxml_dd:Id:StartDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NonComplianceDataWithPostageOwedQueryRequest/EndDate**

diagram	 mailxml_dd:Id:EndDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NonComplianceDataWithPostageOwedQueryRequest/retrieveDataBy**

diagram	 mailxml_dd:Id:retrieveDataBy												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:retrieveDataByType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS		enumeration	Both	
Kind	Value	Annotation											
enumeration	FS												
enumeration	NFS												
enumeration	Both												

element **NonComplianceDataWithPostageOwedQueryRequest/VerificationErrorType**

diagram	 mailxml_dd:Id:VerificationErrorType																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																								
type	mailxml_dd:verificationErrorTypeType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification	
Kind	Value	Annotation																							
enumeration	CSAVerification																								
enumeration	ContainerBarcodeVerification																								
enumeration	HandlingUnitBarcodeVerification																								
enumeration	PieceBarcodeVerification																								
enumeration	ByForConflictVerification																								
enumeration	ServiceTypeVerification																								
enumeration	AppointmentVerification																								


	enumeration	MailerIDVerification
	enumeration	DeliveryPointVerification
	enumeration	ServicePerformanceVerification
	enumeration	EntryFacilityVerification
	enumeration	DefaultTrayBarcodeError
	enumeration	AllErrors
	enumeration	NoErrors

element **NonComplianceDataWithPostageOwedReportDelivery**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																								
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml_dd:PushMessageID mailxml_dd:NonComplianceDataWithPostageOwedReport mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																							
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																							
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																							

	mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs:LastMessage	xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	optional optional optional No
annotation	documentation Delivery of by / for conflict information from USPS.		

element NonComplianceDataWithPostageOwedReportDelivery/SubmittingParty

diagram																																																	
namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **NonComplianceDataWithPostageOwedReportDelivery/SubmittingSoftware**

diagram	<pre> graph TD NS[NonComplianceDataWithPostageOwedReportDelivery] --> SS[SubmittingSoftware] subgraph SubmittingSoftware [mailxml_defs:submittingSoft...] direction TB SN[mailxml_defs:fs:SoftwareName] V[mailxml_defs:fs:Vendor] VR[mailxml_defs:fs:Version] AD[mailxml_defs:fs:ApprovalDate] AK[mailxml_defs:fs:ApprovalKey] SN --- V V --- VR VR --- AD AD --- AK end </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **NonComplianceDataWithPostageOwedReportDelivery/PushMessageID**

diagram	<pre> graph TD NS[NonComplianceDataWithPostageOwedReportDelivery] --> PMI[PushMessageID] subgraph PushMessageID [mailxml_dd:Id:PushMessageID] direction TB end </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element

NonComplianceDataWithPostageOwedReportDelivery/NonComplianceDataWithPostageOwedReport

diagram	<pre> classDiagram class mailxml_dd::nonCompliance { UserLicenseCode MaildatJobID CustomerGroupID MailingGroupID eDocSenderCRID TotalFSPieces TotalNonFSPieces TotalAffectedPieces PercentageFullIS... EligibilityForPo... TotalDiscountA... MailClass DiscountFinalized } class mailxml_dd::id:NonCompliance... mailxml_dd::id:NonCompliance... "1..oo" --> mailxml_dd::nonCompliance mailxml_dd::nonCompliance "*" --> "0..oo" mailxml_dd::id:MailingIDDetail </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:nonComplianceDataWithPostageOwedReportType
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:TotalFSPieces mailxml_dd:TotalNonFSPieces mailxml_dd:TotalAffectedPieces mailxml_dd:PercentageFullServicePiecesAffected mailxml_dd:EligibilityForPostalOneInvoicing mailxml_dd:TotalDiscountAssessment mailxml_dd:MailClass mailxml_dd:DiscountFinalized mailxml_dd:MailingIDDetail

element NonComplianceDataWithPostageOwedReportDelivery/FSNonFSAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NonComplianceDataWithPostageOwedReportDelivery/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>Yes</td><td></td></tr> <tr> <td>enumeration</td><td>No</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **NonComplianceDataWithPostageOwedReportNotification**

diagram	<p>Notification from USPS that a full service non compliance data report is ready for pickup.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:PushMessageID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:NotificationDate mailxml_dd:AvailableRecordCount
annotation	<p>documentation</p> <p>Notification from USPS that a full service non compliance data report is ready for pickup.</p>

element **NonComplianceDataWithPostageOwedReportNotification/SubmittingParty**

diagram	<pre> classDiagram class mailxml_defs:participantIDType { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } class mailxml_dd:id:SubmittingParty mailxml_dd:id:SubmittingParty < -- mailxml_defs:participantIDType </pre>																																																
name space	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element **NonComplianceDataWithPostageOwedReportNotification/SubmittingSoftware**

diagram	<pre> graph TD NS[NonComplianceDataWithPostageOwedReportNotification] --> SS[SubmittingSoftware] subgraph SubmittingSoftware [mailxml_defs:submittingSoft...] direction TB SN[mailxml_defs:fs:SoftwareName] VD[mailxml_defs:fs:Vendor] VR[mailxml_defs:fs:Version] AD[mailxml_defs:fs:ApprovalDate] AK[mailxml_defs:fs:ApprovalKey] SN --- VD VD --- VR VR --- AD AD --- AK end </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element **NonComplianceDataWithPostageOwedReportNotification/PushMessageID**

diagram	<pre> graph TD NS[NonComplianceDataWithPostageOwedReportNotification] --> PM[PushMessageID] subgraph PushMessageID [mailxml_dd:PushMessageID] direction TB end </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedReportNotification/UserLicenseCode**

diagram	<pre> graph TD NS[NonComplianceDataWithPostageOwedReportNotification] --> UL[UserLicenseCode] subgraph UserLicenseCode [mailxml_dd:UserLicenseCode] direction TB end </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

element NonComplianceDataWithPostageOwedReportNotification/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element NonComplianceDataWithPostageOwedReportNotification/CustomerGroupID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element NonComplianceDataWithPostageOwedReportNotification/MailingGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element NonComplianceDataWithPostageOwedReportNotification/eDocSenderCRID

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **NonComplianceDataWithPostageOwedReportNotification/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NonComplianceDataWithPostageOwedReportNotification/NotificationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **NonComplianceDataWithPostageOwedReportNotification/AvailableRecordCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **NonComplianceDataWithPostageOwedReportQueryResponse**

diagram	<p>NonComplianceDataWithP...</p> <p>Response to the Request for Full Service Non Compliance Data With Postage Owed Report Query Request</p> <p>Attributes:</p> <ul style="list-style-type: none"> grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs>TotalRecordsA... mailxml_defs:fs>LastMessage <p>Associations:</p> <ul style="list-style-type: none"> mailxml_dd:Id:TrackingID mailxml_dd:Id:SubmitterTracki... mailxml_dd:Id:QueryResu... mailxml_defs:QueryErr... <p>Error issued when the query data cannot be provided.</p>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Request</p> <p>Response to the Request for Full Service Non Compliance Data With Postage Owed Report Query</p>																																										

element **NonComplianceDataWithPostageOwedReportQueryResponse/TrackingID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedReportQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element **NonComplianceDataWithPostageOwedReportQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_defs:LargeTransactionDividerResult mailxml_dd:NonComplianceDataWithPostageOwedReport

element

NonComplianceDataWithPostageOwedReportQueryResponse/QueryResults/NonComplianceDataWithP

ostageOwedReport

diagram	<pre> classDiagram class mailxml_dd:nonComplianceDataWithPostageOwedReportType { mailxml_dd:id:UserLicenseCode mailxml_dd:id:MaildatJobID mailxml_dd:id:CustomerGroupID mailxml_dd:id:MailingGroupID mailxml_dd:id:eDocSenderCRID mailxml_dd:id:TotalFSPieces mailxml_dd:id:TotalNonFSPieces mailxml_dd:id:TotalAffectedPieces mailxml_dd:id:PercentageFullServicePiecesAffected mailxml_dd:id:EligibilityForPostalOneInvoicing mailxml_dd:id>TotalDiscountAssessment mailxml_dd:id:MailClass mailxml_dd:id:DiscountFinalized mailxml_dd:id:MailingIDDetail } mailxml_dd:nonComplianceDataWithPostageOwedReportType "1..∞" -- "0..∞" mailxml_dd:id:NonComplianceData mailxml_dd:nonComplianceDataWithPostageOwedReportType "0..∞" -- "0..∞" mailxml_dd:id:MailingIDDetail </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	<u>mailxml_dd:nonComplianceDataWithPostageOwedReportType</u>
children	<u>mailxml_dd:UserLicenseCode</u> <u>mailxml_dd:MaildatJobID</u> <u>mailxml_dd:CustomerGroupID</u> <u>mailxml_dd:MailingGroupID</u> <u>mailxml_dd:eDocSenderCRID</u> <u>mailxml_dd:TotalFSPieces</u> <u>mailxml_dd:TotalNonFSPieces</u> <u>mailxml_dd:TotalAffectedPieces</u> <u>mailxml_dd:PercentageFullServicePiecesAffected</u> <u>mailxml_dd:EligibilityForPostalOneInvoicing</u> <u>mailxml_dd:TotalDiscountAssessment</u> <u>mailxml_dd:MailClass</u> <u>mailxml_dd:DiscountFinalized</u> <u>mailxml_dd:MailingIDDetail</u>

element **ScanSTCCount**

diagram	<pre> classDiagram class ScanSTCCount { <<ScanandSPMCountfor thirdpartyreconciliation>> } class ScanandSPMCountfor { <<thirdpartyreconciliation>> } class mailxml_dd::Id::UserLicenseCode class mailxml_dd::Id::MaildatJobID class mailxml_dd::Id::CustomerGroupID class mailxml_dd::Id::MailingGroupID class mailxml_dd::Id::ConsigneeApptID class mailxml_dd::Id::LogicalIndicator class mailxml_dd::Id::IMcbCount class mailxml_dd::Id::IMtbCount class mailxml_dd::Id::IMpbCount class mailxml_dd::Id::IMbCount class mailxml_dd::Id::PlannedCount class mailxml_dd::Id::PaidCount class mailxml_dd::Id::ScannedCount class mailxml_dd::Id::STCCount ScanSTCCount < -- ScanandSPMCountfor ScanSTCCount --> UserLicenseCode : mailxml_dd::Id::UserLicenseCode ScanSTCCount --> MaildatJobID : mailxml_dd::Id::MaildatJobID ScanSTCCount --> CustomerGroupID : mailxml_dd::Id::CustomerGroupID ScanSTCCount --> MailingGroupID : mailxml_dd::Id::MailingGroupID ScanSTCCount --> ConsigneeApptID : mailxml_dd::Id::ConsigneeApptID ScanSTCCount --> LogicalIndicator : mailxml_dd::Id::LogicalIndicator ScanSTCCount --> IMcbCount : mailxml_dd::Id::IMcbCount ScanSTCCount --> IMtbCount : mailxml_dd::Id::IMtbCount ScanSTCCount --> IMpbCount : mailxml_dd::Id::IMpbCount ScanSTCCount --> IMbCount : mailxml_dd::Id::IMbCount ScanSTCCount --> PlannedCount : mailxml_dd::Id::PlannedCount ScanSTCCount --> PaidCount : mailxml_dd::Id::PaidCount ScanSTCCount --> ScannedCount : mailxml_dd::Id::ScannedCount ScanSTCCount --> STCCount : mailxml_dd::Id::STCCount </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd::UserLicenseCode mailxml_dd::MaildatJobID mailxml_dd::CustomerGroupID mailxml_dd::MailingGroupID mailxml_dd::ConsigneeApptID mailxml_dd::LogicalIndicator mailxml_dd::IMcbCount mailxml_dd::IMtbCount mailxml_dd::IMpbCount mailxml_dd::IMbCount mailxml_dd::PlannedCount mailxml_dd::PaidCount mailxml_dd::ScannedCount mailxml_dd::STCCount
used by	elements ScanSTCReconciliationQueryResponse/QueryResults ScanSTCReconciliationDelivery
annotation	documentation ScanandSPMCountfor thirdpartyreconciliation

element **ScanSTCCount/UserLicenseCode**

diagram	<pre> classDiagram class ScanSTCCount { <<ScanandSPMCountfor thirdpartyreconciliation>> } class UserLicenseCode { <<mailxml_base:userLicenseCodeType>> } class mailxml_dd::Id::UserLicenseCode ScanSTCCount < -- UserLicenseCode ScanSTCCount --> UserLicenseCode : mailxml_dd::Id::UserLicenseCode </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:userLicenseCodeType
facets	Kind Value Annotation

	minLength 1 maxLength 4 whiteSpace preserve
--	---

element ScanSTCCount/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element ScanSTCCount/CustomerGroupID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element ScanSTCCount/MailingGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element ScanSTCCount/ConsigneeApptID

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s12						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 12 whiteSpace preserve
--	-------------------------------------

element ScanSTCCount/LogicalIndicator

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element ScanSTCCount/IMcbCount

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element ScanSTCCount/IMtbCount

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element ScanSTCCount/IMPbCount


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:yesNo						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------


element **ScanSTCCount/IMbCount**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **ScanSTCCount/PlannedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger


element **ScanSTCCount/PaidCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **ScanSTCCount/ScannedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **ScanSTCCount/STCCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element ScanSTCReconciliationDelivery

diagram	<p>ScanSTCReconciliationDelivery</p> <p>Response to the Query request for full service container visibility information.</p> <p>Attributes:</p> <ul style="list-style-type: none"> grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs:TotalRecordsA... mailxml_defs:fs:LastMessage <p>Associations:</p> <ul style="list-style-type: none"> mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml_dd:eDocSenderCRID mailxml_dd:PushMessageID mailxml_dd:ScanSTCCount <p>Annotations:</p> <p>ScanandSPMCountfor thirdpartyreconciliation</p>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_defs:DataRecipient mailxml_dd:eDocSenderCRID mailxml_dd:PushMessageID mailxml_dd:ScanSTCCount																																										
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	required				mailxml_defs:TotalMessageCount	xs:positiveInteger	required				mailxml_defs:MessageSerialNumber	xs:positiveInteger	required				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	required																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	required																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	required																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	required																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	required																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Response to the Query request for full service container visibility information.</p>																																										

element **ScanSTCReconciliationDelivery/SubmittingParty**

diagram	<pre> classDiagram participant Party participant IDType Party "1" -- "1" IDType : <<mailxml_defs:participantIDType>> IDType { <<mailxml_defs:>> fs:MailerID6 <<mailxml_defs:>> fs:MailerID9 <<mailxml_defs:>> fs:CRID <<mailxml_defs:>> fs:SchedulerID <<mailxml_defs:>> fs:MaildatUserLi... <<mailxml_defs:>> fs:ShippingAgen... <<mailxml_defs:>> fs:ReceivingAge... } </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element ScanSTCReconciliationDelivery/SubmittingSoftware

diagram	<pre> graph TD SS[mailxml_defs:submittingSoft...] SS --> SoftwareName[mailxml_defs:fs:SoftwareName] SS --> Vendor[mailxml_defs:fs:Vendor] SS --> Version[mailxml_defs:fs:Version] SS --> ApprovalDate[mailxml_defs:fs:ApprovalDate] SS --> ApprovalKey[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element ScanSTCReconciliationDelivery/eDocSenderCRID

diagram	<pre> graph TD EDD[mailxml_dd:Id:eDocSenderCRID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element ScanSTCReconciliationDelivery/PushMessageID

diagram	<pre> graph TD P[mailxml_dd:Id:PushMessageID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s25									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25	
Kind	Value	Annotation								
minLength	1									
maxLength	25									

	whiteSpace preserve
--	---------------------

element **ScanSTCReconciliationNotification**

diagram	<pre> graph LR A[ScanSTCReconciliationNot...] --- B[...] B --- C1[mailxml_dd:SubmittingParty] B --- C2[mailxml_dd:SubmittingSoft...] B --- C3[mailxml_dd:PushMessageID] C1 --- D1[mailxml_dd:UserLicenseCode] C2 --- D2[mailxml_dd:MaildatJobID] C3 --- D3[mailxml_dd:CustomerGroupID] C3 --- D4[mailxml_dd:MailingGroupID] C3 --- D5[mailxml_dd:FSNonFSAvaila...] C3 --- D6[mailxml_dd:NonFullService...] C3 --- D7[mailxml_dd:AvailableRecord...] C3 --- D8[mailxml_dd:CountType] C3 --- D9[mailxml_dd:NotificationDate] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:SubmittingParty mailxml_dd:SubmittingSoftware mailxml_dd:PushMessageID mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:NonFullServiceAvailabilityDate mailxml_dd:AvailableRecordCount mailxml_dd:CountType mailxml_dd:NotificationDate
annotation	<p>documentation</p> <p>Notification sent by USPS that full service container visibility information is ready for pickup.</p>

element **ScanSTCReconciliationNotification/SubmittingParty**

diagram																																																	
name space	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

element ScanSTCReconciliationNotification/SubmittingSoftware

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element ScanSTCReconciliationNotification/PushMessageID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element ScanSTCReconciliationNotification/UserLicenseCode


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------


element ScanSTCReconciliationNotification/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element ScanSTCReconciliationNotification/CustomerGroupID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element ScanSTCReconciliationNotification/MailingGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element ScanSTCReconciliationNotification/FSNonFSAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element ScanSTCReconciliationNotification/NonFullServiceAvailabilityDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element ScanSTCReconciliationNotification/AvailableRecordCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element ScanSTCReconciliationNotification/CountType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:countTypeType
facets	Kind Value Annotation enumeration IMcb enumeration IMtb enumeration IMPb

element ScanSTCReconciliationNotification/NotificationDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element ScanSTCReconciliationQueryRequest

diagram	<pre> classDiagram class ScanSTCReconciliationQueryRequest { <<Query request for full service container visibility information.>> } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class UserLicenseCode class MaildatJobID class CustomerGroupID class MailingGroupID class ConsigneeApptID class retrieveDataBy ScanSTCReconciliationQueryRequest "1" --> "1" SubmittingParty : mailxml_dd:id:SubmittingParty ScanSTCReconciliationQueryRequest "1" --> "1" SubmittingSoftware : mailxml_dd:id:SubmittingSoft... ScanSTCReconciliationQueryRequest "1" --> "1" SubmitterTrackingID : mailxml_dd:id:SubmitterTracki... ScanSTCReconciliationQueryRequest "1" --> "1" UserLicenseCode : mailxml_dd:id:UserLicenseCode ScanSTCReconciliationQueryRequest "1" --> "1" MaildatJobID : mailxml_dd:id:MaildatJobID ScanSTCReconciliationQueryRequest "1" --> "1" CustomerGroupID : mailxml_dd:id:CustomerGroupID ScanSTCReconciliationQueryRequest "1" --> "1" MailingGroupID : mailxml_dd:id:MailingGroupID ScanSTCReconciliationQueryRequest "1" --> "1" ConsigneeApptID : mailxml_dd:id:ConsigneeApptID ScanSTCReconciliationQueryRequest "1" --> "1" retrieveDataBy : mailxml_dd:id:retrieveDataBy </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:SubmittingParty mailxml dd:SubmittingSoftware mailxml dd:SubmitterTrackingID mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:ConsigneeApptID mailxml dd:retrieveDataBy
annotation	<p>documentation</p> <p>Query request for full service container visibility information.</p>

element ScanSTCReconciliationQueryRequest/SubmittingParty

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_defs:participantIDType>> <<attributes>> fs:MailerID6 fs:MailerID9 fs:CRID fs:SchedulerID fs:MaildatUserLi... fs:ShippingAgen... fs:ReceivingAge... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e			
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element ScanSTCReconciliationQueryRequest/SubmittingSoftware


diagram	<pre> mailxml_defs:submittingSoft... attributes mailxml_defs:fs:SoftwareName mailxml_defs:fs:Vendor mailxml_defs:fs:Version mailxml_defs:fs:ApprovalDate mailxml_defs:fs:ApprovalKey </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

element ScanSTCReconciliationQueryRequest/SubmitterTrackingID

diagram	<pre> mailxml_dd:Id:SubmitterTracki... Kind Value Annotation </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s20
facets	Kind Value Annotation

	<pre>minLength 1 maxLength 20 whiteSpace preserve</pre>
--	---


element ScanSTCReconciliationQueryRequest/UserLicenseCode

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element ScanSTCReconciliationQueryRequest/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element ScanSTCReconciliationQueryRequest/CustomerGroupID


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element ScanSTCReconciliationQueryRequest/MailingGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	xs:nonNegativeInteger
------	------------------------------

element **ScanSTCReconciliationQueryRequest/ConsigneeApptID**

diagram	 mailxml_dd:Id:ConsigneeApptID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns09

element **ScanSTCReconciliationQueryRequest/retrieveDataBy**

diagram	 mailxml_dd:Id:retrieveDataBy												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:retrieveDataByType												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">Kind</th> <th style="width: 25%;">Value</th> <th style="width: 50%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NFS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FS		enumeration	NFS		enumeration	Both	
Kind	Value	Annotation											
enumeration	FS												
enumeration	NFS												
enumeration	Both												

element ScanSTCReconciliationQueryResponse


diagram	<pre> classDiagram class ScanSTCReconciliationQueryResponse { <<Response to the Query request for full service container visibility information.>> attribute grp mailxml_defs:LargeTra... attribute mailxml_defs:fs:MessageGrou... attribute mailxml_defs:fs:TotalMessage... attribute mailxml_defs:fs:MessageSerial... attribute mailxml_defs:fs:TransmittedRe... attribute mailxml_defs:fs>TotalRecordsA... attribute mailxml_defs:fs>LastMessage association "1..>" --> mailxml_dd:Id:TrackingID association "1..>" --> mailxml_dd:Id:SubmitterTracki... association "1..>" --> mailxml_dd:Id:QueryResu... association "1..>" --> mailxml_defs:QueryErr... } </pre> <p>The diagram shows the <code>ScanSTCReconciliationQueryResponse</code> class with several attributes:</p> <ul style="list-style-type: none"> <code>grp mailxml_defs:LargeTra...</code> <code>mailxml_defs:fs:MessageGrou...</code> <code>mailxml_defs:fs:TotalMessage...</code> <code>mailxml_defs:fs:MessageSerial...</code> <code>mailxml_defs:fs:TransmittedRe...</code> <code>mailxml_defs:fs>TotalRecordsA...</code> <code>mailxml_defs:fs>LastMessage</code> <p>Associations from the class:</p> <ul style="list-style-type: none"> <code>mailxml_dd:Id:TrackingID</code> (multiplicity 1..>) <code>mailxml_dd:Id:SubmitterTracki...</code> (multiplicity 1..>) <code>mailxml_dd:Id:QueryResu...</code> (multiplicity 1..>) <code>mailxml_defs:QueryErr...</code> (multiplicity 1..>) <p>A note below the diagram states: "Error issued when the query data cannot be provided."</p>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																										
children	mailxml_dd:TrackingID mailxml_dd:SubmitterTrackingID mailxml_dd:QueryResults mailxml_defs:QueryError																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><code>mailxml_defs:MessageGroupID</code></td> <td>mailxml_base:s20</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>mailxml_defs:TotalMessageCount</code></td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>mailxml_defs:MessageSerialNumber</code></td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>mailxml_defs:TransmittedRecordCount</code></td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>mailxml_defs:TotalRecordsAcrossMessages</code></td> <td>xs:positiveInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>mailxml_defs:LastMessage</code></td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<code>mailxml_defs:MessageGroupID</code>	mailxml_base:s20	required				<code>mailxml_defs:TotalMessageCount</code>	xs:positiveInteger	required				<code>mailxml_defs:MessageSerialNumber</code>	xs:positiveInteger	required				<code>mailxml_defs:TransmittedRecordCount</code>	xs:positiveInteger	required				<code>mailxml_defs:TotalRecordsAcrossMessages</code>	xs:positiveInteger	required				<code>mailxml_defs:LastMessage</code>	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
<code>mailxml_defs:MessageGroupID</code>	mailxml_base:s20	required																																									
<code>mailxml_defs:TotalMessageCount</code>	xs:positiveInteger	required																																									
<code>mailxml_defs:MessageSerialNumber</code>	xs:positiveInteger	required																																									
<code>mailxml_defs:TransmittedRecordCount</code>	xs:positiveInteger	required																																									
<code>mailxml_defs:TotalRecordsAcrossMessages</code>	xs:positiveInteger	required																																									
<code>mailxml_defs:LastMessage</code>	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Response to the Query request for full service container visibility information.</p>																																										

element ScanSTCReconciliationQueryResponse/TrackingID


diagram	<pre> classDiagram class ScanSTCReconciliationQueryResponse { attribute mailxml_dd:Id:TrackingID } </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s20						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><code>minLength</code></td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	<code>minLength</code>	1	
Kind	Value	Annotation					
<code>minLength</code>	1						

	<pre>maxLength 20 whiteSpace preserve</pre>
--	---


element ScanSTCReconciliationQueryResponse/SubmitterTrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

element ScanSTCReconciliationQueryResponse/QueryResults


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_defs:LargeTransactionDividerResult mailxml_dd:ScanSTCCount mailxml_dd:ReturnInfo

element ScanSTCReconciliationQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **StartTheClockBEMUBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:StartTheClockBEMU
used by	complexType clockStartedType

element **StartTheClockBEMUBlock/StartTheClockBEMU**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:PublicationNumber mailxml_dd:MailClass mailxml_dd:ProcessingCategory mailxml_dd:OriginFacilityName mailxml_dd:OriginFacilityLocaleKey mailxml_dd:ArrivalDateTime mailxml_dd:StartTheClockDate mailxml_dd:FullServiceComplianceIndicator mailxml_dd:FullServiceNonComplianceReasonCode mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator mailxml_dd:ContainerID mailxml_dd:ContainerType

	mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:IMpb
--	---

element **StartTheClockBEMUBlock/StartTheClockBEMU/UserLicenseCode**

diagram	 mailxml_dd:Id:UserLicenseCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/MaildatJobID**

diagram	 mailxml_dd:Id:MaildatJobID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/CustomerGroupID**

diagram	 mailxml_dd:Id:CustomerGroupID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/MailingGroupID**

diagram	 mailxml_dd:Id:MailingGroupID
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **StartTheClockBEMUBlock/StartTheClockBEMU/PublicationNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **StartTheClockBEMUBlock/StartTheClockBEMU/ProcessingCategory**

diagram																																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																	
type	mailxml_base:processingCategoryType																																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP	
Kind	Value	Annotation																																
enumeration	LT																																	
enumeration	FL																																	
enumeration	CD																																	
enumeration	OS																																	
enumeration	MP																																	
enumeration	IR																																	
enumeration	PF																																	
enumeration	CM																																	
enumeration	NP																																	
enumeration	SP																																	

	enumeration MB
--	----------------

element **StartTheClockBEMUBlock/StartTheClockBEMU/OriginFacilityName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/OriginFacilityLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:localeKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/ArrivalDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime

element **StartTheClockBEMUBlock/StartTheClockBEMU/StartTheClockDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **StartTheClockBEMUBlock/StartTheClockBEMU/FullServiceComplianceIndicator**

diagram	 mailxml_dd:Id:FullServiceCo...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_defs:fullServiceComplianceIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **StartTheClockBEMUBlock/StartTheClockBEMU/FullServiceNonComplianceReasonCode**

diagram	 mailxml_dd:Id:FullServiceNon...																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																
type	mailxml_defs:reasonCodeType																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Q</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>U</td> <td></td> </tr> <tr> <td>enumeration</td> <td>V</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	D		enumeration	E		enumeration	I		enumeration	L		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	U		enumeration	V		enumeration	X	
Kind	Value	Annotation																																															
enumeration	A																																																
enumeration	B																																																
enumeration	D																																																
enumeration	E																																																
enumeration	I																																																
enumeration	L																																																
enumeration	M																																																
enumeration	N																																																
enumeration	P																																																
enumeration	Q																																																
enumeration	R																																																
enumeration	S																																																
enumeration	U																																																
enumeration	V																																																
enumeration	X																																																

element **StartTheClockBEMUBlock/StartTheClockBEMU/FSNonFSAvailabilityDate**

diagram	 mailxml_dd:Id:FSNonFSAvaila...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **StartTheClockBEMUBlock/StartTheClockBEMU/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **StartTheClockBEMUBlock/StartTheClockBEMU/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **StartTheClockBEMUBlock/StartTheClockBEMU/ContainerType**

diagram																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																													
type	mailxml_base:mailXMLContainerType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>14</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14	
Kind	Value	Annotation																																												
enumeration	1																																													
enumeration	2																																													
enumeration	3																																													
enumeration	4																																													
enumeration	5																																													
enumeration	6																																													
enumeration	7																																													
enumeration	8																																													
enumeration	9																																													
enumeration	10																																													
enumeration	11																																													
enumeration	12																																													
enumeration	13																																													
enumeration	14																																													

	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

element **StartTheClockBEMUBlock/StartTheClockBEMU/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **StartTheClockBEMUBlock/StartTheClockBEMU/IMtb**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **StartTheClockBEMUBlock/StartTheClockBEMU/IMpb**

diagram	 0..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:IMpbType
facets	Kind Value Annotation minLength 21 maxLength 34


element **StartTheClockDropShipOrOrigin**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:ConsigneeApptID mailxml dd:CSADispatchNumber mailxml dd:PublicationNumber mailxml dd:MailClass mailxml dd:ProcessingCategory mailxml dd:DropShipYesNo mailxml dd:UspsFacilityName mailxml dd:UspsFacilityLocaleKey mailxml dd:City mailxml dd:State mailxml dd:ApptDateTime mailxml dd:ArrivalDateTime mailxml dd:UnloadStartTime mailxml dd:UnloadEndTime mailxml dd:ApptStatus mailxml dd:StartTheClockDate mailxml dd:FullServiceComplianceIndicator mailxml dd:FullServiceNonComplianceReasonCode mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:ContainerID mailxml dd:ContainerType mailxml dd:IMcb mailxml dd:IMtb mailxml dd:IMPb
used by	element clockStartedType/StartTheClockDropShipOrOriginBlock

element StartTheClockDropShipOrOrigin/UserLicenseCode

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element StartTheClockDropShipOrOrigin/MaildatJobID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element StartTheClockDropShipOrOrigin/CustomerGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s25

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	25	
		whiteSpace	preserve	

element **StartTheClockDropShipOrOrigin/MailingGroupID**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		xs:nonNegativeInteger


element **StartTheClockDropShipOrOrigin/ConsigneeApptID**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:s10
facets		Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **StartTheClockDropShipOrOrigin/CSADispatchNumber**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:s10
facets		Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

element **StartTheClockDropShipOrOrigin/PublicationNumber**

	diagram	
namespace		http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type		mailxml_base:s08
facets		Kind Value Annotation

	<pre>minLength 1 maxLength 8 whiteSpace preserve</pre>
--	--

element **StartTheClockDropShipOrOrigin/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **StartTheClockDropShipOrOrigin/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

element **StartTheClockDropShipOrOrigin/DropShipYesNo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo

facets	Kind enumeration enumeration	Value Yes No	Annotation
--------	------------------------------------	--------------------	------------


element **StartTheClockDropShipOrOrigin/UspsFacilityName**

diagram	 mailxml_dd:Id:UspsFacilityName
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s50
facets	Kind minLength maxLength whiteSpace Value 1 50 preserve Annotation


element **StartTheClockDropShipOrOrigin/UspsFacilityLocaleKey**

diagram	 mailxml_dd:Id:UspsFacilityLoc...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:localeKeyType
facets	Kind minLength maxLength whiteSpace Value 1 9 preserve Annotation

element **StartTheClockDropShipOrOrigin/City**

diagram	 mailxml_dd:Id:City
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s45
facets	Kind minLength maxLength whiteSpace Value 1 45 preserve Annotation

element **StartTheClockDropShipOrOrigin/State**

diagram	 mailxml_dd:Id:State
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:stateCode		
facets	Kind	Value	Annotation
	enumeration	AA	
	enumeration	AE	
	enumeration	AP	
	enumeration	AL	
	enumeration	AK	
	enumeration	AS	
	enumeration	AZ	
	enumeration	AR	
	enumeration	CA	
	enumeration	CO	
	enumeration	CT	
	enumeration	DE	
	enumeration	DC	
	enumeration	FM	
	enumeration	FL	
	enumeration	GA	
	enumeration	GU	
	enumeration	HI	
	enumeration	IL	
	enumeration	IN	
	enumeration	IA	
	enumeration	ID	
	enumeration	KS	
	enumeration	KY	
	enumeration	LA	
	enumeration	MH	
	enumeration	MD	
	enumeration	MA	
	enumeration	ME	
	enumeration	MO	
	enumeration	MI	
	enumeration	MN	
	enumeration	MS	
	enumeration	MT	
	enumeration	NE	
	enumeration	NH	
	enumeration	NV	
	enumeration	NJ	
	enumeration	NM	
	enumeration	NY	
	enumeration	NC	
	enumeration	ND	
	enumeration	MP	

	enumeration OH
	enumeration OR
	enumeration OK
	enumeration PW
	enumeration PA
	enumeration PR
	enumeration RI
	enumeration SC
	enumeration SD
	enumeration TN
	enumeration TX
	enumeration UT
	enumeration VT
	enumeration VI
	enumeration VA
	enumeration WA
	enumeration WV
	enumeration WI
	enumeration WY

element **StartTheClockDropShipOrOrigin/ApptDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime

element **StartTheClockDropShipOrOrigin/ArrivalDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime


element **StartTheClockDropShipOrOrigin/UnloadStartTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime

element StartTheClockDropShipOrOrigin/UnloadEndDateTime

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime


element StartTheClockDropShipOrOrigin/ApptStatus

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:apptStatusType
facets	Kind Value Annotation enumeration Open enumeration Closed enumeration No Show enumeration Unscheduled enumeration Rejected


element StartTheClockDropShipOrOrigin/StartTheClockDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element StartTheClockDropShipOrOrigin/FullServiceComplianceIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:fullServiceComplianceIndicatorType
facets	Kind Value Annotation enumeration Yes enumeration No

element StartTheClockDropShipOrOrigin/FullServiceNonComplianceReasonCode

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_defs:reasonCodeType		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	B	
	enumeration	D	
	enumeration	E	
	enumeration	I	
	enumeration	L	
	enumeration	M	
	enumeration	N	
	enumeration	P	
	enumeration	Q	
	enumeration	R	
	enumeration	S	
	enumeration	U	
	enumeration	V	
	enumeration	X	

element **StartTheClockDropShipOrOrigin/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **StartTheClockDropShipOrOrigin/FullServiceIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

element **StartTheClockDropShipOrOrigin/ContainerID**

diagram	 0..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:s06		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	6	
	whiteSpace	preserve	

element **StartTheClockDropShipOrOrigin/ContainerType**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_base:mailXMLContainerType		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	E	
	enumeration	F	
	enumeration	L	
	enumeration	O	
	enumeration	P	
	enumeration	S	
	enumeration	T	
	enumeration	V	
	enumeration	B	
	enumeration	U	
	enumeration	Z	
	enumeration	X	
	enumeration	H	
	enumeration	A	
	enumeration	G	
	enumeration	D	

	enumeration R enumeration C enumeration CT enumeration M enumeration AB enumeration Y
--	--

element **StartTheClockDropShipOrOrigin/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									


element **StartTheClockDropShipOrOrigin/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **StartTheClockDropShipOrOrigin/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

element **StartTheClockPlantLoadBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:StartTheClockPlantLoad
used by	complexType clockStartedType

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad**

diagram	<pre> graph TD Start(mailxml_dd:StartTheClockP...) --> UserLicenseCode(mailxml_dd:UserLicenseCode) Start --> MaildatJobID(mailxml_dd:MaildatJobID) Start --> CustomerGroupID(mailxml_dd:CustomerGroupID) Start --> MailingGroupID(mailxml_dd:MailingGroupID) Start --> PublicationNumber(mailxml_dd:PublicationNumber) Start --> CSADispatchNumber(mailxml_dd:CSADispatchNumber) Start --> MailClass(mailxml_dd:MailClass) Start --> ProcessingCategory(mailxml_dd:ProcessingCategory) Start --> OriginFacilityName(mailxml_dd:OriginFacilityName) Start --> OriginFacilityLocaleKey(mailxml_dd:OriginFacilityLocaleKey) Start --> MailReleasedDateTime(mailxml_dd:MailReleasedDateTime) Start --> StartTheClockDate(mailxml_dd:StartTheClockDate) Start --> FullServiceCompanyName(mailxml_dd:FullServiceCompanyName) Start --> FullServiceNonFSAvailability(mailxml_dd:FullServiceNonFSAvailability) Start --> FullServiceIndication(mailxml_dd:FullServiceIndication) Start --> ContainerID(mailxml_dd:ContainerID) Start --> ContainerType(mailxml_dd:ContainerType) Start --> IMcb(mailxml_dd:IMcb) Start --> IMtb(mailxml_dd:IMtb) Start --> IMPb(mailxml_dd:IMPb) </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:PublicationNumber mailxml dd:CSADispatchNumber mailxml dd:MailClass mailxml dd:ProcessingCategory mailxml dd:OriginFacilityName mailxml dd:OriginFacilityLocaleKey mailxml dd:MailReleasedDateTime mailxml dd:StartTheClockDate

	mailxml_dd:FullServiceComplianceIndicator mailxml_dd:FullServiceNonComplianceReasonCode mailxml_dd:FSNonFSAvailabilityDate mailxml_dd:FullServiceIndicator mailxml_dd:ContainerID mailxml_dd:ContainerType mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:IMpb
--	---

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/UserLicenseCode**

diagram	 mailxml_dd:Id:UserLicenseCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/MaildatJobID**

diagram	 mailxml_dd:Id:MaildatJobID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/CustomerGroupID**

diagram	 mailxml_dd:Id:CustomerGroupID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/MailingGroupID**


diagram	 mailxml_dd:Id:MailingGroupID
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/PublicationNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/CSADispatchNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element StartTheClockPlantLoadBlock/StartTheClockPlantLoad/ProcessingCategory

diagram	 mailxml_dd:Id:ProcessingCate...																																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																						
type	mailxml_base:processingCategoryType																																						
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>LT</td><td></td></tr><tr><td>enumeration</td><td>FL</td><td></td></tr><tr><td>enumeration</td><td>CD</td><td></td></tr><tr><td>enumeration</td><td>OS</td><td></td></tr><tr><td>enumeration</td><td>MP</td><td></td></tr><tr><td>enumeration</td><td>IR</td><td></td></tr><tr><td>enumeration</td><td>PF</td><td></td></tr><tr><td>enumeration</td><td>CM</td><td></td></tr><tr><td>enumeration</td><td>NP</td><td></td></tr><tr><td>enumeration</td><td>SP</td><td></td></tr><tr><td>enumeration</td><td>MB</td><td></td></tr></tbody></table>			Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																					
enumeration	LT																																						
enumeration	FL																																						
enumeration	CD																																						
enumeration	OS																																						
enumeration	MP																																						
enumeration	IR																																						
enumeration	PF																																						
enumeration	CM																																						
enumeration	NP																																						
enumeration	SP																																						
enumeration	MB																																						


element StartTheClockPlantLoadBlock/StartTheClockPlantLoad/OriginFacilityName

diagram	 mailxml_dd:Id:OriginFacilityN...														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd														
type	mailxml_base:s50														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>50</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>			Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	50														
whiteSpace	preserve														


element StartTheClockPlantLoadBlock/StartTheClockPlantLoad/OriginFacilityLocaleKey

diagram	 mailxml_dd:Id:OriginFacilityLo...														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd														
type	mailxml_base:localeKeyType														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>9</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>			Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	9														
whiteSpace	preserve														

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/MailReleasedDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:dateTime


element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/StartTheClockDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/FullServiceComplianceIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:fullServiceComplianceIndicatorType
facets	Kind Value Annotation enumeration Yes enumeration No

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/FullServiceNonComplianceReasonCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:reasonCodeType
facets	Kind Value Annotation enumeration A enumeration B enumeration D enumeration E enumeration I enumeration L enumeration M enumeration N enumeration P enumeration Q enumeration R

	enumeration S enumeration U enumeration V enumeration X
--	--

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/ContainerID**

diagram	0..∞												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/ContainerType**

diagram	0..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailXMLContainerType

facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	E	
	enumeration	F	
	enumeration	L	
	enumeration	O	
	enumeration	P	
	enumeration	S	
	enumeration	T	
	enumeration	V	
	enumeration	B	
	enumeration	U	
	enumeration	Z	
	enumeration	X	
	enumeration	H	
	enumeration	A	
	enumeration	G	
	enumeration	D	
	enumeration	R	
	enumeration	C	
	enumeration	CT	
	enumeration	M	
	enumeration	AB	
	enumeration	Y	

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/IMcb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:IMcbType

facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minLength</td><td>21</td><td></td></tr> <tr> <td>maxLength</td><td>24</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **StartTheClockPlantLoadBlock/StartTheClockPlantLoad/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

complexType **addressCorrectionAddressType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:AddressType mailxml dd:UrbanizationName mailxml dd:PrimaryNumber mailxml dd:PreDirectional mailxml dd:StreetName mailxml dd:StreetSuffix mailxml dd:PostDirectional mailxml dd:UnitDesignator mailxml dd:SecondaryNumber mailxml dd:City mailxml dd:State mailxml dd:ZipCode mailxml dd:ZipCodePlus4 mailxml dd:DeliveryPoint11DigitZip
used by	elements newAddressCorrectionAddressType/NewDomesticAddress AddressCorrection/OldAddress

element **addressCorrectionAddressType/AddressType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml dd:addressTypeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>G</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	G		enumeration	H	
Kind	Value	Annotation											
enumeration	F												
enumeration	G												
enumeration	H												

	enumeration P enumeration R enumeration S enumeration U enumeration V enumeration X
--	--

element **addressCorrectionAddressType/UrbanizationName**

diagram	 mailxml_dd:Id:UrbanizationNa...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

element **addressCorrectionAddressType/PrimaryNumber**

diagram	 mailxml_dd:Id:PrimaryNum...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **addressCorrectionAddressType/PreDirectional**

diagram	 mailxml_dd:Id:PreDirectional												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

element addressCorrectionAddressType/StreetName

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s28
facets	Kind Value Annotation minLength 1 maxLength 28 whiteSpace preserve

element addressCorrectionAddressType/StreetSuffix

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s04
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve

element addressCorrectionAddressType/PostDirectional

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

element addressCorrectionAddressType/UnitDesignator


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s04
facets	Kind Value Annotation minLength 1 maxLength 4

	whiteSpace preserve
--	---------------------


element **addressCorrectionAddressType/SecondaryNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **addressCorrectionAddressType/City**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												


element **addressCorrectionAddressType/State**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																				
type	mailxml_base:stateCode																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CO</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CT</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP		enumeration	AL		enumeration	AK		enumeration	AS		enumeration	AZ		enumeration	AR		enumeration	CA		enumeration	CO		enumeration	CT	
Kind	Value	Annotation																																			
enumeration	AA																																				
enumeration	AE																																				
enumeration	AP																																				
enumeration	AL																																				
enumeration	AK																																				
enumeration	AS																																				
enumeration	AZ																																				
enumeration	AR																																				
enumeration	CA																																				
enumeration	CO																																				
enumeration	CT																																				


	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW
	enumeration	PA
	enumeration	PR
	enumeration	RI
	enumeration	SC
	enumeration	SD
	enumeration	TN
	enumeration	TX
	enumeration	UT
	enumeration	VT
	enumeration	VI

	enumeration VA enumeration WA enumeration WV enumeration WI enumeration WY
--	--

element **addressCorrectionAddressType/ZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns05


element **addressCorrectionAddressType/ZipCodePlus4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns04

element **addressCorrectionAddressType/DeliveryPoint11DigitZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns11

complexType **byForConflictType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:UserLicenseCode mailxml dd:MaildatJobID mailxml dd:CustomerGroupID mailxml dd:MailingGroupID mailxml dd:MailOwnerConflict mailxml dd:MailPreparerConflict mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:ReturnInfo
used by	elements ByForConflictDelivery/ByForConflict ByForConflictQueryResponse/QueryResults/ByForConflict

element **byForConflictType/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **byForConflictType/MaildatJobID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:jobIDType												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>8</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												


element **byForConflictType/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>25</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **byForConflictType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **byForConflictType/MailOwnerConflict**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MailOwnerCRID mailxml_dd:MailOwnerMailerID6 mailxml_dd:MailOwnerMailerID9 mailxml_dd:PermitInfo mailxml_dd:MailOwnerConflictError

element **byForConflictType/MailOwnerConflict/MailOwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									


element **byForConflictType/MailOwnerConflict/MailOwnerMailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **byForConflictType/MailOwnerConflict/MailOwnerMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **byForConflictType/MailOwnerConflict/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:permitPublicationDataType

children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber
----------	--

element **byForConflictType/MailOwnerConflict/MailOwnerConflictError**

diagram	<pre> classDiagram class MailOwnerConflictError { <<MailOwnerCon...>> <<MailOwnerCRID>> 2 <<MailOwnerMailerID6>> 1..∞ <<PermitInfo>> 1..∞ <<ConflictReasonCode>> 1..∞ <<ConflictReasonDescription>> 1..∞ } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MailOwnerCRID mailxml_dd:MailOwnerMailerID6 mailxml_dd:MailOwnerMailerID9 mailxml_dd:PermitInfo mailxml_dd:ConflictReasonCode mailxml_dd:ConflictReasonDescription

element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/MailOwnerCRID**

diagram	<pre> classDiagram class MailOwnerCRID </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									


element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/MailOwnerMailerID6**

diagram	<pre> classDiagram class MailOwnerMailerID6 </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/MailOwnerMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/ConflictReasonCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

element **byForConflictType/MailOwnerConflict/MailOwnerConflictError/ConflictReasonDescription**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string

element **byForConflictType/MailPreparerConflict**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MailPreparerCRID mailxml_dd:MailPreparerMailerID6 mailxml_dd:MailPreparerMailerID9 mailxml_dd:PermitInfo mailxml_dd:MailPreparerConflictError

element **byForConflictType/MailPreparerConflict/MailPreparerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									


element **byForConflictType/MailPreparerConflict/MailPreparerMailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type


element **byForConflictType/MailPreparerConflict/MailPreparerMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **byForConflictType/MailPreparerConflict/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **byForConflictType/MailPreparerConflict/MailPreparerConflictError**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

children	mailxml_dd:MailPreparerCRID mailxml_dd:MailPreparerMailerID6 mailxml_dd:MailPreparerMailerID9 mailxml_dd:PermitInfo mailxml_dd:ConflictReasonCode mailxml_dd:ConflictReasonDescription
----------	--

element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/MailPreparerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/MailPreparerMailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/MailPreparerMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/PermitInfo**

diagram	<pre> classDiagram class mailxml_defs { permitPublicationData } class mailxml_dd { PermitInfo } mailxml_dd "1" --> "1" mailxml_defs : PermitInfo mailxml_defs { PermitNumber PaymentAccountNumber PermitType PermitZip4 PublicationNumber PaymentAccountNumber } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/ConflictReasonCode**

diagram	<pre> classDiagram class mailxml_base { s02 } class mailxml_dd { ConflictReason... } mailxml_dd "1" --> "1" mailxml_base : ConflictReason... </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												


element **byForConflictType/MailPreparerConflict/MailPreparerConflictError/ConflictReasonDescription**

diagram	<pre> classDiagram class mailxml_dd { id:ConflictReason... } mailxml_dd "1" --> "1" mailxml_dd : ConflictReason... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:string


element **byForConflictType/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **byForConflictType/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									


element **byForConflictType/ReturnInfo**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

complexType **clockStartedType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:StartTheClockBEMUBlock mailxml_dd:StartTheClockDropShipOrOriginBlock mailxml_dd:StartTheClockPlantLoadBlock

element **clockStartedType/StartTheClockDropShipOrOriginBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:StartTheClockDropShipOrOrigin

complexType **dqrContainerInfoType**

diagram	<pre> classDiagram dqrContainerInfoType < -- mailxml_dd:IMcb dqrContainerInfoType --> mailxml_dd:PieceInfo dqrContainerInfoType --> mailxml_dd:PieceRangeInfo </pre> <p>The diagram illustrates the structure of the dqrContainerInfoType complex type. It is derived from mailxml_dd:IMcb. It has associations with mailxml_dd:PieceInfo and mailxml_dd:PieceRangeInfo, both marked with multiplicity $0..*$. The type itself contains several attributes:</p> <ul style="list-style-type: none"> mailxml_dd:Id:ContainerID mailxml_dd:Id:SiblingRefContainerID mailxml_dd:Id:ParentContainerID mailxml_dd:Id:ProcessingCategory mailxml_dd:Id:MailClass mailxml_dd:Id:USPSFacilityLocaleKey mailxml_dd:Id:City mailxml_dd:Id:State mailxml_dd:Id:MailingDate mailxml_dd:Id:ContainerType mailxml_dd:Id:IMcb mailxml_dd:Id:IMtb mailxml_dd:Id:CSAID mailxml_dd:Id:ConsigneeAppTID mailxml_dd:Id:FSNonFSAvailability mailxml_dd:Id:FullServiceIndicator mailxml_dd:Id:VerificationError mailxml_dd:Id:PreparerCRID mailxml_dd:Id:OwnerCRID mailxml_dd:Id:PieceInfo mailxml_dd:Id:PieceRangeInfo
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:ContainerID mailxml_dd:SiblingRefContainerID mailxml_dd:ParentContainerID mailxml_dd:ProcessingCategory mailxml_dd:MailClass mailxml_dd:USPSFacilityLocaleKey mailxml_dd:City mailxml_dd:State mailxml_dd:MailingDate mailxml_dd:ContainerType mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:CSAID mailxml_dd:ConsigneeAppTID

	mailxml dd:FSNonFSAvailabilityDate mailxml dd:FullServiceIndicator mailxml dd:VerificationError mailxml dd:PreparerCRID mailxml dd:OwnerCRID mailxml dd:PieceInfo mailxml dd:PieceRangeInfo
used by	elements DataQualityVerificationReportDelivery/DataQualityContainerInfo DataQualityVerificationReportDelivery/DataQualityContainerInfo DataQualityVerificationReportQueryResponse/QueryResults/DQRContainerInfo DataQualityVerificationReportQueryResponse/QueryResults/DQRContainerInfo

element **dqrContainerInfoType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **dqrContainerInfoType/SiblingRefContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												


element **dqrContainerInfoType/ParentContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												


element **dqrContainerInfoType/ProcessingCategory**

diagram	 mailxml_dd:Id:ProcessingCate...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_base:processingCategoryType		
facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	


element **dqrContainerInfoType/MailClass**

diagram	 mailxml_dd:Id:MailClass		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_base:mailClassType		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	6	


element **dqrContainerInfoType/USPSFacilityLocaleKey**

diagram	 mailxml_dd:Id:USPSFacilityLoc...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_base:localeKeyType		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	9	
	whiteSpace	preserve	

element **dqrContainerInfoType/City**

diagram	 mailxml_dd:Id:City												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s45												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

element **dqrContainerInfoType/State**

diagram	 mailxml_dd:Id:State																																																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																																														
type	mailxml_base:stateCode																																																																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CO</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ID</td> <td></td> </tr> <tr> <td>enumeration</td> <td>KS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>KY</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LA</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP		enumeration	AL		enumeration	AK		enumeration	AS		enumeration	AZ		enumeration	AR		enumeration	CA		enumeration	CO		enumeration	CT		enumeration	DE		enumeration	DC		enumeration	FM		enumeration	FL		enumeration	GA		enumeration	GU		enumeration	HI		enumeration	IL		enumeration	IN		enumeration	IA		enumeration	ID		enumeration	KS		enumeration	KY		enumeration	LA	
Kind	Value	Annotation																																																																													
enumeration	AA																																																																														
enumeration	AE																																																																														
enumeration	AP																																																																														
enumeration	AL																																																																														
enumeration	AK																																																																														
enumeration	AS																																																																														
enumeration	AZ																																																																														
enumeration	AR																																																																														
enumeration	CA																																																																														
enumeration	CO																																																																														
enumeration	CT																																																																														
enumeration	DE																																																																														
enumeration	DC																																																																														
enumeration	FM																																																																														
enumeration	FL																																																																														
enumeration	GA																																																																														
enumeration	GU																																																																														
enumeration	HI																																																																														
enumeration	IL																																																																														
enumeration	IN																																																																														
enumeration	IA																																																																														
enumeration	ID																																																																														
enumeration	KS																																																																														
enumeration	KY																																																																														
enumeration	LA																																																																														

	enumeration MH
	enumeration MD
	enumeration MA
	enumeration ME
	enumeration MO
	enumeration MI
	enumeration MN
	enumeration MS
	enumeration MT
	enumeration NE
	enumeration NH
	enumeration NV
	enumeration NJ
	enumeration NM
	enumeration NY
	enumeration NC
	enumeration ND
	enumeration MP
	enumeration OH
	enumeration OR
	enumeration OK
	enumeration PW
	enumeration PA
	enumeration PR
	enumeration RI
	enumeration SC
	enumeration SD
	enumeration TN
	enumeration TX
	enumeration UT
	enumeration VT
	enumeration VI
	enumeration VA
	enumeration WA
	enumeration WV
	enumeration WI
	enumeration WY


element **dqrContainerInfoType/MailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **dqrContainerInfoType/ContainerType**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	mailxml_base:mailXMLContainerType		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	E	
	enumeration	F	
	enumeration	L	
	enumeration	O	
	enumeration	P	
	enumeration	S	
	enumeration	T	
	enumeration	V	
	enumeration	B	
	enumeration	U	
	enumeration	Z	
	enumeration	X	
	enumeration	H	
	enumeration	A	
	enumeration	G	
	enumeration	D	
	enumeration	R	
	enumeration	C	
	enumeration	CT	
	enumeration	M	
	enumeration	AB	
	enumeration	Y	


element **dqrContainerInfoType/IMcb**

diagram	 mailxml_dd:Id:IMcb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									


element **dqrContainerInfoType/IMtb**

diagram	 mailxml_dd:Id:IMtb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **dqrContainerInfoType/CSAID**

diagram	 mailxml_dd:Id:CSAID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												


element **dqrContainerInfoType/ConsigneeAppTID**

diagram	 mailxml_dd:Id:ConsigneeAppTID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												


element **dqrContainerInfoType/FSNonFSAvailabilityDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **dqrContainerInfoType/FullServiceIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **dqrContainerInfoType/VerificationError**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:verificationErrorType
children	mailxml_dd:VerificationErrorCode mailxml_dd:VerificationErrorDescription

element **dqrContainerInfoType/PreparerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **dqrContainerInfoType/OwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **dqrContainerInfoType/PieceInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:PhysicalPieceID mailxml_dd:MailerPostageAccountID mailxml_dd:MPADescription mailxml_dd:IMB mailxml_dd:OwnerCRID mailxml_dd:PreparerCRID mailxml_dd:VerificationError


element **dqrContainerInfoType/PieceInfo/PhysicalPieceID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												


element **dqrContainerInfoType/PieceInfo/MailerPostageAccountID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **dqrContainerInfoType/PieceInfo/MPADescription**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

element **dqrContainerInfoType/PieceInfo/IMB**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									


element **dqrContainerInfoType/PieceInfo/OwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **dqrContainerInfoType/PieceInfo/PreparerCRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

element **dqrContainerInfoType/PieceInfo/VerificationError**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:verificationErrorType
children	mailxml_dd:VerificationErrorCode mailxml_dd:VerificationErrorDescription

element **dqrContainerInfoType/PieceRangeInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:PieceRangeID mailxml_dd:IMBUpperSerialization mailxml_dd:IMBLowerSerialization mailxml_dd:MailClass mailxml_dd:ProcessingCategory mailxml_dd:PieceCountInRange mailxml_dd:AffectedPieceCount mailxml_dd:OwnerCRID mailxml_dd:PreparerCRID mailxml_dd:VerificationError

element **dqrContainerInfoType/PieceRangeInfo/PieceRangeID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

element **dqrContainerInfoType/PieceRangeInfo/IMBUpperSerialization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBUpperSerializationType

	Kind	Value	Annotation
facets	minLength	1	
	maxLength	18	
	whiteSpace	preserve	

element **dqrContainerInfoType/PieceRangeInfo/IMBLowerSerialization**

diagram	 mailxml_dd:IdIMBLowerSeriali...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:iMBLowerSerializationType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>18</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	18		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	18												
whiteSpace	preserve												

element **dqrContainerInfoType/PieceRangeInfo/MailClass**

diagram	 mailxml_dd:Id:MailClass																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **dqrContainerInfoType/PieceRangeInfo/ProcessingCategory**

diagram	 mailxml_dd:ProcessingCategoryType																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																								
type	mailxml_base:processingCategoryType																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>LT</td><td></td></tr><tr><td>enumeration</td><td>FL</td><td></td></tr><tr><td>enumeration</td><td>CD</td><td></td></tr><tr><td>enumeration</td><td>OS</td><td></td></tr><tr><td>enumeration</td><td>MP</td><td></td></tr><tr><td>enumeration</td><td>IR</td><td></td></tr><tr><td>enumeration</td><td>PF</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF	
Kind	Value	Annotation																							
enumeration	LT																								
enumeration	FL																								
enumeration	CD																								
enumeration	OS																								
enumeration	MP																								
enumeration	IR																								
enumeration	PF																								

	enumeration CM enumeration NP enumeration SP enumeration MB
--	--

element **dqrContainerInfoType/PieceRangeInfo/PieceCountInRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **dqrContainerInfoType/PieceRangeInfo/AffectedPieceCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger


element **dqrContainerInfoType/PieceRangeInfo/OwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **dqrContainerInfoType/PieceRangeInfo/PreparerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

element **dqrContainerInfoType/PieceRangeInfo/VerificationError**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:verificationErrorType
children	mailxml_dd:VerificationErrorCode mailxml_dd:VerificationErrorDescription

complexType **foreignAddressType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:AddressLine1 mailxml_dd:AddressLine2 mailxml_dd:AddressLine3 mailxml_dd:City mailxml_dd:CountryCode mailxml_dd:Province mailxml_dd:PostalorZipCode mailxml_dd:CountryName
used by	element newAddressCorrectionAddressType/NewForeignAddress

element **foreignAddressType/AddressLine1**


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s50						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 50 whiteSpace preserve
--	-------------------------------------


element **foreignAddressType/AddressLine2**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **foreignAddressType/AddressLine3**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **foreignAddressType/City**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **foreignAddressType/CountryCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

element **foreignAddressType/Province**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

element **foreignAddressType/PostalorZipCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

element **foreignAddressType/CountryName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

complexType **manifestScanEventDetailType**

diagram	<pre> graph LR A[manifestScanEventDetailType] --- B[...] B --- C[mailxml_dd:Id:USPSEventExtra...] B --- D[mailxml_dd:Id:IMpb] B --- E[mailxml_dd:Id:ElectronicFileN...] B --- F[mailxml_dd:Id:MailerID] B --- G[mailxml_dd:Id:MailerName] B --- H[mailxml_dd:Id:DestinationZip...] B --- I[mailxml_dd:Id:ScanningFacilit...] B --- J[mailxml_dd:Id:ScanningFacilit...] B --- K[mailxml_dd:Id:EventCode] B --- L[mailxml_dd:Id:EventName] B --- M[mailxml_dd:Id:EventManager] B --- N[mailxml_dd:Id:EventDate] B --- O[mailxml_dd:Id:EventTime] B --- P[mailxml_dd:Id:MailerOwnerID] B --- Q[mailxml_dd:Id:CustomerRefere...] B --- R[mailxml_dd:Id:DestinationCou...] B --- S[mailxml_dd:Id:RecipientName] B --- T[mailxml_dd:Id:OriginalLabel] B --- U[mailxml_dd:Id:UnitofMeasureC...] B --- V[mailxml_dd:Id:Weight] B --- W[mailxml_dd:Id:GuaranteedDeli...] B --- X[mailxml_dd:Id:GuaranteedDeli...] B --- Y[mailxml_dd:Id:LogisticsMana...] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:USPSEventExtractFileVersionNumber mailxml_dd:IMpb mailxml_dd:ElectronicFileNumber mailxml_dd:MailerID mailxml_dd:MailerName

	mailxml dd:DestinationZipCode mailxml dd:DestinationZipPlusFour mailxml dd:ScanningFacilityZip mailxml dd:ScanningFacilityName mailxml dd:EventCode mailxml dd:EventName mailxml dd:EventDate mailxml dd:EventTime mailxml dd:MailerOwnerID mailxml dd:CustomerReferenceID mailxml dd:DestinationCountryCode mailxml dd:RecipientName mailxml dd:OriginalLabel mailxml dd:UnitofMeasureCode mailxml dd:Weight mailxml dd:GuaranteedDeliveryDate mailxml dd:GuaranteedDeliveryTime mailxml dd:LogisticsManagerMailerID
--	---

element **manifestScanEventDetailType/USPSEventExtractFileVersionNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												


element **manifestScanEventDetailType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

element **manifestScanEventDetailType/ElectronicFileNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s34												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	34		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	34												
whiteSpace	preserve												

element **manifestScanEventDetailType/MailerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element **manifestScanEventDetailType/MailerName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												


element **manifestScanEventDetailType/DestinationZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:zipCode

element **manifestScanEventDetailType/DestinationZipPlusFour**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element manifestScanEventDetailType/ScanningFacilityZip

diagram	 mailxml_dd:Id:ScanningFacilit...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:zipCode

element manifestScanEventDetailType/ScanningFacilityName

diagram	 mailxml_dd:Id:ScanningFacilit...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s31
facets	Kind Value Annotation minLength 1 maxLength 31 whiteSpace preserve

element manifestScanEventDetailType/EventCode

diagram	 mailxml_dd:Id:EventCode
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

element manifestScanEventDetailType/EventName

diagram	 mailxml_dd:Id:EventName
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s40
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve


element **manifestScanEventDetailType/EventDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **manifestScanEventDetailType/EventTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time

element **manifestScanEventDetailType/MailerOwnerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element **manifestScanEventDetailType/CustomerReferenceID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												


element **manifestScanEventDetailType/DestinationCountryCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

element **manifestScanEventDetailType/RecipientName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve


element **manifestScanEventDetailType/OriginalLabel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s34
facets	Kind Value Annotation minLength 1 maxLength 34 whiteSpace preserve

element **manifestScanEventDetailType/UnitofMeasureCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns01

element **manifestScanEventDetailType/Weight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns09


element **manifestScanEventDetailType/GuaranteedDeliveryDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time


element **manifestScanEventDetailType/GuaranteedDeliveryTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time

element **manifestScanEventDetailType/LogisticsManagerMailerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9


complexType **manifestScanNotificationDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:ConsigneeManifestID

element **manifestScanNotificationDataType/ConsigneeManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns22


complexType **manifestScanQueryType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:ConsigneeManifestID

element **manifestScanQueryType/ConsigneeManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns22

complexType **MPSNotificationDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MPSRBlock mailxml_dd:MPSAvailabilityDate

element **MPSNotificationDataType/MPSRBlock**

diagram	<pre> classDiagram class mailxml_defs[MPSRBlockType] class mailxml_defs[ContainerID] class mailxml_defs[PSRBlock] mailxml_defs < -- mailxml_dd[MPSRBlock] mailxml_defs --> mailxml_defs[ContainerID] mailxml_defs --> mailxml_defs[PSRBlock] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MPSRBlockType
children	mailxml_defs:ContainerID mailxml_defs:PSRBlock

element **MPSNotificationDataType/MPSAvailabilityDate**

diagram	<pre> classDiagram class mailxml_dd[MPSAvailabilityDate] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

complexType **MPSRResponseBlockType**

diagram	<pre> classDiagram class MPSRResponseBlockType class mailxml_dd[ContainerID] class mailxml_dd[PSRResponseBlock] MPSRResponseBlockType < -- mailxml_dd MPSRResponseBlockType --> mailxml_dd[ContainerID] MPSRResponseBlockType --> mailxml_dd[PSRResponseBlock] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:ContainerID mailxml_dd:PSRResponseBlock

element **MPSRResponseBlockType/ContainerID**

diagram	<pre> classDiagram class mailxml_dd[ContainerID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:s06									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6	
Kind	Value	Annotation								
minLength	1									
maxLength	6									

	whiteSpace preserve
--	---------------------

element **MPSRResponseBlockType/PSRResponseBlock**

diagram	<pre> classDiagram class mailxml_dd { <<PSRResponseBlockType>> } class mailxml_dd { <<ServiceTypeCode>> } mailxml_dd "1..∞" --> mailxml_dd mailxml_dd "1..∞" --> mailxml_dd </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:PSRResponseBlockType
children	mailxml_dd:PRID mailxml_dd:IMBLS mailxml_dd:IMBUS mailxml_dd:ServiceTypeCode mailxml_dd:MailClass mailxml_dd:ServiceLevelIndicator mailxml_dd:MailpieceScanCount

complexType **MPSVisScanQueryType**

diagram	<pre> classDiagram class MPSVisScanQueryType { mailxml_dd:Id:UserLicenseCode mailxml_dd:Id:MaildatJobID mailxml_dd:Id:CustomerGroupID mailxml_dd:Id:MailingGroupID mailxml_dd:Id:ResultOptions mailxml_dd:Id:RangeLowerDate mailxml_dd:Id:RangeUpperDate mailxml_dd:Id:MID6OnThePiece mailxml_dd:Id:MID9OnThePiece mailxml_dd:Id:FacilityLocaleKey mailxml_dd:Id:EventType mailxml_dd:Id:BundleScanType mailxml_dd:Id:IMcb mailxml_dd:Id:IMtb mailxml_dd:Id:IMB mailxml_dd:Id:BundleID mailxml_dd:Id:FieldIncludedS... } </pre> <p>The diagram illustrates the structure of the MPSVisScanQueryType complex type. It consists of several components:</p> <ul style="list-style-type: none"> Attributes: mailxml_dd:Id:UserLicenseCode, mailxml_dd:Id:MaildatJobID, mailxml_dd:Id:CustomerGroupID, mailxml_dd:Id:MailingGroupID. Elements: mailxml_dd:Id:ResultOptions (0..∞), mailxml_dd:Id:RangeLowerDate, mailxml_dd:Id:RangeUpperDate (0..∞), mailxml_dd:Id:MID6OnThePiece, mailxml_dd:Id:MID9OnThePiece (0..∞), mailxml_dd:Id:FacilityLocaleKey, mailxml_dd:Id:EventType (0..∞), mailxml_dd:Id:BundleScanType (0..∞). Associations: <ul style="list-style-type: none"> An association between MPSVisScanQueryType and mailxml_dd:Id:IMcb (multiplicity 1..∞). An association between IMcb and IMtb (multiplicity 1..∞). An association between IMtb and IMB (multiplicity 1..∞). An association between IMB and BundleID (multiplicity 1..∞). An association between MPSVisScanQueryType and FieldIncludedS... (multiplicity 0..∞).
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:ResultOptions mailxml_dd:RangeLowerDate mailxml_dd:RangeUpperDate mailxml_dd:MID6OnThePiece mailxml_dd:MID9OnThePiece mailxml_dd:FacilityLocaleKey mailxml_dd:EventType mailxml_dd:BundleScanType mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:IMB mailxml_dd:BundleID mailxml_dd:FieldIncludedS...

	mailxml_dd:FieldIncludedScanRecFlag
--	--

element **MPSVisScanQueryType/UserLicenseCode**

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												


element **MPSVisScanQueryType/MaildatJobID**

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **MPSVisScanQueryType/CustomerGroupID**

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **MPSVisScanQueryType/MailingGroupID**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **MPSVisScanQueryType/ResultOptions**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MPSVisResultOptionsType
children	mailxml_defs:IMcb mailxml_defs:IMtb mailxml_defs:IMB mailxml_defs:IMpb

element **MPSVisScanQueryType/RangeLowerDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **MPSVisScanQueryType/RangeUpperDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date

element **MPSVisScanQueryType/MID6OnThePiece**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element **MPSVisScanQueryType/MID9OnThePiece**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element **MPSVisScanQueryType/FacilityLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:localeKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

element **MPSVisScanQueryType/EventType**

diagram	 0..∞																																																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																																						
type	mailxml_defs:pieceScanEventTypeType																																																						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>14</td> <td></td> </tr> <tr> <td>enumeration</td> <td>15</td> <td></td> </tr> <tr> <td>enumeration</td> <td>16</td> <td></td> </tr> <tr> <td>enumeration</td> <td>17</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15		enumeration	16		enumeration	17	
Kind	Value	Annotation																																																					
enumeration	1																																																						
enumeration	2																																																						
enumeration	3																																																						
enumeration	4																																																						
enumeration	5																																																						
enumeration	6																																																						
enumeration	7																																																						
enumeration	8																																																						
enumeration	9																																																						
enumeration	10																																																						
enumeration	11																																																						
enumeration	12																																																						
enumeration	13																																																						
enumeration	14																																																						
enumeration	15																																																						
enumeration	16																																																						
enumeration	17																																																						

	enumeration 18
	enumeration 19
	enumeration 20

element MPSVisScanQueryType/BundleScanType

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_defs:bundleScanTypeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>ActualScan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AssumedScan</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Both</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	ActualScan		enumeration	AssumedScan		enumeration	Both	
Kind	Value	Annotation											
enumeration	ActualScan												
enumeration	AssumedScan												
enumeration	Both												

element MPSVisScanQueryType/IMcb

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element MPSVisScanQueryType/IMtb

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element MPSVisScanQueryType/IMB

diagram	
---------	---


namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

element MPSVisScanQueryType/BundleID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s06

facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element MPSVisScanQueryType/FieldIncludedScanRecFlag

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MPSVisIncludedInScanRecFlagType
children	mailxml_defs:IMcb mailxml_defs:IMtb mailxml_defs:BundleID

complexType newAddressCorrectionAddressType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:id>NewDomesticAddress mailxml_dd:id>NewForeignAddress
used by	element AddressCorrection/NewAddress

element newAddressCorrectionAddressType/NewDomesticAddress

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml dd:addressCorrectionAddressType
children	mailxml dd:AddressType mailxml dd:UrbanizationName mailxml dd:PrimaryNumber mailxml dd:PreDirectional mailxml dd:StreetName mailxml dd:StreetSuffix mailxml dd:PostDirectional mailxml dd:UnitDesignator mailxml dd:SecondaryNumber mailxml dd:City mailxml dd:State mailxml dd:ZipCode mailxml dd:ZipCodePlus4 mailxml dd:DeliveryPoint11DigitZip

element **newAddressCorrectionAddressType/NewForeignAddress**

diagram	<p>The diagram illustrates the structure of the <code>newAddressCorrectionAddressType/NewForeignAddress</code> element. It features a central node labeled <code>mailxml_dd:Id:NewForeignAd...</code> connected by a line with a diamond connector to a dashed-line box. Inside this box, there are seven child nodes: <code>mailxml_dd:foreignAddressT...</code>, <code>mailxml_dd:id:AddressLine1</code>, <code>mailxml_dd:id:AddressLine2</code>, <code>mailxml_dd:id:AddressLine3</code>, <code>mailxml_dd:id:City</code>, <code>mailxml_dd:id:CountryCo...</code>, <code>mailxml_dd:id:Province</code>, <code>mailxml_dd:id:PostalorZipCode</code>, and <code>mailxml_dd:id:CountryNa...</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml dd:foreignAddressType
children	mailxml dd:AddressLine1 mailxml dd:AddressLine2 mailxml dd:AddressLine3 mailxml dd:City mailxml dd:CountryCode mailxml dd:Province mailxml dd:PostalorZipCode mailxml dd:CountryName

complexType **nonComplianceDataWithPostageOwedReportType**

diagram	<pre> classDiagram class nonComplianceDataWithPostageOwedReportType { <<nonComplianceDataWithPostageOwedReportType>> <<UserLicenseCode>> <<MaildatJobID>> <<CustomerGroupID>> <<MailingGroupID>> <<eDocSenderCRID>> <<TotalFSPieces>> <<TotalNonFSPieces>> <<TotalAffectedPieces>> <<PercentageFullIS>> <<EligibilityForPostalOneInvoicing>> <<TotalDiscountAssessment>> <<MailClass>> <<DiscountFinalized>> <<MailingIDDetail>> } nonComplianceDataWithPostageOwedReportType < -- UserLicenseCode nonComplianceDataWithPostageOwedReportType < -- MaildatJobID nonComplianceDataWithPostageOwedReportType < -- CustomerGroupID nonComplianceDataWithPostageOwedReportType < -- MailingGroupID nonComplianceDataWithPostageOwedReportType < -- eDocSenderCRID nonComplianceDataWithPostageOwedReportType < -- TotalFSPieces nonComplianceDataWithPostageOwedReportType < -- TotalNonFSPieces nonComplianceDataWithPostageOwedReportType < -- TotalAffectedPieces nonComplianceDataWithPostageOwedReportType < -- PercentageFullIS nonComplianceDataWithPostageOwedReportType < -- EligibilityForPostalOneInvoicing nonComplianceDataWithPostageOwedReportType < -- TotalDiscountAssessment nonComplianceDataWithPostageOwedReportType < -- MailClass nonComplianceDataWithPostageOwedReportType < -- DiscountFinalized nonComplianceDataWithPostageOwedReportType < -- MailingIDDetail MailingIDDetail *--> MailingIDDetail </pre>		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
children	mailxml_dd:UserLicenseCode mailxml_dd:MaildatJobID mailxml_dd:CustomerGroupID mailxml_dd:MailingGroupID mailxml_dd:eDocSenderCRID mailxml_dd:TotalFSPieces mailxml_dd:TotalNonFSPieces mailxml_dd:TotalAffectedPieces mailxml_dd:PercentageFullServicePiecesAffected mailxml_dd:EligibilityForPostalOneInvoicing mailxml_dd:TotalDiscountAssessment mailxml_dd:MailClass mailxml_dd:DiscountFinalized mailxml_dd:MailingIDDetail		
used by	<table border="1"> <tr> <td>elements</td> <td> NonComplianceDataWithPostageOwedReportQueryResponse/QueryResults/NonComplianceDataWithPostageOwedReport NonComplianceDataWithPostageOwedReportDelivery/NonComplianceDataWithPostageOwedReport </td> </tr> </table>	elements	NonComplianceDataWithPostageOwedReportQueryResponse/QueryResults/NonComplianceDataWithPostageOwedReport NonComplianceDataWithPostageOwedReportDelivery/NonComplianceDataWithPostageOwedReport
elements	NonComplianceDataWithPostageOwedReportQueryResponse/QueryResults/NonComplianceDataWithPostageOwedReport NonComplianceDataWithPostageOwedReportDelivery/NonComplianceDataWithPostageOwedReport		

element **nonComplianceDataWithPostageOwedReportType/UserLicenseCode**

diagram	<pre> classDiagram class UserLicenseCode </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

element **nonComplianceDataWithPostageOwedReportType/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

element **nonComplianceDataWithPostageOwedReportType/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

element **nonComplianceDataWithPostageOwedReportType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **nonComplianceDataWithPostageOwedReportType/eDocSenderCRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:CRIDType

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	15	

element **nonComplianceDataWithPostageOwedReportType/TotalFSPieces**

diagram	mailxml_dd:Id:TotalFSPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **nonComplianceDataWithPostageOwedReportType/TotalNonFSPieces**

diagram	mailxml_dd:Id:TotalNonFSPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **nonComplianceDataWithPostageOwedReportType/TotalAffectedPieces**

diagram	mailxml_dd:Id:TotalAffectedPi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **nonComplianceDataWithPostageOwedReportType/PercentageFullServicePiecesAffected**

diagram	mailxml_dd:Id:PercentageFullS...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:double

element **nonComplianceDataWithPostageOwedReportType/EligibilityForPostalOneInvoicing**


diagram	mailxml_dd:Id:EligibilityForPo...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes

	enumeration No
--	----------------

element **nonComplianceDataWithPostageOwedReportType/TotalDiscountAssessment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:double

element **nonComplianceDataWithPostageOwedReportType/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element **nonComplianceDataWithPostageOwedReportType/DiscountFinalized**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:ContainerID mailxml_dd:ContainerType mailxml_dd:SiblingRefContainerID mailxml_dd:ParentContainerID mailxml_dd:IMcb mailxml_dd:IMtb mailxml_dd:VerificationErrorType mailxml_dd:TotalAffectedPieceCnt mailxml_dd:VerificationError

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/ContainerType**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:mailXMLContainerType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1	
Kind	Value	Annotation					
enumeration	1						

	enumeration 2
	enumeration 3
	enumeration 4
	enumeration 5
	enumeration 6
	enumeration 7
	enumeration 8
	enumeration 9
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/SiblingRefContainerID**

diagram	 mailxml_dd:Id:SiblingRefConta... []						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd						
type	mailxml_base:s06						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 6 whiteSpace preserve
--	------------------------------------


element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/ParentContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationErrorType**


diagram				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd			
type	mailxml_dd:verificationErrorTypeType			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	enumeration	CSAVerification
	enumeration	ContainerBarcodeVerification
	enumeration	HandlingUnitBarcodeVerification
	enumeration	PieceBarcodeVerification
	enumeration	ByForConflictVerification
	enumeration	ServiceTypeVerification
	enumeration	AppointmentVerification
	enumeration	MailerIDVerification
	enumeration	DeliveryPointVerification
	enumeration	ServicePerformanceVerification
	enumeration	EntryFacilityVerification
	enumeration	DefaultTrayBarcodeError
	enumeration	AllErrors
	enumeration	NoErrors


element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/TotalAffectedPieceCnt**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

element **nonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationError**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_dd:verificationErrorType
children	mailxml_dd:VerificationErrorCode mailxml_dd:VerificationErrorDescription


complexType **PSRResponseBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:PRID mailxml dd:IMBLS mailxml dd:IMBUS mailxml dd:ServiceTypeCode mailxml dd:MailClass mailxml dd:ServiceLevelIndicator mailxml dd:MailpieceScanCount
used by	element MPSRResponseBlockType/PSRResponseBlock

element **PSRResponseBlockType/PRID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

element **PSRResponseBlockType/IMBLS**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml dd:MID6 mailxml dd:SN9 mailxml dd:MID9 mailxml dd:SN6

element PSRResponseBlockType/IMBLS/MID6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element PSRResponseBlockType/IMBLS/SN9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBSerialNumber9Type

element PSRResponseBlockType/IMBLS/MID9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type


element PSRResponseBlockType/IMBLS/SN6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBSerialNumber6Type

element PSRResponseBlockType/IMBUS

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	mailxml_dd:MID6 mailxml_dd:SN9 mailxml_dd:MID9 mailxml_dd:SN6

element PSRResponseBlockType/IMBUS/MID6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID6Type

element PSRResponseBlockType/IMBUS/SN9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBSerialNumber9Type

element PSRResponseBlockType/IMBUS/MID9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:mailerID9Type

element PSRResponseBlockType/IMBUS/SN6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:iMBSerialNumber6Type

element PSRResponseBlockType/ServiceTypeCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ServiceTypeCodeType

element PSRResponseBlockType/MailClass

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																		
type	mailxml_base:mailClassType																		
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

element PSRResponseBlockType/ServiceLevelIndicator

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd															
type	mailxml_base:serviceLevelIndicatorType															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>P</td><td></td></tr><tr><td>enumeration</td><td>O</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	F		enumeration	B		enumeration	P		enumeration	O	
Kind	Value	Annotation														
enumeration	F															
enumeration	B															
enumeration	P															
enumeration	O															

element PSRResponseBlockType/MailpieceScanCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:nonNegativeInteger

complexType **unManifestedScanEventDetailType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
children	<u>mailxml_dd:USPSEventExtractFileVersionNumber</u> <u>mailxml_dd:IMpb</u> <u>mailxml_dd:ElectronicFileNumber</u> <u>mailxml_dd:MailerID</u> <u>mailxml_dd:MailerName</u>

	mailxml dd:DestinationZipCode mailxml dd:DestinationZipPlusFour mailxml dd:ScanningFacilityZip mailxml dd:ScanningFacilityName mailxml dd:EventCode mailxml dd:EventName mailxml dd:EventDate mailxml dd:EventTime mailxml dd:MailerOwnerID mailxml dd:CustomerReferenceID mailxml dd:DestinationCountryCode mailxml dd:RecipientName mailxml dd:OriginalLabel mailxml dd:UnitofMeasureCode mailxml dd:Weight mailxml dd:GuaranteedDeliveryDate mailxml dd:GuaranteedDeliveryTime mailxml dd:LogisticsManagerMailerID
--	---

element **unManifestedScanEventDetailType/USPSEventExtractFileVersionNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												


element **unManifestedScanEventDetailType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

element **unManifestedScanEventDetailType/ElectronicFileNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s34												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	34		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	34												
whiteSpace	preserve												

element **unManifestedScanEventDetailType/MailerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element **unManifestedScanEventDetailType/MailerName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												


element **unManifestedScanEventDetailType/DestinationZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:zipCode


element **unManifestedScanEventDetailType/DestinationZipPlusFour**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												


element unManifestedScanEventDetailType/ScanningFacilityZip

diagram	 mailxml_dd:Id:ScanningFacilit...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:zipCode


element unManifestedScanEventDetailType/ScanningFacilityName

diagram	 mailxml_dd:Id:ScanningFacilit...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s31
facets	Kind Value Annotation minLength 1 maxLength 31 whiteSpace preserve

element unManifestedScanEventDetailType/EventCode

diagram	 mailxml_dd:Id:EventCode
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

element unManifestedScanEventDetailType/EventName

diagram	 mailxml_dd:Id:EventName
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s40
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve


element **unManifestedScanEventDetailType/EventDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:date


element **unManifestedScanEventDetailType/EventTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time

element **unManifestedScanEventDetailType/MailerOwnerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9


element **unManifestedScanEventDetailType/CustomerReferenceID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												


element unManifestedScanEventDetailType/DestinationCountryCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve


element unManifestedScanEventDetailType/RecipientName

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

element unManifestedScanEventDetailType/OriginalLabel

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:s34
facets	Kind Value Annotation minLength 1 maxLength 34 whiteSpace preserve


element unManifestedScanEventDetailType/UnitofMeasureCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns01

element unManifestedScanEventDetailType/Weight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns09


element unManifestedScanEventDetailType/GuaranteedDeliveryDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time


element unManifestedScanEventDetailType/GuaranteedDeliveryTime

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	xs:time

element unManifestedScanEventDetailType/LogisticsManagerMailerID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

complexType verificationErrorHandler

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd

e	
children	mailxml_dd:VerificationErrorCode mailxml_dd:VerificationErrorDescription
used by	element dqrContainerInfoType/VerificationError S dqrContainerInfoType/PieceInfo/VerificationError dqrContainerInfoType/PieceRangeInfo/VerificationError nonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationError

element **verificationErrorType/VerificationErrorCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	mailxml_base:ns04

element **verificationErrorType/VerificationErrorDescription**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	mailxml_base:s260												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>260</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	260		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	260												
whiteSpace	preserve												

simpleType **addressCorrectionMoveType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd												
type	restriction of xs:string												
used by	element AddressCorrection/MoveType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	I		enumeration	B	
Kind	Value	Annotation											
enumeration	F												
enumeration	I												
enumeration	B												

simpleType **addressTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd
type	restriction of xs:string
used by	element addressCorrectionAddressType/AddressType

	Kind	Value	Annotation
enumeration	F		
enumeration	G		
enumeration	H		
enumeration	P		
enumeration	R		
enumeration	S		
enumeration	U		
enumeration	V		
enumeration	X		

simpleType **containerScanStateType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	restriction of xs:string		
facets	Kind	Value	Annotation
	enumeration	Electronic Information Received	
	enumeration	Entered at USPS	
	enumeration	Enroute Depart	
	enumeration	Enroute	
	enumeration	Enroute Arrive	
	enumeration	All Scan States	
annotation	documentation	Scan data for Container Scan States	

simpleType **deliverabilityCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	restriction of xs:string		
used by	element AddressCorrection/DeliverabilityCodeType		
facets	Kind	Value	Annotation
	enumeration	K	
	enumeration	G	
	enumeration	W	

simpleType **eDocTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd		
type	restriction of xs:string		
facets	Kind	Value	Annotation
	enumeration	101	
	enumeration	102	
	enumeration	103	
	enumeration	104	

	enumeration 105
	enumeration 106
	enumeration 107
	enumeration 108
	enumeration 109
	enumeration 110

simpleType **primarySecondaryIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd											
type	restriction of xs:string											
used by	element DeliveryPointValidation/PrimarySecondaryIndicator											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	P		enumeration	S	
Kind	Value	Annotation										
enumeration	P											
enumeration	S											

simpleType **verificationErrorTypeType**

namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd																																															
type	restriction of xs:string																																															
used by	<table> <thead> <tr> <th>element</th> <th>s</th> <th>DataQualityVerificationReportDelivery/VerificationErrorType</th> <th>DataQualityVerificationReportNotification/VerificationErrorType</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <th>DataQualityVerificationReportQueryRequest/VerificationErrorType</th> <th>DataQualityVerificationReportQueryResponse/QueryResults/VerificationErrorType</th> </tr> <tr> <td></td> <td></td> <th>NonComplianceDataWithPostageOwedQueryRequest/VerificationErrorType</th> <td>NonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationEr</td> </tr> <tr> <td></td> <td></td> <th>rorType</th> <td>rrorType </td></tr> </tbody> </table>			element	s	DataQualityVerificationReportDelivery/VerificationErrorType	DataQualityVerificationReportNotification/VerificationErrorType			DataQualityVerificationReportQueryRequest/VerificationErrorType	DataQualityVerificationReportQueryResponse/QueryResults/VerificationErrorType			NonComplianceDataWithPostageOwedQueryRequest/VerificationErrorType	NonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationEr			rorType	rrorType																													
element	s	DataQualityVerificationReportDelivery/VerificationErrorType	DataQualityVerificationReportNotification/VerificationErrorType																																													
		DataQualityVerificationReportQueryRequest/VerificationErrorType	DataQualityVerificationReportQueryResponse/QueryResults/VerificationErrorType																																													
		NonComplianceDataWithPostageOwedQueryRequest/VerificationErrorType	NonComplianceDataWithPostageOwedReportType/MailingIDDetail/VerificationEr																																													
		rorType	rrorType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>CSAVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ContainerBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>HandlingUnitBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PieceBarcodeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ByForConflictVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServiceTypeVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AppointmentVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MailerIDVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DeliveryPointVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ServicePerformanceVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EntryFacilityVerification</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DefaultTrayBarcodeError</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AllErrors</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NoErrors</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	CSAVerification		enumeration	ContainerBarcodeVerification		enumeration	HandlingUnitBarcodeVerification		enumeration	PieceBarcodeVerification		enumeration	ByForConflictVerification		enumeration	ServiceTypeVerification		enumeration	AppointmentVerification		enumeration	MailerIDVerification		enumeration	DeliveryPointVerification		enumeration	ServicePerformanceVerification		enumeration	EntryFacilityVerification		enumeration	DefaultTrayBarcodeError		enumeration	AllErrors		enumeration	NoErrors	
Kind	Value	Annotation																																														
enumeration	CSAVerification																																															
enumeration	ContainerBarcodeVerification																																															
enumeration	HandlingUnitBarcodeVerification																																															
enumeration	PieceBarcodeVerification																																															
enumeration	ByForConflictVerification																																															
enumeration	ServiceTypeVerification																																															
enumeration	AppointmentVerification																																															
enumeration	MailerIDVerification																																															
enumeration	DeliveryPointVerification																																															
enumeration	ServicePerformanceVerification																																															
enumeration	EntryFacilityVerification																																															
enumeration	DefaultTrayBarcodeError																																															
enumeration	AllErrors																																															
enumeration	NoErrors																																															

simpleType **verificationWarningType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_dd	
type	restriction of xs:string	
used by	element s DataQualityVerificationReportDelivery/VerificationWarningType DataQualityVerificationReportNotification/VerificationWarningType DataQualityVerificationReportQueryRequest/VerificationWarningType DataQualityVerificationReportQueryResponse/QueryResults/VerificationWarningType	
facets	Kind	Value
	enumeration	CSAVerification
	enumeration	ContainerBarcodeVerification
	enumeration	HandlingUnitBarcodeVerification
	enumeration	PieceBarcodeVerification
	enumeration	ByForConflictVerification
	enumeration	ServiceTypeVerification
	enumeration	AppointmentVerification
	enumeration	MailerIDVerification
	enumeration	DeliveryPointVerification
	enumeration	ServicePerformanceVerification
	enumeration	EntryFacilityVerification
	enumeration	DefaultTrayBarcodeError
	enumeration	AllWarnings
	enumeration	NoWarnings