

Mail.XML Version 25.0

System Messages Specification

September 10, 2021

Working Group Chair

Bob Schimek, Quad

Technical Director

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Editor:

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2021 – Delivery Technology Advocacy Council (“DTAC ”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



Copyright and Legal Notices

© 2021 Delivery Technology Advocacy Council. All Rights Reserved.

Copyright 2021 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

Mail.XML and Mail.dat are trademarks of DTAC.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

What's New in Mail.XML Version 25.0?

With this release, the Mail.XML Messaging Protocol moves to Version 25.0. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 25.0 include:

- CR 2501 – Creates a new simpleType in the base schema called machinabilityIndicatorType that defines machinability.
 - Modfy PeriodicalLineItemData to use the new machinabilityIndicatorType
 - Modify PostageStatementLineItemData to use the new machinabilityIndicatorType
- CR 2502 - Add enumerations to serviceCodeType to support Non-Standard Parcel Sizes.
- CR 2503 – Support USPS Tracking Plus Extra Service
 - Modify existing serviceCodeType to add 2 new enumeration values for USPS Tracking Plus
 - Modify existing serviceSubCode to add new enumerations for USPS Tracking Plus retention lengths.
- CR 2504 – Add new elements to the CampaignData block to accommodate new Informed Delivery features.
- CR 2506 - Modify MaildatMPUInfoType to use the new machinabilityIndicatorType
- CR 2507 – Remove fields related to ZAP certification status

About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema**.xsd will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations: xmlns:mailxml=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>
targetNamespace=<http://delivery-tech.org/Specs/mailxml25.0/mailxml>

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0A/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0B/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml25.0/mailxml" then at least one of the XSDs is at same version such as filename ='Mail.XML_25.0.xsd' <- Major Version

Mail.XML 25.0 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml_base_25.0.xsd*).

- mailxml_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_tm;
- mailxml_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_mm;
- mailxml_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_iv;
- mailxml_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_dd;
- mailxml_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_id;
- mailxml_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_sc;
- mailxml_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml_base;
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml;

The Mail.XML™ 25 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 25.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 25.0: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 25.0: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 25.0: Informed Visibility Specification documents all informed visibility messages
- Mail.XML™ 25.0: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 25.0: Identification Messaging Specification documents all identification messages
- Mail.XML™ 25.0: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 25.0: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 25.0: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 25.0: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 25.0: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

Table of Contents

ABSTRACT	3
ABOUT MAIL.XML™	3
WHAT'S NEW IN MAIL.XML VERSION 25.0?	3
ABOUT MAIL.XML SCHEMA MODULARIZATION	4
MAIL.XML MODULE VERSIONING RULES	4
MAIL.XML 25.0 XSD MODULES:.....	5
THE MAIL.XML™ 25 MESSAGING DOCUMENTATION SET	5
1 INDEX.....	8
2 ELEMENTS	12

1 Index

Schema **mailxml_mm_25.0.xsd**

schema location: ..\MailXML v25.0\XSDs\mailxml_mm_25.0.xsd
attributeFormDefault: **qualified**
elementFormDefault: **qualified**
targetNamespace: http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

Elements	Complex types	Simple types
<u>BeginCombinedMailingRequest</u>	<u>abstractInternationalPostageStatementData</u>	<u>agencyCostCodeType</u>
<u>BeginCombinedMailingResponse</u>	<u>abstractPeriodicalStatementData</u>	<u>BRMFeeType</u>
<u>BundleDetailCancelRequest</u>	<u>abstractPostageStatementData</u>	<u>BRMType</u>
<u>BundleDetailCancelResponse</u>	<u>accountHeaderInfoBlock</u>	<u>campaignSerialGroupingType</u>
<u>BundleDetailCreateRequest</u>	<u>bundleDetail</u>	<u>chargeableBundleLevelType</u>
<u>BundleDetailCreateResponse</u>	<u>bundleRecord</u>	<u>chargeableContainerLevelType</u>
<u>CloseMailingGroupRequest</u>	<u>bundleVersionRecord</u>	<u>chargeableContainerType</u>
<u>CloseMailingGroupResponse</u>	<u>campaignData</u>	<u>chargeableEntryLevelType</u>
<u>ComponentQueryRequest</u>	<u>certificationData</u>	<u>containerBundleStatusType</u>
<u>ComponentQueryResponse</u>	<u>componentPeriodicalAdPercent</u>	<u>directOrMixedCategoryType</u>
<u>ComponentUpdateRequest</u>	<u>componentWeightUpdate</u>	<u>DMLType</u>
<u>ComponentUpdateResponse</u>	<u>containerCount</u>	<u>errorWarningCode</u>
<u>ConsolidatedPeriodicalStatementCreateRequest</u>	<u>containerManifest</u>	<u>fspiType</u>
<u>ConsolidatedPeriodicalStatementCreateResponse</u>	<u>containerPostage</u>	<u>gpExtraServiceType</u>
<u>ContainerBundleReportCancelRequest</u>	<u>container</u>	<u>internationalPSPartSection</u>
<u>ContainerBundleReportCancelResponse</u>	<u>createConsolidatedPeriodicalStatementData</u>	<u>internationalPSPart</u>
<u>ContainerBundleReportCreateRequest</u>	<u>createInternationalPostageStatement</u>	<u>internationalZone</u>
<u>ContainerBundleReportCreateResponse</u>	<u>createPeriodicalStatement</u>	<u>invoiceStatus</u>
<u>ContainerBundleReportQueryRequest</u>	<u>createPostageStatement</u>	<u>manifestExtraServiceCode</u>

ContainerBundleReportQueryResponse	customerMailReportInfoType	manifestMailClassType
ContainerBundleReports	customsType	manifestRateLevelIndicatorType
ContainerBundleSummaryRecords	fullComponentType	manifestType
ContainerBundleVersionRecords	informedDeliveryCampaignCreateRequestType	onePassOrTwoPassType
ContainerManifestCancelRequest	informedDeliveryCampaignCreateRequestTypeType	periodicalPriceType
ContainerManifestCancelResponse	informedDeliveryCampaignDeleteRequestType	postageAutoFinalizationType
ContainerManifestCreateRequest	informedDeliveryCampaignDeleteTypeType	postagePaymentMethodType
ContainerManifestCreateResponse	internationalPostageStatementData	priceType
ContainerManifestUpdateRequest	invoiceLineItemData	rateCategoryType
ContainerManifestUpdateResponse	invoiceRequestHeaderInfo	referenceableMailContentType
ContainerUpdateRequest	invoiceResponseHeaderInfo	residualPrepType
ContainerUpdateResponse	invoiceSummaryData	trayTypeIndicatorType
CustomerMailReportCreateRequest	mailCharacteristics	
CustomerMailReportCreateResponse	mailerDataRequest	
DateRange	mailerData	
DocumentVersionData	mailerMIDCRIDDDataRequest	
DocumentVersionDataWithPermit	mailingGroupData	
EndCombinedMailingRequest	mailOwnerBlock	
EndCombinedMailingResponse	mailPieceBlockGroup	
ExtraServiceSummaryData	mailPieceBlock	
InformedDeliveryCampaignCancelRequest	mailPieceCancel	
InformedDeliveryCampaignCancelResponse	mailPieceRequest	
InformedDeliveryCampaignCreateRequest	mailXMLPieceRangeBlock	
InformedDeliveryCampaignCreateResponse	manifestAndOrderIDInfoBlock	
InternationalPostageStatementCreateRequest	manifestErrorWarningDetail	
InternationalPostageStatementCreateResponse	manifestErrorWarningSummaryType	
InternationalPostageStatementLineItemData	manifestMailPieceSummary	
InternationalPostageStatementLineItemSummaryData	manifestMailPiece	
InternationalPostageStatementQueryRequest	manifestMailType	
InternationalPostageStatementQueryResponse	manifestPaymentExtractData	

[InvoiceDelivery](#)
[InvoiceQueryRequest](#)
[InvoiceQueryResponse](#)
[LineItemSummaryData](#)
[MailingGroupQueryRequest](#)
[MailingGroupQueryResponse](#)
[MailingGroupSummary](#)
[MailPieceCancelRequest](#)
[MailPieceCancelResponse](#)
[MailPieceCreateRequest](#)
[MailPieceCreateResponse](#)
[MailPieceUpdateRequest](#)
[MailPieceUpdateResponse](#)

[ManifestCancelRequest](#)
[ManifestCancelResponse](#)
[ManifestCreateRequest](#)
[ManifestCreateResponse](#)
[ManifestPaymentExtractQueryRequest](#)
[ManifestPaymentExtractDelivery](#)
[ManifestPaymentExtractNotification](#)
[ManifestPaymentExtractQueryResponse](#)
[OpenMailingGroupRequest](#)
[OpenMailingGroupResponse](#)
[PaymentMessage](#)
[PaymentMessageQueryRequest](#)
[PaymentMessageQueryResponse](#)
[PeriodicalLineItemData](#)
[PeriodicalStatementCreateRequest](#)
[PeriodicalStatementCreateResponse](#)
[PeriodicalStatementQueryRequest](#)
[PeriodicalStatementQueryResponse](#)
[PostageStatementCancelRequest](#)
[PostageStatementCancelResponse](#)
[PostageStatementCreateRequest](#)
[PostageStatementCreateResponse](#)
[PostageStatementLineItemData](#)
[PostageStatementQueryRequest](#)
[PostageStatementQueryResponse](#)
[PostageStatementStatusQueryRequest](#)
[PostageStatementStatusQueryResponse](#)

[manifestPieceListType](#)
[manifestTrackingInformationType](#)
[palletContainerRecordType](#)
[palletContainerVersionRecordType](#)
[paymentInformationType](#)
[PDRMailPieceBlockType](#)
[periodicalStatementDataType](#)
[pieceRangeBlockType](#)
[postageStatementDataType](#)
[qualificationPreparerDataType](#)
[qualificationReportDataType](#)
[qualificationReportDetailDataType](#)
[qualificationReportSummaryDataType](#)
[referenceableMailContentGroupType](#)
[referenceableMailDataBarcodesType](#)
[referenceableMailDataType](#)
[sackTrayContainerRecordType](#)
[sackTrayContainerVersionRecordType](#)
[specialProductInformationType](#)
[STCForContainerOrTrayType](#)
[summaryRecordUpdateType](#)
[summaryZipDestinationReportType](#)
[tMSDataLoggerDetailType](#)

[nse](#)
[QualificationReportCreateRequest](#)
[QualificationReportCreateResponse](#)
[QualificationReportDetailCreateRequest](#)
[QualificationReportDetailCreateResponse](#)
[QualificationReportQueryRequest](#)
[QualificationReportQueryResponse](#)
[QualificationReportSummaryCreateRequest](#)
[QualificationReportSummaryCreateResponse](#)
[QualificationSummaryReport](#)
[ReconciliationReport](#)
[ReconciliationReportQueryRequest](#)
[ReconciliationReportQueryResponse](#)
[SummaryZipDestinationReportCreateRequest](#)
[SummaryZipDestinationReportCreateResponse](#)
[TMSDataLoggerDelivery](#)
[TMSDataLoggerNotification](#)
[TMSDataLoggerQueryRequest](#)
[TMSDataLoggerQueryResponse](#)

2 Elements

3 element **BeginCombinedMailingRequest**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	<p>mailxml_mm:CustomerReferenceID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory</p> <p>mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType</p>
annotation	<p>documentation Request to begin a combined mailing in which multiple postage payment methods (and or multiple permit numbers within the same payment method) are presorted together.</p>

4

5

6 element **BeginCombinedMailingRequest/SubmittingParty**

diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

7

8

9 element **BeginCombinedMailingRequest/SubmittingSoftware**

diagram	<p>The diagram illustrates the structure of the 'SubmittingSoftware' element. It consists of a main element box labeled 'mailxml_mm:m:SubmittingSo...' with a dashed line pointing to a detailed view. The detailed view shows a yellow box titled 'mailxml_defs:submittingSoft...'. Inside this box, there is a section for 'attributes' containing five items: 'mailxml_defs:fs:SoftwareName' (solid blue border), 'mailxml_defs:fs:Vendor' (solid blue border), 'mailxml_defs:fs:Version' (solid blue border), 'mailxml_defs:fs:ApprovalDate' (dashed blue border), and 'mailxml_defs:fs:ApprovalKey' (dashed blue border).</p>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

10

11

12 element **BeginCombinedMailingRequest/SubmitterTrackingID**

diagram	<p>The diagram illustrates the structure of the 'SubmitterTrackingID' element. It consists of a main element box labeled 'mailxml_mm:m:SubmitterTrac...' with a dashed line pointing to a detailed view.</p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

13

14

15 element **BeginCombinedMailingResponse**

diagram	<p>BeginCombinedMailingRes... Response from USPS to begin a combined mailing.</p> <p>mailxml_mm:m:TrackingID</p> <p>mailxml_mm:m:SubmitterTrac...</p> <p>mailxml_mm:m:BeginCombin... Response from USPS indicating that combined mailing began.</p> <p>mailxml_mm:m:BeginCombin... Response from USPS indicating that combined mailing could not be established and why.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:BeginCombinedMailingAccept mailxml_mm:BeginCombinedMailingReject
annotation	documentation Response from USPS to begin a combined mailing.

16

17

18 element **BeginCombinedMailingResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

19

20

21 element **BeginCombinedMailingResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

22

23

24 element **BeginCombinedMailingResponse/BeginCombinedMailingAccept**

diagram	<pre> classDiagram class mailxml_mm::m::BeginCombinedMailingAccept { grp mailxml_defs:MailXML... mailxml_defs:fs:CustomerGroupID mailxml_defs:fs:MailingGroupID mailxml_defs:fs>Status } mailxml_mm::m::BeginCombinedMailingAccept "Response from USPS indicating that combined mailing began." --> mailxml_mm::m::CombinedMailingID mailxml_mm::m::BeginCombinedMailingAccept --> mailxml_mm::m::ReturnInfo </pre>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml mm:CombinedMailingID mailxml mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs:Status	mailxml_base:statusType																								
annotation	documentation Response from USPS indicating that combined mailing began.																								

25

26

27 element **BeginCombinedMailingResponse/BeginCombinedMailingAccept/CombinedMailingID**

diagram	<pre> classDiagram class mailxml_mm::m::CombinedMailingID { *0..* } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

28

29

30 element **BeginCombinedMailingResponse/BeginCombinedMailingAccept/ReturnInfo**

diagram	<pre> classDiagram class mailxml_mm::m::ReturnInfo { *0..* } mailxml_mm::m::ReturnInfo --> mailxml_defs:basicReturnInfo mailxml_defs:basicReturnInfo { mailxml_defs:fs:ReturnCode mailxml_defs:fs:ReturnDescription mailxml_defs:fs:errorWarning *0..* mailxml_defs:fs:ContainerError *0..* } </pre>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

31

32

33 element **BeginCombinedMailingResponse/BeginCombinedMailingReject**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs:Status	mailxml_base:statusType																								
annotation	documentation Response from USPS indicating that combined mailing could not be established and why.																								

34

35

36 element **BeginCombinedMailingResponse/BeginCombinedMailingReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

37

38

39 element **BundleDetailCancelRequest**

diagram	<p>The diagram illustrates the structure of the BundleDetailCancelRequest element. It features a main class box labeled BundleDetailCancelRequest with the description "Request to cancel unique bundle detail." Below the class box is a detailed view of its attributes:</p> <ul style="list-style-type: none"> grp mailxml_defs:MailXML... (grouped attribute) mailxml_defs:fs:CustomerGrou... mailxml_defs:fs:MailingGroupID mailxml_defs:fs:MaildatJobID mailxml_defs:fs:UserLicenseCo... <p>Below the attributes is a list of associations:</p> <ul style="list-style-type: none"> mailxml_mm:m:SubmittingPa... (multiplicity 1..∞) mailxml_mm:m:SubmittingSo... (multiplicity 0..∞) mailxml_mm:m:SubmitterTrac... (multiplicity 0..∞) mailxml_mm:m:UserLicenseCode (multiplicity 1..∞) mailxml_mm:m:MaildatJobID (multiplicity 1..∞) mailxml_mm:m:CustomerGrou... (multiplicity 1..∞) mailxml_mm:m:MailingGroupID (multiplicity 1..∞) mailxml_mm:m:ContainerID (multiplicity 1..∞) mailxml_mm:m:BundleID (multiplicity 0..∞) 																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:ContainerID mailxml_mm:BundleID																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

annotation	documentation Request to cancel unique bundle detail.
------------	--

40

41

42 element **BundleDetailCancelRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm>> } class participantIDType { <<mailxml_defs>> } SubmittingParty "1..*" --> "1..*" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

43

44

45 element **BundleDetailCancelRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm[m:SubmittingSoftware] class mailxml_defs[submittingSoftwareType] mailxml_mm "1" --> "1" mailxml_defs mailxml_defs << attributes >> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string end </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

46

47

48 element **BundleDetailCancelRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

49

50

51 element **BundleDetailCancelRequest/UserLicenseCode**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

52

53

54 element **BundleDetailCancelRequest/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

55

56

57 element **BundleDetailCancelRequest/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

58

59

60 element **BundleDetailCancelRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

61

62

63 element **BundleDetailCancelRequest/ContainerID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s06									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6	
Kind	Value	Annotation								
minLength	1									
maxLength	6									

	whiteSpace preserve
--	---------------------

64

65


66 element **BundleDetailCancelRequest/BundleID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

67

68


69 element **BundleDetailCancelResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrac... mailxml_mm:m:BundleDetailCancelAccept mailxml_mm:m:BundleDetailCancelReject
annotation	documentation Response to the request to cancel unique bundle detail.

70

71


72 element **BundleDetailCancelResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

73

74


75 element **BundleDetailCancelResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

76

77

78 element **BundleDetailCancelResponse/BundleDetailCancelAccept**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

79

80

81 element **BundleDetailCancelResponse/BundleDetailCancelAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

82

83


84 element **BundleDetailCancelResponse/BundleDetailCancelReject**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

85

86


87 element **BundleDetailCancelResponse/BundleDetailCancelReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

88

89

90 element **BundleDetailCreateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware

	mailxml_mm:SubmitterTrackingID mailxml_mm:BundleDetail					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation	Request to create unique bundle detail information.				

91

92

93 element **BundleDetailCreateRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicenseCode ShippingAgentID ReceivingAgentID </<> } SubmittingParty "2" -- "1" participantIDType </pre>					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

94

95

96 element **BundleDetailCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

97

98

99 element **BundleDetailCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

100

101

102 element **BundleDetailCreateRequest/BundleDetail**

diagram	<pre> classDiagram class mailxml_mm:bundleDetailTy... { mailxml_mm:m:ContainerID mailxml_mm:m:BundleID mailxml_mm:m:TotalPieces mailxml_mm:m:TotalCopies mailxml_mm:m:BundleZip mailxml_mm:m:BundleCarrierRoute mailxml_mm:m:DestinationEntry mailxml_mm:m:Zone mailxml_mm:m:DestinationZip mailxml_mm:m:OutsideCount... mailxml_mm:m:ChargeableBu... mailxml_mm:m:SortationLevel mailxml_mm:m:BundleLevel mailxml_mm:m:ParentBundleID mailxml_mm:m:BundleBarcode mailxml_mm:m:BundleStatus mailxml_mm:m:BundleRecord... mailxml_mm:m:USPSPackageU... mailxml_mm:m:BundleVersion } class mailxml_mm:BundleDetail { <> mailxml_mm:bundleDetailTy... } mailxml_mm:BundleDetail "1..>" mailxml_mm:bundleDetailTy... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:bundleDetailType
children	mailxml_mm:ContainerID mailxml_mm:BundleID mailxml_mm:TotalPieces mailxml_mm:TotalCopies mailxml_mm:BundleZip mailxml_mm:BundleCarrierRoute mailxml_mm:DestinationEntry mailxml_mm:Zone mailxml_mm:DestinationZip mailxml_mm:OutsideCountyBundleIndicator mailxml_mm:ChargeableBundleIndicator mailxml_mm:SortationLevel mailxml_mm:BundleLevel mailxml_mm:ParentBundleID

	mailxml_mm:BundleBarcode mailxml_mm:BundleStatus mailxml_mm:BundleRecordStatus mailxml_mm:USPSPackageUniqueCharacteristic mailxml_mm:BundleVersion
--	---

103

104

105 element **BundleDetailCreateResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:BundleDetailCreateAccept mailxml_mm:BundleDetailCreateReject
annotation	documentation Response to the request to create unique bundle detail information.

106

107

108 element **BundleDetailCreateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

109

110

111 element **BundleDetailCreateResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

112

113

114 element **BundleDetailCreateResponse/BundleDetailCreateAccept**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

115

116


117 element **BundleDetailCreateResponse/BundleDetailCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

118

119


120 element **BundleDetailCreateResponse/BundleDetailCreateReject**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

121

122

123 element **BundleDetailCreateResponse/BundleDetailCreateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning

	mailxml_defs:ContainerErrorWarningBlock																		
124																			
125																			
126	element CloseMailingGroupRequest																		
diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	<p>documentation</p> <p>Request for USPS to close or delete a Mailing Group that does not suit their business needs.</p>																		
127																			
128																			
129	element CloseMailingGroupRequest/SubmittingParty																		
diagram																			

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

130

131

132 element **CloseMailingGroupRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mSubmittingSoftware { <<mailxml_mm:m:SubmittingSoftware>> } class submittingSoftwareType { <<mailxml_defs:submittingSoftwareType>> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } mSubmittingSoftware "2" --> "1" submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

133

134

135 element **CloseMailingGroupRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mSubmitterTrackingID { <<mailxml_mm:m:SubmitterTrackingID>> } mSubmitterTrackingID "2" --> "1" mSubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

136

137

138 element **CloseMailingGroupResponse**

diagram	<pre> sequenceDiagram participant CMGR as CloseMailingGroupResponse participant TID as mailxml_mm:m:TrackingID participant STID as mailxml_mm:m:SubmitterTrac... CMGR->>TID: activate TID CMGR->>STID: deactivate TID activate STID Note over CMGR: Response from USPS to the request to close or delete a Mailing Group that does not suit their business needs. Note over STID: Response from USPS that a Mailing Group has been closed. Note over CMGR: Response from USPS that a Mailing Group could not be closed and why. STID-->>CMGR: deactivate STID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:CloseMailingGroupAccept mailxml_mm:CloseMailingGroupReject
annotation	documentation Response from USPS to the request to close or delete a Mailing Group that does not suit their business needs.

139

140

141 element **CloseMailingGroupResponse/TrackingID**

diagram	<pre> classDiagram class CloseMailingGroupResponse class TrackingID CloseMailingGroupResponse "1" --> "1" TrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

142

143

144 element **CloseMailingGroupResponse/SubmitterTrackingID**

diagram	<pre> classDiagram class CloseMailingGroupResponse class SubmitterTrackingID CloseMailingGroupResponse "1" --> "1" SubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

145

146

147 element **CloseMailingGroupResponse/CloseMailingGroupAccept**

	diagram	<p>Response from USPS that a Mailing Group has been closed.</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																									
children	mailxml mm:ReturnInfo																									
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>		Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																					
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																								
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																								
mailxml_mm:Status	mailxml_base:statusType																									
annotation	<p>documentation</p> <p>Response from USPS that a Mailing Group has been closed.</p>																									

148

149

150 element **CloseMailingGroupResponse/CloseMailingGroupAccept/ReturnInfo**

	diagram	<p>0..∞</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm	
type	mailxml_defs:basicReturnInfoType	

children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock
----------	---

151

152

153 element **CloseMailingGroupResponse/CloseMailingGroupReject**

diagram	<p>The diagram shows a class named mailxml_mm:m:CloseMailing... with three attributes: mailxml_mm:m:CustomerGroupID, mailxml_mm:m:MailingGroupID, and mailxml_mm:m>Status. It has a relationship to another class mailxml_mm:m:ReturnInfo via a multiplicity of 0..1.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:ReturnInfo

154

155


156 element **CloseMailingGroupResponse/CloseMailingGroupReject/ReturnInfo**

diagram	<p>The diagram shows a class named mailxml_defs:basicReturnInfoType with four associations: mailxml_defs:fs:ReturnCode (multiplicity 0..1), mailxml_defs:fs:ReturnDescription (multiplicity 0..1), mailxml_defs:fs:errorWarning (multiplicity 0..1), and mailxml_defs:fs:ContainerErrorWarningBlock (multiplicity 0..1).</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

157

158


159 element **ComponentQueryRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:Component

160

161

162 element **ComponentQueryRequest/SubmittingParty**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:participantIDType																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																				
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																				
mailxml_defs:CRID	mailxml_base:CRIDType																																				
mailxml_defs:SchedulerID	mailxml_base:s12																																				
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																				

	mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	mailxml_base:s12 mailxml_base:s12
--	---	--

163

164

165 element **ComponentQueryRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm:mm:SubmittingSoftwareType { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

166

167


168 element **ComponentQueryRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mailxml_mm:mm:SubmitterTrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

169

170


171 element **ComponentQueryRequest/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

172

173

174 element **ComponentQueryResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ComponentQueryAccept mailxml_mm:ComponentQueryReject

175

176


177 element **ComponentQueryResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

178

179

180 element **ComponentQueryResponse/SubmitterTrackingID**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

181

182

183 element **ComponentQueryResponse/ComponentQueryAccept**

diagram	<pre> sequenceDiagram participant CQ as mailxml_mm:m:ComponentQ... participant CW as mailxml_mm:m:ComponentWeight participant CA as mailxml_mm:m:ComponentAdPercent participant RI as mailxml_mm:m:ReturnInfo CQ->>CW: activate CW CQ-->>CA: activate CA CQ-->>RI: activate RI </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentAdPercent mailxml_mm:ReturnInfo

184

185


186 element **ComponentQueryResponse/ComponentQueryAccept/Component**

diagram	<pre> componentDiagram component fullComponent... { mailxml_mm:m:UserLicenseCode mailxml_mm:m:MaildatJobID mailxml_mm:m:ComponentID } mailxml_mm:m:Component --> fullComponent... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

187

188


189 element **ComponentQueryResponse/ComponentQueryAccept/ComponentWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:componentWeightUpdateType
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus

190

191

192 element **ComponentQueryResponse/ComponentQueryAccept/ComponentAdPercent**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:componentPeriodicalAdpercentType
children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis

193

194

195 element **ComponentQueryResponse/ComponentQueryAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

196

197

198 element **ComponentQueryResponse/ComponentQueryReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ReturnInfo

199

200


201 element **ComponentQueryResponse/ComponentQueryReject/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

202

203


204 element **ComponentQueryResponse/ComponentQueryReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

205

206

207 element **ComponentUpdateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:PieceWeightUpdate mailxml_mm:m:AdPercentUpdate
annotation	documentation Request to update component weight or ad percent

208

209

210 element **ComponentUpdateRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... </> } SubmittingParty "1" -- "1" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

211

212

213 element **ComponentUpdateRequest/SubmittingSoftware**

diagram	<pre> classDiagram class SubmittingSoftware { <<mailxml_mm:mm:SubmittingSoftware>> } class submittingSoftwareType { <<mailxml_defs:submittingSoftwareType>> <<attributes>> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string </> } SubmittingSoftware < -- submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

214

215

216 element **ComponentUpdateRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class SubmitterTrackingID { <<mailxml_mm:mm:SubmitterTrackingID>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

217

218

219 element **ComponentUpdateRequest/PieceWeightUpdate**

diagram	<pre> classDiagram class mailxml_mm::componentWeightUpdateType { <<mailxml_mm:mm:Component>> <<mailxml_mm:mm:ComponentWeight>> <<mailxml_mm:mm:ComponentWeight>> <<mailxml_mm:mm:ComponentWeight>> <<mailxml_mm:mm:ComponentWeight>> } mailxml_mm::componentWeightUpdateType "0..∞" --> mailxml_mm::Component </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:componentWeightUpdateType
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus

220

221


222 element **ComponentUpdateRequest/AdPercentUpdate**

diagram	<pre> classDiagram class mailxml_mm::componentPeriodicalAdpercentType { <<mailxml_mm:mm:Component>> <<mailxml_mm:mm:ComponentPeriodicalAdPercent>> <<mailxml_mm:mm:ComponentPeriodicalAdPercent>> <<mailxml_mm:mm:ComponentPeriodicalAdPercent>> <<mailxml_mm:mm:ComponentPeriodicalAdPercentBasis>> } mailxml_mm::componentPeriodicalAdpercentType "0..∞" --> mailxml_mm::Component </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:componentPeriodicalAdpercentType
children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis

223

224

225 element **ComponentUpdateResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:ComponentUpdateAccept mailxml mm:ComponentUpdateReject

226

227

228 element **ComponentUpdateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

229

230


231 element **ComponentUpdateResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

232

233

234 element **ComponentUpdateResponse/ComponentUpdateAccept**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml_mm:Component mailxml_mm:ReturnInfo
----------	--

235

236


237 element **ComponentUpdateResponse/ComponentUpdateAccept/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

238

239


240 element **ComponentUpdateResponse/ComponentUpdateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

241

242

243 element **ComponentUpdateResponse/ComponentUpdateReject**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ReturnInfo

244

245

246 element **ComponentUpdateResponse/ComponentUpdateReject/Component**

diagram	<pre> classDiagram class mailxml_mm { class Component class fullComponentType class UserLicenseCode class MaildatJobID class ComponentID } Component < -- fullComponentType Component "3..1" --> UserLicenseCode Component "3..1" --> MaildatJobID Component "3..1" --> ComponentID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

247

248

249 element **ComponentUpdateResponse/ComponentUpdateReject/ReturnInfo**

diagram	<pre> classDiagram class mailxml_mm { class ReturnInfo } class mailxml_defs { class basicReturnInfoType class ErrorCode class ReturnDescription class errorWarning class ContainerErrorWarningBlock } ReturnInfo < -- basicReturnInfoType ReturnInfo "*" --> ErrorCode ReturnInfo "*" --> ReturnDescription ReturnInfo "*" --> errorWarning </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

250

251

252 element **ConsolidatedPeriodicalStatementCreateRequest**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreateConsolidatedPeriodicalStatementData																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	<p>mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatement Method mailxml_mm:RateType mailxml_mm:ProcessingCategory</p> <p>mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType</p>
annotation	<p>documentation A message requesting the creation of a consolidated periodical statement.</p>

253

254

255 element **ConsolidatedPeriodicalStatementCreateRequest/SubmittingParty**

diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

256

257

258 element **ConsolidatedPeriodicalStatementCreateRequest/SubmittingSoftware**

diagram	<pre> graph LR A["mailxml_mm:m:SubmittingSo..."] --> B["mailxml_defs:submittingSoft..."] B --> C["mailxml_defs:fs:SoftwareName"] B --> D["mailxml_defs:fs:Vendor"] B --> E["mailxml_defs:fs:Version"] B --> F["mailxml_defs:fs:ApprovalDate"] B --> G["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

259

260

261 element **ConsolidatedPeriodicalStatementCreateRequest/SubmitterTrackingID**

diagram	<pre> graph LR A["mailxml_mm:m:SubmitterTrac..."] --> B["mailxml_base:s20"] B --> C["minLength"] B --> D["maxLength"] B --> E["whiteSpace"] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

262

263

264 element

ConsolidatedPeriodicalStatementCreateRequest/CreateConsolidatedPeriodicalStatementData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:createConsolidatedPeriodicalStatementDataType
children	mailxml_mm:PeriodicalStatement mailxml_mm:FirstStatementSequenceNumber mailxml_mm:LastStatementSequenceNumber mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PublisherData mailxml_mm:MailingAgentData mailxml_mm:ContainerCount mailxml_mm:PeriodicalLineItemData

265

266

267 element **ConsolidatedPeriodicalStatementCreateResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ConsolidatedPeriodicalStatementCreateAccept mailxml_mm:ConsolidatedPeriodicalStatementCreateReject
annotation	documentation

Response to the message requesting the creation of a consolidated periodical statement.

268

269

270 element **ConsolidatedPeriodicalStatementCreateResponse/TrackingID**

diagram	 mailxml mm: jm:TrackingID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

271

272

273 element **ConsolidatedPeriodicalStatementCreateResponse/SubmitterTrackingID**


diagram	 mailxml_mm:jm:SubmitterTrac... []																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																
type	mailxml_base:s20																
facets	<table><thead><tr><th></th><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td></td><td>minLength</td><td>1</td><td></td></tr><tr><td></td><td>maxLength</td><td>20</td><td></td></tr><tr><td></td><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>		Kind	Value	Annotation		minLength	1			maxLength	20			whiteSpace	preserve	
	Kind	Value	Annotation														
	minLength	1															
	maxLength	20															
	whiteSpace	preserve															

274

275

276 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
children	mailxml_mm:StatementID mailxml_mm:TotalPostage mailxml_mm:PostageStatementStatus mailxml_mm:ReturnInfo					
attributes	Name mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:Status	Type mailxml_base:s25 xs:nonNegativeInteger mailxml_base:statusType	Use required required	Default	Fixed	Annotation

277

278

279 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/StatementID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

280

281

282 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/TotalPostage

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

283

284

285 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/PostageStatementStatus

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:postageStatementStatusType
facets	Kind Value Annotation enumeration UPD enumeration FIN enumeration REW enumeration REV enumeration CAN enumeration FAI enumeration PEN

	enumeration PAS enumeration INC enumeration NAP enumeration EST enumeration CON enumeration ERR enumeration COM enumeration AVW enumeration PAV enumeration FPP
--	--

286

287

288 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateAccept/ReturnInfo


diagram	<pre> classDiagram class mailxml_defs::basicReturnInfo { <<mailxml_mm::mm:ReturnInfo>> *-- "0..∞" mm::ReturnInfo fs::ReturnCode fs::ReturnDescription *-- "0..∞" fs::errorWarning fs::ContainerErrorWarningBlock } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

289

290

291 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateReject


diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								

292

293

294 element

ConsolidatedPeriodicalStatementCreateResponse/ConsolidatedPeriodicalStatementCreateReject/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

295

296

297 element **ContainerBundleReportCancelRequest**

diagram	<pre> classDiagram class ContainerBundleReportCancelRequest { grp mailxml_defs:MailXML... mailxml_defs:fs:CustomerGroupID mailxml_defs:fs:MailingGroupID mailxml_defs:fs:MaildatJobID mailxml_defs:fs:UserLicenseCode } ContainerBundleReportCancelRequest "Request to cancel a container report." ContainerBundleReportCancelRequest < --> mailxml_mm:mm:SubmittingParty ContainerBundleReportCancelRequest < --> mailxml_mm:mm:SubmittingSoftware ContainerBundleReportCancelRequest < --> mailxml_mm:mm:SubmitterTrackingID </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	<p>documentation</p> <p>Request to cancel a container report.</p>																														

298

299

300 element ContainerBundleReportCancelRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

301

302

303 element **ContainerBundleReportCancelRequest/SubmittingSoftware**

diagram	<pre> graph LR A["mailxml_mm:m:SubmittingSo..."] --> B["mailxml_defs:submittingSoft..."] B --> C["mailxml_defs:fs:SoftwareName"] B --> D["mailxml_defs:fs:Vendor"] B --> E["mailxml_defs:fs:Version"] B --> F["mailxml_defs:fs:ApprovalDate"] B --> G["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

304

305

306 element **ContainerBundleReportCancelRequest/SubmitterTrackingID**

diagram	<pre> graph LR A["mailxml_mm:m:SubmitterTrac..."] --> B["mailxml_base:s20"] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

307

308

309 element **ContainerBundleReportCancelResponse**

diagram	<pre> graph LR A["ContainerBundleReportCan..."] --> B["mailxml_mm:m:TrackingID"] A --> C["mailxml_mm:m:SubmitterTrac..."] A --> D["mailxml_mm:m:ContainerBun..."] A --> E["mailxml_mm:m:ContainerBun..."] </pre> <p>Response to the request to cancel a container report.</p>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:ContainerBundleReportCancelAccept mailxml mm:ContainerBundleReportCancelReject
annotation	documentation Response to the request to cancel a container report.

310

311

312 element **ContainerBundleReportCancelResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

313

314

315 element **ContainerBundleReportCancelResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

316

317

318 element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

319

320

321 element

ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept/ContainerBundleReportID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

322

323

324 element

ContainerBundleReportCancelResponse/ContainerBundleReportCancelAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

325

326


327 element ContainerBundleReportCancelResponse/ContainerBundleReportCancelReject

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:m:ReturnInfo																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

328

329


330 element **ContainerBundleReportCancelResponse/ContainerBundleReportCancelReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

331

332

333 element **ContainerBundleReportCreateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware

	mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerBundleVersionRecords mailxml_mm:ContainerBundleSummaryRecords					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required		
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

334

335


336 element **ContainerBundleReportCreateRequest/SubmittingParty**

diagram	<p>The diagram shows a UML class named 'SubmittingParty' with a dashed line association to another class named 'ParticipantID'. The 'ParticipantID' class is enclosed in a yellow box and contains a list of attributes: 'fs:MailerID6', 'fs:MailerID9', 'fs:CRID', 'fs:SchedulerID', 'fs:MaildatUserLi...', 'fs:ShippingAgen...', and 'fs:ReceivingAge...'. Each attribute is preceded by 'mailxml_defs:'.</p>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table border="1"> <tr> <td>Name</td> <td>Type</td> <td>Use</td> <td>Default</td> <td>Fixed</td> <td>Annotation</td> </tr> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

337

338


339 element **ContainerBundleReportCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

340

341

342 element **ContainerBundleReportCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

343

344

345 element **ContainerBundleReportCreateResponse**

diagram	<pre> classDiagram class ContainerBundleReportCreateResponse { <<Response to the request to create a container report.>> } class TrackingID { <<mailxml_mm:m:TrackingID>> } class SubmitterTrackingID { <<mailxml_mm:m:SubmitterTrac...>> } ContainerBundleReportCreateResponse --> TrackingID ContainerBundleReportCreateResponse --> SubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:ContainerBundleReportCreateAccept mailxml mm:ContainerBundleReportCreateReject
annotation	documentation Response to the request to create a container report.

346

347

348 element **ContainerBundleReportCreateResponse/TrackingID**

diagram	<pre> classDiagram class TrackingID { <<mailxml_mm:m:TrackingID>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

349

350


351 element **ContainerBundleReportCreateResponse/SubmitterTrackingID**

diagram	<pre> classDiagram class SubmitterTrackingID { <<mailxml_mm:m:SubmitterTrac...>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

352

353

354 element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ContainerBundleStatus mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

355

356

357 element

ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleReportID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

358

359

360 element

ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleStatu

s


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerBundleStatusType
facets	Kind Value Annotation enumeration -1 enumeration 0 enumeration 1

361

362

363 element


ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

364

365


366 element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateReject**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

367

368

369 element **ContainerBundleReportCreateResponse/ContainerBundleReportCreateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

370

371


372 element ContainerBundleReportQueryRequest

diagram	<p>The diagram illustrates the structure of the <code>ContainerBundleReportQueryRequest</code> element. It features a central class box labeled <code>ContainerBundleReportQue...</code> with a descriptive note: "Query request for for a container bundle report". This class is associated with a box labeled <code>attributes</code>, which contains four items under the namespace <code>grp mailxml_defs:MailXML...</code>: <code>CustomerGroupID</code>, <code>MailingGroupID</code>, <code>MaildatJobID</code>, and <code>UserLicenseCode</code>. Additionally, the <code>ContainerBundleReportQueryRequest</code> class is connected via dashed lines to three other boxes: <code>SubmittingParty</code>, <code>SubmittingSoftware</code>, and <code>SubmitterTrackingID</code>.</p>																														
namespace	<code>http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm</code>																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td><code>CustomerGroupID</code></td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>MailingGroupID</code></td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td><code>MaildatJobID</code></td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td><code>UserLicenseCode</code></td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	<code>CustomerGroupID</code>	mailxml_base:s25					<code>MailingGroupID</code>	xs:nonNegativeInteger		required			<code>MaildatJobID</code>	mailxml_base:jobIDType					<code>UserLicenseCode</code>	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
<code>CustomerGroupID</code>	mailxml_base:s25																														
<code>MailingGroupID</code>	xs:nonNegativeInteger		required																												
<code>MaildatJobID</code>	mailxml_base:jobIDType																														
<code>UserLicenseCode</code>	mailxml_base:userLicenseCodeType																														
annotation	<p>documentation</p> <p>Query request for for a container bundle report</p>																														

373

374

375 element ContainerBundleReportQueryRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
<td>mailxml_defs:participantIDType</td>	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

376

377

378 element **ContainerBundleReportQueryRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm m:SubmittingSo... { <<mailxml_defs:submittingSoftwareType>> <<attributes>> SoftwareName Vendor Version ApprovalDate ApprovalKey } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

379

380

381 element **ContainerBundleReportQueryRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mailxml_mm m:SubmitterTrac... </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

382

383

384 element **ContainerBundleReportQueryResponse**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Response to the query for a container bundle report																														

385

386

387 element **ContainerBundleReportQueryResponse/TrackingID**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s20									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									

	whiteSpace preserve
--	---------------------

388

389


390 element **ContainerBundleReportQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

391

392


393 element **ContainerBundleReportQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContainerBundleReports

394

395

396 element **ContainerBundleReports**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContainerBundleReportID mailxml_mm:ContainerBundleVersionRecords mailxml_mm:ContainerBundleSummaryRecords mailxml_mm:ReturnInfo
used by	element ContainerBundleReportQueryResponse/QueryResults

397

398

399 element **ContainerBundleReports/ContainerBundleReportID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s12												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>12</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

400

401

402 element **ContainerBundleReports/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

403

404

405 element **ContainerBundleSummaryRecords**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SackTrayContainerRecord mailxml_mm:PalletContainerRecord mailxml_mm:BundleRecord
used by	elements ContainerBundleReportCreateRequest ContainerBundleReports

406

407

408 element **ContainerBundleSummaryRecords/SackTrayContainerRecord**

diagram	<pre> classDiagram class mailxml_mm:sackTrayContai... attribute mailxml_mm:m:PublicationInfo attribute mailxml_mm:m:PublicationTitle attribute mailxml_mm:m:PostageState... attribute mailxml_mm:m:ChargeableCo... attribute mailxml_mm:m:ChargeableEnt... attribute mailxml_mm:m:Containers attribute mailxml_mm:m:IssueDate attribute mailxml_mm:m:IssueNumber attribute mailxml_mm:m:VolumeNumber end class mailxml_mm:m:SackTrayCont... <<0..∞>> end mailxml_mm:m:SackTrayCont... --> mailxml_mm:sackTrayContai... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:sackTrayContainerRecordType
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

409

410


411 element ContainerBundleSummaryRecords/PalletContainerRecord

diagram	<pre> classDiagram class mailxml_mm:m:PalletContainerRecord { mailxml_mm:m:PublicationInfo mailxml_mm:m:PublicationTitle mailxml_mm:m:PostageState... mailxml_mm:m:ChargeableCo... mailxml_mm:m:ChargeableEnt... mailxml_mm:m:Containers mailxml_mm:m:IssueNumber mailxml_mm:m:VolumeNumber mailxml_mm:m:IssueDate } mailxml_mm:m:PalletContainerRecord "0..∞" --> mailxml_mm:m:Containers </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:palletContainerRecordType
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate

412

413


414 element **ContainerBundleSummaryRecords/BundleRecord**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:bundleRecordType
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

415

416


417 element **ContainerBundleVersionRecords**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SackTrayContainerVersionRecord mailxml_mm:PalletContainerVersionRecord mailxml_mm:BundleVersionRecord
used by	elements ContainerBundleReportCreateRequest ContainerBundleReports

418

419

420 element ContainerBundleVersionRecords/SackTrayContainerVersionRecord

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:sackTrayContainerVersionRecordType
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber

421

422

423 element ContainerBundleVersionRecords/PalletContainerVersionRecord

diagram	<pre> classDiagram class mailxml_mm:PalletContainerVersionRecord { <<mailxml_mm:DocumentVersionData>> mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate } mailxml_mm:PalletContainerVersionRecord < -- mailxml_mm:DocumentVersionData mailxml_mm:PalletContainerVersionRecord *-- "0..∞" mailxml_mm:DocumentVersionData </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:palletContainerVersionRecordType</u>
children	<u>mailxml_mm:DocumentVersionData</u> <u>mailxml_mm:PublicationInfo</u> <u>mailxml_mm:PublicationTitle</u> <u>mailxml_mm:PostageStatementLineNumber</u> <u>mailxml_mm:ChargeableContainerLevel</u> <u>mailxml_mm:ChargeableEntryLevel</u> <u>mailxml_mm:Containers</u> <u>mailxml_mm:IssueNumber</u> <u>mailxml_mm:VolumeNumber</u> <u>mailxml_mm:IssueDate</u>

424

425

426 element **ContainerBundleVersionRecords/BundleVersionRecord**

diagram	<pre> classDiagram class mailxml_mm:BundleVersionRecord { mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:mm:PostageStatementLineNumber mailxml_mm:mm:ChargeableContainerLevel mailxml_mm:mm:ChargeableBundleLevel mailxml_mm:mm:Bundles mailxml_mm:mm:IssueDate mailxml_mm:mm:IssueNumber mailxml_mm:mm:VolumeNumber } mailxml_mm:BundleVersionRecord *-- "0..∞" > mailxml_mm:mm:PostageStatementLineNumber </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:bundleVersionRecordType
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:mm:ChargeableContainerLevel mailxml_mm:mm:ChargeableBundleLevel mailxml_mm:mm:Bundles mailxml_mm:mm:IssueDate mailxml_mm:mm:IssueNumber mailxml_mm:mm:VolumeNumber

427


428

429 element **ContainerManifestCancelRequest**

diagram	<pre> classDiagram class ContainerManifestCancelRequest { grp mailxml_mm:ContainerManifestCancelRequest mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm:MaildatJobID mailxml_mm:mm:mm:UserLicenseCode mailxml_mm:mm:mm:ConsigneeContentID mailxml_mm:mm:mm:ConsigneeApptID mailxml_mm:mm:mm:ScheduleDateTime } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class ConsigneeContainerManifestID class ShipperContainerManifestID class Container ContainerManifestCancelRequest "1..∞" --> SubmittingParty ContainerManifestCancelRequest "1..∞" --> SubmittingSoftware ContainerManifestCancelRequest "1..∞" --> SubmitterTrackingID ContainerManifestCancelRequest "1..∞" --> ConsigneeContainerManifestID ContainerManifestCancelRequest "1..∞" --> ShipperContainerManifestID ContainerManifestCancelRequest "1..∞" --> Container </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:mm:ConsigneeContainerManifestID mailxml_mm:mm:ShipperContainerManifestID mailxml_mm:mm:Container																																																
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																
annotation	<p>documentation</p> <p>Message to allow Cancel of Container Manifest data.</p>																																																

431


432 element ContainerManifestCancelRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

433

434


435 element **ContainerManifestCancelRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

436

437

438 element **ContainerManifestCancelRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

439

440

441 element **ContainerManifestCancelRequest/ConsigneeContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

442

443

444 element **ContainerManifestCancelRequest/ShipperContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

445

446

447 element **ContainerManifestCancelRequest/Container**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerManifestType
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

448

449

450 element **ContainerManifestCancelResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestCancelAccept mailxml_mm:ContainerManifestCancelReject

annotation	documentation Response to the message requesting cancelling of container manifest
------------	--

451

452


453 element **ContainerManifestCancelResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

454

455

456 element **ContainerManifestCancelResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

457

458

459 element **ContainerManifestCancelResponse/ContainerManifestCancelAccept**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:CancelledContainers mailxml_mm:ReturnInfo																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																

460

461

462 element

ContainerManifestCancelResponse/ContainerManifestCancelAccept/ConsigneeContainerManifestID

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

463

464

465 element

ContainerManifestCancelResponse/ContainerManifestCancelAccept/ShipperContainerManifestID

diagram	A sequence diagram showing a sequence of elements. The first element is a dashed box labeled "mailxml_mm:m:ShipperContai...". This is followed by a solid box labeled "mailxml_mm:m:IMcb", which is connected to another solid box labeled "mailxml_mm:m:IMtb", which in turn connects to a third solid box labeled "mailxml_mm:m:IMpb".
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

466

467

468 element **ContainerManifestCancelResponse/ContainerManifestCancelAccept/CancelledContainers**

diagram	A sequence diagram showing the structure of the "CancelledContainers" element. It starts with a dashed box labeled "mailxml_mm:m:CancelledCon...". An arrow points from this box to a solid box labeled "mailxml_mm:mm:containerManifestType". This box contains several child elements: "mailxml_mm:m:IMcb", "mailxml_mm:m:IMtb", "mailxml_mm:m:IMpb", "mailxml_mm:m:ContainerID", "mailxml_mm:m:StatementID", "mailxml_mm:m:EntryPoint...", and "mailxml_mm:m:EntryLocaleKey...". The "mailxml_mm:m:ContainerID" and "mailxml_mm:m:StatementID" boxes are grouped within a dashed box labeled "0..∞".
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mm:containerManifestType
children	mailxml_mm:m:IMcb mailxml_mm:m:IMtb mailxml_mm:m:IMpb mailxml_mm:m:ContainerID mailxml_mm:m:StatementID mailxml_mm:m:EntryPointZip mailxml_mm:m:EntryLocaleKey

469

470

471 element **ContainerManifestCancelResponse/ContainerManifestCancelAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

472

473

474 element **ContainerManifestCancelResponse/ContainerManifestCancelReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID

	mailxml_mm:ReturnInfo					
attributes	Name	Type	User	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildatJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				

475

476

477 element

ContainerManifestCancelResponse/ContainerManifestCancelReject/ConsigneeContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

478

479

480 element


ContainerManifestCancelResponse/ContainerManifestCancelReject/ShipperContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

481

482

483 element **ContainerManifestCancelResponse/ContainerManifestCancelReject/ReturnInfo**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

484

485

486 element **ContainerManifestCreateRequest**


diagram	<pre> classDiagram class ContainerManifestCreateRequest { m:CustomerGroupID m:MailingGroupID m:MaildatJobID m:UserLicenseCode m:ConsigneeContact m:ConsigneeApp m:ScheduleDate } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class ShipperContainerManifestID class Container ContainerManifestCreateRequest "Message to allow creation of Container Manifest data." --> SubmittingParty ContainerManifestCreateRequest --> SubmittingSoftware ContainerManifestCreateRequest --> SubmitterTrackingID ContainerManifestCreateRequest --> ShipperContainerManifestID ContainerManifestCreateRequest --> Container </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ShipperContainerManifestID mailxml_mm:Container																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																										
mailxml_mm:CustomerGroupID	mailxml_base:s25																														
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																														
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																														
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e																														

	mailxml_mm:ConsigneeContentID mailxml_mm:ConsigneeApptID mailxml_mm:ScheduleDateTime	mailxml_base:s12 mailxml_base:s12 xs:date
annotation	documentation	Message to allow creation of Container Manifest data.

487

488


489 element **ContainerManifestCreateRequest/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

490

491


492 element **ContainerManifestCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

493

494

495 element **ContainerManifestCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

496

497

498 element **ContainerManifestCreateRequest/ShipperContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

499

500

501 element **ContainerManifestCreateRequest/Container**

diagram	<pre> classDiagram class ContainerManifestCreateRequest { <<mailxml_mm:Container>> } class Container { <<mailxml_mm:m:Container>> } class IMcb class IMtb class IMpb class ContainerID class StatementID class EntryPointZip class EntryLocaleKey ContainerManifestCreateRequest "1..∞" --> Container Container "*" --> "mailxml_mm:ContainerManifest" Container --> IMcb Container --> IMtb Container --> IMpb Container --> ContainerID Container --> StatementID Container --> EntryPointZip Container --> EntryLocaleKey </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerManifestType
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

502

503

504 element **ContainerManifestCreateResponse**

diagram	<pre> classDiagram class ContainerManifestCreateResponse { <<mailxml_mm:Response>> } class ContainerManifestCreateAccept class ContainerManifestCreateReject ContainerManifestCreateResponse --> ContainerManifestCreateAccept ContainerManifestCreateResponse --> ContainerManifestCreateReject </pre> <p>Response to the message requesting creating of container manifest</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestCreateAccept mailxml_mm:ContainerManifestCreateReject
annotation	documentation Response to the message requesting creating of container manifest

505

506

507 element **ContainerManifestCreateResponse/TrackingID**

diagram	<pre> classDiagram class TrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

508

509


510 element ContainerManifestCreateResponse/SubmitterTrackingID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

511

512

513 element ContainerManifestCreateResponse/ContainerManifestCreateAccept

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo

attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n
	mailxml_mm:CustomerGroupID	mailxml_base:s25				
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger				
	mailxml_mm:MaildataJobID	mailxml_base:jobIDType				
	mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e				
	mailxml_mm:ConsigneeContentID	mailxml_base:s12				
	mailxml_mm:ConsigneeApptID	mailxml_base:s12				
	mailxml_mm:ScheduleDateTime	xs:date				

514

515

516 element

ContainerManifestCreateResponse/ContainerManifestCreateAccept/ConsigneeContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

517

518

519 element


ContainerManifestCreateResponse/ContainerManifestCreateAccept/ShipperContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

520

521

522 element **ContainerManifestCreateResponse/ContainerManifestCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

523

524

525 element **ContainerManifestCreateResponse/ContainerManifestCreateReject**

diagram	<pre> classDiagram class ContainerManifest { <<grp mailxml_mm:Contain...>> CustomerGroupID MailingGroupID MaildatJobID UserLicenseCode ConsigneeContentID ConsigneeApptID ScheduleDateTime } ContainerManifest "1" -- "1" ShipperContainerManifest </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us</th> <th>Defaul</th> <th>Fixe</th> <th>Annotatio</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>e</td> <td>t</td> <td>d</td> <td>n</td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us	Defaul	Fixe	Annotatio	mailxml_mm:CustomerGroupID	mailxml_base:s25	e	t	d	n	mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	Us	Defaul	Fixe	Annotatio																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25	e	t	d	n																																												
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																

526

527

528 element

ContainerManifestCreateResponse/ContainerManifestCreateReject/ShipperContainerManifestID

diagram	<pre> classDiagram class ShipperContainerManifestID </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

529

530

531 element **ContainerManifestCreateResponse/ContainerManifestCreateReject/ReturnInfo**

diagram	<pre> classDiagram class mailxml_mm::im::ReturnInfo class mailxml_defs::basicReturnInfoType { <<mailxml_defs::fs::ReturnCode>> <<mailxml_defs::fs::ReturnDescription>> <<mailxml_defs::fs::errorWarning>> <<mailxml_defs::fs::ContainerErrorWarningBlock>> } ReturnInfo "0..∞" -- "0..∞" basicReturnInfoType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

532

533

534 element ContainerManifestUpdateRequest

diagram	<pre> classDiagram class ContainerManifestUpdateRequest { grp mailxml_mm:ContainerManifestUpdateRequest mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm:MaildatJobID mailxml_mm:mm:UserLicenseCode mailxml_mm:mm:ConsigneeContentID mailxml_mm:mm:ConsigneeApptID mailxml_mm:mm:ScheduleDateTime mailxml_mm:mm:SubmittingParty mailxml_mm:mm:SubmittingSoftware mailxml_mm:mm:SubmitterTrackingID mailxml_mm:mm:ConsigneeContainerManifestID mailxml_mm:mm:ShipperContainerManifestID mailxml_mm:mm:Container } note over ContainerManifestUpdateRequest: Message to allow update of Container Manifest data. </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:Container																																																
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																
annotation	documentation Message to allow update of Container Manifest data.																																																

536

537 element ContainerManifestUpdateRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

538

539

540 element **ContainerManifestUpdateRequest/SubmittingSoftware**

diagram	<pre> graph LR A["mailxml_mm:m:SubmittingSo..."] --- B["mailxml_defs:submittingSoft..."] B --- C["attributes"] C --- D["mailxml_defs:fs:SoftwareName"] C --- E["mailxml_defs:fs:Vendor"] C --- F["mailxml_defs:fs:Version"] C --- G["mailxml_defs:fs:ApprovalDate"] C --- H["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

541

542

543 element **ContainerManifestUpdateRequest/SubmitterTrackingID**

diagram	<pre> graph LR A["mailxml_mm:m:SubmitterTrac..."] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

544

545

546 element **ContainerManifestUpdateRequest/ConsigneeContainerManifestID**

diagram	<pre> graph LR A["mailxml_mm:m:ConsigneeCon..."] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

547

548

549 element **ContainerManifestUpdateRequest/ShipperContainerManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

550

551

552 element **ContainerManifestUpdateRequest/Container**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerManifestType
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

553

554

555 element **ContainerManifestUpdateResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerManifestUpdateAccept mailxml_mm:ContainerManifestUpdateReject

annotation	documentation Response to the message requesting updating of container manifest
------------	--

556

557

558 element **ContainerManifestUpdateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

559

560

561 element **ContainerManifestUpdateResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

562

563

564 element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept**

diagram	<pre> classDiagram class ContainerManifestUpdateAccept { <<grp mailxml_mm:ContainerManifestUpdateAccept>> mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm:MaildatJobID mailxml_mm:mm:mm:UserLicenseCode mailxml_mm:mm:mm:ConsigneeContentID mailxml_mm:mm:mm:ConsigneeApptID mailxml_mm:mm:mm:ScheduleDateTime } ContainerManifestUpdateAccept "0..>" --> "0..>" ConsigneeContentID ContainerManifestUpdateAccept "0..>" --> "0..>" ShipperContainerManifestID ContainerManifestUpdateAccept "0..>" --> "0..>" AcceptedContainers ContainerManifestUpdateAccept "0..>" --> "0..>" RejectedContainers ContainerManifestUpdateAccept "0..>" --> "0..>" ReturnInfo </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:AcceptedContainers mailxml_mm:RejectedContainers mailxml_mm:ReturnInfo																																																
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																

565

566

567 element

ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ConsigneeContainerManifestI

D

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

568

569

570 element

ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ShipperContainerManifestID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

571

572

573 element

ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/AcceptedContainers

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerManifestType
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey

574

575

576 element

ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/RejectedContainers

diagram	<pre> classDiagram class mailxml_mm:containerManif... attribute mailxml_mm:m:IMcb attribute mailxml_mm:m:IMtb attribute mailxml_mm:m:IMpb attribute mailxml_mm:m:ContainerID attribute mailxml_mm:m:StatementID attribute mailxml_mm:m:EntryPoint... attribute mailxml_mm:m:EntryLocaleKey... end mailxml_mm:m:RejectedCont... "0..∞" --> mailxml_mm:containerManif... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:containerManifestType
children	mailxml mm:IMcb mailxml mm:IMtb mailxml mm:IMpb mailxml mm:ContainerID mailxml mm:StatementID mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey

577

578

579 element **ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/ReturnInfo**

diagram	<pre> classDiagram class mailxml_defs:basicReturnInfo... attribute mailxml_defs:fs:ReturnCode attribute mailxml_defs:fs:ReturnDescription attribute mailxml_defs:fs:errorWarning attribute mailxml_defs:fs:ContainerErrorWarningBlock end mailxml_mm:m:ReturnInfo "0..∞" --> mailxml_defs:basicReturnInfo... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

580

581

582 element **ContainerManifestUpdateResponse/ContainerManifestUpdateReject**

diagram	<pre> classDiagram class mailxml_mm:m:ContainerMa... { <<Attributes>> mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID mailxml_mm:m:MaildatJobID mailxml_mm:m:UserLicenseCode mailxml_mm:m:ConsigneeCont... mailxml_mm:m:ConsigneeApp... mailxml_mm:m:ScheduleDate... } class mailxml_mm:m:ConsigneeCont... class mailxml_mm:m:ShipperContai... class mailxml_mm:m:ReturnInfo mailxml_mm:m:ContainerMa... "2" --> mailxml_mm:m:ConsigneeCont... mailxml_mm:m:ContainerMa... "2" --> mailxml_mm:m:ShipperContai... mailxml_mm:m:ContainerMa... "2" --> mailxml_mm:m:ReturnInfo </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:ConsigneeContainerManifestID mailxml_mm:ShipperContainerManifestID mailxml_mm:ReturnInfo																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeContentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ConsigneeApptID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:ScheduleDateTime</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_mm:CustomerGroupID	mailxml_base:s25					mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:MaildatJobID	mailxml_base:jobIDType					mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e					mailxml_mm:ConsigneeContentID	mailxml_base:s12					mailxml_mm:ConsigneeApptID	mailxml_base:s12					mailxml_mm:ScheduleDateTime	xs:date				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25																																																
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																																																
mailxml_mm:MaildatJobID	mailxml_base:jobIDType																																																
mailxml_mm:UserLicenseCode	mailxml_base:userLicenseCodeTyp e																																																
mailxml_mm:ConsigneeContentID	mailxml_base:s12																																																
mailxml_mm:ConsigneeApptID	mailxml_base:s12																																																
mailxml_mm:ScheduleDateTime	xs:date																																																

583

584

585 element

ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ConsigneeContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

586

587

588 element


ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ShipperContainerManifestID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

589

590


591 element **ContainerManifestUpdateResponse/ContainerManifestUpdateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

592

593

594 element **ContainerUpdateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:SummaryRecordUpdate

annotation	documentation Request to update Mail.dat container information.
------------	--

595

596

597 element **ContainerUpdateRequest/SubmittingParty**

diagram	<pre> classDiagram class mailxml_mm:m:SubmittingParty class mailxml_defs:participantIDType { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:ScheduledID mailxml_defs:fs:MaildatUserLicense mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID } m < -- participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us</th> <th>Defaul</th> <th>Fixe</th> <th>Annotatio</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td>e</td> <td>t</td> <td>d</td> <td>n</td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ScheduledID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us	Defaul	Fixe	Annotatio	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n	mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:ScheduledID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us	Defaul	Fixe	Annotatio																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n																																												
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:ScheduledID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

598

599

600 element **ContainerUpdateRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm m:SubmittingSoftwareType { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

601

602

603 element **ContainerUpdateRequest/SubmitterTrackingID**


diagram	<pre> classDiagram class mailxml_mm m:SubmitterTrackingID { <<s20>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

604

605

606 element ContainerUpdateRequest/SummaryRecordUpdate

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:summaryRecordUpdateType
children	mailxml mm:FullContainerID mailxml mm:PhysicalPostalCodeEntryPoint mailxml mm:EntryPointEDPostalCode mailxml mm:EntryPointEDFacilityType mailxml mm:DestinationZip mailxml mm:EntryPointFacilityType mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey mailxml mm:EntryPointADLocaleKey mailxml mm:EntryPointADPostalCode mailxml mm:ContainerGroupingDescription mailxml mm:MailOwnerCRID mailxml mm:ParentContainerRefID mailxml mm:SiblingContainerID mailxml mm:TruckDispatchNumber mailxml mm:StopDesignator mailxml mm:ReservationNumber mailxml mm:CarrierID mailxml mm:ContainerShipDate mailxml mm:ContainerShipTime mailxml mm:ScheduledShipDate mailxml mm:ScheduledShipTime mailxml mm:ScheduledShipDateTime mailxml mm:ActualContainerShipDate mailxml mm:ActualContainerShipTime mailxml mm:SchdeuledContainerPickupDate mailxml mm:ScheduledContainerPickupTime mailxml mm:ScheduledInductionDateTime mailxml mm:ActualContainerPickupDate mailxml mm:ActualContainerPickupTime mailxml mm:ContainerAcceptanceDate mailxml mm:ContainerAcceptanceTime mailxml mm:ScheduledInHomeDate mailxml mm:AdditionalInHomeRange mailxml mm:ScheduledInductionStartTime mailxml mm:ScheduledInductionEndTime mailxml mm:ActuallInductionDate mailxml mm:ActualInductionTime mailxml mm:PostageStatementMailingDate mailxml mm:PostageStatementMailingTime mailxml mm:TruckAndDispatchNumber mailxml mm:ContainerReadyToPayTransactionID mailxml mm:TransportationCarrierID mailxml mm:CSATripID mailxml mm:CSADispatchNumber mailxml mm:CSAID mailxml mm:CSADispatchTime mailxml mm:InternalDate mailxml mm:TotalWeight mailxml mm:UniqueContainerID mailxml mm:ContainerStatus mailxml mm:TransShipBoLNumber mailxml mm:PostageGroupingID mailxml mm:ContainerHeightSource mailxml mm:TransportDUNSNumber mailxml mm:IMBarcode mailxml mm:IMpb mailxml mm:ContainerBarcode mailxml mm:UserInformationLine1 mailxml mm:UserInformationLine2 mailxml mm:ConsigneeContentID mailxml mm:FASTSchedulerID mailxml mm:CarrierRouteNumber mailxml mm:CinCode mailxml mm:ParentContainerID mailxml_defs:ContainerDetailData mailxml mm:ContainerDisplayName mailxml mm:ContainerType mailxml mm:ProcessingCategory mailxml mm:IncludedInOtherDoc mailxml mm:SiblingContainerID mailxml mm:SortationLevel mailxml mm:OverflowIndicator mailxml mm:SupplementalPhysicalContainerID mailxml mm:USPSPickup mailxml mm:TotalWeightOfContainer mailxml mm:AdditionalTrayPostageAmount mailxml mm:eInductionIndicator mailxml mm:ReadyForSASP mailxml mm:AcceptMisshipped mailxml mm:LabelDestLine1 mailxml mm:LabelDestLine2 mailxml mm:LabelContentLine1 mailxml mm:LabelContentLine2 mailxml mm:LabelEntryOriginPointLine mailxml mm:LabelUserInfoLine1 mailxml mm:LabelUserInfoLine2 mailxml mm:LabelContLabelCINCode mailxml mm:LabelContLabelType mailxml mm:PresortLabelingListEffectiveDate mailxml mm>LastUsedLabelingListEffectiveDate mailxml mm:PresortCityStatePublicationDate mailxml mm:LastUsedCityStatePublicationDate

	mailxml_mm:PresortZoneChartMatrixPublicationDate mailxml_mm:LastUsedZoneChartMatrixPublication mailxml_mm:LastUsedMailDirectionPublicationDate
--	--

607

608

609 element ContainerUpdateResponse

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ContainerUpdateAccept mailxml_mm:ContainerUpdateReject
annotation	<p>documentation</p> <p>Response to the request to update container information.</p>

610

611

612 element ContainerUpdateResponse/TrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

613

614


615 element ContainerUpdateResponse/SubmitterTrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

616

617


618 element **ContainerUpdateResponse/ContainerUpdateAccept**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:FullContainerID mailxml_mm:ReturnInfo

619

620


621 element **ContainerUpdateResponse/ContainerUpdateAccept/FullContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

622

623

624 element **ContainerUpdateResponse/ContainerUpdateAccept/ReturnInfo**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

625

626


627 element **ContainerUpdateResponse/ContainerUpdateReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:FullContainerID mailxml_mm:ReturnInfo

628

629

630 element **ContainerUpdateResponse/ContainerUpdateReject/FullContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

631

632

633 element **ContainerUpdateResponse/ContainerUpdateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

634

635

636 element **CustomerMailReportCreateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:CustomerGroupID mailxml_mm:m:MailingGroupID mailxml_mm:m:OnePassPlannedOrActual mailxml_mm:m:OnePassOrTwoPass mailxml_mm:m:CustomerMailReportInfo
annotation	documentation Request to create a Customer Mail Report.

637

638

639 element **CustomerMailReportCreateRequest/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCodeType</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

640

641

642 element **CustomerMailReportCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

643

644

645 element **CustomerMailReportCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

646

647

648 element **CustomerMailReportCreateRequest/CustomerGroupID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s25						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 25 whiteSpace preserve
--	-------------------------------------

649

650


651 element **CustomerMailReportCreateRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

652

653


654 element **CustomerMailReportCreateRequest/OnePassPlannedOrActual**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

655

656

657 element **CustomerMailReportCreateRequest/OnePassOrTwoPass**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:onePassOrTwoPassType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>One</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Two</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	One		enumeration	Two	
Kind	Value	Annotation								
enumeration	One									
enumeration	Two									

658

659

660 element **CustomerMailReportCreateRequest/CustomerMailReportInfo**

diagram	<pre> classDiagram class mailxml_mm::customerMailReportInfoType { m:CustomerName m:PermitInfo m:RateAffixed m:AdditionalPermitInfo m:Weight m:TotalPostage m:PostageAffixed m:NumberOfPieces m:RunningTotalNumberofPieces } mailxml_mm::CustomerMailReportInfoType "1..>" -- "----> m:CustomerMailReportInfoType </pre> <p>The diagram shows a UML class named <code>mailxml_mm::customerMailReportInfoType</code>. It has several attributes represented by dashed boxes: <code>m:CustomerName</code>, <code>m:PermitInfo</code>, <code>m:RateAffixed</code>, <code>m:AdditionalPermitInfo</code>, <code>m:Weight</code>, <code>m:TotalPostage</code>, <code>m:PostageAffixed</code>, <code>m:NumberOfPieces</code>, and <code>m:RunningTotalNumberofPieces</code>. There is also a self-association with multiplicity <code>1..></code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<code>mailxml_mm::customerMailReportInfoType</code>
children	<code>mailxml_mm::CustomerName</code> <code>mailxml_mm::PermitInfo</code> <code>mailxml_mm::RateAffixed</code> <code>mailxml_mm::AdditionalPermitInfo</code> <code>mailxml_mm::Weight</code> <code>mailxml_mm::TotalPostage</code> <code>mailxml_mm::PostageAffixed</code> <code>mailxml_mm::NumberOfPieces</code> <code>mailxml_mm::RunningTotalNumberofPieces</code>

661

662

663 element **CustomerMailReportCreateResponse**

diagram	 <pre> sequenceDiagram participant CMRC as CustomerMailReportCreate... participant MM as mailxml_mm CMRC->>MM: CustomerMailReportCreateAccept activate MM MM-->>CMRC: mailxml_mm:CustomerMailReportCreateAccept deactivate MM </pre> <p>Response to the Request to create a Customer Mail Report</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerMailReportCreateAccept mailxml_mm:CustomerMailReportCreateReject
annotation	<p>documentation</p> <p>Response to the Request to create a Customer Mail Report</p>

664

665

666 element **CustomerMailReportCreateResponse/TrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

667

668


669 element **CustomerMailReportCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

670

671


672 element **CustomerMailReportCreateResponse/CustomerMailReportCreateAccept**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReturnInfo

673

674


675 element **CustomerMailReportCreateResponse/CustomerMailReportCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

676

677


678 element **CustomerMailReportCreateResponse/CustomerMailReportCreateReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReturnInfo

679

680

681 element **CustomerMailReportCreateResponse/CustomerMailReportCreateReject/ReturnInfo**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning

	mailxml_defs:ContainerErrorWarningBlock
--	--

682

683

684 element **DateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:BeginDateRange mailxml_mm:EndDateRange
used by	complexTypes invoiceRequestHeaderInfoType invoiceResponseHeaderInfoType

685

686

687 element **DateRange/BeginDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

688

689

690 element **DateRange/EndDateRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

691

692

693 element **DocumentVersionData**

diagram	<pre> classDiagram class DocumentVersionData { <<DocumentVersionData>> <<mailxml_mm:m:VersionID>> <<mailxml_mm:m:VersionName>> <<mailxml_mm:m:VersionDescri...>> <<mailxml_mm:m:PieceWeight>> <<mailxml_mm:m:AdPercent>> <<mailxml_mm:m:RateAffixed>> <<mailxml_mm:m:PMODIndicator>> <<mailxml_mm:m:MailCharacter...>> <<mailxml_mm:m:GpExtraServic...>> <<mailxml_mm:m:GpExtraServic...>> <<mailxml_mm:m:ApprovedPiec...>> <<mailxml_mm:m:ApprovedPiec...>> } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:VersionID mailxml mm:VersionName mailxml mm:VersionDescription mailxml mm:PieceWeight mailxml mm:AdPercent mailxml mm:RateAffixed mailxml mm:PMODIndicator mailxml mm:MailCharacteristic mailxml mm:GpExtraServiceType mailxml mm:GpExtraServiceBarcode mailxml mm:ApprovedPieceDesignType mailxml mm:ApprovedPieceDesign
used by	complexTypes abstractInternationalPostageStatementDataType abstractPeriodicalStatementDataType abstractPostageStatementDataType bundleVersionRecordType palletContainerVersionRecordType sackTrayContainerVersionRecordType

694

695

696 element **DocumentVersionData/VersionID**

diagram	<pre> classDiagram class VersionID { <<mailxml_mm:m:VersionID>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

697

698

699 element **DocumentVersionData/VersionName**

diagram	 mailxml_mm:VersionName
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s12
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

700

701

702 element **DocumentVersionData/VersionDescription**

diagram	 mailxml_mm:VersionDescri...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s30
facets	Kind Value Annotation minLength 1 maxLength 30 whiteSpace preserve

703

704

705 element **DocumentVersionData/PieceWeight**

diagram	 mailxml_mm:PieceWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

706

707

708 element **DocumentVersionData/AdPercent**

diagram	 mailxml_mm:AdPercent
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:percentageType
facets	Kind Value Annotation minInclusive 0.00 maxInclusive 100.00 totalDigits 5 fractionDigits 2

709

710


711 element **DocumentVersionData/RateAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

712

713


714 element **DocumentVersionData/PMODIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

715

716


717 element **DocumentVersionData/MailCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailCharacteristicsType
children	mailxml_mm:Fee mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:eMailpieceSampleGroupID

718

719

720 element **DocumentVersionData/GpExtraServiceType**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:gpExtraServiceTypeType		
facets	Kind	Value	Annotation
	enumeration	B	
	enumeration	F	

721

722

723 element DocumentVersionData/GpExtraServiceBarcode

diagram	<pre> classDiagram class intelligentMailBarcode { <<mailxml_defs>> <<fs>> <<fs:PostalRoutingCodeAppID>> <<fs:DestinationZipCode>> <<fs:ChannelApplicationIdentifier>> <<fs:ServiceTypeCode>> <<fs:MailerID6>> <<fs:SerialNumber10or14>> <<fs:MailerID9>> <<fs:SerialNumber7or11>> <<fs:Mod10CheckDigit>> } class GpExtraServiceBarcode { <<mailxml_mm>> <<m:GpExtraServiceBarcode>> } intelligentMailBarcode "3" -- "1" GpExtraServiceBarcode intelligentMailBarcode "3" -- "1" PostalRoutingCodeAppID intelligentMailBarcode "3" -- "1" DestinationZipCode intelligentMailBarcode "3" -- "1" ChannelApplicationIdentifier intelligentMailBarcode "3" -- "1" ServiceTypeCode intelligentMailBarcode "3" -- "1" MailerID6 intelligentMailBarcode "3" -- "1" SerialNumber10or14 intelligentMailBarcode "3" -- "1" MailerID9 intelligentMailBarcode "3" -- "1" SerialNumber7or11 intelligentMailBarcode "3" -- "1" Mod10CheckDigit </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

724

725

726 element DocumentVersionData/ApprovedPieceDesignType

diagram	<pre> classDiagram class approvedPieceDesignType { <<mailxml_base>> <<m:ApprovedPieceDesignType>> } class ApprovedPieceDesignType { <<mailxml_mm>> <<m:ApprovedPieceDesignType>> } approvedPieceDesignType "3" -- "1" ApprovedPieceDesignType approvedPieceDesignType "3" -- "1" pieceDesignType ApprovedPieceDesignType "3" -- "1" pieceDesignType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:approvedPieceDesignTypeType
facets	Kind enumeration C enumeration P

727

728

729 element **DocumentVersionData/ApprovedPieceDesign**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns07

730

731

732 element **DocumentVersionDataWithPermit**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:VersionID mailxml_mm:VersionName mailxml_mm:VersionDescription mailxml_mm:PieceWeight mailxml_mm:AdPercent mailxml_mm:RateAffixed mailxml_mm:PermitPublicationData mailxml_mm:TotalCopies mailxml_mm:MailCharacteristic mailxml_mm:GpExtraServiceType mailxml_mm:GpExtraServiceBarcode mailxml_mm:ReferenceableMailID mailxml_mm:ApprovedPieceDesignType mailxml_mm:ApprovedPieceDesign
used by	complexTypes qualificationReportDataType qualificationReportDetailDataType

733

734

735 element **DocumentVersionDataWithPermit/VersionID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

736

737

738 element **DocumentVersionDataWithPermit/VersionName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

739

740


741 element **DocumentVersionDataWithPermit/VersionDescription**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

742

743

744 element **DocumentVersionDataWithPermit/PieceWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

745

746

747 element **DocumentVersionDataWithPermit/AdPercent**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:percentageType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.00</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>100.00</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>5</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	0.00		maxInclusive	100.00		totalDigits	5		fractionDigits	2	
Kind	Value	Annotation														
minInclusive	0.00															
maxInclusive	100.00															
totalDigits	5															
fractionDigits	2															

748

749


750 element **DocumentVersionDataWithPermit/RateAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

751

752

753 element **DocumentVersionDataWithPermit/PermitPublicationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

754

755


756 element **DocumentVersionDataWithPermit/TotalCopies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

757

758

759 element **DocumentVersionDataWithPermit/MailCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailCharacteristicsType
children	mailxml_mm:Fee mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:eMailpieceSampleGroupID

760

761


762 element **DocumentVersionDataWithPermit/GpExtraServiceType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:gpExtraServiceTypeType
facets	Kind Value Annotation enumeration B enumeration F

763

764

765 element **DocumentVersionDataWithPermit/GpExtraServiceBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

766

767


768 element **DocumentVersionDataWithPermit/ReferenceableMailID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

769

770

771 element **DocumentVersionDataWithPermit/ApprovedPieceDesignType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:approvedPieceDesignTypeType

facets	Kind	Value	Annotation
	enumeration	C	
	enumeration	P	

772

773

774 element **DocumentVersionDataWithPermit/ApprovedPieceDesign**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns07

775

776

777 element **EndCombinedMailingRequest**

diagram	<pre> graph LR ECER[EndCombinedMailingRequest] --> Attr[attributes] Attr --> Grp[grp mailxml_mm:MailXML...] Grp --> AttrList[mailxml_mm:m:CustomerGroupID mailxml_mm:m:IssueDate mailxml_mm:m:IssueNumber mailxml_mm:m:VolumeNumber mailxml_mm:m:CustomerReference mailxml_mm:m:AgencyCostCode mailxml_mm:m:PermitNumber mailxml_mm:m:PermitType mailxml_mm:m:PermitZip4 mailxml_mm:m:PublicationNumber mailxml_mm:m:PostageState mailxml_mm:m:RateType mailxml_mm:m:ProcessingCategory] ECER --- Comp[mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:CombinedMailingID] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:CombinedMailingID																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td><td>mailxml_base:s25</td><td>required</td><td></td><td></td><td></td></tr> <tr> <td>mailxml_mm:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr> <tr> <td>mailxml_mm:IssueDate</td><td>xs:date</td><td></td><td></td><td></td><td></td></tr> <tr> <td>mailxml_mm:IssueNumber</td><td>mailxml_base:s06</td><td></td><td></td><td></td><td></td></tr> <tr> <td>mailxml_mm:VolumeNumber</td><td>mailxml_base:s05</td><td></td><td></td><td></td><td></td></tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	<p>mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatement Method mailxml_mm:RateType mailxml_mm:ProcessingCategory</p> <p>mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType</p>
annotation	<p>documentation Request to end/delete a combined mailing in which multiple postage payment methods (and or multiple permit numbers within the same payment method) are presorted together.</p>

778

779

780 element **EndCombinedMailingRequest/SubmittingParty**


diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:m:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicense ShippingAgentID ReceivingAge </> } SubmittingParty "1..1" *-- "*" participantIDType </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

781

782


783 element **EndCombinedMailingRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

784

785


786 element **EndCombinedMailingRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

787

788

789 element **EndCombinedMailingRequest/CombinedMailingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger
------	------------------------------

790

791

792 element **EndCombinedMailingResponse**

diagram	<pre> sequenceDiagram participant EC as EndCombinedMailingResponse participant MM as mailxml_mm:m:* EC->>MM: activate MM MM-->>EC: activate EC EC->>MM: activate MM MM-->>EC: deactivate EC deactivate MM </pre> <p>The diagram illustrates the interaction for ending a combined mailing. It starts with an EndCombinedMailingResponse object sending a message to a mailxml_mm:m:* object. This triggers a response from the mailxml_mm:m:* object back to the EndCombinedMailingResponse object. Subsequently, the EndCombinedMailingResponse object sends another message to the mailxml_mm:m:* object, which then sends a final response back to the EndCombinedMailingResponse object.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:EndCombinedMailingAccept mailxml_mm:m:EndCombinedMailingReject
annotation	documentation Response from the USPS to a customer requesting to end a combined mailing.

793

794

795 element **EndCombinedMailingResponse/TrackingID**

diagram	<pre> classDiagram class TrackingID </pre> <p>The diagram shows a single class named TrackingID.</p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

796

797

798 element **EndCombinedMailingResponse/SubmitterTrackingID**

diagram	<pre> classDiagram class SubmitterTrackingID </pre> <p>The diagram shows a single class named SubmitterTrackingID.</p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

799

800

801 element **EndCombinedMailingResponse/EndCombinedMailingAccept**

diagram	<p>Response from the USPS notifying a customer a combined mailing has been ended.</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:CombinedMailingID mailxml_mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs:Status	mailxml_base:statusType																								
annotation	<p>documentation</p> <p>Response from the USPS notifying a customer a combined mailing has been ended.</p>																								

802

803

804 element **EndCombinedMailingResponse/EndCombinedMailingAccept/CombinedMailingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

805

806

807 element **EndCombinedMailingResponse/EndCombinedMailingAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

808

809


810 element **EndCombinedMailingResponse/EndCombinedMailingReject**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs>Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs>Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs>Status	mailxml_base:statusType																								
annotation	documentation Response from the USPS notifying a customer a combined mailing could not be ended and why.																								

811

812


813 element **EndCombinedMailingResponse/EndCombinedMailingReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

814

815


816 element **ExtraServiceSummaryData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:LineLabel mailxml_mm:m:LineNumber mailxml_mm:m:Section mailxml_mm:m:ServiceCode mailxml_mm:m:TotalAmount mailxml_mm:m:CollectAmount mailxml_mm:m:TotalPieces mailxml_mm:m:USPSPackageUniqueCharacteristic
used by	complexTypes abstractInternationalPostageStatementDataType abstractPostageStatementDataType

817

818


819 element ExtraServiceSummaryData/LineLabel

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s80
facets	Kind Value Annotation minLength 1 maxLength 80 whiteSpace preserve

820

821

822 element ExtraServiceSummaryData/LineNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03
facets	Kind Value Annotation minLength 1 maxLength 3 whiteSpace preserve

823

824

825 element ExtraServiceSummaryData/Section

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s01
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve

826

827

828 element ExtraServiceSummaryData/ServiceCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:serviceCodeType
facets	Kind Value Annotation enumeration CM enumeration COD

	enumeration CODE
	enumeration COM
	enumeration DC
	enumeration IM
	enumeration PAL
	enumeration RM
	enumeration RRE
	enumeration SC
	enumeration SH
	enumeration AS
	enumeration RAS
	enumeration DCD
	enumeration CBM
	enumeration NP
	enumeration AA
	enumeration DP
	enumeration HZ
	enumeration PR
	enumeration PP
	enumeration CA
	enumeration CD
	enumeration C2
	enumeration J2
	enumeration IR
	enumeration R2
	enumeration SC2
	enumeration RR
	enumeration L1
	enumeration L2
	enumeration L3
	enumeration L4
	enumeration B2
	enumeration B3

829

830


831 element **ExtraServiceSummaryData/TotalAmount**

diagram	 mailxml_mm:TotalAmount
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

832

833

834 element **ExtraServiceSummaryData/CollectAmount**

diagram	 mailxml_mm:CollectAmount
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

835

836


837 element **ExtraServiceSummaryData/TotalPieces**

diagram	 mailxml_mm:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

838

839

840 element **ExtraServiceSummaryData/USPSPackageUniqueCharacteristic**

diagram	 mailxml_mm:USPSPackageU...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:uspsPackageUniqueCharacteristicType

841

842

843 element **InformedDeliveryCampaignCancelRequest**

diagram	<pre> classDiagram class InformedDeliveryCampaignCancelRequest { <<Request to cancel Informed Delivery Campaigns separate from presort. Prerequisite to submitting this message is the OpenMailingGroupRequest>> } class mailxml_mm::informedDeliveryCampaignDeleteRequestType { <<Extension of mailxml_mm:informedDeliveryCampaignDeleteRequestType>> } class mailxml_mm::SubmittingParty class mailxml_mm::SubmittingSoftware class mailxml_mm::SubmitterTrackingID class mailxml_mm::CustomerGroupID class mailxml_mm::TransmittedCount class mailxml_mm::InformedDeliveryCampaignData InformedDeliveryCampaignCancelRequest < -- mailxml_mm::informedDeliveryCampaignDeleteRequestType mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::SubmittingParty mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::SubmittingSoftware mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::SubmitterTrackingID mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::CustomerGroupID mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::TransmittedCount mailxml_mm::informedDeliveryCampaignDeleteRequestType < -- mailxml_mm::InformedDeliveryCampaignData </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	extension of mailxml_mm:informedDeliveryCampaignDeleteRequestType																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID mailxml_mm:TransmittedCount mailxml_mm:InformedDeliveryCampaignData																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTy pe</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ConsigneeCampaignID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger					mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy pe					mailxml_defs:ConsigneeCampaignID	mailxml_base:s25				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																
mailxml_defs:CustomerGroupID	mailxml_base:s25																																				
mailxml_defs:MailingGroupID	xs:nonNegativeInteger																																				
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																																				
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy pe																																				
mailxml_defs:ConsigneeCampaignID	mailxml_base:s25																																				
annotation	<p>documentation</p> <p>Request to cancel Informed Delivery Campaigns separate from presort. Prerequisite to submitting this message is the OpenMailingGroupRequest</p>																																				

--	--

844

845

846 element **InformedDeliveryCampaignCancelResponse**

diagram	<p>Response to the request to delete an Informed Delivery campaign.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:InformedDeliveryCampaignDeleteAccept mailxml_mm:m:InformedDeliveryCampaignDeleteReject
annotation	<p>documentation</p> <p>Response to the request to delete an Informed Delivery campaign.</p>

847

848

849 element **InformedDeliveryCampaignCancelResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

850

851

852 element **InformedDeliveryCampaignCancelResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

853

854

855 element **InformedDeliveryCampaignCancelResponse/InformedDeliveryCampaignDeleteAccept**

diagram	<pre> classDiagram class InformedDeliveryCampaignDeleteAccept { grp mailxml_defs:MailXML... mailxml_defs:fs:CustomerGrou... mailxml_defs:fs:MailingGroupID mailxml_defs:fs:MaildatJobID mailxml_defs:fs:UserLicenseCo... mailxml_defs:fs:ConsigneeCa... mailxml_mm:m:ReturnInfo } InformedDeliveryCampaignDeleteAccept "1..∞" --> "1..∞" ReturnInfo </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:ReturnInfo																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ConsigneeCampaignID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger					mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ConsigneeCampaignID	mailxml_base:s25				
Name	Type	User	Default	Fixed	Annotation																																
mailxml_defs:CustomerGroupID	mailxml_base:s25																																				
mailxml_defs:MailingGroupID	xs:nonNegativeInteger																																				
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																																				
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																																				
mailxml_defs:ConsigneeCampaignID	mailxml_base:s25																																				

856

857

858 element

InformedDeliveryCampaignCancelResponse/InformedDeliveryCampaignDeleteAccept/ReturnInfo

diagram	<pre> classDiagram class ReturnInfo { mailxml_defs:basicReturnInfo mailxml_defs:fs:ReturnCode mailxml_defs:fs:ReturnDescrip... mailxml_defs:fs:errorWarning mailxml_defs:fs:ContainerErr... } ReturnInfo "0..∞" --> "0..∞" basicReturnInfo ReturnInfo "0..∞" --> "0..∞" ReturnCode ReturnInfo "0..∞" --> "0..∞" ReturnDescrip... ReturnInfo "0..∞" --> "0..∞" errorWarning ReturnInfo "0..∞" --> "0..∞" ContainerErr... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

859

860

861 element **InformedDeliveryCampaignCancelResponse/InformedDeliveryCampaignDeleteReject**


diagram	<pre> classDiagram class InformedDeliveryCampaignDeleteReject { <<mailxml_mm:m>> } class ReturnInfo { <<mailxml_mm:m>> } InformedDeliveryCampaignDeleteReject "0..*" --> "0..*" InformedDeliveryCampaignDeleteReject InformedDeliveryCampaignDeleteReject --> ReturnInfo </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:ReturnInfo																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTy pe</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ConsigneeCampaign ID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger					mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy pe					mailxml_defs:ConsigneeCampaign ID	mailxml_base:s25				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																
mailxml_defs:CustomerGroupID	mailxml_base:s25																																				
mailxml_defs:MailingGroupID	xs:nonNegativeInteger																																				
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																																				
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy pe																																				
mailxml_defs:ConsigneeCampaign ID	mailxml_base:s25																																				

862

863

864 element

InformedDeliveryCampaignCancelResponse/InformedDeliveryCampaignDeleteReject/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

865

866

867 element **InformedDeliveryCampaignCreateRequest**

diagram	<pre> classDiagram class InformedDeliveryCampaignCreateRequest { "Request to create Informed Delivery Campaigns separate from presort. Prerequisite to submitting this message is the OpenMailingGroupRequest" } class mailxml_mm::informedDeliveryCampaignCreateRequestType { mSubmittingParty mSubmittingSoftware mSubmitterTrackingID mCustomerGroupID mInformedDeliveryCampaignID mTransmittedCount } InformedDeliveryCampaignCreateRequest < -- mailxml_mm::informedDeliveryCampaignCreateRequestType mailxml_mm::informedDeliveryCampaignCreateRequestType { attributes grp mailxml_defs::LargeTransactions { fs:MessageGroupID fs>TotalMessageCount fs:MessageSerialNumber fs:TransmittedRecordsCount fs>TotalRecordsAffected fs>LastMessage } grp mailxml_defs::MailXMLDefinitions { fs:CustomerGroupID fs>MailingGroupID fs:MaildatJobID fs>UserLicenseCode } } } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml_mm:informedDeliveryCampaignCreateRequestType
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID

	mailxml mm:MailingGroupID mailxml mm:TransmittedCount mailxml mm:InformedDeliveryCampaignData					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	option	al		
	mailxml_defs:TotalMessageCount	xs:positiveInteger	option	al		
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	option	al		
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	option	al		
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	option	al		
	mailxml_defs:LastMessage	mailxml_base:yesNo	option	al	No	
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation "Request to create Informed Delivery Campaigns separate from presort. Prerequisite to submitting this message is the OpenMailingGroupRequest"					

868

869

870 element **InformedDeliveryCampaignCreateResponse**

diagram	<pre> sequenceDiagram participant CID as InformedDeliveryCampaignCreateResponse participant IDCA as InformedDeliveryCampaignCreateAccept participant IDCRA as InformedDeliveryCampaignCreateReject CID->>IDCA: Response to the request to create an Informed Delivery campaign. IDCA->>IDCRA: </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:InformedDeliveryCampaignCreateAccept mailxml mm:InformedDeliveryCampaignCreateReject
annotation	documentation Response to the request to create an Informed Delivery campaign.

871

872

873 element **InformedDeliveryCampaignCreateResponse/TrackingID**


diagram	<pre> classDiagram class TrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

874

875


876 element **InformedDeliveryCampaignCreateResponse/SubmitterTrackingID**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s20
	facets	Kind minLength maxLength whiteSpace

877

878

879 element **InformedDeliveryCampaignCreateResponse/InformedDeliveryCampaignCreateAccept**


	diagram																															
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
	children	mailxml_mm:ReturnInfo																														
	attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																											
mailxml_defs:CustomerGroupID	mailxml_base:s25																															
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																															
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																															

880

881

882 element


InformedDeliveryCampaignCreateResponse/InformedDeliveryCampaignCreateAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

883

884

885 element InformedDeliveryCampaignCreateResponse/InformedDeliveryCampaignCreateReject

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeTy</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeTy																														

	pe
886	
887	
888	element InformedDeliveryCampaignCreateResponse/InformedDeliveryCampaignCreateReject/ReturnInfo
diagram	<pre> classDiagram class mailxml_defs::basicReturnInfo class mailxml_mm::m::ReturnInfo class mailxml_defs::fs::ReturnCode class mailxml_defs::fs::ReturnDescription class mailxml_defs::fs::errorWarning class mailxml_defs::fs::ContainerErrorWarningBlock m:ReturnInfo "0..∞" -- "0..∞" basicReturnInfo fs::ReturnCode "0..∞" -- "0..∞" basicReturnInfo fs::ReturnDescription "0..∞" -- "0..∞" basicReturnInfo fs::errorWarning "0..∞" -- "0..∞" basicReturnInfo </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

889

890

891 element **InternationalPostageStatementCreateRequest**

diagram	<pre> classDiagram class InternationalPostageStatementCreateRequest { <<Request to create a postage statement.>> attribute grp mailxml_mm:MailXML... attribute mailxml_mm:m:CustomerGrou... attribute mailxml_mm:m:MailingGroupID attribute mailxml_mm:m:IssueDate attribute mailxml_mm:m:IssueNumber attribute mailxml_mm:m:VolumeNumber attribute mailxml_mm:m:CustomerRefer... attribute mailxml_mm:m:AgencyCostCode attribute mailxml_mm:m:PermitNumber attribute mailxml_mm:m:PermitType attribute mailxml_mm:m:PermitZip4 attribute mailxml_mm:m:PublicationNU... attribute mailxml_mm:m:PostageState... attribute mailxml_mm:m:RateType attribute mailxml_mm:m:ProcessingCat... attribute mailxml_mm:m:SubmittingPa... attribute mailxml_mm:m:SubmittingSo... attribute mailxml_mm:m:SubmitterTrac... attribute mailxml_mm:m>CreatePostag... } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreatePostageStatement																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Request to create a postage statement.	

892

893

894 element **InternationalPostageStatementCreateRequest/SubmittingParty**

diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

895

896

897 element **InternationalPostageStatementCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

898

899


900 element **InternationalPostageStatementCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

901

902

903 element **InternationalPostageStatementCreateRequest/CreatePostageStatement**




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:createInternationalPostageStatementType
children	mailxml mm:AgencyCostCode mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CanadaAdmailOnly mailxml mm:UnderICMAgreement mailxml mm:ICMAGreementNumber mailxml mm:DirectShipmentCountry mailxml mm:TareWeight mailxml mm:ReceiptNo mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:InternationalPostageStatementLineItemSummaryData mailxml mm:InternationalPostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:ContainerPostage mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData

904

905


906 element **InternationalPostageStatementCreateResponse**



907

908

909 element **InternationalPostageStatementCreateResponse/TrackingID**



type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

910

911

912 element **InternationalPostageStatementCreateResponse/SubmitterTrackingID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

913

914

915 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
children	mailxml_mm:StatementID mailxml_mm:UserPostageStatementID mailxml_mm:TotalPostage mailxml_mm:TotalPostageDue mailxml_mm:ReturnInfo												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
Name	Type	Use	Default	Fixed	Annotation								
mailxml_mm:CustomerGroupID	mailxml_base:s25	required											

	mailxml_mm:MailingGroupID mailxml_mm>Status	xs:nonNegativeInteger mailxml_base:statusType	required
--	--	--	----------

916

917

918 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/StatementID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

919

920

921 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/UserPostageStatementID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

922

923

924 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/TotalPostage

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

925

926

927 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/TotalPostageDue

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

928

929

930 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateAccept/Return Info

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

931

932

933 element

InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateReject


diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm>Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm>Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm>Status	mailxml_base:statusType																								

934

935

936 element


InternationalPostageStatementCreateResponse/InternationalPostageStatementCreateReject/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

937

938

939 element **InternationalPostageStatementLineItemData**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:PostageStatementPart mailxml mm:PostageStatementPartsSection mailxml mm:InternationalPriceGroupNumber mailxml mm:ProcessingCategory mailxml mm:ContainerDisplayName mailxml mm:ContainerID mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PieceRate mailxml mm:PostageAmount mailxml mm:PoundRate mailxml mm:RateCategory mailxml mm:DirectOrMixedCategory mailxml mm:IsWorldwidePresortPriceGroup mailxml mm:Section mailxml mm:PriceType mailxml mm:SinglePieceWeight mailxml mm:SurchargeType mailxml mm:TotalPieces mailxml mm:TotalWeight mailxml mm:VersionID mailxml mm:ContainerType mailxml mm:FlatRateIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:DestinationCountry mailxml mm:NoOfSacks mailxml mm:IncentivePercentage mailxml mm:PostageIncentiveAmount mailxml mm:UnderWeightIncentivePerPiece mailxml mm:MailCharacteristic
used by	complexType abstractInternationalPostageStatementDataType

940

941

942 element **InternationalPostageStatementLineItemData/PostageStatementPart**

diagram	 mailxml_mm:im:PostageState...																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																													
type	mailxml mm:internationalPSPartType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>G</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>J</td> <td></td> </tr> <tr> <td>enumeration</td> <td>K</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Q</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	Q		enumeration	R		enumeration	S	
Kind	Value	Annotation																																												
enumeration	A																																													
enumeration	B																																													
enumeration	C																																													
enumeration	D																																													
enumeration	E																																													
enumeration	F																																													
enumeration	G																																													
enumeration	H																																													
enumeration	I																																													
enumeration	J																																													
enumeration	K																																													
enumeration	Q																																													
enumeration	R																																													
enumeration	S																																													

943

944

945 element **InternationalPostageStatementLineItemData/PostageStatementPartsSection**

diagram	 mailxml_mm:im:PostageState...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_mm:internationalPSPartSectionType		
facets	Kind	Value	Annotation
	enumeration	ICLM	
	enumeration	ICLO	
	enumeration	ICLP	
	enumeration	ICLPL	
	enumeration	ICLS	
	enumeration	ICOM	
	enumeration	ICOP	
	enumeration	IEM	
	enumeration	IEMF	
	enumeration	IFCP	
	enumeration	IFE	
	enumeration	IFLB	
	enumeration	IFMB	
	enumeration	IFSB	
	enumeration	IGBB	
	enumeration	IGBM	
	enumeration	IGD	
	enumeration	IGXG	
	enumeration	ILDC	
	enumeration	ILDD	
	enumeration	ILDF	
	enumeration	IMBG	
	enumeration	INDG	
	enumeration	IPM	
	enumeration	IPMI	
	enumeration	IPMM	
	enumeration	IRV	
	enumeration	ISAL	
	enumeration	ISAM	

946

947

948 element **InternationalPostageStatementLineItemData/InternationalPriceGroupNumber**

diagram	 mailxml_mm:im:InternationalP...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

949

950

951 element **InternationalPostageStatementLineItemData/ProcessingCategory**

diagram	 mailxml_mm:im:ProcessingCat...
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:processingCategoryType		
facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

952

953


954 element **InternationalPostageStatementLineItemData/ContainerDisplayName**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s50
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

955

956


957 element **InternationalPostageStatementLineItemData/ContainerID**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

958

959

960 element **InternationalPostageStatementLineItemData/EntryFacilityType**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:entryFacilityType																											
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>enumeration</td><td>O</td><td></td></tr> <tr> <td>enumeration</td><td>B</td><td></td></tr> <tr> <td>enumeration</td><td>S</td><td></td></tr> <tr> <td>enumeration</td><td>D</td><td></td></tr> <tr> <td>enumeration</td><td>A</td><td></td></tr> <tr> <td>enumeration</td><td>W</td><td></td></tr> <tr> <td>enumeration</td><td>H</td><td></td></tr> <tr> <td>enumeration</td><td>R</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	O		enumeration	B		enumeration	S		enumeration	D		enumeration	A		enumeration	W		enumeration	H		enumeration	R	
Kind	Value	Annotation																										
enumeration	O																											
enumeration	B																											
enumeration	S																											
enumeration	D																											
enumeration	A																											
enumeration	W																											
enumeration	H																											
enumeration	R																											

961

962

963 element **InternationalPostageStatementLineItemData/EntryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

964

965

966 element **InternationalPostageStatementLineItemData/LineLabel**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s80												
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>80</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	80		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	80												
whiteSpace	preserve												

967

968

969 element **InternationalPostageStatementLineItemData/LineNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>3</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

970

971

972 element **InternationalPostageStatementLineItemData/PieceRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

973

974

975 element **InternationalPostageStatementLineItemData/PostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

976

977

978 element **InternationalPostageStatementLineItemData/PoundRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

979

980

981 element **InternationalPostageStatementLineItemData/RateCategory**

diagram																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																													
type	mailxml_mm:rateCategoryType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	A1		enumeration	AF		enumeration	B		enumeration	B1		enumeration	B2		enumeration	BF		enumeration	C		enumeration	C1		enumeration	D		enumeration	D1		enumeration	DF		enumeration	E		enumeration	FB	
Kind	Value	Annotation																																												
enumeration	A																																													
enumeration	A1																																													
enumeration	AF																																													
enumeration	B																																													
enumeration	B1																																													
enumeration	B2																																													
enumeration	BF																																													
enumeration	C																																													
enumeration	C1																																													
enumeration	D																																													
enumeration	D1																																													
enumeration	DF																																													
enumeration	E																																													
enumeration	FB																																													

	enumeration	G
	enumeration	GF
	enumeration	H
	enumeration	K
	enumeration	KF
	enumeration	L
	enumeration	L1
	enumeration	L2
	enumeration	L3
	enumeration	L4
	enumeration	L5
	enumeration	L6
	enumeration	L7
	enumeration	L8
	enumeration	TQ
	enumeration	TR
	enumeration	N
	enumeration	O
	enumeration	O1
	enumeration	PI
	enumeration	PM
	enumeration	P7
	enumeration	P8
	enumeration	PE
	enumeration	PQ
	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17

	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63

	enumeration IK64
	enumeration IK65
	enumeration IK66
	enumeration IK67
	enumeration IQ68
	enumeration IR69
	enumeration PS1
	enumeration PS2
	enumeration PS3
	enumeration PS4
	enumeration PS5
	enumeration PS6
	enumeration PS7
	enumeration PS8
	enumeration PS9
	enumeration PS10
	enumeration PS11
	enumeration Z
	enumeration D2
	enumeration TE
	enumeration TK
	enumeration PO

982

983


984 element **InternationalPostageStatementLineItemData/DirectOrMixedCategory**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:directOrMixedCategoryType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Direct</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Mixed</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Direct		enumeration	Mixed	
Kind	Value	Annotation								
enumeration	Direct									
enumeration	Mixed									

985

986

987 element **InternationalPostageStatementLineItemData/IsWorldwidePresortPriceGroup**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

988

989

990 element **InternationalPostageStatementLineItemData/Section**

diagram	 mailxml_mm:im:Section
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s01
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve

991

992

993 element **InternationalPostageStatementLineItemData/PriceType**

diagram	 mailxml_mm:im:PriceType
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:priceType
facets	Kind Value Annotation enumeration commercial enumeration commercialplus enumeration retail

994

995


996 element **InternationalPostageStatementLineItemData/SinglePieceWeight**

diagram	 mailxml_mm:im:SinglePieceWe...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

997

998

999 element **InternationalPostageStatementLineItemData/SurchargeType**

diagram	 mailxml_mm:im:SurchargeType
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:surchargeType
facets	Kind Value Annotation enumeration 2 enumeration A enumeration D enumeration N enumeration P

	enumeration E enumeration R enumeration L
--	---

1000

1001


1002 element **InternationalPostageStatementLineItemData/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1003

1004


1005 element **InternationalPostageStatementLineItemData/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1006

1007


1008 element **InternationalPostageStatementLineItemData/VersionID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

1009

1010

1011 element **InternationalPostageStatementLineItemData/ContainerType**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:mailXMLContainerType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	5																		

	enumeration 6
	enumeration 7
	enumeration 8
	enumeration 9
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

1012

1013

1014 element **InternationalPostageStatementLineItemData/FlatRateIndicator**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:flatRateIndicatorType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	E		enumeration	L		enumeration	M		enumeration	O	
Kind	Value	Annotation																	
enumeration	B																		
enumeration	E																		
enumeration	L																		
enumeration	M																		
enumeration	O																		

	enumeration P enumeration S
--	--------------------------------

1015

1016

1017 element **InternationalPostageStatementLineItemData/FullServiceParticipationIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:fspiType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	F	
Kind	Value	Annotation								
enumeration	M									
enumeration	F									

1018

1019

1020 element **InternationalPostageStatementLineItemData/DestinationCountry**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s45												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

1021

1022

1023 element **InternationalPostageStatementLineItemData/NoOfSacks**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1024

1025

1026 element **InternationalPostageStatementLineItemData/IncentivePercentage**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:percentageType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.00</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>100.00</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>5</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	0.00		maxInclusive	100.00		totalDigits	5	
Kind	Value	Annotation											
minInclusive	0.00												
maxInclusive	100.00												
totalDigits	5												

	fractionDigits 2
--	------------------

1027

1028

1029 element **InternationalPostageStatementLineItemData/PostageIncentiveAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1030

1031


1032 element **InternationalPostageStatementLineItemData/UnderWeightIncentivePerPiece**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

1033

1034

1035 element **InternationalPostageStatementLineItemData/MailCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailCharacteristicsType
children	mailxml_mm:Fee mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:eMailpieceSampleGroupID

1036

1037

1038 element InternationalPostageStatementLineItemSummaryData



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:PostageStatementPart mailxml mm:PostageStatementPartsSection mailxml mm:ProcessingCategory mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PiecePostage mailxml mm:PieceRate mailxml mm:PostageAmount mailxml mm:PoundPostage mailxml mm:PoundRate mailxml mm:RateCategory mailxml mm:DirectOrMixedCategory mailxml mm:IsWorldwidePresortPriceGroup mailxml mm:InternationalPriceGroupNumber mailxml mm:Section mailxml mm:PriceType mailxml mm:SurchargeType mailxml mm:TotalPieces mailxml mm:TotalWeight mailxml mm:WeightBreakType mailxml mm:FlatRateIndicator mailxml mm:LCPAuditCode mailxml mm:IncentivePercentage mailxml mm:PostageIncentiveAmount mailxml mm:BaseAllowanceWeight mailxml mm:LCPBaseAllowanceWeight mailxml mm:NDGBaseAllowanceWeight mailxml mm:TotalPoundsSubjecttoAdditionalCharge mailxml mm:AdditionalPostagePayment mailxml mm:AddressAccuracyRate mailxml mm:MailCharacteristic
used by	complexType abstractInternationalPostageStatementDataType

1039

1040

1041 element **InternationalPostageStatementLineItemSummaryData/PostageStatementPart**

diagram																																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																													
type	mailxml mm:internationalPSPPartType																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>G</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>J</td> <td></td> </tr> <tr> <td>enumeration</td> <td>K</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Q</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	Q		enumeration	R		enumeration	S	
Kind	Value	Annotation																																												
enumeration	A																																													
enumeration	B																																													
enumeration	C																																													
enumeration	D																																													
enumeration	E																																													
enumeration	F																																													
enumeration	G																																													
enumeration	H																																													
enumeration	I																																													
enumeration	J																																													
enumeration	K																																													
enumeration	Q																																													
enumeration	R																																													
enumeration	S																																													

1042

1043

1044 element **InternationalPostageStatementLineItemSummaryData/PostageStatementPartsSection**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:internationalPSPartSectionType		
facets	Kind	Value	Annotation
	enumeration	ICLM	
	enumeration	ICLO	
	enumeration	ICLP	
	enumeration	ICLPL	
	enumeration	ICLS	
	enumeration	ICOM	
	enumeration	ICOP	
	enumeration	IEM	
	enumeration	IEMF	
	enumeration	IFCP	
	enumeration	IFE	
	enumeration	IFLB	
	enumeration	IFMB	
	enumeration	IFSB	
	enumeration	IGBB	
	enumeration	IGBM	
	enumeration	IGD	
	enumeration	IGXG	
	enumeration	ILDC	
	enumeration	ILDD	
	enumeration	ILDF	
	enumeration	IMBG	
	enumeration	INDG	
	enumeration	IPM	
	enumeration	IPMI	
	enumeration	IPMM	
	enumeration	IRV	
	enumeration	ISAL	
	enumeration	ISAM	

1045

1046

1047 element **InternationalPostageStatementLineItemSummaryData/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:processingCategoryType
facets	Kind Value Annotation
	enumeration LT
	enumeration FL
	enumeration CD
	enumeration OS

	enumeration MP enumeration IR enumeration PF enumeration CM enumeration NP enumeration SP enumeration MB
--	--

1048

1049


1050 element **InternationalPostageStatementLineItemSummaryData/LineLabel**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s80												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>80</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	80		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	80												
whiteSpace	preserve												

1051

1052

1053 element **InternationalPostageStatementLineItemSummaryData/LineNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

1054

1055

1056 element **InternationalPostageStatementLineItemSummaryData/PiecePostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1057

1058

1059 element **InternationalPostageStatementLineItemSummaryData/PieceRate**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1060

1061


1062 element **InternationalPostageStatementLineItemSummaryData/PostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1063

1064


1065 element **InternationalPostageStatementLineItemSummaryData/PoundPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1066

1067


1068 element **InternationalPostageStatementLineItemSummaryData/PoundRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1069

1070

1071 element **InternationalPostageStatementLineItemSummaryData/RateCategory**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_mm:rateCategoryType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	A1		enumeration	AF		enumeration	B		enumeration	B1		enumeration	B2		enumeration	BF		enumeration	C		enumeration	C1	
Kind	Value	Annotation																													
enumeration	A																														
enumeration	A1																														
enumeration	AF																														
enumeration	B																														
enumeration	B1																														
enumeration	B2																														
enumeration	BF																														
enumeration	C																														
enumeration	C1																														

	enumeration	D
	enumeration	D1
	enumeration	DF
	enumeration	E
	enumeration	FB
	enumeration	G
	enumeration	GF
	enumeration	H
	enumeration	K
	enumeration	KF
	enumeration	L
	enumeration	L1
	enumeration	L2
	enumeration	L3
	enumeration	L4
	enumeration	L5
	enumeration	L6
	enumeration	L7
	enumeration	L8
	enumeration	TQ
	enumeration	TR
	enumeration	N
	enumeration	O
	enumeration	O1
	enumeration	PI
	enumeration	PM
	enumeration	P7
	enumeration	P8
	enumeration	PE
	enumeration	PQ
	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12

	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58

	enumeration IK59
	enumeration IK60
	enumeration IK61
	enumeration IK62
	enumeration IK63
	enumeration IK64
	enumeration IK65
	enumeration IK66
	enumeration IK67
	enumeration IQ68
	enumeration IR69
	enumeration PS1
	enumeration PS2
	enumeration PS3
	enumeration PS4
	enumeration PS5
	enumeration PS6
	enumeration PS7
	enumeration PS8
	enumeration PS9
	enumeration PS10
	enumeration PS11
	enumeration Z
	enumeration D2
	enumeration TE
	enumeration TK
	enumeration PO

1072

1073


1074 element **InternationalPostageStatementLineItemSummaryData/DirectOrMixedCategory**

diagram	 mailxml_mm:DirectOrMixed...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:directOrMixedCategoryType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Direct</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Mixed</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Direct		enumeration	Mixed	
Kind	Value	Annotation								
enumeration	Direct									
enumeration	Mixed									

1075

1076

1077 element **InternationalPostageStatementLineItemSummaryData/IsWorldwidePresortPriceGroup**

diagram	 mailxml_mm:isWorldwidePr...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:yesNo									
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>Yes</td><td></td></tr> <tr> <td>enumeration</td><td>No</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

1078

1079

1080 element **InternationalPostageStatementLineItemSummaryData/InternationalPriceGroupNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1081

1082


1083 element **InternationalPostageStatementLineItemSummaryData/Section**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>1</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

1084

1085

1086 element **InternationalPostageStatementLineItemSummaryData/PriceType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_mm:priceType												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>enumeration</td><td>commercial</td><td></td></tr> <tr> <td>enumeration</td><td>commercialplus</td><td></td></tr> <tr> <td>enumeration</td><td>retail</td><td></td></tr> </table>	Kind	Value	Annotation	enumeration	commercial		enumeration	commercialplus		enumeration	retail	
Kind	Value	Annotation											
enumeration	commercial												
enumeration	commercialplus												
enumeration	retail												

1087

1088

1089 element **InternationalPostageStatementLineItemSummaryData/SurchargeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:surchargeType

	facets	Kind	Value	Annotation
		enumeration	2	
		enumeration	A	
		enumeration	D	
		enumeration	N	
		enumeration	P	
		enumeration	E	
		enumeration	R	
		enumeration	L	

1090

1091


1092 element **InternationalPostageStatementLineItemSummaryData/TotalPieces**

diagram	 mailxml_mm:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1093

1094


1095 element **InternationalPostageStatementLineItemSummaryData/TotalWeight**

diagram	 mailxml_mm:TotalWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1096

1097

1098 element **InternationalPostageStatementLineItemSummaryData/WeightBreakType**

diagram	 mailxml_mm:WeightBreakType															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:weightBreakType															
facets	<table border="1"> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	H		enumeration	N	
Kind	Value	Annotation														
enumeration	A															
enumeration	B															
enumeration	H															
enumeration	N															

1099

1100

1101 element **InternationalPostageStatementLineItemSummaryData/FlatRateIndicator**

diagram	 mailxml_mm:FlatRateIndicator
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:flatRateIndicatorType																								
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>enumeration</td><td>B</td><td></td></tr> <tr> <td>enumeration</td><td>E</td><td></td></tr> <tr> <td>enumeration</td><td>L</td><td></td></tr> <tr> <td>enumeration</td><td>M</td><td></td></tr> <tr> <td>enumeration</td><td>O</td><td></td></tr> <tr> <td>enumeration</td><td>P</td><td></td></tr> <tr> <td>enumeration</td><td>S</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	E		enumeration	L		enumeration	M		enumeration	O		enumeration	P		enumeration	S	
Kind	Value	Annotation																							
enumeration	B																								
enumeration	E																								
enumeration	L																								
enumeration	M																								
enumeration	O																								
enumeration	P																								
enumeration	S																								

1102

1103

1104 element **InternationalPostageStatementLineItemSummaryData/LCPAuditCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1105

1106

1107 element **InternationalPostageStatementLineItemSummaryData/IncentivePercentage**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:percentageType															
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr> <td>minInclusive</td><td>0.00</td><td></td></tr> <tr> <td>maxInclusive</td><td>100.00</td><td></td></tr> <tr> <td>totalDigits</td><td>5</td><td></td></tr> <tr> <td>fractionDigits</td><td>2</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	0.00		maxInclusive	100.00		totalDigits	5		fractionDigits	2	
Kind	Value	Annotation														
minInclusive	0.00															
maxInclusive	100.00															
totalDigits	5															
fractionDigits	2															

1108

1109

1110 element **InternationalPostageStatementLineItemSummaryData/PostageIncentiveAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1111

1112

1113 element **InternationalPostageStatementLineItemSummaryData/BaseAllowanceWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

1114

1115

1116 element InternationalPostageStatementLineItemSummaryData/LCPBaseAllowanceWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1117

1118

1119 element InternationalPostageStatementLineItemSummaryData/NDGBaseAllowanceWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1120

1121


1122 element InternationalPostageStatementLineItemSummaryData/TotalPoundsSubjecttoAdditionalCharge

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1123

1124


1125 element InternationalPostageStatementLineItemSummaryData/AdditionalPostagePayment

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1126

1127


1128 element InternationalPostageStatementLineItemSummaryData/AddressAccuracyRate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1129

1130

1131 element **InternationalPostageStatementLineItemSummaryData/MailCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailCharacteristicsType
children	mailxml_mm:Fee mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:eMailpieceSampleGroupID

1132

1133

1134 element **InternationalPostageStatementQueryRequest**

diagram	<pre> classDiagram class InternationalPostageStatementQueryRequest { grp mailxml_mm:MailXML... m:CustomerGroupID m:IssueDate m:IssueNumber m:VolumeNumber m:CustomerReference m:AgencyCostCode m:PermitNumber m:PermitType m:PermitZip4 m:PublicationNumber m:PostageStatement m:RateType m:ProcessingCategory m:SubmittingParty m:SubmittingSoftware m:SubmitterTrackingID m:StatementID } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Query request for an international postage statement.	

1135

1136

1137 element InternationalPostageStatementQueryRequest/SubmittingParty


diagram	<pre> classDiagram class mailxml_mm { <<InternationalPostageStatementQueryRequest>> <<SubmittingParty>> } class mailxml_defs { <<participantIDType>> <<MailerID6>> <<MailerID9>> <<CRID>> <<SchedulerID>> <<MaildatUserLicense>> <<ShippingAgentID>> <<ReceivingAgentID>> } mailxml_mm "1" --> "1" mailxml_defs </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

1138

1139


1140 element **InternationalPostageStatementQueryRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1141

1142


1143 element **InternationalPostageStatementQueryRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1144

1145

1146 element **InternationalPostageStatementQueryRequest/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger																								
1147																									
1148																									
1149 element InternationalPostageStatementQueryResponse	<p>diagram</p> <pre> classDiagram class InternationalPostageStatementQueryResponse { grp mailxml_mm:MailXML... mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm>Status } InternationalPostageStatementQueryResponse "Response to the query for an international postage statement." InternationalPostageStatementQueryResponse <--> mailxml_mm:mm:TrackingID InternationalPostageStatementQueryResponse <--> mailxml_mm:mm:SubmitterTrackingID InternationalPostageStatementQueryResponse --> mailxml_mm:mm:QueryResults InternationalPostageStatementQueryResponse --> mailxml_defs:QueryError </pre> <p>InternationalPostageStatementQueryResponse Response to the query for an international postage statement.</p> <p>attributes</p> <ul style="list-style-type: none"> grp mailxml_mm:MailXML... mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm>Status <p>children</p> <ul style="list-style-type: none"> mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError <p>namespac e</p> <p>http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm</p> <p>children</p> <p>attributes</p> <table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm>Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>annotation</p> <p>documentation</p> <p>Response to the query for an international postage statement</p>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm>Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm>Status	mailxml_base:statusType																								

1150

1151

1152 element **InternationalPostageStatementQueryResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1153

1154


1155 element **InternationalPostageStatementQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

1156

1157

1158 element **InternationalPostageStatementQueryResponse/QueryResults**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PostageStatementData mailxml_mm:ReturnInfo

1159

1160

1161 element **InternationalPostageStatementQueryResponse/QueryResults/PostageStatementData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:internationalPostageStatementDataType
children	mailxml mm:AgencyCostCode mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CanadaAdmailOnly mailxml mm:UnderICMAgreement mailxml mm:ICMAgreementNumber mailxml mm:DirectShipmentCountry mailxml mm:TareWeight mailxml mm:ReceiptNo mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:InternationalPostageStatementLineItemSummaryData mailxml mm:InternationalPostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:ContainerPostage mailxml mm:StatementID mailxml mm:ConfirmationNumber mailxml mm:MailClass mailxml mm:Origin mailxml mm:SpecialFeesAmount mailxml mm:PostageStatementStatus mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalPostageAmountDue mailxml mm:TotalWeight mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData

1162

1163

1164 element **InternationalPostageStatementQueryResponse/QueryResults/ReturnInfo**


diagram	<pre> classDiagram class basicReturnInfo { <<mailxml_defs>> } class ReturnInfo { <<mailxml_mm>> } class fsReturnCode { <<mailxml_defs>> } class fsReturnDescription { <<mailxml_defs>> } class fsErrorWarning { <<mailxml_defs>> } class fsContainerErr { <<mailxml_defs>> } basicReturnInfo "0..∞" *-- "0..∞" ReturnInfo ReturnInfo "*" *-- "0..∞" fsReturnCode ReturnInfo "*" *-- "0..∞" fsReturnDescription ReturnInfo "*" *-- "0..∞" fsErrorWarning ReturnInfo "*" *-- "0..∞" fsContainerErr </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning

	mailxml_defs:ContainerErrorWarningBlock																																										
1165																																											
1166																																											
1167	element InvoiceDelivery																																										
diagram	<pre> classDiagram class InvoiceDelivery { attributes: grp mailxml_defs:LargeTra..., mailxml_defs:fs:MessageGrou..., mailxml_defs:fs:TotalMessage..., mailxml_defs:fs:MessageSerial..., mailxml_defs:fs:TransmittedRe..., mailxml_defs:fs:TotalRecordsA..., mailxml_defs:fs:LastMessage ; children: mailxml_mm:m:SubmittingPa..., mailxml_mm:m:SubmittingSo..., mailxml_defs:DataRecipient , mailxml_mm:m:PushMessageID , mailxml_mm:m:AccountHead... , mailxml_mm:m:InvoiceSumm... , mailxml_mm:m:InvoiceLineItemData ; note: Delivery of Invoice data from USPS. } </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:AccountHeaderInfoBlock mailxml_mm:InvoiceSummaryData mailxml_mm:InvoiceLineItemData																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								
annotation	<p>documentation</p> <p>Delivery of Invoice data from USPS.</p>																																										

1168

1169

1170 element **InvoiceDelivery/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Used</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicenseCodeType</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

1171

1172

1173 element **InvoiceDelivery/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1174

1175

1176 element **InvoiceDelivery/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

1177

1178

1179 element **InvoiceDelivery/AccountHeaderInfoBlock**

diagram	<pre> classDiagram class mailxml_mm:m:AccountHeaderInfoBlock { <<...>> <<mailxml_mm:m:PermitInfo>> } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:accountHeaderInfoBlockType</u>
children	<u>mailxml_mm:PermitInfo</u> <u>mailxml_mm:PermitIssuedCity</u> <u>mailxml_mm:PermitIssuedState</u> <u>mailxml_mm:CompanyName</u> <u>mailxml_mm:Address</u> <u>mailxml_mm:Status</u> <u>mailxml_mm:PhoneNumber</u> <u>mailxml_mm:Comment</u> <u>mailxml_mm:CurrentBalance</u> <u>mailxml_mm>ContactName</u> <u>mailxml_mm:FinanceNumber</u> <u>mailxml_mm:AlternateMethodUsed</u> <u>mailxml_mm:PostageStatus</u>

1180

1181

1182 element **InvoiceDelivery/InvoiceSummaryData**


diagram	<pre> classDiagram class mailxml_mm:m:InvoiceSumm... <> mailxml_mm:m:RequestDate <> mailxml_mm:m:CostCenter <> mailxml_mm:m:TransactionNumber <> mailxml_mm:m:BRMType <> mailxml_mm:m:RateType <> mailxml_mm:m:OpeningBalance <> mailxml_mm:m:ClosingBalance <> mailxml_mm:m:MailingDate <> mailxml_mm:m:MailingClass <> mailxml_mm:m:ProcessingCategory <> mailxml_mm:m>TotalPieces <> mailxml_mm:m>TotalPostageAmount <> mailxml_mm:m>SubtotalPostageAmount <> mailxml_mm:m>BRMFee </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:invoiceSummaryDataType
children	mailxml_mm:RequestDate mailxml_mm:CostCenter mailxml_mm:TransactionNumber mailxml_mm:BRMType mailxml_mm:RateType mailxml_mm:OpeningBalance mailxml_mm:ClosingBalance mailxml_mm:MailingDate mailxml_mm:MailingClass mailxml_mm:ProcessingCategory mailxml_mm>TotalPieces mailxml_mm>TotalPostageAmount mailxml_mm>SubtotalPostageAmount mailxml_mm>BRMFee

1183

1184

1185 element **InvoiceDelivery/InvoiceLineItemData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:invoiceLineItemDataType
children	mailxml mm:FeeExpiresDate mailxml mm:BarcodeRate mailxml mm:EntryDiscount mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:HeavyLetter mailxml mm:MarketingOrFulfillment mailxml mm:HandlingCharge mailxml mm:PriceType mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PieceRate mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:SinglePieceWeight mailxml mm:SurchargeType mailxml mm:TotalWeight mailxml mm:Zone mailxml mm:FlatRateIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:SinglePieceDimensionalWeight mailxml mm:SinglePieceDimensionalPrice mailxml mm:SinglePieceDimensionalBalloonPrice

1186

1187

1188 element **InvoiceQueryRequest**

diagram	<pre> classDiagram class InvoiceQueryReq { <<Query request for Postage Statement Invoice .>> } class InvoiceRequest class SubmittingParty class SubmittingSoftware InvoiceQueryReq --> InvoiceRequest : InvoiceQueryReq --> SubmittingParty : InvoiceQueryReq --> SubmittingSoftware : </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:InvoiceRequestHeaderInfo mailxml mm:SubmittingParty mailxml mm:SubmittingSoftware
annotation	documentation Query request for Postage Statement Invoice .

1189

1190

1191 element **InvoiceQueryRequest/InvoiceRequestHeaderInfo**

diagram	<pre> compositeStructureDiagram class InvoiceRequestHeaderInfo { <<Customer Reference, Finance Number, Payment Account, Statement ID, Permit Info, Date Range>> } class InvoiceRequest InvoiceRequestHeaderInfo < -- InvoiceRequest </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml mm:invoiceRequestHeaderInfoType
children	mailxml mm:CustomerReferenceID mailxml mm:FinanceNumber mailxml mm:PaymentAccountNumber mailxml mm:StatementID mailxml mm:PermitInfo mailxml mm:DateRange

1192

1193


1194 element **InvoiceQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLicense mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID </> } SubmittingParty "2" -- "1" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

1195

1196


1197 element **InvoiceQueryRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1198

1199


1200 element **InvoiceQueryResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:InvoiceResponseHeaderInfo mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError
annotation	<p>documentation</p> <p>Response to the query for invoice a postage statement.</p>

1201

1202

1203 element **InvoiceQueryResponse/InvoiceResponseHeaderInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:invoiceResponseHeaderInfoType
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:PermitInfo mailxml_mm:DateRange

1204

1205


1206 element **InvoiceQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1207

1208


1209 element **InvoiceQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:AccountHeaderInfoBlock mailxml_mm:InvoiceSummaryData mailxml_mm:InvoiceLineItemData mailxml_mm:ReturnInfo

1210

1211

1212 element **InvoiceQueryResponse/QueryResults/AccountHeaderInfoBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:accountHeaderInfoBlockType
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm:ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus

1213

1214

1215 element **InvoiceQueryResponse/QueryResults/InvoiceSummaryData**


diagram	<pre> classDiagram class mailxml_mm:m:InvoiceSumm... class mailxml_mm:m:RequestDate class mailxml_mm:m:CostCenter class mailxml_mm:m:TransactionNumber class mailxml_mm:m:BRMType class mailxml_mm:m:RateType class mailxml_mm:m:OpeningBalance class mailxml_mm:m:ClosingBalance class mailxml_mm:m:MailingDate class mailxml_mm:m:MailingClass class mailxml_mm:m:ProcessingCategory class mailxml_mm:m>TotalPieces class mailxml_mm:m>TotalPostageAmount class mailxml_mm:m>SubtotalPostageAmount class mailxml_mm:m>BRMFee mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:RequestDate mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:CostCenter mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:TransactionNumber mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:BRMType mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:RateType mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:OpeningBalance mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:ClosingBalance mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:MailingDate mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:MailingClass mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m:ProcessingCategory mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m>TotalPieces mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m>TotalPostageAmount mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m>SubtotalPostageAmount mailxml_mm:m:InvoiceSumm... "3..4" -- "1..1" mailxml_mm:m>BRMFee </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:InvoiceSummaryDataType
children	mailxml_mm:RequestDate mailxml_mm:CostCenter mailxml_mm:TransactionNumber mailxml_mm:BRMType mailxml_mm:RateType mailxml_mm:OpeningBalance mailxml_mm:ClosingBalance mailxml_mm:MailingDate mailxml_mm:MailingClass mailxml_mm:ProcessingCategory mailxml_mm>TotalPieces mailxml_mm>TotalPostageAmount mailxml_mm>SubtotalPostageAmount mailxml_mm>BRMFee

1216

1217

1218 element **InvoiceQueryResponse/QueryResults/InvoiceLineItemData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:invoiceLineItemDataType
children	mailxml mm:FeeExpiresDate mailxml mm:BarcodeRate mailxml mm:EntryDiscount mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:HeavyLetter mailxml mm:MarketingOrFulfillment mailxml mm:HandlingCharge mailxml mm:PriceType mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PieceRate mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:SinglePieceWeight mailxml mm:SurchargeType mailxml mm:TotalWeight mailxml mm:Zone mailxml mm:FlatRateIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:SinglePieceDimensionalWeight mailxml mm:SinglePieceDimensionalPrice mailxml mm:SinglePieceDimensionalBalloonPrice

1219

1220

1221 element **InvoiceQueryResponse/QueryResults/ReturnInfo**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1222

1223

1224 element **LineItemSummaryData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ProcessingCategory mailxml mm:BarcodeRate mailxml mm:EntryDiscount mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PiecePostage mailxml mm:PieceRate mailxml mm:MarketingOrFulfillment mailxml mm:SubtotalPostageAmount mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:TotalPostageAmount mailxml mm:PoundPostage mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:Section mailxml mm:PriceType mailxml mm:SurchargeType mailxml mm:TotalPieces mailxml mm:SimplifiedAddressIndicator mailxml mm:TotalWeight mailxml mm:WeightBreakType mailxml mm:Zone mailxml mm:ExtendedDeliveryFeeApplies mailxml mm:FlatRateIndicator mailxml mm:USPSPackageUniqueCharacteristic

1225

1226

1227 element **LineItemSummaryData/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

1228

1229

1230 element **LineItemSummaryData/BarcodeRate**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:barcodeRateType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Y</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Y		enumeration	N		enumeration	O	
Kind	Value	Annotation											
enumeration	Y												
enumeration	N												
enumeration	O												

1231

1232

1233 element **LineItemSummaryData/EntryDiscount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:entryDiscountType
facets	Kind Value Annotation enumeration N enumeration B enumeration S enumeration D enumeration A

1234

1235

1236 element **LineItemSummaryData/LineLabel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s80
facets	Kind Value Annotation minLength 1 maxLength 80 whiteSpace preserve

1237

1238

1239 element **LineItemSummaryData/LineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03
facets	Kind Value Annotation minLength 1 maxLength 3 whiteSpace preserve

1240

1241

1242 element **LineItemSummaryData/PiecePostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

1243

1244

1245 element **LineItemSummaryData/PieceRate**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1246

1247

1248 element **LineItemSummaryData/MarketingOrFulfillment**

diagram	 															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:marketingOrFulfillmentType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Marketing</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NotMarketingParcels</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SampleLarge</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SampleSmall</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Marketing		enumeration	NotMarketingParcels		enumeration	SampleLarge		enumeration	SampleSmall	
Kind	Value	Annotation														
enumeration	Marketing															
enumeration	NotMarketingParcels															
enumeration	SampleLarge															
enumeration	SampleSmall															

1249

1250

1251 element **LineItemSummaryData/SubtotalPostageAmount**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1252

1253

1254 element **LineItemSummaryData/DiscountTotalAmount**

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1255

1256

1257 element **LineItemSummaryData/FeeTotalAmount**

diagram	 
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1258

1259


1260 element **LineItemSummaryData/TotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1261

1262


1263 element **LineItemSummaryData/PoundPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1264

1265

1266 element **LineItemSummaryData/PoundRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1267

1268

1269 element **LineItemSummaryData/PreparedAsSM**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td></td> <td>No</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	Yes			No	
Kind	Value	Annotation								
enumeration	Yes									
	No									

1270

1271

1272 element **LineItemSummaryData/RateCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml mm:rateCategoryType		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	A1	
	enumeration	AF	
	enumeration	B	
	enumeration	B1	
	enumeration	B2	
	enumeration	BF	
	enumeration	C	
	enumeration	C1	
	enumeration	D	
	enumeration	D1	
	enumeration	DF	
	enumeration	E	
	enumeration	FB	
	enumeration	G	
	enumeration	GF	
	enumeration	H	
	enumeration	K	
	enumeration	KF	
	enumeration	L	
	enumeration	L1	
	enumeration	L2	
	enumeration	L3	
	enumeration	L4	
	enumeration	L5	
	enumeration	L6	
	enumeration	L7	
	enumeration	L8	
	enumeration	TQ	
	enumeration	TR	
	enumeration	N	
	enumeration	O	
	enumeration	O1	
	enumeration	PI	
	enumeration	PM	
	enumeration	P7	
	enumeration	P8	
	enumeration	PE	
	enumeration	PQ	
	enumeration	PR	
	enumeration	PG	
	enumeration	PK	
	enumeration	P5	

	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46

	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63
	enumeration	IK64
	enumeration	IK65
	enumeration	IK66
	enumeration	IK67
	enumeration	IQ68
	enumeration	IR69
	enumeration	PS1
	enumeration	PS2
	enumeration	PS3
	enumeration	PS4
	enumeration	PS5
	enumeration	PS6
	enumeration	PS7
	enumeration	PS8
	enumeration	PS9
	enumeration	PS10
	enumeration	PS11
	enumeration	Z
	enumeration	D2
	enumeration	TE
	enumeration	TK
	enumeration	PO

1273

1274

1275 element **LineItemSummaryData/Section**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s01												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

1276

1277

1278 element **LineItemSummaryData/PriceType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_mm:priceType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>commercial</td> <td></td> </tr> <tr> <td>enumeration</td> <td>commercialplus</td> <td></td> </tr> <tr> <td>enumeration</td> <td>retail</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	commercial		enumeration	commercialplus		enumeration	retail	
Kind	Value	Annotation											
enumeration	commercial												
enumeration	commercialplus												
enumeration	retail												

1279

1280

1281 element **LineItemSummaryData/SurchargeType**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:surchargeType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	2		enumeration	A		enumeration	D		enumeration	N		enumeration	P		enumeration	E		enumeration	R		enumeration	L	
Kind	Value	Annotation																										
enumeration	2																											
enumeration	A																											
enumeration	D																											
enumeration	N																											
enumeration	P																											
enumeration	E																											
enumeration	R																											
enumeration	L																											

1282

1283


1284 element **LineItemSummaryData/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1285

1286

1287 element LineItemSummaryData/SimplifiedAddressIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:simplifiedAddressType
facets	Kind Value Annotation enumeration M enumeration R enumeration B enumeration Y enumeration N

1288

1289


1290 element LineItemSummaryData/TotalWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1291

1292


1293 element LineItemSummaryData/WeightBreakType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:weightBreakType
facets	Kind Value Annotation enumeration A enumeration B enumeration H enumeration N

1294

1295

1296 element LineItemSummaryData/Zone

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zoneICType
facets	Kind Value Annotation enumeration N enumeration M enumeration LC

	enumeration 1 enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration DDU enumeration SCF enumeration ADC
--	--

1297

1298

1299 element **LineItemSummaryData/ExtendedDeliveryFeeApplies**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

1300

1301


1302 element **LineItemSummaryData/FlatRateIndicator**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_base:flatRateIndicatorType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	E		enumeration	L		enumeration	M		enumeration	O		enumeration	P		enumeration	S	
Kind	Value	Annotation																							
enumeration	B																								
enumeration	E																								
enumeration	L																								
enumeration	M																								
enumeration	O																								
enumeration	P																								
enumeration	S																								

1303

1304

1305 element **LineItemSummaryData/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:uspsPackageUniqueCharacteristicType
------	---

1306

1307

1308 element **MailingGroupQueryRequest**

diagram	<pre> classDiagram class MailingGroupQueryRequest { grp "mailxml_mm:MailXML..." mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID } class SubmittingParty class SubmittingSoftware MailingGroupQueryRequest "Query request for mailing group identification information." --> SubmittingParty : MailingGroupQueryRequest --> SubmittingSoftware : </pre>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																		
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	<p>documentation</p> <p>Query request for mailing group identification information.</p>																		

1309

1310

1311 element **MailingGroupQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } </pre>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

1312

1313

1314 element **MailingGroupQueryRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mSubmittingSoftware { <<mailxml_mm:m:SubmittingSoftware>> } class submittingSoftwareType { <<mailxml_defs:submittingSoftwareType>> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } mSubmittingSoftware "2" --> "1" submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1315

1316

1317 element **MailingGroupQueryRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mSubmitterTrackingID { <<mailxml_mm:m:SubmitterTrackingID>> } mSubmitterTrackingID "2" --> "1" mSubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1318

1319

1320 element MailingGroupQueryResponse

diagram	<p>The diagram illustrates the structure of the MailingGroupQueryResponse element. It features a main class box labeled MailingGroupQueryRespon... with a description: "Response to the query request for mailing group identification information." This class is associated with a composite structure representing XML attributes. The attributes include grp mailxml_mm:MailXML..., mailxml_mm:m:CustomerGrou..., mailxml_mm:m:MailingGroupID, and mailxml_mm:m>Status. The class also has associations with mailxml_mm:m:TrackingID and mailxml_mm:m:SubmitterTrac.... A dashed line connects the class to mailxml_mm:m:QueryResu... and mailxml_defs:QueryErr..., which is annotated as "Error issued when the query data cannot be provided."</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																								
attributes	<table> <tr> <td>Name</td> <td>Type</td> <td>Use</td> <td>Default</td> <td>Fixed</td> <td>Annotation</td> </tr> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	documentation Response to the query request for mailing group identification information.																								

1321

1322

1323 element MailingGroupQueryResponse/TrackingID

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s20						
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 20 whiteSpace preserve
--	-------------------------------------

1324

1325

1326 element **MailingGroupQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1327

1328

1329 element **MailingGroupQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:MailingGroup mailxml_mm:ReturnInfo

1330

1331


1332 element **MailingGroupQueryResponse/QueryResults/MailingGroup**

diagram	<pre> classDiagram class mailxml_mm:m:MailingGroup class mailxml_mm:m:mailingGroupData { mailxml_mm:m:CustomerDescription mailxml_mm:m:SubmitterCRID mailxml_mm:m:PermitPublicationData mailxml_mm:m:PostOfficeOfMailingZip mailxml_mm:m:MailingFacility mailxml_mm:m:MailXMLPresentationCategory mailxml_mm:m:MailerID mailxml_mm:m:FullServiceParticipationIndicator mailxml_mm:m:MailAgreementType mailxml_mm:m:ContractNumber mailxml_mm:m:OnePassIndicator mailxml_mm:m:LogicalPhysicalContainerIndicator } mailxml_mm:m:MailingGroup "1" -- "*" mailxml_mm:m:mailingGroupData </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailingGroupDataType
children	mailxml mm:CustomerDescription mailxml mm:SubmitterCRID mailxml mm:PermitPublicationData mailxml mm:PostOfficeOfMailingZip mailxml mm:MailingFacility mailxml mm:MailXMLPresentationCategory mailxml mm:MailerID mailxml mm:FullServiceParticipationIndicator mailxml mm:MailAgreementType mailxml mm:ContractNumber mailxml mm:OnePassIndicator mailxml mm:LogicalPhysicalContainerIndicator

1333

1334


1335 element **MailingGroupQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1336

1337

1338 element **MailingGroupSummary**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:MailerJobID mailxml_mm:BeginDate mailxml_mm:EndDate mailxml_mm:OpenDate mailxml_mm:CloseDate mailxml_mm:PreparerName mailxml_mm:PreparerCRID mailxml_mm:Origin mailxml_mm:Description
used by	element ReconciliationReportQueryResponse/QueryResults

1339

1340

1341 element MailingGroupSummary/MailerJobID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s12
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

1342

1343

1344 element MailingGroupSummary/BeginDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

1345

1346

1347 element MailingGroupSummary/EndDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

1348

1349


1350 element MailingGroupSummary/OpenDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

1351

1352

1353 element MailingGroupSummary/CloseDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

1354

1355

1356 element MailingGroupSummary/PreparerName

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1357

1358


1359 element MailingGroupSummary/PreparerCRID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

1360

1361

1362 element MailingGroupSummary/Origin

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1363

1364

1365 element MailingGroupSummary/Description

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1366

1367

1368 element **MailPieceCancelRequest**

diagram	<pre> classDiagram class MailPieceCancelRequest { <<Request to cancel a mail piece.>> } class mailxml_mm::mailPieceCancelType { <<attributes>> mailxml_defs::fs::CustomerGroupID mailxml_defs::fs::MailingGroupID mailxml_defs::fs::MaildatJobID mailxml_defs::fs::UserLicenseCode mailxml_mm::m::SubmittingParty mailxml_mm::m::SubmittingSoftware mailxml_mm::m::SubmitterTrackingID mailxml_mm::m::UserLicenseCode mailxml_mm::m::MaildatJobID mailxml_mm::m::TransmittedCount mailxml_mm::m::PDRMailPieceBlock mailxml_mm::m::PDRRangePieceBlock mailxml_mm::m::MailPieceID mailxml_mm::m::PieceRangeID mailxml_mm::m::CustomerGroupID mailxml_mm::m::MailingGroupID mailxml_mm::m::TransmittedCount mailxml_mm::m::MailPieceBlockGroup mailxml_mm::m::MailXMLPiece } MailPieceCancelRequest "1" -- "*" mailxml_mm::mailPieceCancelType : </pre> <p>The diagram illustrates the structure of the MailPieceCancelRequest element. It is represented by a class named MailPieceCancelRequest, which is associated with a class named mailxml_mm::mailPieceCancelType. The mailxml_mm::mailPieceCancelType class contains several attributes: CustomerGroupID, MailingGroupID, MaildatJobID, and UserLicenseCode. It also contains associations with other classes: SubmittingParty, SubmittingSoftware, SubmitterTrackingID, UserLicenseCode, MaildatJobID, TransmittedCount, PDRMailPieceBlock (with multiplicity 1..∞), PDRRangePieceBlock (with multiplicity 1..∞), MailPieceID (with multiplicity 1..∞), PieceRangeID (with multiplicity 1..∞), CustomerGroupID, MailingGroupID, TransmittedCount, MailPieceBlockGroup (with multiplicity 1..∞), and MailXMLPiece (with multiplicity 1..∞).</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm::mailPieceCancelType
children	mailxml_mm::SubmittingParty mailxml_mm::SubmittingSoftware mailxml_mm::SubmitterTrackingID mailxml_mm::UserLicenseCode mailxml_mm::MaildatJobID mailxml_mm::TransmittedCount mailxml_mm::PDRMailPieceBlock mailxml_mm::PDRRangePieceBlock mailxml_mm::MailPieceID mailxml_mm::PieceRangeID mailxml_mm::CustomerGroupID mailxml_mm::MailingGroupID mailxml_mm::TransmittedCount mailxml_mm::MailPieceBlockGroup mailxml_mm::MailXMLPiece

	mailxml_mm:MailXMLPieceRangeBlock					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Request to cancel a mail piece.					

1369

1370

1371 element [MailPieceCancelResponse](#)

diagram	<pre> classDiagram class MailPieceCancelResponse { <<Response to the request to cancel a mail piece.>> } class MailPieceCancelAccept { <<MailPieceCancelAccept>> } class MailPieceCancelReject { <<MailPieceCancelReject>> } MailPieceCancelResponse < -- MailPieceCancelAccept MailPieceCancelResponse < -- MailPieceCancelReject MailPieceCancelAccept --> TrackingID MailPieceCancelAccept --> SubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceCancelAccept mailxml_mm:MailPieceCancelReject
annotation	documentation Response to the request to cancel a mail piece.

1372

1373

1374 element [MailPieceCancelResponse/TrackingID](#)

diagram	<pre> classDiagram class TrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1375

1376

1377 element [MailPieceCancelResponse/SubmitterTrackingID](#)

diagram	<pre> classDiagram class SubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1378

1379

1380 element **MailPieceCancelResponse/MailPieceCancelAccept**

diagram	<pre> classDiagram class MailPieceCancelAccept { <<attributes>> mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode } class ReturnInfo MailPieceCancelAccept "1..infinity" --> "1..infinity" ReturnInfo </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

1381

1382

1383 element **MailPieceCancelResponse/MailPieceCancelAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1384

1385

1386 element **MailPieceCancelResponse/MailPieceCancelReject**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

1387

1388

1389 element **MailPieceCancelResponse/MailPieceCancelReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1390

1391

1392 element **MailPieceCreateRequest**

diagram	<pre> classDiagram class MailPieceCreateRequest { <<Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks>> } class mailxml_mm::mSubmittingParty class mailxml_mm::mSubmittingSource class mailxml_mm::mSubmitterTraceability class mailxml_mm::mUserLicenseCode class mailxml_mm::mMaildatJobID class mailxml_mm::mTransmittedContent class mailxml_mm::mPDRMailPiece class mailxml_mm::mCustomerGroup class mailxml_mm::mMailingGroupID class mailxml_mm::mTransmittedContent class mailxml_mm::mMailPieceBlockGroup class mailxml_mm::mCampaignData MailPieceCreateRequest "1..∞" --> mSubmittingParty MailPieceCreateRequest "1..∞" --> mSubmittingSource MailPieceCreateRequest "1..∞" --> mSubmitterTraceability MailPieceCreateRequest "1..∞" --> mUserLicenseCode MailPieceCreateRequest "1..∞" --> mMaildatJobID MailPieceCreateRequest "1..∞" --> mTransmittedContent MailPieceCreateRequest "1..∞" --> mPDRMailPiece MailPieceCreateRequest "1..∞" --> mCustomerGroup MailPieceCreateRequest "1..∞" --> mMailingGroupID MailPieceCreateRequest "1..∞" --> mTransmittedContent MailPieceCreateRequest "0..∞" --> mMailPieceBlockGroup MailPieceCreateRequest "0..∞" --> mCampaignData class attributes { grp mailxml_defs::LargeTransmittal mailxml_defs::fsMessageGroup mailxml_defs::fsTotalMessage mailxml_defs::fsMessageSerial mailxml_defs::fsTransmittedRecords mailxml_defs::fsTotalRecordsActual mailxml_defs::fsLastMessage grp mailxml_defs::MailXML mailxml_defs::fsCustomerGroup mailxml_defs::fsMailingGroupID mailxml_defs::fsMaildatJobID mailxml_defs::fsUserLicenseCode } </pre> <p>The diagram illustrates the structure of the MailPieceCreateRequest element. It consists of several components:</p> <ul style="list-style-type: none"> Attributes: <ul style="list-style-type: none"> grp mailxml_defs::LargeTransmittal: fsMessageGroup, fsTotalMessage, fsMessageSerial, fsTransmittedRecords, fsTotalRecordsActual, fsLastMessage. grp mailxml_defs::MailXML: fsCustomerGroup, fsMailingGroupID, fsMaildatJobID, fsUserLicenseCode. Relationships: <ul style="list-style-type: none"> Submitting Party: One or more mSubmittingParty elements. Submitting Source: One or more mSubmittingSource elements. Submitter Traceability: One or more mSubmitterTraceability elements. User License Code: One or more mUserLicenseCode elements. Maildat Job ID: One or more mMaildatJobID elements. Transmitted Content: One or more mTransmittedContent elements. PDR Mail Piece: One or more mPDRMailPiece elements. Customer Group: One or more mCustomerGroup elements. Mailing Group ID: One or more mMailingGroupID elements. Transmitted Content: One or more mTransmittedContent elements. Mail Piece Block Group: Zero or more mMailPieceBlockGroup elements. Campaign Data: Zero or more mCampaignData elements.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	extension of mailxml_mm:mailPieceRequestType					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:CampaignData					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MessageGroupID	mailxml_base:s20	optional			
	mailxml_defs:TotalMessageCount	xs:positiveInteger	optional			
	mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional			
	mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional			
	mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional			
	mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCode				
		Type				
annotation	<p>documentation</p> <p>"Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks"</p>					

1393

1394

1395 element **MailPieceCreateResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceCreateAccept mailxml_mm:MailPieceCreateReject
annotation	<p>documentation</p> <p>Response to the request to create a mailpiece.</p>

1396

1397


1398 element **MailPieceCreateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1399

1400


1401 element **MailPieceCreateResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1402

1403

1404 element **MailPieceCreateResponse/MailPieceCreateAccept**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
children	mailxml_mm:m:ReturnInfo												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25				
Name	Type	Use	Default	Fixed	Annotation								
mailxml_defs:CustomerGroupID	mailxml_base:s25												

	mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode	xs:nonNegativeInteger mailxml_base:jobIDType mailxml_base:userLicenseCodeType	require d
--	--	--	-----------

1405

1406


1407 element **MailPieceCreateResponse/MailPieceCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1408

1409

1410 element **MailPieceCreateResponse/MailPieceCreateReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:ReturnInfo
attributes	Name Type Use Default Fixed Annotation

	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode	mailxml_base:s25 xs:nonNegativeInteger mailxml_base:jobIDType mailxml_base:userLicenseCodeType	required
--	--	---	----------

1411

1412

1413 element **MailPieceCreateResponse/MailPieceCreateReject/ReturnInfo**

diagram	<pre> classDiagram class ReturnInfo { <<mailxml_mm>> <<mailxml_defs:basicReturnInfoType>> <<mailxml_defs:ReturnCode>> <<mailxml_defs:ReturnDescription>> <<mailxml_defs:errorWarning>> <<mailxml_defs:ContainerErrorWarningBlock>> } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1414

1415

1416 element **MailPieceUpdateRequest**

diagram	<pre> classDiagram class MailPieceUpdateRequest { "Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks" } class mailxml_mm::mailPieceRequestType { mailxml_mm::im::SubmittingParty mailxml_mm::im::SubmittingSoftware mailxml_mm::im::SubmitterTrackingID mailxml_mm::im::UserLicenseCode mailxml_mm::im::MaildatJobID mailxml_mm::im::TransmittedCount mailxml_mm::im::PDRMailPieceBlock mailxml_mm::im::CustomerGroupID mailxml_mm::im::MailingGroupID mailxml_mm::im::TransmittedCount mailxml_mm::im::MailPieceBlockGroup mailxml_mm::im::CampaignData } MailPieceUpdateRequest < -- mailxml_mm::mailPieceRequestType MailPieceUpdateRequest --> mailxml_mm::im::SubmittingParty MailPieceUpdateRequest --> mailxml_mm::im::SubmittingSoftware MailPieceUpdateRequest --> mailxml_mm::im::SubmitterTrackingID MailPieceUpdateRequest --> mailxml_mm::im::UserLicenseCode MailPieceUpdateRequest --> mailxml_mm::im::MaildatJobID MailPieceUpdateRequest --> mailxml_mm::im::TransmittedCount MailPieceUpdateRequest --> mailxml_mm::im::PDRMailPieceBlock MailPieceUpdateRequest --> mailxml_mm::im::CustomerGroupID MailPieceUpdateRequest --> mailxml_mm::im::MailingGroupID MailPieceUpdateRequest --> mailxml_mm::im::TransmittedCount MailPieceUpdateRequest --> mailxml_mm::im::MailPieceBlockGroup MailPieceUpdateRequest --> mailxml_mm::im::CampaignData class attributes { grp mailxml_defs:MailXMLDefs { mailxml_defs:fs::CustomerGroupID mailxml_defs:fs::MailingGroupID mailxml_defs:fs::MaildatJobID mailxml_defs:fs::UserLicenseCode } } </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	extension of mailxml_mm:mailPieceRequestType						
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGroup mailxml_mm:CampaignData						
attributes	<table border="1"> <thead> <tr> <th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr> </thead> </table>	Name	Type	Use	Default	Fixed	Annotation
Name	Type	Use	Default	Fixed	Annotation		

	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode	mailxml_base:s25 xs:nonNegativeInteger mailxml_base:jobIDType mailxml_base:userLicenseCodeType	required
annotation	documentation "Request to update a mail piece. Note: the MailXMLPieceRangeBlock and PDRRangePieceBlock blocks inside the mailPieceRequest block will be removed in the next major Mail.XML version. At this time it is strongly advised that milers stop using these two blocks, instead utilize the PDRMailPieceBlock and MailPieceBlockGroup blocks"		

1417

1418

1419 element **MailPieceUpdateResponse**

diagram	<pre> classDiagram class MailPieceUpdateResponse { <<Response to the request to update a mail piece.>> } class TrackingID class SubmitterTrackingID class MailPieceUpdateAccept class MailPieceUpdateReject MailPieceUpdateResponse --> TrackingID : MailPieceUpdateResponse --> SubmitterTrackingID : MailPieceUpdateResponse --> MailPieceUpdateAccept : MailPieceUpdateResponse --> MailPieceUpdateReject : </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:MailPieceUpdateAccept mailxml_mm:MailPieceUpdateReject
annotation	documentation Response to the request to update a mail piece.

1420

1421

1422 element **MailPieceUpdateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1423

1424

1425 element **MailPieceUpdateResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

1426

1427

1428 element **MailPieceUpdateResponse/MailPieceUpdateAccept**

diagram	<pre> classDiagram class mailxml_defs { <<MailXML...>> <<CustomerGroupID>> <<MailingGroupID>> <<MaildatJobID>> <<UserLicenseCode>> } class mailxml_mm { <<MailPieceUpd...>> <<ReturnInfo>> } mailxml_mm "0..1" --> mailxml_defs : </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml mm:ReturnInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_bases:25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td>required</td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_bases:25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required		mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_bases:25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger			required																											
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

1429

1430

1431 element **MailPieceUpdateResponse/MailPieceUpdateAccept/ReturnInfo**

diagram	<pre> classDiagram class mailxml_defs { <<basicReturnInfo>> <<errorWarning>> <<ContainerErr...>> } class mailxml_mm { <<ReturnInfo>> } mailxml_mm "*" --> mailxml_defs : mailxml_defs "*" --> mailxml_defs : errorWarning mailxml_defs "*" --> mailxml_defs : ContainerErr... </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1432

1433

1434 element **MailPieceUpdateResponse/MailPieceUpdateReject**

diagram	<pre> classDiagram class MailPieceUpdate { grp mailxml_defs:MailXML... mailxml_defs:fs:CustomerGroupID mailxml_defs:fs:MailingGroupID mailxml_defs:fs:MaildatJobID mailxml_defs:fs:UserLicenseCode } class ReturnInfo MailPieceUpdate "1" --> "1" ReturnInfo </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ReturnInfo																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

1435

1436

1437 element **MailPieceUpdateResponse/MailPieceUpdateReject/ReturnInfo**

diagram	<pre> classDiagram class mailxml_defs::basicReturnInfo { mailxml_defs::fs::ReturnCode mailxml_defs::fs::ReturnDescription mailxml_defs::fs::errorWarning mailxml_defs::fs::ContainerErrorWarningBlock } mailxml_mm::im::ReturnInfo < -- basicReturnInfo 0..∞ --- basicReturnInfo : mailxml_defs::fs::errorWarning 0..∞ --- basicReturnInfo : mailxml_defs::fs::ContainerErrorWarningBlock </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1438

1439

1440 element **ManifestCancelRequest**

diagram	<pre> classDiagram class ManifestCancelRequest { mailxml_mm::SubmittingParty mailxml_mm::SubmittingSoftware mailxml_mm::SubmitterTrackingID mailxml_mm::ConsigneeManifestID } Request to cancel a manifest. 0..∞ --- SubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ConsigneeManifestID
annotation	documentation Request to cancel a manifest.

1441

1442

1443 element **ManifestCancelRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicenseCode ShippingAgentID ReceivingAgentID </> } SubmittingParty "1" -- "1" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailerID6	mailxml_base:mailerID6Type					mailerID9	mailxml_base:mailerID9Type					CRID	mailxml_base:CRIDType					SchedulerID	mailxml_base:s12					MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					ShippingAgentID	mailxml_base:s12					ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailerID6	mailxml_base:mailerID6Type																																																
mailerID9	mailxml_base:mailerID9Type																																																
CRID	mailxml_base:CRIDType																																																
SchedulerID	mailxml_base:s12																																																
MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
ShippingAgentID	mailxml_base:s12																																																
ReceivingAgentID	mailxml_base:s12																																																

1444

1445

1446 element **ManifestCancelRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:m:SubmittingSo...] A --> B["mailxml_defs:submittingSoft..."] B --> C["attributes"] C --> D["mailxml_defs:fs:SoftwareName"] C --> E["mailxml_defs:fs:Vendor"] C --> F["mailxml_defs:fs:Version"] C --> G["mailxml_defs:fs:ApprovalDate"] C --> H["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1447

1448

1449 element **ManifestCancelRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_mm:m:SubmitterTrac...] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1450

1451

1452 element **ManifestCancelRequest/ConsigneeManifestID**

diagram	<pre> graph LR A[mailxml_mm:m:ConsigneeMan...] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1453

1454

1455 element ManifestCancelResponse

diagram	<pre> sequenceDiagram participant MC as ManifestCancelResponse participant MM as mailxml_mm:m:ManifestCancelAccept or mailxml_mm:m:ManifestCancelReject MC->>MM: </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:ManifestCancelAccept mailxml_mm:ManifestCancelReject
annotation	documentation Response to a request to cancel a manifest.

1456

1457

1458 element ManifestCancelResponse/TrackingID

diagram	<pre> classDiagram class TrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1459

1460

1461 element ManifestCancelResponse/SubmitterTrackingID

diagram	<pre> classDiagram class SubmitterTrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1462

1463

1464 element ManifestCancelResponse/ManifestCancelAccept

diagram	<pre> sequenceDiagram participant MC as ManifestCancelResponse participant MM as mailxml_mm:m:ManifestIDNumber or mailxml_mm:m:ConsigneeManifestID MC->>MM: </pre>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ManifestIDNumner mailxml mm:ConsigneeManifestID

1465

1466

1467 element **ManifestCancelResponse/ManifestCancelAccept/ManifestIDNumner**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

1468

1469


1470 element **ManifestCancelResponse/ManifestCancelAccept/ConsigneeManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

1471

1472

1473 element **ManifestCancelResponse/ManifestCancelReject**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ManifestIDNumner mailxml mm:ConsigneeManifestID mailxml mm:ReturnInfo

1474

1475

1476 element **ManifestCancelResponse/ManifestCancelReject/ManifestIDNumner**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

1477

1478

1479 element **ManifestCancelResponse/ManifestCancelReject/ConsigneeManifestID**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

1480

1481

1482 element **ManifestCancelResponse/ManifestCancelReject/ReturnInfo**

diagram	<pre> classDiagram class ReturnInfo { <<mailxml_mm:im>> } class basicReturnInfo { <<mailxml_defs:>> } class ReturnCode { <<mailxml_defs:fs>> } class ReturnDescription { <<mailxml_defs:fs>> } class errorWarning { <<mailxml_defs:fs>> } class ContainerError { <<mailxml_defs:fs>> } ReturnInfo "0..∞" -- "0..∞" basicReturnInfo basicReturnInfo "*" -- "0..∞" ReturnCode basicReturnInfo "*" -- "0..∞" ReturnDescription basicReturnInfo "*" -- "0..∞" errorWarning basicReturnInfo "*" -- "0..∞" ContainerError </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1483

1484

1485 element **ManifestCreateRequest**

diagram	<pre> classDiagram class ManifestCreateRequest { <<Enumerates Mail Pieces.>> <<Attributes>> mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode } ManifestCreateRequest "1..>" *-- "*" mailxml_mm:SubmittingParty ManifestCreateRequest "1..>" *-- "*" mailxml_mm:SubmittingSoftware ManifestCreateRequest "1..>" *-- "*" mailxml_mm:SubmitterTrackingID ManifestCreateRequest "1..>" *-- "*" mailxml_mm:InternationalOrDomestic ManifestCreateRequest "1..>" *-- "*" mailxml_mm:ManifestMailInfo </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:InternationalOrDomestic mailxml_mm:ManifestMailInfo																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														
annotation	documentation Enumerates Mail Pieces.																														

1486

1487

1488 element **ManifestCreateRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicenseCode ShippingAgentID ReceivingAgentID </> } SubmittingParty "1" -- "1" participantIDType participantIDType "1" "1" "1" "1" "1" "1" "1" </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

1489

1490

1491 element **ManifestCreateRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm m:SubmittingSoftware { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1492

1493

1494 element **ManifestCreateRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mailxml_mm m:SubmitterTrac... { <<facets>> minLength : 1 maxLength : 20 whiteSpace : preserve } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1495

1496

1497 element **ManifestCreateRequest/InternationalOrDomestic**

diagram	<pre> classDiagram class mailxml_mm m:InternationalO... </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_mm:manifestType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 2 whiteSpace preserve enumeration DM enumeration IM
--	--

1498

1499

1500 element **ManifestCreateRequest/ManifestMailInfo**

diagram	<pre> classDiagram class mailxml_mm::manifestMailType { m:HeaderRecordID m:ManifestIDNumber m:ElectronicFileType m:USPSElectronicFile m:ElectronicFile m:DateOfMailing m:TimeOfMailing m:EntryFacilityType m:EntryFacilityZone m:EntryFacilityZone m:DirectEntryOr m:ShipmentFeeC m:ExtraFeeForShi... m:FileRecordCount m:SoftwareVend... m:SoftwareVend... m:TransactionID m:TrackingInfor... m:PaymentInfor... m:SpecialProduct... } mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::HeaderRecordID mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::ManifestIDNumber mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::ElectronicFileType mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::USPSElectronicFile mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::ElectronicFile mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::DateOfMailing mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::TimeOfMailing mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::EntryFacilityType mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::EntryFacilityZone mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::EntryFacilityZone mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::DirectEntryOr mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::ShipmentFeeC mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::ExtraFeeForShi... mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::FileRecordCount mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::SoftwareVend... mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::SoftwareVend... mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::TransactionID mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::TrackingInfor... mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::PaymentInfor... mailxml_mm::manifestMailType "1..>" -- "0..>" mailxml_mm::SpecialProduct... </pre> <p>The diagram illustrates the structure of the mailxml_mm:manifestMailType element. It contains the following attributes:</p> <ul style="list-style-type: none"> m:HeaderRecordID m:ManifestIDNumber m:ElectronicFileType m:USPSElectronicFile m:ElectronicFile m:DateOfMailing m:TimeOfMailing m:EntryFacilityType m:EntryFacilityZone m:EntryFacilityZone m:DirectEntryOr m:ShipmentFeeC m:ExtraFeeForShi... m:FileRecordCount m:SoftwareVend... m:SoftwareVend... m:TransactionID <p>Relationships are shown as follows:</p> <ul style="list-style-type: none"> HeaderRecordID: An association with multiplicity 1..>. ManifestIDNumber: An association with multiplicity 1..>. ElectronicFileType: An association with multiplicity 1..>. USPSElectronicFile: An association with multiplicity 1..>. ElectronicFile: An association with multiplicity 1..>. DateOfMailing: An association with multiplicity 1..>. TimeOfMailing: An association with multiplicity 1..>. EntryFacilityType: An association with multiplicity 1..>. EntryFacilityZone: Two associations with multiplicity 0..>, one for each entry facility zone. DirectEntryOr: An association with multiplicity 0..>. ShipmentFeeC: An association with multiplicity 0..>. ExtraFeeForShi...: An association with multiplicity 0..>. FileRecordCount: An association with multiplicity 0..>. SoftwareVend...: Two associations with multiplicity 0..>, one for each software vendor. TransactionID: An association with multiplicity 0..>. TrackingInfor...: An association with multiplicity 0..>. PaymentInfor...: An association with multiplicity 0..>. SpecialProduct...: An association with multiplicity 0..>.
nameSpace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:manifestMailType
children	mailxml_mm:HeaderRecordID mailxml_mm:ManifestIDNumber

	mailxml mm:ElectronicFileType mailxml mm:USPSElectronicFileVersionNumber mailxml mm:ElectronicFileNumber mailxml mm:DateOfMailing mailxml mm:TimeOfMailing mailxml mm:EntryFacilityType mailxml mm:EntryFacilityZipCode mailxml mm:EntryFacilityZipPlusFour mailxml mm:DirectEntryOriginCountryCode mailxml mm:ShipmentFeeCode mailxml mm:ExtraFeeForShipment mailxml mm:FileRecordCount mailxml mm:SoftwareVendorProductVersion mailxml mm:SoftwareVendorCode mailxml mm:TransactionID mailxml mm:TrackingInformation mailxml mm:PaymentInformation mailxml mm:SpecialProductInformation
--	---

1501

1502

1503 element **ManifestCreateResponse**

diagram	<pre> classDiagram ManifestCreateResponse < --> ManifestCreateRequest ManifestCreateResponse --> TrackingID ManifestCreateResponse --> SubmitterTrackingID TrackingID --> ManifestCreateAccept TrackingID --> ManifestCreateReject SubmitterTrackingID --> ManifestCreateAccept SubmitterTrackingID --> ManifestCreateReject </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:ManifestCreateAccept mailxml mm:ManifestCreateReject
annotation	documentation Response to ManifestCreateRequest Message

1504

1505

1506 element **ManifestCreateResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1507

1508

1509 element **ManifestCreateResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

1510

1511

1512 element **ManifestCreateResponse/ManifestCreateAccept**

diagram	<pre> classDiagram class mailxml_mm:m:ManifestCreateAccept { mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:MaildatJobID mailxml_defs:UserLicenseCode } class mailxml_mm:m:ManifestAndOrderIDInfoBlock class mailxml_mm:m:ManifestErrorWarningSummary mailxml_mm:m:ManifestCreateAccept < -- mailxml_mm:m:ManifestAndOrderIDInfoBlock mailxml_mm:m:ManifestCreateAccept < -- mailxml_mm:m:ManifestErrorWarningSummary </pre>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ManifestAndOrderIDInfoBlock mailxml_mm:ManifestErrorWarningSummary																														
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td>required</td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required			mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger		required																												
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

1513

1514

1515 element **ManifestCreateResponse/ManifestCreateAccept/ManifestAndOrderIDInfoBlock**

diagram	<pre> classDiagram class mailxml_mm:m:ManifestAndOrderIDInfoBlock { mailxml_mm:m:ManifestIDNumber mailxml_mm:m:ConsigneeManifest mailxml_mm:m:PieceOrDetail mailxml_mm:m:ConsigneePiece } mailxml_mm:m:ManifestAndOrderIDInfoBlock *--> 0..infinity </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_mm:manifestAndOrderIDInfoBlockType
children	mailxml_mm:ManifestIDNumber mailxml_mm:ConsigneeManifestID mailxml_mm:PieceOrDetailRecordID mailxml_mm:ConsigneePieceORDetailID

1516

1517

1518 element **ManifestCreateResponse/ManifestCreateAccept/ManifestErrorWarningSummary**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:manifestErrorWarningSummaryType
children	mailxml_mm:MID mailxml_mm:ElectronicFileSequenceNumber mailxml_mm:ElectronicFileReceiptDate mailxml_mm:ElectronicFileReceiptTime mailxml_mm:EntryFacilityZipCode mailxml_mm:MailingDate mailxml_mm:NumberOfRecordsRead mailxml_mm:NumberOfRecordsRejected mailxml_mm:NumberOfRecordsAccepted mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail

1519

1520

1521 element **ManifestCreateResponse/ManifestCreateReject**

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:m:ManifestCreate...</code> element. It features a main box labeled <code>mailxml_mm:m:ManifestCreate...</code> with a dashed association line pointing to another box labeled <code>mailxml_mm:m:ManifestError...</code>. The main box contains an <code>attributes</code> section with four entries: <code>grp mailxml_defs:MailXML...</code>, <code>mailxml_defs:fs:CustomerGrou...</code>, <code>mailxml_defs:fs:MailingGroupID</code>, and <code>mailxml_defs:fs:MaildatJobID</code>. Below these is a fourth entry, <code>mailxml_defs:fs:UserLicenseCo...</code>.</p>																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
children	mailxml_mm:ManifestErrorWarningSummary																														
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td><code>mailxml_defs:CustomerGroupID</code></td><td>mailxml_base:s25</td><td></td><td></td><td></td><td></td></tr><tr><td><code>mailxml_defs:MailingGroupID</code></td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td><code>mailxml_defs:MaildatJobID</code></td><td>mailxml_base:jobIDType</td><td></td><td></td><td></td><td></td></tr><tr><td><code>mailxml_defs:UserLicenseCode</code></td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	<code>mailxml_defs:CustomerGroupID</code>	mailxml_base:s25					<code>mailxml_defs:MailingGroupID</code>	xs:nonNegativeInteger	required				<code>mailxml_defs:MaildatJobID</code>	mailxml_base:jobIDType					<code>mailxml_defs:UserLicenseCode</code>	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
<code>mailxml_defs:CustomerGroupID</code>	mailxml_base:s25																														
<code>mailxml_defs:MailingGroupID</code>	xs:nonNegativeInteger	required																													
<code>mailxml_defs:MaildatJobID</code>	mailxml_base:jobIDType																														
<code>mailxml_defs:UserLicenseCode</code>	mailxml_base:userLicenseCodeType																														

1522

1523

1524 element **ManifestCreateResponse/ManifestCreateReject/ManifestErrorWarningSummary**

diagram	<pre> classDiagram class mailxml_mm:manifestErrorW... { mailxml_mm:m:MID mailxml_mm:m:ElectronicFileSequenceNumber mailxml_mm:m:ElectronicFileReceiptDate mailxml_mm:m:ElectronicFileReceiptTime mailxml_mm:m:EntryFacilityZipCode mailxml_mm:m:MailingDate mailxml_mm:m:NumberOfRecordsRead mailxml_mm:m:NumberOfRecordsRejected mailxml_mm:m:NumberOfRecordsAccepted mailxml_mm:m:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:m:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:m:SummaryMessage mailxml_mm:m:ManifestError... } mailxml_mm:m:ManifestError... --> mailxml_mm:manifestErrorW... 0..∞ </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:manifestErrorWarningSummaryType
children	mailxml_mm:MID mailxml_mm:ElectronicFileSequenceNumber mailxml_mm:ElectronicFileReceiptDate mailxml_mm:ElectronicFileReceiptTime mailxml_mm:EntryFacilityZipCode mailxml_mm:MailingDate mailxml_mm:NumberOfRecordsRead mailxml_mm:NumberOfRecordsRejected mailxml_mm:NumberOfRecordsAccepted mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail

1525

1526

1527 element **ManifestPaymentExtractQueryRequest**

diagram	<pre> classDiagram class ManifestPaymentExtractQu { <<Query request for Manifest Payment Extract.>> } class SubmittingPa { <<mailxml_mm:m:SubmittingPa...>> } class SubmittingSo { <<mailxml_mm:m:SubmittingSo...>> } class SubmitterTrac { <<mailxml_mm:m:SubmitterTrac...>> } class ElectronicFile { <<mailxml_mm:m:ElectronicFile...>> } ManifestPaymentExtractQu "3" --> SubmittingPa ManifestPaymentExtractQu "3" --> SubmittingSo ManifestPaymentExtractQu "3" --> SubmitterTrac ManifestPaymentExtractQu "1..>" --> ElectronicFile </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:ElectronicFileNumber
annotation	<p>documentation</p> <p>Query request for Manifest Payment Extract.</p>

1528

1529

1530 element **ManifestPaymentExtractQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingPa { <<mailxml_mm:m:SubmittingPa...>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... </> } SubmittingPa --> participantIDType </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens</td> <td>mailxml_base:userLicenseCodeTyp</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>e</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp					e					
Name	Type	User	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp																																										
e																																											

	mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	mailxml_base:s12 mailxml_base:s12
--	---	--

1531

1532

1533 element **ManifestPaymentExtractQueryRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:m:SubmittingSo...] B["mailxml_defs:submittingSoft..."] C["mailxml_defs:fs:SoftwareName"] D["mailxml_defs:fs:Vendor"] E["mailxml_defs:fs:Version"] F["mailxml_defs:fs:ApprovalDate"] G["mailxml_defs:fs:ApprovalKey"] A --- B B --- C B --- D B --- E B --- F B --- G </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1534

1535

1536 element **ManifestPaymentExtractQueryRequest/SubmitterTrackingID**

diagram	<pre> graph LR A["mailxml_mm:m:SubmitterTrac..."] B["mailxml_base:s20"] A --- B </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1537

1538

1539 element **ManifestPaymentExtractQueryRequest/ElectronicFileNumber**

diagram	<pre> graph LR A["mailxml_mm:m:ElectronicFile..."] B["1..∞"] A --- B </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1540

1541

1542 element **ManifestPaymentExtractDelivery**

diagram	<pre> classDiagram class ManifestPaymentExtractDelivery { grp mailxml_defs:LargeTransac... mailxml_defs:fs:MessageGrou... mailxml_defs:fs:TotalMessage... mailxml_defs:fs:MessageSerial... mailxml_defs:fs:TransmittedRe... mailxml_defs:fs>TotalRecordsA... mailxml_defs:fs>LastMessage } class SubmittingParty class SubmittingSoftware class DataRecipient class PushMessageID class ManifestExtractData class LargeTransactionDivideResult ManifestPaymentExtractDelivery "1..∞" --> SubmittingParty : m:SubmittingParty ManifestPaymentExtractDelivery "1..∞" --> SubmittingSoftware : m:SubmittingSoftware ManifestPaymentExtractDelivery --> DataRecipient : mailxml_defs:DataRecipient ManifestPaymentExtractDelivery --> PushMessageID : mailxml_mm:m:PushMessageID ManifestPaymentExtractDelivery --> ManifestExtractData : mailxml_mm:m:ManifestExtractData ManifestPaymentExtractDelivery --> LargeTransactionDivideResult : mailxml_defs:LargeTransactionDivideResult </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:ManifestExtractData mailxml_defs:LargeTransactionDivideResult																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								

1543

1544

1545 element **ManifestPaymentExtractDelivery/SubmittingParty**

diagram	<pre> graph LR A[mailxml_mm:SubmittingParty] --- B[mailxml_defs:participantIDType] B --- C[attributes] C --- D[fs:MailerID6] C --- E[fs:MailerID9] C --- F[fs:CRID] C --- G[fs:SchedulerID] C --- H[fs:MaildatUserLicenseCode] C --- I[fs:ShippingAgentID] C --- J[fs:ReceivingAgentID] </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

1546

1547

1548 element **ManifestPaymentExtractDelivery/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1549

1550


1551 element **ManifestPaymentExtractDelivery/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

1552

1553

1554 element **ManifestPaymentExtractDelivery/ManifestExtractData**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:manifestPaymentExtractDataType
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMpb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID

1555

1556

1557 element **ManifestPaymentExtractNotification**

diagram	<p>The diagram illustrates the ManifestPaymentExtractNotification element. It is represented by a rectangle labeled "ManifestPaymentExtractNo...". A dashed line connects it to four other rectangles: "mailxml.mm:m:ElectronicFile...", "mailxml.mm:m:MailingDate", "mailxml.mm:m:ProcessingDate", and "mailxml.mm:m:NotificationDate". Below the main element, a note states: "Notification from PostalOne! to Mailer Notifying them the availability of file."</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ElectronicFileNumber mailxml mm:MailingDate mailxml mm:ProcessingDate mailxml mm:NotificationDate
annotation	<p>documentation</p> <p>Notification from PostalOne! to Mailer Notifying them the availability of file.</p>

1558

1559

1560 element **ManifestPaymentExtractNotification/ElectronicFileNumber**

diagram	<p>The diagram shows the ManifestPaymentExtractNotification element connected to the ElectronicFileNumber element, which is highlighted with a dashed border.</p>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s34									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	34	
Kind	Value	Annotation								
minLength	1									
maxLength	34									

	whiteSpace preserve
--	---------------------

1561

1562

1563 element **ManifestPaymentExtractNotification/MailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

1564

1565

1566 element **ManifestPaymentExtractNotification/ProcessingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

1567

1568

1569 element **ManifestPaymentExtractNotification/NotificationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

1570

1571

1572 element ManifestPaymentExtractQueryResponse

diagram	<p>ManifestPaymentExtractQu... Response to the query for a postage statement.</p> <p>attributes</p> <ul style="list-style-type: none"> grp mailxml_mm:MailXML... mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID mailxml_mm:m>Status <p>Relationships</p> <ul style="list-style-type: none"> mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrac... mailxml_mm:m:QueryResu... mailxml_defs:QueryErr... <p>Error issued when the query data cannot be provided.</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:QueryResults mailxml_defs:QueryError																								
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	documentation Response to the query for a postage statement.																								

1573

1574


1575 element ManifestPaymentExtractQueryResponse/TrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1576

1577


1578 element **ManifestPaymentExtractQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1579

1580


1581 element **ManifestPaymentExtractQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ManifestExtractData mailxml_mm:ReturnInfo

1582

1583

1584 element **ManifestPaymentExtractQueryResponse/QueryResults/ManifestExtractData**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:manifestPaymentExtractDataType
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMPb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID

1585

1586

1587 element **ManifestPaymentExtractQueryResponse/QueryResults/ReturnInfo**

diagram	<pre> classDiagram class mailxml_mm::ReturnInfo { <<0..>> } class mailxml_defs::basicReturnInfo { <<0..>> } class mailxml_defs::fs::ReturnCode { <<0..>> } class mailxml_defs::fs::ReturnDescription { <<0..>> } class mailxml_defs::fs::errorWarning { <<0..>> } mailxml_mm::ReturnInfo "0..∞" -- "0..∞" mailxml_defs::basicReturnInfo mailxml_mm::ReturnInfo "0..∞" -- "0..∞" mailxml_defs::fs::ReturnCode mailxml_mm::ReturnInfo "0..∞" -- "0..∞" mailxml_defs::fs::ReturnDescription mailxml_mm::ReturnInfo "0..∞" -- "0..∞" mailxml_defs::fs::errorWarning </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1588

1589

1590 element OpenMailingGroupRequest

diagram	<pre> classDiagram class OpenMailingGroupRequest { grp: mailxml_mm:MailXML... mailxml_mm:m:CustomerGrou... } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class MailingGroupData OpenMailingGroupRequest "1..1" --> "1..1" SubmittingParty : OpenMailingGroupRequest "1..1" --> "1..1" SubmittingSoftware : OpenMailingGroupRequest "1..1" --> "1..1" SubmitterTrackingID : OpenMailingGroupRequest "1..1" --> "1..1" MailingGroupData : </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:MailingGroupData												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
Name	Type	Use	Default	Fixed	Annotation								
mailxml_mm:CustomerGroupID	mailxml_base:s25	required											
annotation	<p>documentation</p> <p>Request to open a Mailing Group as a method to allow USPS customers to organize documents in a manner that suits their business needs.</p>												

1591

1592

1593 element OpenMailingGroupRequest/SubmittingParty

diagram	<pre> classDiagram class participantIDType { fs:MailerID6 fs:MailerID9 fs:CRID fs:SchedulerID fs:MaildatUserLi... fs:ShippingAgen... fs:ReceivingAge... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:participantIDType

attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

1594

1595

1596 element **OpenMailingGroupRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:im:SubmittingSo...] A --> B[attributes] B --> C[mailxml_defs:fs:SoftwareName] B --> D[mailxml_defs:fs:Vendor] B --> E[mailxml_defs:fs:Version] B --> F[mailxml_defs:fs:ApprovalDate] B --> G[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1597

1598

1599 element **OpenMailingGroupRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_mm:SubmitterTrac...] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s20									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									

	whiteSpace preserve
1600	
1601	
1602	element OpenMailingGroupRequest/MailingGroupData
diagram	<pre> classDiagram class mailxml_mm::MailingGroupData { <<mailxml_mm::MailingGroupData>> <<mailxml_mm::CustomerDescription>> <<mailxml_mm::SubmitterCRID>> <<mailxml_mm::PermitPublicationData>> <<mailxml_mm::PostOfficeOfMailingZip>> <<mailxml_mm::MailingFacility>> <<mailxml_mm::MailXMLPresentationCategory>> <<mailxml_mm::MailerID>> <<mailxml_mm::FullServiceParticipationIndicator>> <<mailxml_mm::MailAgreementType>> <<mailxml_mm::ContractNumber>> <<mailxml_mm::OnePassIndicator>> <<mailxml_mm::LogicalPhysicalContainerIndicator>> } mailxml_mm::MailingGroupData "..." --> "..." : ... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:MailingGroupDataType
children	mailxml_mm:CustomerDescription mailxml_mm:SubmitterCRID mailxml_mm:PermitPublicationData mailxml_mm:PostOfficeOfMailingZip mailxml_mm:MailingFacility mailxml_mm:MailXMLPresentationCategory mailxml_mm:MailerID mailxml_mm:FullServiceParticipationIndicator mailxml_mm:MailAgreementType mailxml_mm:ContractNumber mailxml_mm:OnePassIndicator mailxml_mm:LogicalPhysicalContainerIndicator

1603

1604

1605 element **OpenMailingGroupResponse**

diagram	<pre> classDiagram class OpenMailingGroupResponse { <<Response from USPS to the customer request to open a Mailing Group>> } class TrackingID { <<mailxml_mm:m:TrackingID>> } class SubmitterTrackingID { <<mailxml_mm:m:SubmitterTrac...>> } class OpenMailingGroupAccept { <<mailxml_mm:m:OpenMailing...>> } class OpenMailingGroupReject { <<mailxml_mm:m:OpenMailing...>> } OpenMailingGroupResponse < -- TrackingID OpenMailingGroupResponse < -- SubmitterTrackingID OpenMailingGroupResponse --> OpenMailingGroupAccept OpenMailingGroupResponse --> OpenMailingGroupReject </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:OpenMailingGroupAccept mailxml_mm:OpenMailingGroupReject
annotation	<p>documentation</p> <p>Response from USPS to the customer request to open a Mailing Group</p>

1606

1607

1608 element **OpenMailingGroupResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1609

1610

1611 element **OpenMailingGroupResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1612

1613

1614 element **OpenMailingGroupResponse/OpenMailingGroupAccept**

diagram	<p>Response from USPS to the customer indicating that a Mailing Group was opened</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	<p>documentation</p> <p>Response from USPS to the customer indicating that a Mailing Group was opened</p>																								

1615

1616

1617 element **OpenMailingGroupResponse/OpenMailingGroupAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1618

1619

1620 element **OpenMailingGroupResponse/OpenMailingGroupReject**

diagram	<p><code>mailxml_mm:m:OpenMailing...</code></p> <p>Response from USPS to the customer indicating that a Mailing Group could not be opened and why.</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml mm:PostOfficeOfMailingZip mailxml mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger					mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger																								
mailxml_mm:Status	mailxml_base:statusType																								
annotation	<p>documentation</p> <p>Response from USPS to the customer indicating that a Mailing Group could not be opened and why.</p>																								

1621

1622


1623 element **OpenMailingGroupResponse/OpenMailingGroupReject/PostOfficeOfMailingZip**

diagram	<p><code>mailxml_mm:m:PostOfficeOfM...</code></p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es5												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>5</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	5		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	5												
maxLength	5												
whiteSpace	preserve												

1624

1625


1626 element **OpenMailingGroupResponse/OpenMailingGroupReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1627

1628

1629 element **PaymentMessage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PostageStatementTransactionNumber mailxml_mm:CustomerReferenceTransactionNumber mailxml_mm:MailingFacility mailxml_mm:PostageAmountPaid mailxml_mm:DateOfTransaction mailxml_mm:TimeOfTransaction
used by	element PaymentMessageQueryResponse/QueryResults

1630

1631

1632 element **PaymentMessage/PostageStatementTransactionNumber**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1633

1634

1635 element **PaymentMessage/CustomerReferenceTransactionNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

1636

1637

1638 element **PaymentMessage/MailingFacility**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

1639

1640

1641 element **PaymentMessage/PostageAmountPaid**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1642

1643

1644 element **PaymentMessage/DateOfTransaction**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

1645

1646

1647 element **PaymentMessage/TimeOfTransaction**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:time
------	----------------

1648

1649

1650 element **PaymentMessageQueryRequest**

diagram	<p>The diagram shows the PaymentMessageQueryRequest class with the following structure:</p> <ul style="list-style-type: none"> Attributes: <ul style="list-style-type: none"> grp mailxml_mm:Postage... mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID Associations: <ul style="list-style-type: none"> An association with mailxml_mm:m:SubmittingPa... (marked with a plus sign) and mailxml_mm:m:SubmittingSo... (marked with a plus sign). A dashed line association with mailxml_mm:m:SubmitterTrac.... 																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID																		
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	<p>documentation</p> <p>Query request for a payment message.</p>																		

1651

1652

1653 element **PaymentMessageQueryRequest/SubmittingParty**

diagram	<p>The diagram shows the mailxml_mm:m:SubmittingPa... class with the following structure:</p> <ul style="list-style-type: none"> Attributes: <ul style="list-style-type: none"> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge...
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

1654

1655

1656 element **PaymentMessageQueryRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mSubmittingSoftware { <<mailxml_mm:m:SubmittingSoftware>> } class submittingSoftwareType { <<mailxml_defs:submittingSoftwareType>> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } mSubmittingSoftware "2" --> "1" submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1657

1658

1659 element **PaymentMessageQueryRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mSubmitterTrackingID { <<mailxml_mm:m:SubmitterTrackingID>> } mSubmitterTrackingID "2" --> "1" mSubmitterTrackingID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1660

1661

1662 element PaymentMessageQueryResponse

diagram	<p>The diagram illustrates the structure of the PaymentMessageQueryResponse element. It is a class with the following components:</p> <ul style="list-style-type: none"> Attributes: A group containing CustomerGroupID and MailingGroupID. Children: <ul style="list-style-type: none"> TrackingID: Represented by a dashed line connecting to a node labeled m:TrackingID. SubmitterTrackingID: Represented by a dashed line connecting to a node labeled m:SubmitterTrac.... QueryResults: Represented by a solid line connecting to a node labeled m:QueryResu.... QueryError: Represented by a solid line connecting to a node labeled mailxml_defs:QueryErr.... <p>A note below the diagram states: "Error issued when the query data cannot be provided."</p>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	documentation Response to the query request for a payment message.																		

1663

1664


1665 element PaymentMessageQueryResponse/TrackingID

diagram	<p>The diagram shows the TrackingID class, which is a child of the PaymentMessageQueryResponse class. It has no attributes or children.</p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1666

1667


1668 element **PaymentMessageQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1669

1670


1671 element **PaymentMessageQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PaymentMessage mailxml_mm:ReturnInfo

1672

1673


1674 element **PaymentMessageQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1675

1676

1677 element PeriodicalLineItemData




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:Copies mailxml mm:ContainerDetailID mailxml mm:DiscountQty mailxml mm:PeriodicalPrice mailxml mm:InOutCountyIndicator mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:NonCopies mailxml mm:PieceRate mailxml mm:Pieces mailxml mm:PostageAmount mailxml mm:PoundRate mailxml mm:RateCategory mailxml mm:Section mailxml mm:SubreqCopies mailxml mm:Zone mailxml mm:ChargeableContainerType mailxml mm:ChargeableContainerLevel mailxml mm:ContainerID mailxml mm:ChargeableBundleLevel mailxml mm:Bundles mailxml mm:ChargeableEntryLevel mailxml mm:Containers mailxml mm:MachineabilityIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:USPSPackageUniqueCharacteristic mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold
used by	complexTypes abstractPeriodicalStatementDataType createConsolidatedPeriodicalStatementDataType

1678

1679

1680 element **PeriodicalLineItemData/Copies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1681

1682


1683 element **PeriodicalLineItemData/ContainerDetailID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

1684

1685

1686 element **PeriodicalLineItemData/DiscountQty**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1687

1688

1689 element **PeriodicalLineItemData/PeriodicalPrice**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_mm:periodicalPriceType																											
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>D</td><td></td></tr><tr><td>enumeration</td><td>C</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>R</td><td></td></tr><tr><td>enumeration</td><td>Z</td><td></td></tr><tr><td>enumeration</td><td>5</td><td></td></tr><tr><td>enumeration</td><td>9</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	D		enumeration	C		enumeration	E		enumeration	R		enumeration	Z		enumeration	5		enumeration	9		enumeration	1	
Kind	Value	Annotation																										
enumeration	D																											
enumeration	C																											
enumeration	E																											
enumeration	R																											
enumeration	Z																											
enumeration	5																											
enumeration	9																											
enumeration	1																											

1690

1691

1692 element **PeriodicalLineItemData/InOutCountyIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:inCountyOutCountyIndicatorType									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>I</td><td></td></tr><tr><td>enumeration</td><td>N</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	I		enumeration	N	
Kind	Value	Annotation								
enumeration	I									
enumeration	N									

1693

1694

1695 element **PeriodicalLineItemData/LineLabel**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s80												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>80</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	80		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	80												
whiteSpace	preserve												

1696

1697

1698 element **PeriodicalLineItemData/LineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s03												
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

1699

1700

1701 element **PeriodicalLineItemData/NonCopies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1702

1703

1704 element **PeriodicalLineItemData/PieceRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1705

1706

1707 element **PeriodicalLineItemData/Pieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1708

1709

1710 element **PeriodicalLineItemData/PostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1711

1712

1713 element **PeriodicalLineItemData/PoundRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

1714

1715

1716 element **PeriodicalLineItemData/RateCategory**

diagram																																																																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																																												
type	mailxml_mm:rateCategoryType																																																																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>A1</td><td></td></tr> <tr><td>enumeration</td><td>AF</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>B1</td><td></td></tr> <tr><td>enumeration</td><td>B2</td><td></td></tr> <tr><td>enumeration</td><td>BF</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>C1</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>D1</td><td></td></tr> <tr><td>enumeration</td><td>DF</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>FB</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>GF</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>KF</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>L1</td><td></td></tr> <tr><td>enumeration</td><td>L2</td><td></td></tr> <tr><td>enumeration</td><td>L3</td><td></td></tr> <tr><td>enumeration</td><td>L4</td><td></td></tr> <tr><td>enumeration</td><td>L5</td><td></td></tr> <tr><td>enumeration</td><td>L6</td><td></td></tr> <tr><td>enumeration</td><td>L7</td><td></td></tr> <tr><td>enumeration</td><td>L8</td><td></td></tr> <tr><td>enumeration</td><td>TQ</td><td></td></tr> <tr><td>enumeration</td><td>TR</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>O</td><td></td></tr> <tr><td>enumeration</td><td>O1</td><td></td></tr> <tr><td>enumeration</td><td>PI</td><td></td></tr> <tr><td>enumeration</td><td>PM</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	A1		enumeration	AF		enumeration	B		enumeration	B1		enumeration	B2		enumeration	BF		enumeration	C		enumeration	C1		enumeration	D		enumeration	D1		enumeration	DF		enumeration	E		enumeration	FB		enumeration	G		enumeration	GF		enumeration	H		enumeration	K		enumeration	KF		enumeration	L		enumeration	L1		enumeration	L2		enumeration	L3		enumeration	L4		enumeration	L5		enumeration	L6		enumeration	L7		enumeration	L8		enumeration	TQ		enumeration	TR		enumeration	N		enumeration	O		enumeration	O1		enumeration	PI		enumeration	PM	
Kind	Value	Annotation																																																																																																											
enumeration	A																																																																																																												
enumeration	A1																																																																																																												
enumeration	AF																																																																																																												
enumeration	B																																																																																																												
enumeration	B1																																																																																																												
enumeration	B2																																																																																																												
enumeration	BF																																																																																																												
enumeration	C																																																																																																												
enumeration	C1																																																																																																												
enumeration	D																																																																																																												
enumeration	D1																																																																																																												
enumeration	DF																																																																																																												
enumeration	E																																																																																																												
enumeration	FB																																																																																																												
enumeration	G																																																																																																												
enumeration	GF																																																																																																												
enumeration	H																																																																																																												
enumeration	K																																																																																																												
enumeration	KF																																																																																																												
enumeration	L																																																																																																												
enumeration	L1																																																																																																												
enumeration	L2																																																																																																												
enumeration	L3																																																																																																												
enumeration	L4																																																																																																												
enumeration	L5																																																																																																												
enumeration	L6																																																																																																												
enumeration	L7																																																																																																												
enumeration	L8																																																																																																												
enumeration	TQ																																																																																																												
enumeration	TR																																																																																																												
enumeration	N																																																																																																												
enumeration	O																																																																																																												
enumeration	O1																																																																																																												
enumeration	PI																																																																																																												
enumeration	PM																																																																																																												

	enumeration	P7
	enumeration	P8
	enumeration	PE
	enumeration	PQ
	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38

	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63
	enumeration	IK64
	enumeration	IK65
	enumeration	IK66
	enumeration	IK67
	enumeration	IQ68
	enumeration	IR69
	enumeration	PS1
	enumeration	PS2
	enumeration	PS3
	enumeration	PS4
	enumeration	PS5
	enumeration	PS6
	enumeration	PS7
	enumeration	PS8
	enumeration	PS9
	enumeration	PS10
	enumeration	PS11
	enumeration	Z
	enumeration	D2
	enumeration	TE
	enumeration	TK

	enumeration PO
--	----------------

1717

1718


1719 element **PeriodicalLineItemData/Section**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

1720

1721


1722 element **PeriodicalLineItemData/SubreqCopies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1723

1724


1725 element **PeriodicalLineItemData/Zone**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_base:zoneICType																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DDU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SCF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ADC</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	A		enumeration	DDU		enumeration	SCF		enumeration	ADC	
Kind	Value	Annotation																																															
enumeration	N																																																
enumeration	M																																																
enumeration	LC																																																
enumeration	1																																																
enumeration	3																																																
enumeration	4																																																
enumeration	5																																																
enumeration	6																																																
enumeration	7																																																
enumeration	8																																																
enumeration	9																																																
enumeration	A																																																
enumeration	DDU																																																
enumeration	SCF																																																
enumeration	ADC																																																

1726

1727


1728 element **PeriodicalLineItemData/ChargeableContainerType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:chargeableContainerType
facets	Kind Value Annotation enumeration Sacks enumeration Trays enumeration Pallets enumeration Airbox

1729

1730


1731 element **PeriodicalLineItemData/ChargeableContainerLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType
facets	Kind Value Annotation enumeration 3 enumeration 5 enumeration A enumeration C enumeration M enumeration E enumeration F

1732

1733


1734 element **PeriodicalLineItemData/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

1735

1736

1737 element **PeriodicalLineItemData/ChargeableBundleLevel**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableBundleLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	F		enumeration	M		enumeration	FS	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	F																								
enumeration	M																								
enumeration	FS																								

1738

1739


1740 element **PeriodicalLineItemData/Bundles**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1741

1742


1743 element **PeriodicalLineItemData/ChargeableEntryLevel**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_mm:chargeableEntryLevelType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>J</td> <td></td> </tr> <tr> <td>enumeration</td> <td>K</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	C		enumeration	D		enumeration	J		enumeration	K		enumeration	O		enumeration	R		enumeration	S		enumeration	P	
Kind	Value	Annotation																													
enumeration	B																														
enumeration	C																														
enumeration	D																														
enumeration	J																														
enumeration	K																														
enumeration	O																														
enumeration	R																														
enumeration	S																														
enumeration	P																														

1744

1745

1746 element **PeriodicalLineItemData/Containers**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1747

1748

1749 element **PeriodicalLineItemData/MachinabilityIndicator**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:machinabilityIndicatorType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Y</td> <td>documentation Y=Machinable</td> </tr> <tr> <td>enumeration</td> <td>U</td> <td>documentation U=Flat Machinable on UFSM 1000</td> </tr> <tr> <td>enumeration</td> <td>N</td> <td>documentation N=Not Machinable</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Y	documentation Y=Machinable	enumeration	U	documentation U=Flat Machinable on UFSM 1000	enumeration	N	documentation N=Not Machinable
Kind	Value	Annotation											
enumeration	Y	documentation Y=Machinable											
enumeration	U	documentation U=Flat Machinable on UFSM 1000											
enumeration	N	documentation N=Not Machinable											

1750

1751

1752 element **PeriodicalLineItemData/FullServiceParticipationIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:fspiType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	F	
Kind	Value	Annotation								
enumeration	M									
enumeration	F									

1753

1754


1755 element **PeriodicalLineItemData/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:uspsPackageUniqueCharacteristicType

1756

1757

1758 element **PeriodicalLineItemData/HoldForPickup**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:yesNo						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------

1759

1760

1761 element **PeriodicalLineItemData/NumberOfPiecesToHold**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:positiveInteger

1762

1763

1764 element **PeriodicalStatementCreateRequest**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm>CreatePeriodicalStatement					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:IssueDate	xs:date				
	mailxml_mm:IssueNumber	mailxml_base:s06				
	mailxml_mm:VolumeNumber	mailxml_base:s05				
	mailxml_mm:CustomerReferenceID	mailxml_base:s40				
	mailxml_mm:AgencyCostCode	mailxml_mm:agencyCostCodeType				
	mailxml_mm:PermitNumber	mailxml_base:s08				
	mailxml_mm:PermitType	mailxml_base:permitTypeType				
	mailxml_mm:PermitZip4	mailxml_base:ns09				
	mailxml_mm:PublicationNUmber	mailxml_base:s08				
	mailxml_mm:PostageStatementMethod	mailxml_mm:postagePaymentMethodType				
	mailxml_mm:RateType	mailxml_base:rateType				
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType				
annotation	documentation Request to create a periodical statement.					

1765

1766

1767 element PeriodicalStatementCreateRequest/SubmittingParty



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
type	mailxml_defs:participantIDType					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

1768

1769

1770 element **PeriodicalStatementCreateRequest/SubmittingSoftware**

diagram	<pre> classDiagram m:SubmittingSoftware < -- submittingSoftwareType submittingSoftwareType { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1771

1772

1773 element **PeriodicalStatementCreateRequest/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm


type	mailxml_base:s20		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

1774

1775

1776 element **PeriodicalStatementCreateRequest/CreatePeriodicalStatement**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:createPeriodicalStatementType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:ContainerPostage

1777

1778

1779 element **PeriodicalStatementCreateResponse**

diagram	<pre> sequenceDiagram participant PS as PeriodicalStatementCreate... participant PSC as mailxml_mm:im:PeriodicalStatementCreateResponse PS->>PSC: Response to a request to create a periodical statement. activate PSC PSC->>PS: deactivate PSC </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:PeriodicalStatementCreateAccept mailxml mm:PeriodicalStatementCreateReject
annotation	documentation Response to a request to create a periodical statement.

1780

1781

1782 element **PeriodicalStatementCreateResponse/TrackingID**


diagram	<pre> classDiagram class TrackingID </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s20		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

1783

1784


1785 element **PeriodicalStatementCreateResponse/SubmitterTrackingID**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s20		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

1786

1787

1788 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:StatementID mailxml mm:UserPostageStatementID mailxml mm:TotalPostage mailxml mm:TotalPostageDue mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:ReturnInfo					
attributes	Name mailxml_mm:CustomerGroupID	Type mailxml_base:s25	Use required	Default	Fixed	Annotation
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

1789

1790

1791 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1792

1793

1794 element

PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/UserPostageStatementID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

1795

1796

1797 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1798

1799

1800 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/TotalPostageDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1801

1802

1803 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s05
facets	Kind Value Annotation minLength 1 maxLength 5 whiteSpace preserve

1804

1805

1806 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

1807

1808

1809 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1810

1811

1812 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateReject**

diagram	<pre> classDiagram class mailxml_mm:m:PeriodicalStat... { <<grp mailxml_mm:MailXML...>> mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID mailxml_mm:m>Status } mailxml_mm:m:ReturnInfo mailxml_mm:m:PeriodicalStat... "3" -- "1" mailxml_mm:m:ReturnInfo </pre>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								

1813

1814

1815 element **PeriodicalStatementCreateResponse/PeriodicalStatementCreateReject/ReturnInfo**

diagram	<pre> classDiagram class mailxml_defs:basicReturnInfo { <<mailxml_defs:>> <<0..∞>> mailxml_defs:fs:ReturnCode mailxml_defs:fs:ReturnDescrip... mailxml_defs:fs:errorWarning mailxml_defs:fs:ContainerErr... } mailxml_mm:m:ReturnInfo "0..∞" -- "1" mailxml_defs:basicReturnInfo </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1816

1817

1818 element **PeriodicalStatementQueryRequest**

diagram	<pre> graph TD PSQ[PeriodicalStatementQueryRequest] --- ATTRS[attributes] ATTRS --- ATTR[grp mailxml_mm:MailXML...] ATTR --- ATTR[mailxml_mm:m:CustomerGroupID] ATTR --- ATTR[mailxml_mm:m:MailingGroupID] ATTR --- ATTR[mailxml_mm:m:IssueDate] ATTR --- ATTR[mailxml_mm:m:IssueNumber] ATTR --- ATTR[mailxml_mm:m:VolumeNumber] ATTR --- ATTR[mailxml_mm:m:CustomerReference] ATTR --- ATTR[mailxml_mm:m:AgencyCostCode] ATTR --- ATTR[mailxml_mm:m:PermitNumber] ATTR --- ATTR[mailxml_mm:m:PermitType] ATTR --- ATTR[mailxml_mm:m:PermitZip4] ATTR --- ATTR[mailxml_mm:m:PublicationNumber] ATTR --- ATTR[mailxml_mm:m:PostageState] ATTR --- ATTR[mailxml_mm:m:RateType] ATTR --- ATTR[mailxml_mm:m:ProcessingCategory] ATTR --- ATTR[mailxml_mm:m:SubmittingParty] ATTR --- ATTR[mailxml_mm:m:SubmittingSoftware] ATTR --- ATTR[mailxml_mm:m:SubmitterTrackingID] ATTR --- ATTR[mailxml_mm:m:StatementID] ATTR --- ATTR[mailxml_mm:m:IncludeChildStatement] </pre>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID mailxml_mm:IncludeChildStatement																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:IssueDate	xs:date																								

	mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatement Method mailxml_mm:RateType mailxml_mm:ProcessingCategory 	mailxml_base:s06 mailxml_base:s05 mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Query request for a periodical statement.	

1819

1820

1821 element **PeriodicalStatementQueryRequest/SubmittingParty**

diagram	<pre> classDiagram participant Party participant IDType Party "1" -- "1" IDType IDType "fs:MailerID6" IDType "fs:MailerID9" IDType "fs:CRID" IDType "fs:SchedulerID" IDType "fs:MaildatUserLicens" IDType "fs:ShippingAgent" IDType "fs:ReceivingAge" </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:participantIDType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us</th> <th>Defaul</th> <th>Fixe</th> <th>Annotatio</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td>e</td> <td>t</td> <td>d</td> <td>n</td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens</td> <td>mailxml_base:userLicenseCodeTyp</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us	Defaul	Fixe	Annotatio	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n	mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp				
Name	Type	Us	Defaul	Fixe	Annotatio																																
mailxml_defs:MailerID6	mailxml_base:mailerID6Type	e	t	d	n																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																				
mailxml_defs:CRID	mailxml_base:CRIDType																																				
mailxml_defs:SchedulerID	mailxml_base:s12																																				
mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp																																				

	e mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	e mailxml_base:s12 mailxml_base:s12
--	--	---

1822

1823

1824 element **PeriodicalStatementQueryRequest/SubmittingSoftware**

diagram	<p>The diagram illustrates the structure of the 'SubmittingSoftware' element. It consists of a main element box labeled 'mailxml_mm:im:SubmittingSo...' which has a dashed line connecting it to a larger yellow box labeled 'mailxml_defs:submittingSoft...'. This yellow box contains five attributes, each enclosed in a dashed-line box: 'mailxml_defs:fs:SoftwareName', 'mailxml_defs:fs:Vendor', 'mailxml_defs:fs:Version', 'mailxml_defs:fs:ApprovalDate', and 'mailxml_defs:fs:ApprovalKey'.</p>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1825

1826

1827 element **PeriodicalStatementQueryRequest/SubmitterTrackingID**

diagram	<p>The diagram shows the 'SubmitterTrackingID' element, which is represented by a dashed-line box labeled 'mailxml_mm:im:SubmitterTrac...'.</p>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1828

1829

1830 element **PeriodicalStatementQueryRequest/StatementID**

diagram	<p>The diagram shows the 'StatementID' element, which is represented by a dashed-line box labeled 'mailxml_mm:im:StatementID'.</p>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1831

1832


1833 element **PeriodicalStatementQueryRequest/IncludeChildStatement**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

1834

1835

1836 element **PeriodicalStatementQueryResponse**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	documentation Response to a query request for a periodical statement.																								

1837

1838


1839 element **PeriodicalStatementQueryResponse/TrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

1840

1841


1842 element **PeriodicalStatementQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

1843

1844

1845 element **PeriodicalStatementQueryResponse/QueryResults**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PeriodicalStatementData mailxml_mm:ReturnInfo

1846

1847

1848 element **PeriodicalStatementQueryResponse/QueryResults/PeriodicalStatementData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:periodicalStatementDataType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:StatementID mailxml mm:MailClass mailxml mm:Origin mailxml mm:PostageStatementStatus mailxml mm:TotalCopies mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalWeight mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:MailArrivalDateandTime mailxml mm:PaymentDateandTime mailxml mm:StartTheClockDate mailxml mm:ContainerPostage

1849

1850

1851 element **PeriodicalStatementQueryResponse/QueryResults/ReturnInfo**

diagram	<pre> classDiagram class mailxml_defs::basicReturnInfo { fs::ReturnCode fs::ReturnDescri... fs::errorWarning fs::ContainerErr... } mailxml_mm::im::ReturnInfo "0..∞" --> mailxml_defs::basicReturnInfo </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType

children	<p>mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning</p> <p>mailxml_defs:ContainerErrorWarningBlock</p>												
1852													
1853													
1854 element PostageStatementCancelRequest	<p>diagram</p> <pre> classDiagram class PostageStatementCancelRequest { grp mailxml_mm:MailXML... m:CustomerGroupID m:IssueDate m:IssueNumber m:VolumeNumber m:CustomerReference m:AgencyCostCode m:PermitNumber m:PermitType m:PermitZip4 m:PublicationNumber m:PostageState m:RateType m:ProcessingCategory } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class StatementID PostageStatementCancelRequest "Request to cancel a postage statement." < -- SubmittingParty PostageStatementCancelRequest < -- SubmittingSoftware PostageStatementCancelRequest < -- SubmitterTrackingID PostageStatementCancelRequest < -- StatementID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
children	<p>mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware</p> <p>mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID</p>												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
Name	Type	Use	Default	Fixed	Annotation								
mailxml_mm:CustomerGroupID	mailxml_base:s25	required											

	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required
	mailxml_mm:IssueDate	xs:date	
	mailxml_mm:IssueNumber	mailxml_base:s06	
	mailxml_mm:VolumeNumber	mailxml_base:s05	
	mailxml_mm:CustomerReferenceID	mailxml_base:s40	
	mailxml_mm:AgencyCostCode	<u>mailxml_mm:agencyCostCodeType</u>	
	mailxml_mm:PermitNumber	mailxml_base:s08	
	mailxml_mm:PermitType	mailxml_base:permitTypeType	
	mailxml_mm:PermitZip4	mailxml_base:ns09	
	mailxml_mm:PublicationNUmber	mailxml_base:s08	
	mailxml_mm:PostageStatementMethod	<u>mailxml_mm:postagePaymentMethodType</u>	
	mailxml_mm:RateType	mailxml_base:rateType	
	mailxml_mm:ProcessingCategory	mailxml_base:processingCategoryType	
annotation	documentation Request to cancel a postage statement.		

1855

1856

1857 element **PostageStatementCancelRequest/SubmittingParty**

diagram																			
namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_defs:participantIDType																		
attribut es	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n														
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																		
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																		

	mailxml_defs:CRID mailxml_defs:SchedulerID mailxml_defs:MaildatUserLicense mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	mailxml_base:CRIDType mailxml_base:s12 mailxml_base:userLicenseCodeType mailxml_base:s12 mailxml_base:s12
--	---	--

1858

1859

1860 element **PostageStatementCancelRequest/SubmittingSoftware**

diagram	<pre> graph LR A["mailxml_mm:m:SubmittingSo..."] --- B["mailxml_defs:fs:SoftwareName"] A --- C["mailxml_defs:fs:Vendor"] A --- D["mailxml_defs:fs:Version"] A --- E["mailxml_defs:fs:ApprovalDate"] A --- F["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1861

1862


1863 element **PostageStatementCancelRequest/SubmitterTrackingID**

diagram	<pre> graph LR A["mailxml_mm:m:SubmitterTrac..."] --- B["minLength"] A --- C["maxLength"] A --- D["whiteSpace"] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1864

1865


1866 element **PostageStatementCancelRequest/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1867

1868

1869 element **PostageStatementCancelResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:PostageStatementCancelAccept mailxml_mm:PostageStatementCancelReject
annotation	documentation Response to a request to cancel a postage statement.

1870

1871


1872 element **PostageStatementCancelResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1873

1874

1875 element **PostageStatementCancelResponse/SubmitterTrackingID**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s20									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20	
Kind	Value	Annotation								
minLength	1									
maxLength	20									

	whiteSpace preserve
--	---------------------

1876

1877

1878 element **PostageStatementCancelResponse/PostageStatementCancelAccept**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml mm:UserPostageStatementID mailxml mm:StatementID																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs:Status	mailxml_base:statusType																								

1879

1880

1881 element

PostageStatementCancelResponse/PostageStatementCancelAccept/UserPostageStatementID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

1882

1883


1884 element **PostageStatementCancelResponse/PostageStatementCancelAccept/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1885

1886


1887 element **PostageStatementCancelResponse/PostageStatementCancelReject**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:ReturnInfo																								
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CustomerGroupID</td><td>mailxml_base:s25</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailingGroupID</td><td>xs:nonNegativeInteger</td><td>required</td><td></td><td></td><td></td></tr><tr><td>mailxml_defs>Status</td><td>mailxml_base:statusType</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required				mailxml_defs>Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																							
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_defs>Status	mailxml_base:statusType																								

1888

1889

1890 element **PostageStatementCancelResponse/PostageStatementCancelReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1891

1892

1893 element PostageStatementCreateRequest

diagram	<pre> classDiagram class PostageStatementCreateRequest { <<Request to create a postage statement.>> attribute grp mailxml_mm:MailXML... attribute mailxml_mm:m:CustomerGrou... attribute mailxml_mm:m:MailingGroupID attribute mailxml_mm:m:IssueDate attribute mailxml_mm:m:IssueNumber attribute mailxml_mm:m:VolumeNumber attribute mailxml_mm:m:CustomerRefer... attribute mailxml_mm:m:AgencyCostCode attribute mailxml_mm:m:PermitNumber attribute mailxml_mm:m:PermitType attribute mailxml_mm:m:PermitZip4 attribute mailxml_mm:m:PublicationNU... attribute mailxml_mm:m:PostageState... attribute mailxml_mm:m:RateType attribute mailxml_mm:m:ProcessingCat... attribute mailxml_mm:m:SubmittingPa... attribute mailxml_mm:m:SubmittingSo... attribute mailxml_mm:m:SubmitterTrac... attribute mailxml_mm:m>CreatePostag... } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CreatePostageStatement																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Request to create a postage statement.	

1894

1895

1896 element PostageStatementCreateRequest/SubmittingParty

diagram	<pre> mailxml_defs:participantIDType attributes mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLicense mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

1897

1898

1899 element **PostageStatementCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

1900

1901

1902 element **PostageStatementCreateRequest/SubmitterTrackingID**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1903

1904

1905 element **PostageStatementCreateRequest/CreatePostageStatement**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:createPostageStatementType
children	mailxml mm:AgencyCostCode mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:CustomerCommitmentAgreementNumber mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:EnclosedBy mailxml mm:DMLType mailxml mm:EstimateIndicator mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:PostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:SinglePieceDimensionalWeight mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:MoveUpdateMethod mailxml mm:PaymentDateandTime mailxml mm:MailArrivalDateandTime mailxml mm:PostageAutoFinalization mailxml mm:FCMLtrResidualPrepIndicator mailxml mm:SSFTID mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData mailxml mm:ContainerPostage

1906

1907

1908 element **PostageStatementCreateResponse**

diagram	<pre> sequenceDiagram participant PS as PostageStatementCreateRe... participant T as mailxml_mm:m:TrackingID participant ST as mailxml_mm:m:SubmitterTrac... participant PSR as mailxml_mm:m:PostageState... participant PSRR as mailxml_mm:m:PostageState... PS->>T: activate T T->>PSR: activate PSR PSR-->>PSRR: deactivate PSR deactivate T </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:PostageStatementCreateAccept mailxml mm:PostageStatementCreateReject
annotation	<p>documentation</p> <p>Response to a request to create a postage statement.</p>

1909

1910


1911 element PostageStatementCreateResponse/TrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1912

1913

1914 element PostageStatementCreateResponse/SubmitterTrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

1915

1916

1917 element PostageStatementCreateResponse/PostageStatementCreateAccept

diagram	<p>The diagram illustrates the structure of the PostageStatementCreateAccept element. It features a main element labeled "mailxml_mm:m:PostageStatementCreateAccept". This element has several attributes: "grp mailxml_mm:MailXMLVersion", "mailxml_mm:m:CustomerGroupID", "mailxml_mm:m:MailingGroupID", and "mailxml_mm:m>Status". The element branches into several components: "mailxml_mm:m:StatementID", "mailxml_mm:m:UserPostageStatement", "mailxml_mm:m:TotalPostage", "mailxml_mm:m:TotalPostageDetail", and "mailxml_mm:m:ReturnInfo". Additionally, there are three placeholder nodes represented by ellipses (...), one before the UserPostageStatement component and two after the TotalPostage component.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:StatementID mailxml mm:UserPostageStatementID mailxml mm:TotalPostage mailxml mm:TotalPostageDue mailxml mm:ReturnInfo					
attributes	Name mailxml_mm:CustomerGroupID	Type mailxml_base:s25	Use required	Default	Fixed	Annotation
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Status	mailxml_base:statusType				

1918

1919

1920 element **PostageStatementCreateResponse/PostageStatementCreateAccept/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1921

1922

1923 element

PostageStatementCreateResponse/PostageStatementCreateAccept/UserPostageStatementID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

1924

1925

1926 element **PostageStatementCreateResponse/PostageStatementCreateAccept/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1927

1928

1929 element **PostageStatementCreateResponse/PostageStatementCreateAccept/TotalPostageDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1930

1931

1932 element PostageStatementCreateResponse/PostageStatementCreateAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1933

1934


1935 element PostageStatementCreateResponse/PostageStatementCreateReject

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm>Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm>Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm>Status	mailxml_base:statusType																								

1936

1937

1938 element **PostageStatementCreateResponse/PostageStatementCreateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

1939

1940

1941 element PostageStatementLineItemData



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ProcessingCategory mailxml mm:ContainerDetailID mailxml mm:BarcodeRate mailxml mm:ContainerDisplayName mailxml mm:ContainerID mailxml mm:ChargeableContainerLevel mailxml mm:ChargeableContainersCount mailxml mm:EntryDiscount mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:HeavyLetter mailxml mm:MarketingOrFulfillment mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PieceRate mailxml mm:SubtotalPostageAmount mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:TotalPostageAmount mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:Section mailxml mm:PriceType mailxml mm:SinglePieceWeight mailxml mm:SurchargeType mailxml mm:TotalPieces mailxml mm:SimplifiedAddressIndicator mailxml mm:TotalWeight mailxml mm:Zone mailxml mm:ExtendedDeliveryFeeApplies mailxml mm:VersionID mailxml mm:ContainerType mailxml mm:FlatRateIndicator mailxml mm:MachinabilityIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:SinglePieceDimensionalWeight mailxml mm:SinglePieceDimensionalPrice mailxml mm:SinglePieceDimensionalBalloonPrice mailxml mm:USPSPackageUniqueCharacteristic mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold
used by	complexType abstractPostageStatementDataType

1942

1943

1944 element **PostageStatementLineItemData/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

1945

1946

1947 element PostageStatementLineItemData/ContainerDetailID

diagram	 mailxml_mm:ContainerDetailID 0..∞												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

1948

1949

1950 element PostageStatementLineItemData/BarcodeRate

diagram	 mailxml_mm:BarcodeRate												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:barcodeRateType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Y</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Y		enumeration	N		enumeration	O	
Kind	Value	Annotation											
enumeration	Y												
enumeration	N												
enumeration	O												

1951

1952

1953 element PostageStatementLineItemData/ContainerDisplayName

diagram	 mailxml_mm:ContainerDisplayName												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

1954

1955

1956 element PostageStatementLineItemData/ContainerID

diagram	 mailxml_mm:ContainerID									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s06									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6	
Kind	Value	Annotation								
minLength	1									
maxLength	6									

	whiteSpace preserve
--	---------------------

1957

1958

1959 element **PostageStatementLineItemData/ChargeableContainerLevel**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

1960

1961

1962 element **PostageStatementLineItemData/ChargeableContainersCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

1963

1964


1965 element **PostageStatementLineItemData/EntryDiscount**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:entryDiscountType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	B		enumeration	S		enumeration	D		enumeration	A	
Kind	Value	Annotation																	
enumeration	N																		
enumeration	B																		
enumeration	S																		
enumeration	D																		
enumeration	A																		

1966

1967

1968 element **PostageStatementLineItemData/EntryFacilityType**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:entryFacilityType		
facets	Kind	Value	Annotation
	enumeration	O	
	enumeration	B	
	enumeration	S	
	enumeration	D	
	enumeration	A	
	enumeration	W	
	enumeration	H	
	enumeration	R	

1969

1970

1971 element **PostageStatementLineItemData/EntryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

1972

1973

1974 element **PostageStatementLineItemData/HeavyLetter**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

1975

1976


1977 element **PostageStatementLineItemData/MarketingOrFulfillment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:marketingOrFulfillmentType
facets	Kind Value Annotation enumeration Marketing enumeration NotMarketingParcels enumeration SampleLarge enumeration SampleSmall

1978

1979


1980 element PostageStatementLineItemData/LineLabel

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s80
facets	Kind Value Annotation minLength 1 maxLength 80 whiteSpace preserve

1981

1982


1983 element PostageStatementLineItemData/LineNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03
facets	Kind Value Annotation minLength 1 maxLength 3 whiteSpace preserve

1984

1985


1986 element PostageStatementLineItemData/PieceRate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1987

1988


1989 element PostageStatementLineItemData/SubtotalPostageAmount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1990

1991

1992 element PostageStatementLineItemData/DiscountTotalAmount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

1993

1994

1995 element PostageStatementLineItemData/FeeTotalAmount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1996

1997

1998 element PostageStatementLineItemData/TotalPostageAmount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

1999

2000


2001 element PostageStatementLineItemData/PoundRate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2002

2003

2004 element PostageStatementLineItemData/PreparedAsSM

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 15%;">Value</th> <th style="width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2005

2006

2007 element PostageStatementLineItemData/RateCategory

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:rateCategoryType

	Kind	Value	Annotation
facets	enumeration	A	
	enumeration	A1	
	enumeration	AF	
	enumeration	B	
	enumeration	B1	
	enumeration	B2	
	enumeration	BF	
	enumeration	C	
	enumeration	C1	
	enumeration	D	
	enumeration	D1	
	enumeration	DF	
	enumeration	E	
	enumeration	FB	
	enumeration	G	
	enumeration	GF	
	enumeration	H	
	enumeration	K	
	enumeration	KF	
	enumeration	L	
	enumeration	L1	
	enumeration	L2	
	enumeration	L3	
	enumeration	L4	
	enumeration	L5	
	enumeration	L6	
	enumeration	L7	
	enumeration	L8	
	enumeration	TQ	
	enumeration	TR	
	enumeration	N	
	enumeration	O	
	enumeration	O1	
	enumeration	PI	
	enumeration	PM	
	enumeration	P7	
	enumeration	P8	
	enumeration	PE	
	enumeration	PQ	
	enumeration	PR	
	enumeration	PG	
	enumeration	PK	
	enumeration	P5	
	enumeration	P6	
	enumeration	P11	

	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48

	enumeration IK49
	enumeration IK50
	enumeration IK51
	enumeration IK52
	enumeration IK53
	enumeration IK54
	enumeration IK55
	enumeration IK56
	enumeration IK57
	enumeration IK58
	enumeration IK59
	enumeration IK60
	enumeration IK61
	enumeration IK62
	enumeration IK63
	enumeration IK64
	enumeration IK65
	enumeration IK66
	enumeration IK67
	enumeration IQ68
	enumeration IR69
	enumeration PS1
	enumeration PS2
	enumeration PS3
	enumeration PS4
	enumeration PS5
	enumeration PS6
	enumeration PS7
	enumeration PS8
	enumeration PS9
	enumeration PS10
	enumeration PS11
	enumeration Z
	enumeration D2
	enumeration TE
	enumeration TK
	enumeration PO

2008

2009

2010 element **PostageStatementLineItemData/Section**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s01

facets	Kind minLength maxLength whiteSpace	Value 1 1 preserve	Annotation
--------	--	-----------------------------	------------

2011

2012

2013 element **PostageStatementLineItemData/PriceType**

diagram	 mailxml_mm:PriceType		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:priceType		
facets	Kind enumeration enumeration enumeration	Value commercial commercialplus retail	Annotation

2014

2015


2016 element **PostageStatementLineItemData/SinglePieceWeight**

diagram	 mailxml_mm:SinglePieceWe...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2017

2018

2019 element **PostageStatementLineItemData/SurchargeType**

diagram	 mailxml_mm:SurchargeType		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:surchargeType		
facets	Kind enumeration enumeration enumeration enumeration enumeration enumeration enumeration	Value 2 A D N P E R L	Annotation

2020

2021


2022 element **PostageStatementLineItemData/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2023

2024

2025 element **PostageStatementLineItemData/SimplifiedAddressIndicator**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:simplifiedAddressType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Y</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	R		enumeration	B		enumeration	Y		enumeration	N	
Kind	Value	Annotation																	
enumeration	M																		
enumeration	R																		
enumeration	B																		
enumeration	Y																		
enumeration	N																		

2026

2027


2028 element **PostageStatementLineItemData/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2029

2030

2031 element **PostageStatementLineItemData/Zone**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:zoneICType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																										
enumeration	N																											
enumeration	M																											
enumeration	LC																											
enumeration	1																											
enumeration	3																											
enumeration	4																											
enumeration	5																											
enumeration	6																											

	enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration DDU enumeration SCF enumeration ADC
--	---

2032

2033


2034 element **PostageStatementLineItemData/ExtendedDeliveryFeeApplies**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2035

2036

2037 element **PostageStatementLineItemData/VersionID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2038

2039

2040 element **PostageStatementLineItemData/ContainerType**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_base:mailXMLContainerType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6	
Kind	Value	Annotation																				
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	5																					
enumeration	6																					

	enumeration 7
	enumeration 8
	enumeration 9
	enumeration 10
	enumeration 11
	enumeration 12
	enumeration 13
	enumeration 14
	enumeration E
	enumeration F
	enumeration L
	enumeration O
	enumeration P
	enumeration S
	enumeration T
	enumeration V
	enumeration B
	enumeration U
	enumeration Z
	enumeration X
	enumeration H
	enumeration A
	enumeration G
	enumeration D
	enumeration R
	enumeration C
	enumeration CT
	enumeration M
	enumeration AB
	enumeration Y

2041

2042

2043 element **PostageStatementLineItemData/FlatRateIndicator**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_base:flatRateIndicatorType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	E		enumeration	L		enumeration	M		enumeration	O		enumeration	P	
Kind	Value	Annotation																				
enumeration	B																					
enumeration	E																					
enumeration	L																					
enumeration	M																					
enumeration	O																					
enumeration	P																					

	enumeration S
--	---------------

2044

2045

2046 element **PostageStatementLineItemData/MachinabilityIndicator**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:machinabilityIndicatorType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Y</td> <td>documentation Y=Machinable</td> </tr> <tr> <td>enumeration</td> <td>U</td> <td>documentation U=Flat Machinable on UFSM 1000</td> </tr> <tr> <td>enumeration</td> <td>N</td> <td>documentation N=Not Machinable</td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Y	documentation Y=Machinable	enumeration	U	documentation U=Flat Machinable on UFSM 1000	enumeration	N	documentation N=Not Machinable
Kind	Value	Annotation											
enumeration	Y	documentation Y=Machinable											
enumeration	U	documentation U=Flat Machinable on UFSM 1000											
enumeration	N	documentation N=Not Machinable											

2047

2048


2049 element **PostageStatementLineItemData/FullServiceParticipationIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:fspiType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	F	
Kind	Value	Annotation								
enumeration	M									
enumeration	F									

2050

2051

2052 element **PostageStatementLineItemData/SinglePieceDimensionalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2053

2054


2055 element **PostageStatementLineItemData/SinglePieceDimensionalPrice**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2056

2057


2058 element PostageStatementLineItemData/SinglePieceDimensionalBalloonPrice

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2059

2060


2061 element PostageStatementLineItemData/USPSPackageUniqueCharacteristic

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:uspsPackageUniqueCharacteristicType

2062

2063


2064 element PostageStatementLineItemData/HoldForPickup

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

2065

2066

2067 element PostageStatementLineItemData/NumberOfPiecesToHold

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:positiveInteger

2068

2069

2070 element **PostageStatementQueryRequest**

diagram	<pre> classDiagram class PostageStatementQueryRequest { <<Query request for a postage statement.>> attribute grp mailxml_mm:MailXML... attribute mailxml_mm:m:CustomerGrou... attribute mailxml_mm:m:MailingGroupID attribute mailxml_mm:m:IssueDate attribute mailxml_mm:m:IssueNumber attribute mailxml_mm:m:VolumeNumber attribute mailxml_mm:m:CustomerRefer... attribute mailxml_mm:m:AgencyCostCode attribute mailxml_mm:m:PermitNumber attribute mailxml_mm:m:PermitType attribute mailxml_mm:m:PermitZip4 attribute mailxml_mm:m:PublicationNU... attribute mailxml_mm:m:PostageState... attribute mailxml_mm:m:RateType attribute mailxml_mm:m:ProcessingCat... attribute mailxml_mm:m:SubmittingPa... attribute mailxml_mm:m:SubmittingSo... attribute mailxml_mm:m:SubmitterTrac... attribute mailxml_mm:m:StatementID } </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID																																				
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:IssueNumber</td> <td>mailxml_base:s06</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:VolumeNumber</td> <td>mailxml_base:s05</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:IssueDate	xs:date					mailxml_mm:IssueNumber	mailxml_base:s06					mailxml_mm:VolumeNumber	mailxml_base:s05				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																			
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																			
mailxml_mm:IssueDate	xs:date																																				
mailxml_mm:IssueNumber	mailxml_base:s06																																				
mailxml_mm:VolumeNumber	mailxml_base:s05																																				

	mailxml_mm:CustomerReference ID mailxml_mm:AgencyCostCode mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNUmber mailxml_mm:PostageStatementMethod mailxml_mm:RateType mailxml_mm:ProcessingCategory	mailxml_base:s40 mailxml_mm:agencyCostCodeType mailxml_base:s08 mailxml_base:permitTypeType mailxml_base:ns09 mailxml_base:s08 mailxml_mm:postagePaymentMethodType mailxml_base:rateType mailxml_base:processingCategoryType
annotation	documentation Query request for a postage statement.	

2071

2072

2073 element PostageStatementQueryRequest/SubmittingParty


diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_defs:participantIDType																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																						
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																										
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																										
mailxml_defs:CRID	mailxml_base:CRIDType																																										
mailxml_defs:SchedulerID	mailxml_base:s12																																										
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																										
mailxml_defs:ShippingAgentID	mailxml_base:s12																																										

	mailxml_defs:ReceivingAgentID	mailxml_base:s12
--	-------------------------------	-------------------------

2074

2075

2076 element **PostageStatementQueryRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2077

2078

2079 element **PostageStatementQueryRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2080

2081

2082 element **PostageStatementQueryRequest/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

	<table border="1"> <tr> <td style="padding: 5px;">type</td><td style="padding: 5px;">xs:nonNegativeInteger</td></tr> </table>	type	xs:nonNegativeInteger																						
type	xs:nonNegativeInteger																								
2083																									
2084																									
2085	<p>element PostageStatementQueryResponse</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Status</td> <td>mailxml_base:statusType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Status	mailxml_base:statusType				
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:Status	mailxml_base:statusType																								
annotation	<p>documentation</p> <p>Response to the query for a postage statement.</p>																								

2086

2087


2088 element **PostageStatementQueryResponse/TrackingID**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2089

2090


2091 element **PostageStatementQueryResponse/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

2092

2093

2094 element **PostageStatementQueryResponse/QueryResults**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PostageStatementData mailxml_mm:ReturnInfo

2095

2096

2097 element **PostageStatementQueryResponse/QueryResults/PostageStatementData**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:postageStatementDataType
children	mailxml mm:AgencyCostCode mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:CustomerCommitmentAgreementNumber mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:EnclosedBy mailxml mm:DMLType mailxml mm:EstimateIndicator mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:PostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:SinglePieceDimensionalWeight mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:MoveUpdateMethod mailxml mm:PaymentDateandTime mailxml mm:MailArrivalDateandTime mailxml mm:PostageAutoFinalization mailxml mm:FCMLtrResidualPrepIndicator mailxml mm:SSFTID mailxml mm:StatementID mailxml mm:ConfirmationNumber mailxml mm:MailClass mailxml mm:Origin mailxml mm:SpecialFeesAmount mailxml mm:PostageStatementStatus mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalPostageAmountDue mailxml mm:TotalWeight mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData mailxml mm:StartTheClockDate mailxml mm:ContainerPostage

2098

2099

2100 element PostageStatementQueryResponse/QueryResults/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2101

2102

2103 element **PostageStatementStatusQueryRequest**

diagram	<pre> classDiagram class PostageStatementStatusQu { grp mailxml_mm:MailXML... mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID } class SubmittingParty class SubmittingSoftware class SubmitterTrackingID class StatementID class IncludeChildStatement PostageStatementStatusQu "1" -- "*" SubmittingParty PostageStatementStatusQu "1" -- "*" SubmittingSoftware PostageStatementStatusQu "1" -- "*" SubmitterTrackingID PostageStatementStatusQu "1" -- "*" StatementID PostageStatementStatusQu "1" -- "*" IncludeChildStatement </pre>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:StatementID mailxml_mm:IncludeChildStatement																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	documentation Query request for postage statement status.																		

2104

2105

2106 element **PostageStatementStatusQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class mailxml_defs:participantIDType { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } class mailxml_mm:SubmittingPa... mailxml_mm < -- mailxml_defs:participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2107

2108

2109 element **PostageStatementStatusQueryRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:m:SubmittingSo...] A --> B[mailxml_defs:fs:SoftwareName] A --> C[mailxml_defs:fs:Vendor] A --> D[mailxml_defs:fs:Version] A --> E[mailxml_defs:fs:ApprovalDate] A --> F[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2110

2111

2112 element **PostageStatementStatusQueryRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_mm:m:SubmitterTrac...] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2113

2114

2115 element **PostageStatementStatusQueryRequest/StatementID**

diagram	<pre> graph LR A[mailxml_mm:m:StatementID] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2116

2117


2118 element PostageStatementStatusQueryRequest/IncludeChildStatement

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2119

2120

2121 element PostageStatementStatusQueryResponse

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	documentation Response to the query for postage statement status.																		

2122

2123

2124 element PostageStatementStatusQueryResponse/TrackingID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

2125

2126


2127 element **PostageStatementStatusQueryResponse/SubmitterTrackingID**

	diagram			
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
	type	mailxml_base:s20		
	facets	Kind minLength maxLength whiteSpace	Value 1 20 preserve	Annotation

2128

2129


2130 element **PostageStatementStatusQueryResponse/QueryResults**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	children	mailxml_mm:PostageStatementSummary mailxml_mm:ReturnInfo

2131

2132

2133 element **PostageStatementStatusQueryResponse/QueryResults/PostageStatementSummary**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_defs:postageStatementSummaryType

children	mailxml_defs:StatementID mailxml_defs:UserPostageStatementID mailxml_defs:UserPostageStatementSequenceID mailxml_defs:USPSPostageStatementSequenceID mailxml_defs:PostageStatementStatus
----------	---

2134

2135

2136 element **PostageStatementStatusQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2137

2138


2139 element **QualificationReportCreateRequest**

diagram	<p>The diagram illustrates the structure of the QualificationReportCreateRequest element. It features a main element box labeled "QualificationReportCreateR..." with a detailed description: "Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1." A dashed line connects this main element to a "attributes" section containing seven items under "grp mailxml_mm:MailXML...". Below this is a "..." connector followed by a section for "SubmittingParty" and "SubmittingSoftware" children, each with their own sub-items.</p>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReport																																																
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Replace</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MixedMailFlag</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:TotalMessageCount</td> <td>xs:nonNegativeInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:TotalDocVersionWithPermitBlocksCount</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:LastMessage</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Replace	mailxml_base:yesNo					mailxml_mm:MixedMailFlag	mailxml_base:yesNo					mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional				mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required				mailxml_mm:LastMessage	mailxml_base:yesNo				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																															
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																															
mailxml_mm:Replace	mailxml_base:yesNo																																																
mailxml_mm:MixedMailFlag	mailxml_base:yesNo																																																
mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional																																															
mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required																																															
mailxml_mm:LastMessage	mailxml_base:yesNo																																																
annotation	<p>documentation</p> <p>Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1.</p>																																																

2140

2141

2142 element QualificationReportCreateRequest/SubmittingParty

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Used</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:MailerID6</td><td>mailxml_base:mailerID6Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MailerID9</td><td>mailxml_base:mailerID9Type</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:CRID</td><td>mailxml_base:CRIDType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:SchedulerID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:MaildatUserLicenseCode</td><td>mailxml_base:userLicenseCodeType</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ShippingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr><tr><td>mailxml_defs:ReceivingAgentID</td><td>mailxml_base:s12</td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCode	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2143

2144

2145 element **QualificationReportCreateRequest/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm::im:SubmittingSo... { <<mailxml_defs:submittingSoftwareType>> } class mailxml_defs:submittingSoftwareType { SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string } mailxml_mm::im:SubmittingSo... "2" -- "1" mailxml_defs:submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2146

2147

2148 element **QualificationReportCreateRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class mailxml_mm::im:SubmitterTrac... </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2149

2150

2151 element **QualificationReportCreateRequest/OnePassPlannedOrActualFlag**

diagram	<pre> classDiagram class mailxml_mm::im:OnePassPlann... </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:onePassPlannedOrActualFlagType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A	
Kind	Value	Annotation					
enumeration	A						

	enumeration P
2152	
2153	
2154	element QualificationReportCreateRequest/QualificationReport
diagram	<pre> classDiagram class mailxml_mm { qualificationReport m:DMMSection m:BatchManifest... ContainerInfoData m:CustomerQual... m:CustomerCom... m:FormType m:PreparedDate Qualification... PresortSWCompany PresortSWProduct PresortSWVersion DocumentVersionDataWithPermit LogicalPhysical... ZoneMatrixDate } QualificationReport < -- mailxml_mm:qualificationReport QualificationReport --> Qualification... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationReportDataType
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:ZoneMatrixDate

2155

2156

2157 element **QualificationReportCreateResponse**

diagram	<p>The diagram illustrates a UML sequence diagram. A lifeline labeled "QualificationReportCreateR..." sends a synchronous message to another lifeline. This second lifeline then branches into two parallel regions, each enclosed in a dashed box. The top region is labeled "mailxml_mm:m:TrackingID" and the bottom region is labeled "mailxml_mm:m:SubmitterTrac...". Both regions contain a return message labeled "mailxml_mm:m:Qualification...". The top region's return message has the annotation: "Response from USPS indicating that a Qualification Report was created." The bottom region's return message has the annotation: "Response from USPS indicating that a Qualification Report could not be created and why."</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:QualificationReportCreateAccept mailxml mm:QualificationReportCreateReject
annotation	documentation Response from USPS to a customer request to create a Qualification Report.

2158

2159

2160 element **QualificationReportCreateResponse/TrackingID**

diagram	<p>The diagram shows a UML class named "QualificationReportCreateResponse/TrackingID". It is represented by a rectangle with a dashed border and a small icon in the top-left corner.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

2161

2162

2163 element **QualificationReportCreateResponse/SubmitterTrackingID**

diagram	<p>The diagram shows a UML class named "QualificationReportCreateResponse/SubmitterTrackingID". It is represented by a rectangle with a dashed border and a small icon in the top-left corner.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

2164

2165

2166 element **QualificationReportCreateResponse/QualificationReportCreateAccept**

diagram	<pre> classDiagram class QualificationReportCreateResponse { grp mailxml_mm:MailXML... mailxml_mm:m:CustomerGroupID mailxml_mm:m:MailingGroupID mailxml_mm:m:MessageSequenceNumber mailxml_mm:m:CustomerQualificationReportID mailxml_mm:m:ReturnInfo } class QualificationReport QualificationReportCreateResponse "1" -- "1" QualificationReport : QualificationReportCreateResponse "1" -- "1" QualificationReportCreateResponse : mailxml_mm:m:CustomerQualificationReportID </pre> <p>Response from USPS indicating that a Qualification Report was created.</p>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:CustomerQualificationReportID mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							
annotation	<p>documentation</p> <p>Response from USPS indicating that a Qualification Report was created.</p>																								

2167

2168

2169 element

QualificationReportCreateResponse/QualificationReportCreateAccept/CustomerQualificationReportID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s66												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>66</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	66		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	66												
whiteSpace	preserve												

2170

2171

2172 element **QualificationReportCreateResponse/QualificationReportCreateAccept/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2173

2174


2175 element **QualificationReportCreateResponse/QualificationReportCreateReject**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							
annotation	<p>documentation</p> <p>Response from USPS indicating that a Qualification Report could not be created and why.</p>																								

2176

2177

2178 element **QualificationReportCreateResponse/QualificationReportCreateReject/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2179

2180

2181 element **QualificationReportDetailCreateRequest**

diagram	<p>The diagram illustrates the structure of the QualificationReportDetailCreateRequest element. It features a central class box labeled QualificationReportDetailC... with a detailed description: "Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1." An association line connects this class to a large box representing attributes, which contains several items under a group header grp mailxml_mm:MailXML.... These items include mailxml_mm:m:CustomerGrou..., mailxml_mm:m:MailingGroupID, mailxml_mm:m:Replace, mailxml_mm:m:MixedMailFlag, mailxml_mm:m:TotalMessage..., mailxml_mm:m:TotalDocVersi..., and mailxml_mm:m:LastMessage. Below this, another association line connects to a box containing mailxml_mm:m:SubmittingPa..., mailxml_mm:m:SubmittingSo..., mailxml_mm:m:SubmitterTrac..., mailxml_mm:m:OnePassPlann..., mailxml_mm:m:Qualification..., and mailxml_mm:m:CampaignData. A multiplicity of 0..∞ is indicated at the bottom right of this second box.</p>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReport mailxml_mm:CampaignData																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:Replace</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MixedMailFlag</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:TotalMessageCount</td> <td>xs:nonNegativeInteger</td> <td></td> <td>optional</td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:TotalDocVersionWithPermitBlocksCount</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:LastMessage</td> <td>mailxml_base:yesNo</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:Replace	mailxml_base:yesNo					mailxml_mm:MixedMailFlag	mailxml_base:yesNo					mailxml_mm:TotalMessageCount	xs:nonNegativeInteger		optional			mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required				mailxml_mm:LastMessage	mailxml_base:yesNo				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																																															
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																																															
mailxml_mm:Replace	mailxml_base:yesNo																																																
mailxml_mm:MixedMailFlag	mailxml_base:yesNo																																																
mailxml_mm:TotalMessageCount	xs:nonNegativeInteger		optional																																														
mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required																																															
mailxml_mm:LastMessage	mailxml_base:yesNo																																																

annotation	documentation Request by a USPS customer for USPS to create a Qualification Report that is used to submit standardized documentation compliant with the DMM 708.1.
------------	---

2182

2183

2184 element **QualificationReportDetailCreateRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm>> } class participantIDType { <<mailxml_defs>> <<attributes>> MailerID6 MailerID9 CRID SchedulerID MaildatUserLicense ShippingAgentID ReceivingAgentID </> } SubmittingParty "1" -- "1" participantIDType : <<attributes>> </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	User	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2185

2186

2187 element **QualificationReportDetailCreateRequest/SubmittingSoftware**

diagram	<pre> classDiagram class SubmittingSoftware { SoftwareName Vendor Version ApprovalDate ApprovalKey } SubmittingSoftware < -- submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2188

2189

2190 element **QualificationReportDetailCreateRequest/SubmitterTrackingID**

diagram	<pre> classDiagram class S20 { <<mailxml_base:s20>> } S20 < -- submitterTrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2191

2192

2193 element **QualificationReportDetailCreateRequest/OnePassPlannedOrActualFlag**

diagram	<pre> classDiagram class OnePassPlannedOrActualFlag { <<mailxml_base:onePassPlannedOrActualFlagType>> } OnePassPlannedOrActualFlag < -- onePassPlannedOrActualFlag </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:onePassPlannedOrActualFlagType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A	
Kind	Value	Annotation					
enumeration	A						

	enumeration P
2194	
2195	
2196	element QualificationReportDetailCreateRequest/QualificationReport
diagram	<pre> classDiagram class mailxml_mm qualificationRe { <<mailxml_mm:mm:CustomerQual... 0..∞>> <<mailxml_defs:ContainerInfo... 0..∞>> <<mailxml_mm:DocumentVer... 0..∞>> } class mailxml_mm mm Qualification... mailxml_mm mm Qualification... --> mailxml_mm qualificationRe </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationReportDetailDataType
children	mailxml_mm:CustomerQualificationReportID mailxml_defs:ContainerInfoData mailxml_mm:DocumentVersionDataWithPermit

2197

2198

2199 element QualificationReportDetailCreateRequest/CampaignData

diagram	<pre> classDiagram class mailxml_mm:campaignDataT { -mailxml_mm:m:CampaignID -mailxml_mm:m:USPSCampaignID -mailxml_mm:m:CampaignTitle -mailxml_mm:m:CampaignSerialGrouping -mailxml_mm:m:CampaignCode -mailxml_mm:m:DisplayName -mailxml_mm:m:DateStart -mailxml_mm:m:DateEnd -mailxml_mm:m:CampaignSharingIndicator -mailxml_mm:m:CampaignTargetURLIndicator -mailxml_mm:m:CampaignMailOwnerCRID -mailxml_mm:m:FlexOptionA -mailxml_mm:m:FlexOptionB -mailxml_mm:m:FlexOptionC -mailxml_mm:m:FlexOptionD -mailxml_mm:m:FlexOptionE -mailxml_mm:m:ReferenceableMailData } mailxml_mm:m:CampaignData "0..1" --> mailxml_mm:campaignDataT mailxml_mm:campaignDataT "1..∞" --> mailxml_mm:m:ReferenceableMailData </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:campaignDataType
children	mailxml_mm:CampaignID mailxml_mm:USPSCampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:CampaignSharingIndicator mailxml_mm:CampaignTargetURLIndicator mailxml_mm:CampaignMailOwnerCRID mailxml_mm:FlexOptionA mailxml_mm:FlexOptionB mailxml_mm:FlexOptionC mailxml_mm:FlexOptionD mailxml_mm:FlexOptionE mailxml_mm:ReferenceableMailData

2200

2201

2202 element QualificationReportDetailCreateResponse

diagram	<p>QualificationReportDetailC...</p> <p>Response from USPS to a customer request to create a Qualification Report.</p> <p>mailxml_mm:m:TrackingID</p> <p>mailxml_mm:m:SubmitterTrac...</p> <p>mailxml_mm:m:Qualification...</p> <p>Response from USPS indicating that a Qualification Report was created.</p> <p>mailxml_mm:m:Qualification...</p> <p>Response from USPS indicating that a Qualification Report could not be created and why.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:QualificationReportDetailCreateAccept mailxml_mm:m:QualificationReportDetailCreateReject
annotation	<p>documentation</p> <p>Response from USPS to a customer request to create a Qualification Report.</p>

2203

2204

2205 element QualificationReportDetailCreateResponse/TrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2206

2207

2208 element QualificationReportDetailCreateResponse/SubmitterTrackingID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2209

2210

2211 element **QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept**

diagram	<pre> classDiagram class mailxml_mm:m:QualificationReportDetailCreateAccept { grp mailxml_mm:MailXML... mailxml_mm:m:CustomerGroupID mailxml_mm:m:MailingGroupID mailxml_mm:m:MessageSequenceNumber } class mailxml_mm:m:CustomerQualificationReportID class mailxml_mm:m:ReturnInfo mailxml_mm:m:QualificationReportDetailCreateAccept "Response from USPS indicating that a Qualification Report was created." --> mailxml_mm:m:CustomerQualificationReportID mailxml_mm:m:QualificationReportDetailCreateAccept --> mailxml_mm:m:ReturnInfo </pre>																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml mm:CustomerQualificationReportID mailxml mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							
annotation	<p>documentation</p> <p>Response from USPS indicating that a Qualification Report was created.</p>																								

2212

2213

2214 element

QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept/CustomerQualificationReportID


diagram	<pre> classDiagram class mailxml_mm:m:CustomerQualificationReportID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s66												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>66</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	66		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	66												
whiteSpace	preserve												

2215

2216

2217 element


QualificationReportDetailCreateResponse/QualificationReportDetailCreateAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2218

2219

2220 element QualificationReportDetailCreateResponse/QualificationReportDetailCreateReject


diagram	 Response from USPS indicating that a Qualification Report could not be created and why.																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							
annotation	documentation Response from USPS indicating that a Qualification Report could not be created and why.																								

2221

2222

2223 element

QualificationReportDetailCreateResponse/QualificationReportDetailCreateReject/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2224

2225

2226 element QualificationReportQueryRequest


diagram	<pre> classDiagram class QualificationReportQueryRequest { <<A request from a USPS customer for Qualification Report Data.>> mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:MailingFacility mailxml_mm:m:PostageStatementStatus mailxml_mm:m:QualificationReportClass mailxml_mm:m:CustomerQualificationReportID mailxml_mm:m:BeginDate mailxml_mm:m:EndDate mailxml_mm:m:Preparer mailxml_mm:m:PermitHolder mailxml_mm:m:IssueBeginDate mailxml_mm:m:IssueEndDate mailxml_mm:m:IssueNumber mailxml_mm:m:VolumeNumber mailxml_mm:m:DestinationFacilityZip } QualificationReportQueryRequest "1" -- "1" :> grp_mailxml_defs_MailXMLDefs QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:SubmittingParty QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:SubmittingSoftware QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:SubmitterTrackingID QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:MailingFacility QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:PostageStatementStatus QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:QualificationReportClass QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:CustomerQualificationReportID QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:BeginDate QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:EndDate QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:Preparer QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:PermitHolder QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:IssueBeginDate QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:IssueEndDate QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:IssueNumber QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:VolumeNumber QualificationReportQueryRequest "*" -- "1" :> mailxml_mm:m:DestinationFacilityZip grp_mailxml_defs_MailXMLDefs "1" -- "1" :> mailxml_defs_fs_CustomerGroup grp_mailxml_defs_MailXMLDefs "1" -- "1" :> mailxml_defs_fs_MailingGroupID </pre> <p>The diagram illustrates the structure of the QualificationReportQueryRequest element. It is a class with the following attributes:</p> <ul style="list-style-type: none"> <code>mailxml_mm:m:SubmittingParty</code> <code>mailxml_mm:m:SubmittingSoftware</code> <code>mailxml_mm:m:SubmitterTrackingID</code> <code>mailxml_mm:m:MailingFacility</code> <code>mailxml_mm:m:PostageStatementStatus</code> <code>mailxml_mm:m:QualificationReportClass</code> <code>mailxml_mm:m:CustomerQualificationReportID</code> <code>mailxml_mm:m:BeginDate</code> <code>mailxml_mm:m:EndDate</code> <code>mailxml_mm:m:Preparer</code> <code>mailxml_mm:m:PermitHolder</code> <code>mailxml_mm:m:IssueBeginDate</code> <code>mailxml_mm:m:IssueEndDate</code> <code>mailxml_mm:m:IssueNumber</code> <code>mailxml_mm:m:VolumeNumber</code> <code>mailxml_mm:m:DestinationFacilityZip</code> <p>The <code>QualificationReportQueryRequest</code> class has two associations:</p> <ul style="list-style-type: none"> An association with <code>grp_mailxml_defs_MailXMLDefs</code> (multiplicity 1 to 1). An association with <code>mailxml_mm:m:SubmittingParty</code> (multiplicity 1 to many). <p>The <code>grp_mailxml_defs_MailXMLDefs</code> class contains the following attributes:</p> <ul style="list-style-type: none"> <code>mailxml_defs:fs:CustomerGroup</code> <code>mailxml_defs:fs:MailingGroupID</code>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:MailingFacility mailxml_mm:PostageStatementStatus mailxml_mm:QualificationReportClass mailxml_mm:CustomerQualificationReportID mailxml_mm:BeginDate mailxml_mm:EndDate mailxml_mm:Preparer mailxml_mm:PermitHolder mailxml_mm:IssueBeginDate mailxml_mm:IssueEndDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:DestinationFacilityZip

attributes	Name mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID	Type mailxml_base:s25 xs:nonNegativeInteger	Use required required	Default	Fixed	Annotation
annotation	documentation A request from a USPS customer for Qualification Report Data.					

2227

2228

2229 element **QualificationReportQueryRequest/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCodeType</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2230

2231

2232 element **QualificationReportQueryRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2233

2234

2235 element **QualificationReportQueryRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2236

2237

2238 element **QualificationReportQueryRequest/MailingFacility**


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:CRIDType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 15
--	--------------

2239

2240


2241 element **QualificationReportQueryRequest/PostageStatementStatus**

diagram																																																							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																						
type	mailxml_base:postageStatementStatusType																																																						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>UPD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FIN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REW</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CAN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FAI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PEN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PAS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>INC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NAP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>EST</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CON</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ERR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>COM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AVW</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PAV</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FPP</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	UPD		enumeration	FIN		enumeration	REW		enumeration	REV		enumeration	CAN		enumeration	FAI		enumeration	PEN		enumeration	PAS		enumeration	INC		enumeration	NAP		enumeration	EST		enumeration	CON		enumeration	ERR		enumeration	COM		enumeration	AVW		enumeration	PAV		enumeration	FPP	
Kind	Value	Annotation																																																					
enumeration	UPD																																																						
enumeration	FIN																																																						
enumeration	REW																																																						
enumeration	REV																																																						
enumeration	CAN																																																						
enumeration	FAI																																																						
enumeration	PEN																																																						
enumeration	PAS																																																						
enumeration	INC																																																						
enumeration	NAP																																																						
enumeration	EST																																																						
enumeration	CON																																																						
enumeration	ERR																																																						
enumeration	COM																																																						
enumeration	AVW																																																						
enumeration	PAV																																																						
enumeration	FPP																																																						

2242

2243

2244 element **QualificationReportQueryRequest/QualificationReportClass**


diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:qualificationReportClassType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TBD_1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TBD_2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FC		enumeration	S		enumeration	P		enumeration	PM		enumeration	PP		enumeration	PS		enumeration	A		enumeration	TBD_1		enumeration	TBD_2	
Kind	Value	Annotation																													
enumeration	FC																														
enumeration	S																														
enumeration	P																														
enumeration	PM																														
enumeration	PP																														
enumeration	PS																														
enumeration	A																														
enumeration	TBD_1																														
enumeration	TBD_2																														

	enumeration TBD_3
--	-------------------

2245

2246

2247 element **QualificationReportQueryRequest/CustomerQualificationReportID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s66												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>66</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	66		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	66												
whiteSpace	preserve												

2248

2249


2250 element **QualificationReportQueryRequest/BeginDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2251

2252

2253 element **QualificationReportQueryRequest/EndDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2254

2255

2256 element **QualificationReportQueryRequest/Preparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

2257

2258

2259 element **QualificationReportQueryRequest/PermitHolder**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

2260

2261

2262 element **QualificationReportQueryRequest/IssueBeginDate**

diagram	mailxml_mm:m:IssueBeginDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2263

2264

2265 element **QualificationReportQueryRequest/IssueEndDate**

diagram	mailxml_mm:m:IssueEndDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2266

2267

2268 element **QualificationReportQueryRequest/IssueNumber**

diagram	mailxml_mm:m:IssueNumber
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

2269

2270

2271 element **QualificationReportQueryRequest/VolumeNumber**

diagram	mailxml_mm:m:VolumeNumber
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s05
facets	Kind Value Annotation minLength 1 maxLength 5 whiteSpace preserve

2272

2273

2274 element **QualificationReportQueryRequest/DestinationFacilityZip**

diagram	mailxml_mm:m:DestinationFa...
---------	-------------------------------

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

2275

2276

2277 element QualificationReportQueryResponse

diagram	<p>A response from USPS to the request for Qualification Report data.</p> <p>USPS provided Qualification Report data</p> <p>Error issued when the query data cannot be provided.</p>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25	required				mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_defs:CustomerGroupID	mailxml_base:s25	required																	
mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	<p>documentation</p> <p>A response from USPS to the request for Qualification Report data.</p>																		

2278

2279

2280 element QualificationReportQueryResponse/TrackingID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	20	
		whiteSpace	preserve	

2281

2282

2283 element **QualificationReportQueryResponse/SubmitterTrackingID**

	diagram			
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
	type	mailxml_base:s20		
	facets	Kind minLength maxLength whiteSpace	Value 1 20 preserve	Annotation

2284

2285

2286 element **QualificationReportQueryResponse/QueryResults**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	children	mailxml_mm:QualificationReport mailxml_mm:ReturnInfo
	annotation	documentation USPS provided Qualification Report data

2287

2288

2289 element QualificationReportQueryResponse/QueryResults/QualificationReport

diagram	<pre> classDiagram class mailxml_mm:mm:qualificationRe... { m:DMMSection m:BatchManifest... mailxml_defs:ContainerInfoData m:CustomerQualificationID m:CustomerCommitmentNumber m:FormType m:PreparedDate m:QualificationReportPreparer m:PresortSWCompany m:PresortSWProduct m:PresortSWVersion mailxml_mm:mm:DocumentVersionDataWithPermit m:LogicalPhysicalBundleIndicator m:ZoneMatrixDate } class mailxml_mm:mm:Qualification... mailxml_mm:mm:qualificationRe... "0..∞" --> mailxml_mm:mm:Qualification... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationReportDataType
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:ZoneMatrixDate

2290

2291

2292 element **QualificationReportQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2293

2294

2295 element **QualificationReportSummaryCreateRequest**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm					
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:OnePassPlannedOrActualFlag mailxml_mm:QualificationReportSummary					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_mm:CustomerGroupID	mailxml_base:s25	required			
	mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_mm:Replace	mailxml_base:yesNo	required			
	mailxml_mm:MixedMailFlag	mailxml_base:yesNo	required			
	mailxml_mm:TotalMessageCount	xs:nonNegativeInteger	optional			
	mailxml_mm:TotalDocVersionWithPermitBlocksCount	xs:nonNegativeInteger	required			
	mailxml_mm:LastMessage	mailxml_base:yesNo				
annotation	<p>documentation</p> <p>Request by a USPS customer for USPS to create a Qualification Report Summary that is used to submit standardized documentation compliant with the DMM 708.1. A QualificationReportDetailCreateRequest message must follow for a complete qualification report generation.</p>					

2296

2297

2298 element QualificationReportSummaryCreateRequest/SubmittingParty

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm:SubmittingParty>> } class participantIDType { <<mailxml_defs:participantIDType>> <<attributes>> fs:MailerID6 fs:MailerID9 fs:CRID fs:SchedulerID fs:MaildatUserList fs:ShippingAgent fs:ReceivingAgency </> } SubmittingParty "2" -- "1" participantIDType </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_defs:participantIDType						
attributes	<table border="1"> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> </table>	Name	Type	User	Default	Fixed	Annotation
Name	Type	User	Default	Fixed	Annotation		

	mailxml_defs:MailerID6 mailxml_defs:MailerID9 mailxml_defs:CRID mailxml_defs:SchedulerID mailxml_defs:MaildatUserLicense mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	mailxml_base:mailerID6Type mailxml_base:mailerID9Type mailxml_base:CRIDType mailxml_base:s12 mailxml_base:userLicenseCodeType mailxml_base:s12 mailxml_base:s12
--	---	--

2299

2300

2301 element **QualificationReportSummaryCreateRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:im:SubmittingSo...] A --> B["mailxml_defs:submittingSoft..."] B --> C["mailxml_defs:fs:SoftwareName"] B --> D["mailxml_defs:fs:Vendor"] B --> E["mailxml_defs:fs:Version"] B --> F["mailxml_defs:fs:ApprovalDate"] B --> G["mailxml_defs:fs:ApprovalKey"] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2302

2303

2304 element **QualificationReportSummaryCreateRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_mm:SubmitterTrac...] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2305

2306


2307 element **QualificationReportSummaryCreateRequest/OnePassPlannedOrActualFlag**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:onePassPlannedOrActualFlagType
facets	Kind Value Annotation enumeration A enumeration P

2308

2309

2310 element **QualificationReportSummaryCreateRequest/QualificationReportSummary**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationReportSummaryDataType

children	mailxml mm:DMMSection mailxml mm:BatchManifestIndicator mailxml mm:CustomerQualificationReportID mailxml mm:FormType mailxml mm:PreparedDate mailxml mm:QualificationReportPreparer mailxml mm:InformedAddressIndicator mailxml mm:InformedAddressExpDate mailxml mm:PresortSWCompany mailxml mm:PresortSWProduct mailxml mm:PresortSWVersion mailxml mm:LogicalPhysicalBundleIndicator mailxml mm:BypassSeamlessAcceptance mailxml mm:ZoneMatrixDate
----------	---

2311

2312

2313 element QualificationReportSummaryCreateResponse

diagram	<pre> sequenceDiagram participant P1 participant P2 P1->>P2: QualificationReportSummaryCreateResponse activate P2 P2-->>P1: mailxml_mm:m:TrackingID P2-->>P1: mailxml_mm:m:SubmitterTrac... P2-->>P1: mailxml_mm:m:Qualification... P2-->>P1: mailxml_mm:m:Qualification... </pre> <p>Response from USPS to a customer request to create a Qualification Report.</p> <p>Response from USPS indicating that a Qualification Report was created.</p> <p>Response from USPS indicating that a Qualification Report could not be created and why.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:QualificationReportSummaryCreateAccept mailxml mm:QualificationReportSummaryCreateReject
annotation	documentation Response from USPS to a customer request to create a Qualification Report.

2314

2315


2316 element QualificationReportSummaryCreateResponse/TrackingID

diagram	<pre> classDiagram class TrackingID { <<mailxml_mm:m:TrackingID>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2317

2318


2319 element **QualificationReportSummaryCreateResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2320

2321

2322 element **QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept**


diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:CustomerQualificationReportID mailxml_mm:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							
annotation	documentation Response from USPS indicating that a Qualification Report was created.																								

2323

2324

2325 element

QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept/CustomerQualificationReportID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s66


facets	Kind minLength maxLength whiteSpace	Value 1 66 preserve	Annotation
--------	--	------------------------------	------------

2326

2327

2328 element

QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateAccept/ReturnInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2329

2330

2331 element **QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateReject**

diagram	 Response from USPS indicating that a Qualification Report could not be created and why.																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
children	mailxml_mm:m:ReturnInfo																								
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MessageSequenceNumber</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required				mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional			
Name	Type	Use	Default	Fixed	Annotation																				
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																							
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																							
mailxml_mm:MessageSequenceNumber	mailxml_base:s20	optional																							

annotation	documentation Response from USPS indicating that a Qualification Report could not be created and why.
------------	--

2332

2333

2334 element

QualificationReportSummaryCreateResponse/QualificationReportSummaryCreateReject/ReturnInfo

diagram	<pre> classDiagram class m:ReturnInfo { <<mailxml_defs:basicReturnInfo>> *-- "0..∞" fs:ReturnCode *-- "0..∞" fs:ReturnDescription *-- "0..∞" fs:errorWarning *-- "0..∞" fs:ContainerErrorWarningBlock } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2335

2336

2337 element **QualificationSummaryReport**

diagram	<pre> classDiagram class QualificationSummaryReport... { <<QualificationSummaryReport>> *-- "0..∞" m:RateCategory... *-- "0..∞" m:Pieces *-- "0..∞" m:ClosedPieces *-- "0..∞" m:FormType *-- "0..∞" m:TotalPieces *-- "0..∞" m:TotalClosedPieces... *-- "0..∞" m:PostageStatements... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:RateCategory mailxml_mm:Pieces mailxml_mm:ClosedPieces mailxml_mm:FormType mailxml_mm:TotalPieces mailxml_mm:TotalClosedPieces mailxml_mm:PostageStatements
used by	element ReconciliationReportQueryResponse/QueryResults

2338

2339

2340 element **QualificationSummaryReport/RateCategory**

diagram	 mailxml_mm:RateCatego...																																																																																																																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																																																		
type	mailxml_mm:rateCategoryType																																																																																																																		
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>A</td><td></td></tr><tr><td>enumeration</td><td>A1</td><td></td></tr><tr><td>enumeration</td><td>AF</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>B1</td><td></td></tr><tr><td>enumeration</td><td>B2</td><td></td></tr><tr><td>enumeration</td><td>BF</td><td></td></tr><tr><td>enumeration</td><td>C</td><td></td></tr><tr><td>enumeration</td><td>C1</td><td></td></tr><tr><td>enumeration</td><td>D</td><td></td></tr><tr><td>enumeration</td><td>D1</td><td></td></tr><tr><td>enumeration</td><td>DF</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>FB</td><td></td></tr><tr><td>enumeration</td><td>G</td><td></td></tr><tr><td>enumeration</td><td>GF</td><td></td></tr><tr><td>enumeration</td><td>H</td><td></td></tr><tr><td>enumeration</td><td>K</td><td></td></tr><tr><td>enumeration</td><td>KF</td><td></td></tr><tr><td>enumeration</td><td>L</td><td></td></tr><tr><td>enumeration</td><td>L1</td><td></td></tr><tr><td>enumeration</td><td>L2</td><td></td></tr><tr><td>enumeration</td><td>L3</td><td></td></tr><tr><td>enumeration</td><td>L4</td><td></td></tr><tr><td>enumeration</td><td>L5</td><td></td></tr><tr><td>enumeration</td><td>L6</td><td></td></tr><tr><td>enumeration</td><td>L7</td><td></td></tr><tr><td>enumeration</td><td>L8</td><td></td></tr><tr><td>enumeration</td><td>TQ</td><td></td></tr><tr><td>enumeration</td><td>TR</td><td></td></tr><tr><td>enumeration</td><td>N</td><td></td></tr><tr><td>enumeration</td><td>O</td><td></td></tr><tr><td>enumeration</td><td>O1</td><td></td></tr><tr><td>enumeration</td><td>PI</td><td></td></tr><tr><td>enumeration</td><td>PM</td><td></td></tr><tr><td>enumeration</td><td>P7</td><td></td></tr><tr><td>enumeration</td><td>P8</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	A		enumeration	A1		enumeration	AF		enumeration	B		enumeration	B1		enumeration	B2		enumeration	BF		enumeration	C		enumeration	C1		enumeration	D		enumeration	D1		enumeration	DF		enumeration	E		enumeration	FB		enumeration	G		enumeration	GF		enumeration	H		enumeration	K		enumeration	KF		enumeration	L		enumeration	L1		enumeration	L2		enumeration	L3		enumeration	L4		enumeration	L5		enumeration	L6		enumeration	L7		enumeration	L8		enumeration	TQ		enumeration	TR		enumeration	N		enumeration	O		enumeration	O1		enumeration	PI		enumeration	PM		enumeration	P7		enumeration	P8	
Kind	Value	Annotation																																																																																																																	
enumeration	A																																																																																																																		
enumeration	A1																																																																																																																		
enumeration	AF																																																																																																																		
enumeration	B																																																																																																																		
enumeration	B1																																																																																																																		
enumeration	B2																																																																																																																		
enumeration	BF																																																																																																																		
enumeration	C																																																																																																																		
enumeration	C1																																																																																																																		
enumeration	D																																																																																																																		
enumeration	D1																																																																																																																		
enumeration	DF																																																																																																																		
enumeration	E																																																																																																																		
enumeration	FB																																																																																																																		
enumeration	G																																																																																																																		
enumeration	GF																																																																																																																		
enumeration	H																																																																																																																		
enumeration	K																																																																																																																		
enumeration	KF																																																																																																																		
enumeration	L																																																																																																																		
enumeration	L1																																																																																																																		
enumeration	L2																																																																																																																		
enumeration	L3																																																																																																																		
enumeration	L4																																																																																																																		
enumeration	L5																																																																																																																		
enumeration	L6																																																																																																																		
enumeration	L7																																																																																																																		
enumeration	L8																																																																																																																		
enumeration	TQ																																																																																																																		
enumeration	TR																																																																																																																		
enumeration	N																																																																																																																		
enumeration	O																																																																																																																		
enumeration	O1																																																																																																																		
enumeration	PI																																																																																																																		
enumeration	PM																																																																																																																		
enumeration	P7																																																																																																																		
enumeration	P8																																																																																																																		

	enumeration	PE
	enumeration	PQ
	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40

	enumeration	IJ41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63
	enumeration	IK64
	enumeration	IK65
	enumeration	IK66
	enumeration	IK67
	enumeration	IQ68
	enumeration	IR69
	enumeration	PS1
	enumeration	PS2
	enumeration	PS3
	enumeration	PS4
	enumeration	PS5
	enumeration	PS6
	enumeration	PS7
	enumeration	PS8
	enumeration	PS9
	enumeration	PS10
	enumeration	PS11
	enumeration	Z
	enumeration	D2
	enumeration	TE
	enumeration	TK
	enumeration	PO

2342

2343 element **QualificationSummaryReport/Pieces**

diagram	 mailxml_mm:im:Pieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2344

2345

2346 element **QualificationSummaryReport/ClosedPieces**

diagram	 mailxml_mm:im:ClosedPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2347

2348

2349 element **QualificationSummaryReport/FormType**

diagram	 mailxml_mm:im:FormType
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:formType
facets	Kind Value Annotation enumeration PM enumeration FC enumeration SM enumeration BP enumeration PE enumeration PP enumeration ML enumeration IM enumeration PS

2350

2351

2352 element **QualificationSummaryReport/TotalPieces**

diagram	 mailxml_mm:im:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2353

2354

2355 element **QualificationSummaryReport/TotalClosedPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2356

2357

2358 element **QualificationSummaryReport/PostageStatements**

diagram	<pre>graph LR; A[mailxml_mm:m:PostageStatement...] --- B[...]; B --- C[...]; C --- D[mailxml_mm:m:Line]; C --- E[mailxml_mm:m:USPSProcessi...]; C --- F[mailxml_mm:m:Finalized]</pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Line mailxml_mm:USPSProcessingDue mailxml_mm:Finalized

2359

2360

2361 element **QualificationSummaryReport/PostageStatements/Line**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

2362

2363

2364 element **QualificationSummaryReport/PostageStatements/USPSProcessingDue**

diagram	<pre>graph LR; A[mailxml_mm:m:USPSProcessi...] --- B[...]; B --- C[mailxml_mm:m:Pieces]; B --- D[mailxml_mm:m:Postage]; B --- E[mailxml_mm:m:TotalPieces]; B --- F[mailxml_mm:m:TotalPostage]</pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Pieces mailxml_mm:Postage mailxml_mm:TotalPieces mailxml_mm:TotalPostage

2365

2366

2367 element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/Pieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2368

2369


2370 element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2371

2372

2373 element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2374

2375


2376 element **QualificationSummaryReport/PostageStatements/USPSProcessingDue/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2377

2378

2379 element **QualificationSummaryReport/PostageStatements/Finalized**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:Pieces mailxml mm:Postage mailxml mm:TotalPieces mailxml mm:TotalPostage

	mailxml_mm:TotalPostage
--	---

2380

2381

2382 element **QualificationSummaryReport/PostageStatements/Finalized/Pieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2383

2384

2385 element **QualificationSummaryReport/PostageStatements/Finalized/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2386

2387

2388 element **QualificationSummaryReport/PostageStatements/Finalized/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2389

2390

2391 element **QualificationSummaryReport/PostageStatements/Finalized/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2392

2393


2394 element **ReconciliationReport**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:QualificationReports
used by	element ReconciliationReportQueryResponse/QueryResults

2395

2396


2397 element **ReconciliationReport/QualificationReports**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage mailxml_mm:ClosedContainers mailxml_mm:PostageStatementsCanceled mailxml_mm:PostageStatementsUSPSProcessingDue mailxml_mm:PostageStatementsReworked mailxml_mm:PostageStatementsFinalized mailxml_mm:PostageStatementsReversed mailxml_mm:PostageStatementsNotAvailable mailxml_mm:TotalPieces mailxml_mm:TotalActualPieces mailxml_mm:TotalPostage

2398

2399

2400 element **ReconciliationReport/QualificationReports/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2401

2402

2403 element **ReconciliationReport/QualificationReports/ActualPieces**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2404

2405


2406 element **ReconciliationReport/QualificationReports/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2407

2408


2409 element **ReconciliationReport/QualificationReports/ClosedContainers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:mm:OriginalPieces mailxml_mm:mm:ActualPieces mailxml_mm:mm:Postage

2410

2411


2412 element **ReconciliationReport/QualificationReports/ClosedContainers/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2413

2414

2415 element **ReconciliationReport/QualificationReports/ClosedContainers/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2416

2417

2418 element **ReconciliationReport/QualificationReports/ClosedContainers/Postage**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2419

2420

2421 element **ReconciliationReport/QualificationReports/PostageStatementsCanceled**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage

2422

2423

2424 element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2425

2426

2427 element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2428

2429


2430 element **ReconciliationReport/QualificationReports/PostageStatementsCanceled/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2431

2432

2433 element **ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:mm:OriginalPieces mailxml_mm:mm:ActualPieces mailxml_mm:mm:Postage

2434

2435

2436 element

ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/OriginalPieces


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2437

2438

2439 element

ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/ActualPieces


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2440

2441

2442 element


ReconciliationReport/QualificationReports/PostageStatementsUSPSProcessingDue/Postage

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2443

2444

2445 element **ReconciliationReport/QualificationReports/PostageStatementsReworked**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage

2446

2447

2448 element **ReconciliationReport/QualificationReports/PostageStatementsReworked/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2449

2450

2451 element **ReconciliationReport/QualificationReports/PostageStatementsReworked/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2452

2453


2454 element **ReconciliationReport/QualificationReports/PostageStatementsReworked/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2455

2456

2457 element **ReconciliationReport/QualificationReports/PostageStatementsFinalized**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage
----------	--

2458

2459

2460 element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2461

2462

2463 element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2464

2465

2466 element **ReconciliationReport/QualificationReports/PostageStatementsFinalized/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2467

2468

2469 element **ReconciliationReport/QualificationReports/PostageStatementsReversed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage

2470

2471

2472 element **ReconciliationReport/QualificationReports/PostageStatementsReversed/OriginalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger
------	------------------------------

2473

2474

2475 element **ReconciliationReport/QualificationReports/PostageStatementsReversed/ActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2476

2477


2478 element **ReconciliationReport/QualificationReports/PostageStatementsReversed/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2479

2480

2481 element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:OriginalPieces mailxml_mm:ActualPieces mailxml_mm:Postage

2482

2483

2484 element

ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/OriginalPieces

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2485

2486

2487 element

ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/ActualPieces

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2488

2489

2490 element **ReconciliationReport/QualificationReports/PostageStatementsNotAvailable/Postage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2491

2492

2493 element **ReconciliationReport/QualificationReports/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2494

2495

2496 element **ReconciliationReport/QualificationReports/TotalActualPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2497

2498

2499 element **ReconciliationReport/QualificationReports/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2500

2501

2502 element **ReconciliationReportQueryRequest**

diagram	<pre> classDiagram class ReconciliationReportQueryRequest { <<Query request for a reconciliation report.>> attributes grp mailxml_mm:MailXML... mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID children mailxml_mm:m:SubmittingPa... mailxml_mm:m:SubmittingSo... mailxml_mm:m:SubmitterTrac... mailxml_mm:m:QualificationR... mailxml_mm:m:BeginDate mailxml_mm:m:EndDate mailxml_mm:m:Preparer mailxml_mm:m:PermitHolder mailxml_mm:m:IssueBeginDate mailxml_mm:m:IssueEndDate mailxml_mm:m:IssueNumber mailxml_mm:m:VolumeNumber } </pre>																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:QualificationReportClass mailxml_mm:BeginDate mailxml_mm:EndDate mailxml_mm:Preparer mailxml_mm:PermitHolder mailxml_mm:IssueBeginDate mailxml_mm:IssueEndDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_mm:CustomerGroupID</td> <td>mailxml_base:s25</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_mm:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td>required</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_mm:CustomerGroupID	mailxml_base:s25	required				mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required			
Name	Type	Use	Default	Fixed	Annotation														
mailxml_mm:CustomerGroupID	mailxml_base:s25	required																	
mailxml_mm:MailingGroupID	xs:nonNegativeInteger	required																	
annotation	<p>documentation</p> <p>Query request for a reconciliation report.</p>																		

2503

2504

2505 element **ReconciliationReportQueryRequest/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm>> } class participantIDType { <<mailxml_defs>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLicenseCodeType mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID </> } SubmittingParty "1" -- "1" participantIDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCodeType</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2506

2507

2508 element **ReconciliationReportQueryRequest/SubmittingSoftware**

diagram	<pre> graph LR A[mailxml_mm:m:SubmittingSo...] A --> B[mailxml_defs:fs:SoftwareName] A --> C[mailxml_defs:fs:Vendor] A --> D[mailxml_defs:fs:Version] A --> E[mailxml_defs:fs:ApprovalDate] A --> F[mailxml_defs:fs:ApprovalKey] </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2509

2510

2511 element **ReconciliationReportQueryRequest/SubmitterTrackingID**

diagram	<pre> graph LR A[mailxml_mm:m:SubmitterTrac...] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2512

2513

2514 element **ReconciliationReportQueryRequest/QualificationReportClass**

diagram	<pre> graph LR A[mailxml_mm:m:QualificationR...] </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:qualificationReportClassType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>FC</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	FC	
Kind	Value	Annotation					
enumeration	FC						

	enumeration S enumeration P enumeration PM enumeration PP enumeration PS enumeration A enumeration TBD_1 enumeration TBD_2 enumeration TBD_3
--	--

2515

2516

2517 element **ReconciliationReportQueryRequest/BeginDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2518

2519


2520 element **ReconciliationReportQueryRequest/EndDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2521

2522

2523 element **ReconciliationReportQueryRequest/Preparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType

children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber
----------	--

2524

2525

2526 element **ReconciliationReportQueryRequest/PermitHolder**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

2527

2528

2529 element **ReconciliationReportQueryRequest/IssueBeginDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2530

2531


2532 element **ReconciliationReportQueryRequest/IssueEndDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

2533

2534

2535 element **ReconciliationReportQueryRequest/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

2536

2537


2538 element **ReconciliationReportQueryRequest/VolumeNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

2539

2540

2541 element **ReconciliationReportQueryResponse**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:QueryResults mailxml_defs:QueryError

attributes	Name mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID	Type mailxml_base:s25 xs:nonNegativeInteger	Use required required	Default	Fixed	Annotation
annotation	documentation Response to the query for a reconciliation report.					

2542

2543

2544 element **ReconciliationReportQueryResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2545

2546

2547 element **ReconciliationReportQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2548

2549


2550 element **ReconciliationReportQueryResponse/QueryResults**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:mm:MailingGroupSummary mailxml_mm:mm:QualificationSummaryReport mailxml_mm:mm:ReconciliationReport mailxml_mm:mm:ReturnInfo

2551

2552


2553 element **ReconciliationReportQueryResponse/QueryResults/ReturnInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2554

2555

2556 element **SummaryZipDestinationReportCreateRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_mm:m:SubmitterTrackingID mailxml_mm:m:CustomerGroupID

	mailxml mm:MailingGroupID mailxml mm:OnePassPlannedOrActual mailxml mm:OnePassOrTwoPass mailxml mm:EntryPointZip mailxml mm:EntryFacilityType mailxml mm:SummaryZipDestinationReport
annotation	documentation Request to create a Customer Mail Report.

2557

2558

2559 element **SummaryZipDestinationReportCreateRequest/SubmittingParty**

diagram																																																	
name space	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2560

2561

2562 element **SummaryZipDestinationReportCreateRequest/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2563

2564

2565 element **SummaryZipDestinationReportCreateRequest/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2566

2567

2568 element **SummaryZipDestinationReportCreateRequest/CustomerGroupID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s25						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 25 whiteSpace preserve
--	-------------------------------------

2569

2570


2571 element **SummaryZipDestinationReportCreateRequest/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2572

2573


2574 element **SummaryZipDestinationReportCreateRequest/OnePassPlannedOrActual**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2575

2576

2577 element **SummaryZipDestinationReportCreateRequest/OnePassOrTwoPass**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:onePassOrTwoPassType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>One</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Two</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	One		enumeration	Two	
Kind	Value	Annotation								
enumeration	One									
enumeration	Two									

2578

2579

2580 element **SummaryZipDestinationReportCreateRequest/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

2581

2582

2583 element **SummaryZipDestinationReportCreateRequest/EntryFacilityType**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:entryFacilityType																											
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>O</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>S</td><td></td></tr><tr><td>enumeration</td><td>D</td><td></td></tr><tr><td>enumeration</td><td>A</td><td></td></tr><tr><td>enumeration</td><td>W</td><td></td></tr><tr><td>enumeration</td><td>H</td><td></td></tr><tr><td>enumeration</td><td>R</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	O		enumeration	B		enumeration	S		enumeration	D		enumeration	A		enumeration	W		enumeration	H		enumeration	R	
Kind	Value	Annotation																										
enumeration	O																											
enumeration	B																											
enumeration	S																											
enumeration	D																											
enumeration	A																											
enumeration	W																											
enumeration	H																											
enumeration	R																											

2584

2585

2586 element **SummaryZipDestinationReportCreateRequest/SummaryZipDestinationReport**

diagram	<pre> classDiagram class mailxml_mm:summaryZipDestinationReport { mailxml_mm:m:DestinationZip mailxml_mm:m:ProcessingCat... mailxml_mm:m:PostagePayme... mailxml_mm:m:MLOCRRateType mailxml_mm:m:Weight mailxml_mm:m:RateAffixed mailxml_mm:m:NumberOfPieces mailxml_mm:m:NumberOfPiec... mailxml_mm:m:PostageAffixed mailxml_mm:m:CumulativePo... mailxml_mm:m:TotalPostage mailxml_mm:m:NetPostageDue mailxml_mm:m:CumulativePo... mailxml_mm:m:RunningTotalP... mailxml_mm:m:SortationLevel } mailxml_mm:SummaryZip... "1..∞" --> mailxml_mm:summaryZipDestinationReport </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:summaryZipDestinationReportType
children	mailxml mm:DestinationZip mailxml mm:ProcessingCategory mailxml mm:PostagePaymentMethod mailxml mm:MLOCRRateType mailxml mm:Weight mailxml mm:RateAffixed mailxml mm:NumberOfPieces mailxml mm:NumberOfPiecesDifference mailxml mm:PostageAffixed mailxml mm:CumulativePostageAffixed mailxml mm:TotalPostage mailxml mm:NetPostageDue mailxml mm:CumulativePostageDue mailxml mm:RunningTotalPieces mailxml mm:SortationLevel

2587

2588

2589 element **SummaryZipDestinationReportCreateResponse**

diagram	<pre> classDiagram class SummaryZipDestinationReportCreateResponse class TrackingID { <<mailxml_mm:m:TrackingID>> } class SubmitterTrackingID { <<mailxml_mm:m:SubmitterTrac...>> } class SummaryZipDestinationReportCreateAccept { <<mailxml_mm:m:SummaryZip...>> } class SummaryZipDestinationReportCreateReject { <<mailxml_mm:m:SummaryZip...>> } SummaryZipDestinationReportCreateResponse --> TrackingID SummaryZipDestinationReportCreateResponse --> SubmitterTrackingID TrackingID --> SummaryZipDestinationReportCreateAccept TrackingID --> SummaryZipDestinationReportCreateReject SubmitterTrackingID --> SummaryZipDestinationReportCreateAccept SubmitterTrackingID --> SummaryZipDestinationReportCreateReject </pre> <p>Response to the Request to create a SummaryZipDestinationReportCreate</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:TrackingID mailxml_mm:SubmitterTrackingID mailxml_mm:SummaryZipDestinationReportCreateAccept mailxml_mm:SummaryZipDestinationReportCreateReject
annotation	<p>documentation</p> <p>Response to the Request to create a SummaryZipDestinationReportCreate</p>

2590

2591

2592 element **SummaryZipDestinationReportCreateResponse/TrackingID**

diagram	<pre> classDiagram class TrackingID { <<mailxml_mm:m:TrackingID>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2593

2594

2595 element **SummaryZipDestinationReportCreateResponse/SubmitterTrackingID**


diagram	<pre> classDiagram class SubmitterTrackingID { <<mailxml_mm:m:SubmitterTrac...>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2596

2597

2598 element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateAccept


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReturnInfo

2599

2600

2601 element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateAccept/ReturnInfo


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2602

2603

2604 element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateReject

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReturnInfo

2605

2606

2607 element

SummaryZipDestinationReportCreateResponse/SummaryZipDestinationReportCreateReject/ReturnInfo

nfo	<p>diagram</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:basicReturnInfoType
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

2608

2609

2610 element **TMSDataLoggerDelivery**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:SubmittingParty mailxml mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml mm:PushMessageID mailxml mm:TMSDataLoggerDetail					
attributes	Name mailxml_defs:MessageGroupID mailxml_defs:TotalMessageCount mailxml_defs:MessageSerialNumber mailxml_defs:TransmittedRecordCount mailxml_defs:TotalRecordsAcrossMessages mailxml_defs:LastMessage	Type mailxml_base:s20 xs:positiveInteger xs:positiveInteger xs:positiveInteger xs:positiveInteger mailxml_base:yesNo	Use optional	Default	Fixed	Annotation
annotation	documentation Delivery of TMS Data Logger information by USPS.					

2611

2612


2613 element **TMSDataLoggerDelivery/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCodeType</td> <td>mailxml_base:userLicenseCodeType</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td>use</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td>use</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type	use				mailxml_defs:MailerID9	mailxml_base:mailerID9Type	use				mailxml_defs:CRID	mailxml_base:CRIDType	use				mailxml_defs:SchedulerID	mailxml_base:s12	use				mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType	use				mailxml_defs:ShippingAgentID	mailxml_base:s12	use				mailxml_defs:ReceivingAgentID	mailxml_base:s12	use			
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type	use																																															
mailxml_defs:MailerID9	mailxml_base:mailerID9Type	use																																															
mailxml_defs:CRID	mailxml_base:CRIDType	use																																															
mailxml_defs:SchedulerID	mailxml_base:s12	use																																															
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType	use																																															
mailxml_defs:ShippingAgentID	mailxml_base:s12	use																																															
mailxml_defs:ReceivingAgentID	mailxml_base:s12	use																																															

2614

2615


2616 element **TMSDataLoggerDelivery/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2617

2618


2619 element **TMSDataLoggerDelivery/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

2620

2621

2622 element **TMSDataLoggerDelivery/TMSDataLoggerDetail**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:CSAID mailxml mm:CSATripID mailxml mm:TMSDataDetailBlock

2623

2624

2625 element **TMSDataLoggerDelivery/TMSDataLoggerDetail/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2626

2627


2628 element **TMSDataLoggerDelivery/TMSDataLoggerDetail/CSATripID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2629

2630

2631 element TMSDataLoggerDelivery/TMSDataLoggerDetail/TMSDataDetailBlock



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:tMSDataLoggerDetailType
children	mailxml mm:Date mailxml mm:TimeStamp mailxml mm:OperatingMode mailxml mm:IMtb mailxml mm:ErrorCode mailxml mm:IndexNumber mailxml mm:DestOrVia mailxml mm:RouteAssignment mailxml mm:GrossTrayWeight mailxml mm:TransportationMode mailxml mm:UniqueTrayIdentifier mailxml mm:TrayTypeIndicator mailxml mm:LowTareWeight mailxml mm:ManifestWeight mailxml mm:HighTareWeight mailxml mm:ManifestPostage mailxml mm:AssignedSort mailxml mm:SAMSQuery mailxml mm:DNRTrayBarcode mailxml mm:IMcb mailxml mm:ContainerTrayCount mailxml mm:DestinationZip mailxml mm:EntryLocaleKey

2632

2633

2634 element **TMSDataLoggerNotification**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:m:NotificationDate mailxml_mm:m:TMSDataLoggerNotificationSummary
annotation	<p>documentation</p> <p>Notification from TMS to Mailer Notifying them with the availability of data logger file.</p>

2635

2636


2637 element **TMSDataLoggerNotification/SubmittingParty**

diagram	<pre> classDiagram class mailxml_mm::mSubmittingPa... { <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2638

2639

2640 element **TMSDataLoggerNotification/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2641

2642


2643 element **TMSDataLoggerNotification/NotificationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2644

2645

2646 element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:CSAID mailxml_mm:m:CSATripNumber

2647

2648

2649 element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2650

2651


2652 element **TMSDataLoggerNotification/TMSDataLoggerNotificationSummary/CSATripNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2653

2654

2655 element **TMSDataLoggerQueryRequest**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:TMSDataLoggerQueryDetail
annotation	<p>documentation</p> <p>Query request to retrieve TMS Data Logger Data</p>

2656

2657

2658 element **TMSDataLoggerQueryRequest/SubmittingParty**

diagram	<pre> classDiagram participant IDType { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } SubmittingParty < -- IDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2659

2660

2661 element **TMSDataLoggerQueryRequest/SubmittingSoftware**

diagram	<pre> graph TD SubmittingSoftware[mailxml_defs:submittingSoft...] SoftwareName[mailxml_defs:fs:SoftwareName] Vendor[mailxml_defs:fs:Vendor] Version[mailxml_defs:fs:Version] ApprovalDate[mailxml_defs:fs:ApprovalDate] ApprovalKey[mailxml_defs:fs:ApprovalKey] SubmittingSoftware --- SoftwareName SubmittingSoftware --- Vendor SubmittingSoftware --- Version SubmittingSoftware --- ApprovalDate SubmittingSoftware --- ApprovalKey </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2662

2663


2664 element **TMSDataLoggerQueryRequest/SubmitterTrackingID**

diagram	<pre> graph TD SubmitterTrackingID[mailxml_mm:im:SubmitterTrac...] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2665

2666

2667 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:CSAID mailxml_mm:CSATripID mailxml_mm:StartDate mailxml_mm:EndDate mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey

2668

2669

2670 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2671

2672

2673 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/CSATripID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2674

2675

2676 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/StartDate**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2677

2678

2679 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/EndDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2680

2681

2682 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

2683

2684

2685 element **TMSDataLoggerQueryRequest/TMSDataLoggerQueryDetail/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:localeKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

2686

2687

2688 element **TMSDataLoggerQueryResponse**

diagram	Response to the query for TMS Data Logger mailxml_mm:m:TrackingID mailxml_mm:m:SubmitterTrac... mailxml_mm:m:QueryResu... mailxml_defs:QueryErr... Error issued when the query data cannot be provided.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:TrackingID mailxml mm:SubmitterTrackingID mailxml mm:QueryResults mailxml_defs:QueryError
annotation	documentation Response to the query for TMS Data Logger

2689

2690

2691 element **TMSDataLoggerQueryResponse/TrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2692

2693

2694 element **TMSDataLoggerQueryResponse/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2695

2696

2697 element **TMSDataLoggerQueryResponse/QueryResults**

diagram	<pre> classDiagram class QueryResults { grp mailxml_defs:LargeTra... mailxml_defs:fs:MessageGroupID mailxml_defs:fs:TotalMessageCount mailxml_defs:fs:MessageSerialNumber mailxml_defs:fs:TransmittedRecordCount mailxml_defs:fs>TotalRecordsAcrossMessages mailxml_defs:fs>LastMessage mailxml_mm:m:SubmittingParty mailxml_mm:m:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:m:PushMessageID mailxml_mm:m:TMSDataLoggerDetail } </pre>																																										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_defs:DataRecipient mailxml_mm:PushMessageID mailxml_mm:TMSDataLoggerDetail																																										
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MessageGroupID</td> <td>mailxml_base:s20</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalMessageCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MessageSerialNumber</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TransmittedRecordCount</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:TotalRecordsAcrossMessages</td> <td>xs:positiveInteger</td> <td>optional</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:LastMessage</td> <td>mailxml_base:yesNo</td> <td>optional</td> <td>No</td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MessageGroupID	mailxml_base:s20	optional				mailxml_defs:TotalMessageCount	xs:positiveInteger	optional				mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional				mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional				mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional				mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No		
Name	Type	Use	Default	Fixed	Annotation																																						
mailxml_defs:MessageGroupID	mailxml_base:s20	optional																																									
mailxml_defs:TotalMessageCount	xs:positiveInteger	optional																																									
mailxml_defs:MessageSerialNumber	xs:positiveInteger	optional																																									
mailxml_defs:TransmittedRecordCount	xs:positiveInteger	optional																																									
mailxml_defs:TotalRecordsAcrossMessages	xs:positiveInteger	optional																																									
mailxml_defs:LastMessage	mailxml_base:yesNo	optional	No																																								

2698

2699


2700 element **TMSDataLoggerQueryResponse/QueryResults/SubmittingParty**

diagram	<pre> classDiagram participant IDType { mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLicenseCodeType mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID } mailxml_mm:im:SubmittingParty < -- IDType </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicenseCodeType</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicenseCodeType	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

2701

2702

2703 element **TMSDataLoggerQueryResponse/QueryResults/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

2704

2705


2706 element **TMSDataLoggerQueryResponse/QueryResults/PushMessageID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

2707

2708

2709 element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:CSAID mailxml mm:CSATripID mailxml mm:TMSDataDetailBlock

2710

2711

2712 element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/CSAID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2713

2714

2715 element **TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/CSATripID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2716

2717

2718 element

TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/TMSDataDetailBlock


diagram	<p>The diagram illustrates the structure of the <code>TMSDataDetailBlock</code> class. It features a primary compartment containing several attributes, each enclosed in a dashed box. A secondary compartment contains an association labeled <code>1..∞</code> pointing back to the <code>TMSDataDetailBlock</code> class.</p> <p>Attributes:</p> <ul style="list-style-type: none"><code>mailxml_mm:m:Date</code><code>mailxml_mm:m:TimeStamp</code><code>mailxml_mm:m:OperatingMode</code><code>mailxml_mm:m:IMtb</code><code>mailxml_mm:m:ErrorCode</code><code>mailxml_mm:m:IndexNumber</code><code>mailxml_mm:m:DestOrVia</code><code>mailxml_mm:m:RouteAssignm...</code><code>mailxml_mm:m:GrossTrayWei...</code><code>mailxml_mm:m:Transportation...</code><code>mailxml_mm:m:UniqueTrayde...</code><code>mailxml_mm:m:TrayTypeIndic...</code><code>mailxml_mm:m:LowTareWeight</code><code>mailxml_mm:m:ManifestWeight</code><code>mailxml_mm:m:HighTareWeight</code><code>mailxml_mm:m:ManifestPostage</code><code>mailxml_mm:m:AssignedSort</code><code>mailxml_mm:m:SAMSQue...</code><code>mailxml_mm:m:DNRTrayBarcode</code><code>mailxml_mm:m:IMcb</code><code>mailxml_mm:m:ContainerTray...</code><code>mailxml_mm:m:DestinationZip</code><code>mailxml_mm:m:EntryLocaleK...</code> <p>Associations:</p> <ul style="list-style-type: none">An association labeled <code>1..∞</code> connects the <code>TMSDataDetailBlock</code> class back to itself.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml mm:tMSDataLoggerDetailType
children	mailxml mm:Date mailxml mm:TimeStamp mailxml mm:OperatingMode mailxml mm:IMtb mailxml mm:ErrorCode mailxml mm:IndexNumber mailxml mm:DestOrVia mailxml mm:RouteAssignment mailxml mm:GrossTrayWeight mailxml mm:TransportationMode mailxml mm:UniqueTrayIdentifier mailxml mm:TrayTypeIndicator mailxml mm:LowTareWeight mailxml mm:ManifestWeight mailxml mm:HighTareWeight mailxml mm:ManifestPostage mailxml mm:AssignedSort mailxml mm:SAMSQuery mailxml mm:DNRTrayBarcode mailxml mm:IMcb mailxml mm:ContainerTrayCount mailxml mm:DestinationZip mailxml mm:EntryLocaleKey

2719

2720

2721 complexType **abstractInternationalPostageStatementDataType**




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:AgencyCostCode mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CanadaAdmailOnly mailxml mm:UnderICMAgreement mailxml mm:ICMAGreementNumber mailxml mm:DirectShipmentCountry mailxml mm:TareWeight mailxml mm:ReceiptNo mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:InternationalPostageStatementLineItemSummaryData mailxml mm:InternationalPostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:ContainerPostage
used by	complexTypes createInternationalPostageStatementType internationalPostageStatementDataType

2722

2723

2724 element **abstractInternationalPostageStatementDataType/AgencyCostCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:agencyCostCodeType

2725

2726


2727 element **abstractInternationalPostageStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2728

2729

2730 element **abstractInternationalPostageStatementDataType/CustomerReferencelD**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s40

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	40	
		whiteSpace	preserve	

2731

2732


2733 element **abstractInternationalPostageStatementDataType/UserPostageStatementID**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s10
	facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

2734

2735


2736 element **abstractInternationalPostageStatementDataType/CertificationData**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_mm:certificationDataType
	children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix

2737

2738


2739 element **abstractInternationalPostageStatementDataType/ContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

2740

2741


2742 element **abstractInternationalPostageStatementDataType/CanadaAdmailOnly**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:canadaAdMailOnlyType
facets	Kind Value Annotation enumeration ST enumeration LG

2743

2744


2745 element **abstractInternationalPostageStatementDataType/UnderICMAgreement**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

2746

2747


2748 element **abstractInternationalPostageStatementDataType/ICMAgreementNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2749

2750

2751 element **abstractInternationalPostageStatementDataType/DirectShipmentCountry**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s45												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>45</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

2752

2753

2754 element **abstractInternationalPostageStatementDataType/TareWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2755

2756

2757 element **abstractInternationalPostageStatementDataType/ReceiptNo**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2758

2759

2760 element **abstractInternationalPostageStatementDataType/ExtendedForm**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2761

2762

2763 element **abstractInternationalPostageStatementDataType/FormType**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:formType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>PM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ML</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PM		enumeration	FC		enumeration	SM		enumeration	BP		enumeration	PE		enumeration	PP		enumeration	ML		enumeration	IM		enumeration	PS	
Kind	Value	Annotation																													
enumeration	PM																														
enumeration	FC																														
enumeration	SM																														
enumeration	BP																														
enumeration	PE																														
enumeration	PP																														
enumeration	ML																														
enumeration	IM																														
enumeration	PS																														

2764

2765


2766 element **abstractInternationalPostageStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2767

2768

2769 element **abstractInternationalPostageStatementDataType/PackagingMethod**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:packagingMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2	
Kind	Value	Annotation											
enumeration	0												
enumeration	1												
enumeration	2												

2770

2771

2772 element **abstractInternationalPostageStatementDataType/PostageAffixedAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2773

2774


2775 element **abstractInternationalPostageStatementDataType/PostagePaymentMethod**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_mm:postagePaymentMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	S		enumeration	M		enumeration	P	
Kind	Value	Annotation											
enumeration	S												
enumeration	M												
enumeration	P												

2776

2777

2778 element **abstractInternationalPostageStatementDataType/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

2779

2780

2781 element **abstractInternationalPostageStatementDataType/RateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:rateType																																																																																																												
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>S1</td><td></td></tr> <tr><td>enumeration</td><td>S2</td><td></td></tr> <tr><td>enumeration</td><td>S3</td><td></td></tr> <tr><td>enumeration</td><td>S4</td><td></td></tr> <tr><td>enumeration</td><td>S5</td><td></td></tr> <tr><td>enumeration</td><td>S6</td><td></td></tr> <tr><td>enumeration</td><td>S7</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>E4</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> <tr><td>enumeration</td><td>W</td><td></td></tr> <tr><td>enumeration</td><td>Y</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	L		enumeration	B		enumeration	C		enumeration	S		enumeration	S1		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	S5		enumeration	S6		enumeration	S7		enumeration	F		enumeration	A		enumeration	N		enumeration	P		enumeration	T		enumeration	D		enumeration	X		enumeration	H		enumeration	M		enumeration	Z		enumeration	E		enumeration	E4		enumeration	G		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	J		enumeration	K		enumeration	V		enumeration	W		enumeration	Y		enumeration	Q	
Kind	Value	Annotation																																																																																																											
enumeration	R																																																																																																												
enumeration	L																																																																																																												
enumeration	B																																																																																																												
enumeration	C																																																																																																												
enumeration	S																																																																																																												
enumeration	S1																																																																																																												
enumeration	S2																																																																																																												
enumeration	S3																																																																																																												
enumeration	S4																																																																																																												
enumeration	S5																																																																																																												
enumeration	S6																																																																																																												
enumeration	S7																																																																																																												
enumeration	F																																																																																																												
enumeration	A																																																																																																												
enumeration	N																																																																																																												
enumeration	P																																																																																																												
enumeration	T																																																																																																												
enumeration	D																																																																																																												
enumeration	X																																																																																																												
enumeration	H																																																																																																												
enumeration	M																																																																																																												
enumeration	Z																																																																																																												
enumeration	E																																																																																																												
enumeration	E4																																																																																																												
enumeration	G																																																																																																												
enumeration	1																																																																																																												
enumeration	2																																																																																																												
enumeration	3																																																																																																												
enumeration	4																																																																																																												
enumeration	J																																																																																																												
enumeration	K																																																																																																												
enumeration	V																																																																																																												
enumeration	W																																																																																																												
enumeration	Y																																																																																																												
enumeration	Q																																																																																																												

2782

2783

2784 element **abstractInternationalPostageStatementDataType/RegisterOfMailing**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo

	facets	Kind	Value	Annotation
		enumeration	Yes	
		enumeration	No	

2785

2786

2787 element **abstractInternationalPostageStatementDataType/SackingBasis**

	diagram	 mailxml_mm:im:SackingBasis
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:sackingBasisType
	facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2 enumeration 3 enumeration 4

2788

2789

2790 element **abstractInternationalPostageStatementDataType/SinglePieceWeight**

	diagram	 mailxml_mm:im:SinglePieceWe...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	xs:double

2791

2792

2793 element **abstractInternationalPostageStatementDataType/StatementSequenceNumber**

	diagram	 mailxml_mm:im:StatementSeq...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s20
	facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

2794

2795

2796 element **abstractInternationalPostageStatementDataType/MeteredAffixedMethod**

	diagram	 mailxml_mm:im:MeteredAffixe...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:meteredAffixedMethodType

	facets	Kind	Value	Annotation
		enumeration	C	
		enumeration	L	
		enumeration	M	

2797

2798


2799 element **abstractInternationalPostageStatementDataType/CombinedMailingID**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	xs:nonNegativeInteger

2800

2801


2802 element **abstractInternationalPostageStatementDataType/EnclosingVolumeNo**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s05
	facets	Kind Value Annotation minLength 1 maxLength 5 whiteSpace preserve

2803

2804


2805 element **abstractInternationalPostageStatementDataType/EnclosingIssueNo**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s06
	facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

2806

2807

2808 element **abstractInternationalPostageStatementDataType/EnclosingIssueDate**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	xs:date

2809

2810


2811 element **abstractInternationalPostageStatementDataType/ContainerPostage**

diagram	<pre>classDiagram class mailxml_mm::containerPostage { <<ContainerPostage>> <<ContainerID>> <<ContainerDetailID>> <<Pieces>> <<Copies>> } mailxml_mm::ContainerPos... < -- mailxml_mm::containerPostage mailxml_mm::ContainerID mailxml_mm::ContainerDetailID mailxml_mm::m:Pieces mailxml_mm::m:Copies mailxml_mm::m:IMtb mailxml_mm::m:IMcb mailxml_mm::m:IMpb mailxml_mm::ContainerPos... "0..∞" --> mailxml_mm::containerPostage</pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

2812

2813

2814 complexType abstractPeriodicalStatementDataType



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey
used by	complexTypes createPeriodicalStatementType periodicalStatementDataType

2815

2816

2817 element **abstractPeriodicalStatementDataType/AdvertisingPercentage**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:percentageType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minInclusive</td> <td>0.00</td> <td></td> </tr> <tr> <td>maxInclusive</td> <td>100.00</td> <td></td> </tr> <tr> <td>totalDigits</td> <td>5</td> <td></td> </tr> <tr> <td>fractionDigits</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minInclusive	0.00		maxInclusive	100.00		totalDigits	5		fractionDigits	2	
Kind	Value	Annotation														
minInclusive	0.00															
maxInclusive	100.00															
totalDigits	5															
fractionDigits	2															

2818

2819

2820 element **abstractPeriodicalStatementDataType/DeliveryStatisticsFileDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2821

2822

2823 element **abstractPeriodicalStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2824

2825

2826 element **abstractPeriodicalStatementDataType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s40
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

2827

2828

2829 element **abstractPeriodicalStatementDataType/UserPostageStatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s10
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

2830

2831

2832 element **abstractPeriodicalStatementDataType/CarrierRouteAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2833

2834

2835 element **abstractPeriodicalStatementDataType/CarrierRouteSequencingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

	<table border="1"> <tr> <td style="padding: 5px;">type</td><td style="padding: 5px;">xs:date</td></tr> </table>	type	xs:date
type	xs:date		
2836			
2837			
2838	element abstractPeriodicalStatementDataType/CertificationData		
diagram	<pre> classDiagram class mailxml_mm { class certificationData { <<mailxml_mm>>:m:CertificationData <<mailxml_mm>>:m>ContactName <<mailxml_mm>>:m:PhoneAreaCode <<mailxml_mm>>:m:PhoneLast4 <<mailxml_mm>>:m:PhonePrefix } } </pre>		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:certificationDataType		
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix		
2839			
2840			
2841	element abstractPeriodicalStatementDataType/ContainerCount		
diagram	<pre> classDiagram class mailxml_mm { class containerCount { <<mailxml_mm>>:m:ContainerCount <<mailxml_mm>>:m:OtherType <<mailxml_mm>>:m:Pallets <<mailxml_mm>>:m:Sacks <<mailxml_mm>>:m:Trays1mm <<mailxml_mm>>:m:Trays2emm <<mailxml_mm>>:m:Trays2mm <<mailxml_mm>>:m:TraysFlat } } </pre>		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:containerCountType		
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat		

2842

2843

2844 element **abstractPeriodicalStatementDataType/CopyWeight**

diagram	 mailxml_mm:m:CopyWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2845

2846


2847 element **abstractPeriodicalStatementDataType/EditionCode**

diagram	 mailxml_mm:m:EditionCode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2848

2849

2850 element **abstractPeriodicalStatementDataType/FirstIssueDate**

diagram	 mailxml_mm:m:FirstIssueDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2851

2852

2853 element **abstractPeriodicalStatementDataType/FormType**

diagram	 mailxml_mm:m:FormType																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:formType																														
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>PM</td><td></td></tr><tr><td>enumeration</td><td>FC</td><td></td></tr><tr><td>enumeration</td><td>SM</td><td></td></tr><tr><td>enumeration</td><td>BP</td><td></td></tr><tr><td>enumeration</td><td>PE</td><td></td></tr><tr><td>enumeration</td><td>PP</td><td></td></tr><tr><td>enumeration</td><td>ML</td><td></td></tr><tr><td>enumeration</td><td>IM</td><td></td></tr><tr><td>enumeration</td><td>PS</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	PM		enumeration	FC		enumeration	SM		enumeration	BP		enumeration	PE		enumeration	PP		enumeration	ML		enumeration	IM		enumeration	PS	
Kind	Value	Annotation																													
enumeration	PM																														
enumeration	FC																														
enumeration	SM																														
enumeration	BP																														
enumeration	PE																														
enumeration	PP																														
enumeration	ML																														
enumeration	IM																														
enumeration	PS																														

2854

2855


2856 element **abstractPeriodicalStatementDataType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2857

2858


2859 element **abstractPeriodicalStatementDataType/IssueFrequency**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>20</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

2860

2861

2862 element **abstractPeriodicalStatementDataType/LastIssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2863

2864

2865 element **abstractPeriodicalStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2866

2867

2868 element **abstractPeriodicalStatementDataType/Over10**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo

	facets	Kind	Value	Annotation
		enumeration	Yes	
		enumeration	No	

2869

2870

2871 element **abstractPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:yesNo
	facets	Kind Value Annotation enumeration Yes enumeration No

2872

2873

2874 element **abstractPeriodicalStatementDataType/PostagePaymentMethod**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_mm:postagePaymentMethodType
	facets	Kind Value Annotation enumeration S enumeration M enumeration P

2875

2876

2877 element **abstractPeriodicalStatementDataType/ProcessingCategory**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:processingCategoryType
	facets	Kind Value Annotation enumeration LT enumeration FL enumeration CD enumeration OS enumeration MP enumeration IR enumeration PF enumeration CM enumeration NP enumeration SP enumeration MB

2878

2879


2880 element **abstractPeriodicalStatementDataType/PublicationTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>60</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

2881

2882

2883 element **abstractPeriodicalStatementDataType/CombinedMailingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2884

2885

2886 element **abstractPeriodicalStatementDataType/RateType**

diagram																																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																			
type	mailxml_base:rateType																																																			
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>R</td><td></td></tr><tr><td>enumeration</td><td>L</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>C</td><td></td></tr><tr><td>enumeration</td><td>S</td><td></td></tr><tr><td>enumeration</td><td>S1</td><td></td></tr><tr><td>enumeration</td><td>S2</td><td></td></tr><tr><td>enumeration</td><td>S3</td><td></td></tr><tr><td>enumeration</td><td>S4</td><td></td></tr><tr><td>enumeration</td><td>S5</td><td></td></tr><tr><td>enumeration</td><td>S6</td><td></td></tr><tr><td>enumeration</td><td>S7</td><td></td></tr><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>A</td><td></td></tr><tr><td>enumeration</td><td>N</td><td></td></tr><tr><td>enumeration</td><td>P</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	R		enumeration	L		enumeration	B		enumeration	C		enumeration	S		enumeration	S1		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	S5		enumeration	S6		enumeration	S7		enumeration	F		enumeration	A		enumeration	N		enumeration	P	
Kind	Value	Annotation																																																		
enumeration	R																																																			
enumeration	L																																																			
enumeration	B																																																			
enumeration	C																																																			
enumeration	S																																																			
enumeration	S1																																																			
enumeration	S2																																																			
enumeration	S3																																																			
enumeration	S4																																																			
enumeration	S5																																																			
enumeration	S6																																																			
enumeration	S7																																																			
enumeration	F																																																			
enumeration	A																																																			
enumeration	N																																																			
enumeration	P																																																			

	enumeration T enumeration D enumeration X enumeration H enumeration M enumeration Z enumeration E enumeration E4 enumeration G enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration J enumeration K enumeration V enumeration W enumeration Y enumeration Q
--	--

2887

2888

2889 element **abstractPeriodicalStatementDataType/SingleRideAlongWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2890

2891

2892 element **abstractPeriodicalStatementDataType/StatementSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

2893

2894

2895 element **abstractPeriodicalStatementDataType/EntryFacilityType**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:entryFacilityType		
facets	Kind	Value	Annotation
	enumeration	O	
	enumeration	B	
	enumeration	S	
	enumeration	D	
	enumeration	A	
	enumeration	W	
	enumeration	H	
	enumeration	R	

2896

2897

2898 element **abstractPeriodicalStatementDataType/EntryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:es5
facets	Kind Value Annotation minLength 5 maxLength 5 whiteSpace preserve

2899

2900

2901 element **abstractPeriodicalStatementDataType/AgencyCostCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:agencyCostCodeType

2902

2903

2904 element **abstractPeriodicalStatementDataType/RepositionableNotesIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

2905

2906

2907 element `abstractPeriodicalStatementDataType/MoveUpdateMethod`

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:moveUpdateMethodType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8	
Kind	Value	Annotation																										
enumeration	0																											
enumeration	1																											
enumeration	2																											
enumeration	4																											
enumeration	5																											
enumeration	6																											
enumeration	7																											
enumeration	8																											

2908

2909

2910 element `abstractPeriodicalStatementDataType/VolumeNumber`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

2911

2912

2913 element `abstractPeriodicalStatementDataType/IssueNumber`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

2914

2915

2916 element `abstractPeriodicalStatementDataType/InCountyAddressedSupplementPieces`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger
------	------------------------------

2917

2918

2919 element **abstractPeriodicalStatementDataType/OutsideCountyAddressedSupplementPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2920

2921

2922 element **abstractPeriodicalStatementDataType/PiecesExcludingAddressedSupplementPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

2923

2924

2925 element **abstractPeriodicalStatementDataType/PostageAutoFinalization**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_mm:postageAutoFinalizationType															
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 15%;">Value</th> <th style="width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Passed</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Failed</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Pending</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Not Applicable</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Passed		enumeration	Failed		enumeration	Pending		enumeration	Not Applicable	
Kind	Value	Annotation														
enumeration	Passed															
enumeration	Failed															
enumeration	Pending															
enumeration	Not Applicable															

2926

2927


2928 element **abstractPeriodicalStatementDataType/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:localeKeyType												
facets	<table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 15%;">Kind</th> <th style="width: 15%;">Value</th> <th style="width: 70%;">Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

2929

2930

2931 complexType abstractPostageStatementDataType



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:AgencyCostCode mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:CustomerCommitmentAgreementNumber mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:EnclosedBy mailxml mm:DMLType mailxml mm:EstimateIndicator mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:PostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:SinglePieceDimensionalWeight mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:MoveUpdateMethod mailxml mm:PaymentDateandTime mailxml mm:MailArrivalDateandTime mailxml mm:PostageAutoFinalization mailxml mm:FCMLtrResidualPrepIndicator mailxml mm:SSFTID
used by	complexTypes createPostageStatementType postageStatementDataType

2932

2933

2934 element **abstractPostageStatementDataType/AgencyCostCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:agencyCostCodeType

2935

2936

2937 element **abstractPostageStatementDataType/DeliveryStatisticsFileDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2938

2939

2940 element **abstractPostageStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:date
------	----------------

2941

2942


2943 element `abstractPostageStatementDataType/CustomerReferenceID`

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

2944

2945

2946 element `abstractPostageStatementDataType/CustomerCommitmentAgreementNumber`

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

2947

2948

2949 element `abstractPostageStatementDataType/UserPostageStatementID`

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

2950

2951

2952 element `abstractPostageStatementDataType/CarrierRouteAddressMatchDate`

diagram	 
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2953

2954

2955 element **abstractPostageStatementDataType/CarrierRouteSequencingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2956

2957

2958 element **abstractPostageStatementDataType/CertificationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:certificationDataType
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix

2959

2960

2961 element **abstractPostageStatementDataType/ContainerCount**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

2962

2963

2964 element **abstractPostageStatementDataType/EnclosedBy**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:enclosedByType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>SM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ML</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SM		enumeration	BP		enumeration	PE		enumeration	PP		enumeration	ML	
Kind	Value	Annotation																	
enumeration	SM																		
enumeration	BP																		
enumeration	PE																		
enumeration	PP																		
enumeration	ML																		

2965

2966

2967 element **abstractPostageStatementDataType/DMLType**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:DMLTypeType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B	
Kind	Value	Annotation								
enumeration	A									
enumeration	B									

2968

2969

2970 element **abstractPostageStatementDataType/EstimateIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2971

2972

2973 element **abstractPostageStatementDataType/ExtendedForm**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2974

2975

2976 element **abstractPostageStatementDataType/FormType**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:formType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>PM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ML</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PM		enumeration	FC		enumeration	SM		enumeration	BP		enumeration	PE		enumeration	PP		enumeration	ML		enumeration	IM		enumeration	PS	
Kind	Value	Annotation																													
enumeration	PM																														
enumeration	FC																														
enumeration	SM																														
enumeration	BP																														
enumeration	PE																														
enumeration	PP																														
enumeration	ML																														
enumeration	IM																														
enumeration	PS																														

2977

2978


2979 element **abstractPostageStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

2980

2981

2982 element **abstractPostageStatementDataType/PackagingMethod**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:packagingMethodType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0	
Kind	Value	Annotation					
enumeration	0						

	enumeration 1 enumeration 2
--	--------------------------------

2983

2984

2985 element **abstractPostageStatementDataType/PostageAffixedAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

2986

2987

2988 element **abstractPostageStatementDataType/PostagePaymentMethod**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_mm:postagePaymentMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	S		enumeration	M		enumeration	P	
Kind	Value	Annotation											
enumeration	S												
enumeration	M												
enumeration	P												

2989

2990

2991 element **abstractPostageStatementDataType/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

2992

2993

2994 element **abstractPostageStatementDataType/RateType**

diagram																																																																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																																												
type	mailxml_base:rateType																																																																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>S1</td><td></td></tr> <tr><td>enumeration</td><td>S2</td><td></td></tr> <tr><td>enumeration</td><td>S3</td><td></td></tr> <tr><td>enumeration</td><td>S4</td><td></td></tr> <tr><td>enumeration</td><td>S5</td><td></td></tr> <tr><td>enumeration</td><td>S6</td><td></td></tr> <tr><td>enumeration</td><td>S7</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>E4</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> <tr><td>enumeration</td><td>W</td><td></td></tr> <tr><td>enumeration</td><td>Y</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	L		enumeration	B		enumeration	C		enumeration	S		enumeration	S1		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	S5		enumeration	S6		enumeration	S7		enumeration	F		enumeration	A		enumeration	N		enumeration	P		enumeration	T		enumeration	D		enumeration	X		enumeration	H		enumeration	M		enumeration	Z		enumeration	E		enumeration	E4		enumeration	G		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	J		enumeration	K		enumeration	V		enumeration	W		enumeration	Y		enumeration	Q	
Kind	Value	Annotation																																																																																																											
enumeration	R																																																																																																												
enumeration	L																																																																																																												
enumeration	B																																																																																																												
enumeration	C																																																																																																												
enumeration	S																																																																																																												
enumeration	S1																																																																																																												
enumeration	S2																																																																																																												
enumeration	S3																																																																																																												
enumeration	S4																																																																																																												
enumeration	S5																																																																																																												
enumeration	S6																																																																																																												
enumeration	S7																																																																																																												
enumeration	F																																																																																																												
enumeration	A																																																																																																												
enumeration	N																																																																																																												
enumeration	P																																																																																																												
enumeration	T																																																																																																												
enumeration	D																																																																																																												
enumeration	X																																																																																																												
enumeration	H																																																																																																												
enumeration	M																																																																																																												
enumeration	Z																																																																																																												
enumeration	E																																																																																																												
enumeration	E4																																																																																																												
enumeration	G																																																																																																												
enumeration	1																																																																																																												
enumeration	2																																																																																																												
enumeration	3																																																																																																												
enumeration	4																																																																																																												
enumeration	J																																																																																																												
enumeration	K																																																																																																												
enumeration	V																																																																																																												
enumeration	W																																																																																																												
enumeration	Y																																																																																																												
enumeration	Q																																																																																																												

2995

2996


2997 element `abstractPostageStatementDataType/RegisterOfMailing`

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

2998

2999

3000 element `abstractPostageStatementDataType/SackingBasis`

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:sackingBasisType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4	
Kind	Value	Annotation																	
enumeration	0																		
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		

3001

3002

3003 element `abstractPostageStatementDataType/SinglePieceWeight`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3004

3005

3006 element `abstractPostageStatementDataType/StatementSequenceNumber`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3007

3008

3009 element `abstractPostageStatementDataType/RepositionableNotesIndicator`

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3010

3011


3012 element `abstractPostageStatementDataType/MeteredAffixedMethod`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:meteredAffixedMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	C		enumeration	L		enumeration	M	
Kind	Value	Annotation											
enumeration	C												
enumeration	L												
enumeration	M												

3013

3014

3015 element `abstractPostageStatementDataType/CombinedMailingID`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3016

3017


3018 element `abstractPostageStatementDataType/SinglePieceDimensionalWeight`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3019

3020

3021 element `abstractPostageStatementDataType/EnclosingVolumeNo`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s05

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	5	
		whiteSpace	preserve	

3022

3023

3024 element **abstractPostageStatementDataType/EnclosingIssueNo**

	diagram	 mailxml_mm:im:EnclosingIssue...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s06
	facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

3025

3026


3027 element **abstractPostageStatementDataType/EnclosingIssueDate**

	diagram	 mailxml_mm:im:EnclosingIssue...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	xs:date

3028

3029

3030 element **abstractPostageStatementDataType/MoveUpdateMethod**

	diagram	 mailxml_mm:im:MoveUpdateM...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:moveUpdateMethodType
	facets	Kind Value Annotation enumeration 0 enumeration 1 enumeration 2 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8

3031

3032

3033 element `abstractPostageStatementDataType/PaymentDateandTime`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

3034

3035

3036 element `abstractPostageStatementDataType/MailArrivalDateandTime`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

3037

3038

3039 element `abstractPostageStatementDataType/PostageAutoFinalization`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:postageAutoFinalizationType
facets	Kind Value Annotation enumeration Passed enumeration Failed enumeration Pending enumeration Not Applicable

3040

3041

3042 element `abstractPostageStatementDataType/FCMLtrResidualPreIndicator`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:residualPreType
facets	Kind Value Annotation enumeration M enumeration S

3043

3044

3045 element `abstractPostageStatementDataType/SSFTID`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:ns12
3046	
3047	
3048	complexType accountHeaderInfoBlockType
diagram	<pre> graph LR A[accountHeaderInfoBlockType] --- B[...] B --- C[mailxml_mm:PermitInfo] B --- D[mailxml_mm:PermitIssuedCity] B --- E[mailxml_mm:PermitIssuedState] B --- F[mailxml_mm:CompanyName] B --- G[mailxml_mm:Address] B --- H[mailxml_mm:Status] B --- I[mailxml_mm:PhoneNumber] B --- J[mailxml_mm:Comment] B --- K[mailxml_mm:CurrentBalance] B --- L[mailxml_mm>ContactName] B --- M[mailxml_mm:FinanceNumber] </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm>ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus
used by	elements InvoiceQueryResponse/QueryResults/AccountHeaderInfoBlock InvoiceDelivery/AccountHeaderInfoBlock

3049

3050

3051 element accountHeaderInfoBlockType/PermitInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3052

3053

3054 element accountHeaderInfoBlockType/PermitIssuedCity

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s45												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>45</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	45		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	45												
whiteSpace	preserve												

3055

3056

3057 element accountHeaderInfoBlockType/PermitIssuedState

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:stateCode												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP	
Kind	Value	Annotation											
enumeration	AA												
enumeration	AE												
enumeration	AP												

	enumeration	AL
	enumeration	AK
	enumeration	AS
	enumeration	AZ
	enumeration	AR
	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW
	enumeration	PA
	enumeration	PR

	enumeration RI
	enumeration SC
	enumeration SD
	enumeration TN
	enumeration TX
	enumeration UT
	enumeration VT
	enumeration VI
	enumeration VA
	enumeration WA
	enumeration WV
	enumeration WI
	enumeration WY

3058

3059

3060 element **accountHeaderInfoBlockType/CompanyName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s260												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>260</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	260		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	260												
whiteSpace	preserve												

3061

3062

3063 element accountHeaderInfoBlockType/Address

diagram	<pre> classDiagram class mailxml_defs:addressType { <<attributes>> mailxml_defs:fs:CommunicationRoleType } class mailxml_mm:m:Address class mailxml_defs:fs:Address1 class mailxml_defs:fs:Address2 class mailxml_defs:fs:Address3 class mailxml_defs:fs:Address4 class mailxml_defs:fs:City class mailxml_defs:fs:County class mailxml_defs:fs:State class mailxml_defs:fs:ZipCode class mailxml_defs:fs:GPSCoordinates m:Address "1..1" -- "*" addressType addressType "1..1" -- "*" fs:Address1 addressType "1..1" -- "*" fs:Address2 addressType "1..1" -- "*" fs:Address3 addressType "1..1" -- "*" fs:Address4 addressType "1..1" -- "*" fs:City addressType "1..1" -- "*" fs:County addressType "1..1" -- "*" fs:State addressType "1..1" -- "*" fs:ZipCode addressType "1..1" -- "*" fs:GPSCoordinates </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_defs:addressType												
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CommunicationRole</td> <td>mailxml_base:communicationRoleType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				
Name	Type	User	Default	Fixed	Annotation								
mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType												

3064

3065

3066 element accountHeaderInfoBlockType/Status

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:invoiceStatusType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Planned</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Final</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Planned		enumeration	Final	
Kind	Value	Annotation								
enumeration	Planned									
enumeration	Final									

3067

3068

3069 element **accountHeaderInfoBlockType/PhoneNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:phoneNumberType
facets	Kind Value Annotation minLength 1 maxLength 25 whiteSpace preserve

3070

3071


3072 element **accountHeaderInfoBlockType/Comment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s260
facets	Kind Value Annotation minLength 1 maxLength 260 whiteSpace preserve

3073

3074

3075 element **accountHeaderInfoBlockType/CurrentBalance**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3076

3077

3078 element **accountHeaderInfoBlockType/ContactName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s60
facets	Kind Value Annotation minLength 1 maxLength 60 whiteSpace preserve

3079

3080

3081 element **accountHeaderInfoBlockType/FinanceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns10

3082

3083

3084 element **accountHeaderInfoBlockType/AlternateMethodUsed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

3085

3086

3087 element **accountHeaderInfoBlockType/PostageStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:containerStatusType
facets	Kind Value Annotation enumeration Accepted enumeration OnHold enumeration Rejected enumeration NotPaid enumeration TransportationInfoUpdated enumeration DispatchedforInduction enumeration DispatchedforPickup enumeration PickedUp enumeration Warehoused enumeration Planned enumeration Docked enumeration MailReadyforPickUp enumeration Delivered enumeration DepositedWithShipper enumeration eDocSubmitted enumeration MailReadytobeShipped enumeration PostageFinalized enumeration MailVerifiedAndReleased

	enumeration MaillnCopalPool
3088	
3089	
3090	complexType bundleDetailType
diagram	<pre> classDiagram class bundleDetailType { <<...>> } bundleDetailType "0..1" -- "1..1" ... : "0..1" -- "1..1" <<children>> <<children>> { mailxml_mm:im:ContainerID mailxml_mm:im:BundleID mailxml_mm:im:TotalPieces mailxml_mm:im:TotalCopies mailxml_mm:im:BundleZip mailxml_mm:im:BundleCarrierRoute mailxml_mm:im:DestinationEntry mailxml_mm:im:Zone mailxml_mm:im:DestinationZip mailxml_mm:im:OutsideCount mailxml_mm:im:ChargeableBundleIndicator mailxml_mm:im:SortationLevel mailxml_mm:im:BundleLevel mailxml_mm:im:ParentBundleID mailxml_mm:im:BundleBarcode mailxml_mm:im:BundleStatus mailxml_mm:im:BundleRecordStatus mailxml_mm:im:USPSPackageUnit mailxml_mm:im:BundleVersion } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:BundleID mailxml_mm:TotalPieces mailxml_mm:TotalCopies mailxml_mm:BundleZip mailxml_mm:BundleCarrierRoute mailxml_mm:DestinationEntry mailxml_mm:Zone mailxml_mm:DestinationZip mailxml_mm:OutsideCountyBundleIndicator mailxml_mm:ChargeableBundleIndicator mailxml_mm:SortationLevel mailxml_mm:BundleLevel mailxml_mm:ParentBundleID mailxml_mm:BundleBarcode mailxml_mm:BundleStatus mailxml_mm:BundleRecordStatus

	mailxml_mm:USPSPackageUniqueCharacteristic mailxml_mm:BundleVersion
used by	element BundleDetailCreateRequest/BundleDetail

3091

3092

3093 element **bundleDetailType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3094

3095


3096 element **bundleDetailType/BundleID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3097

3098

3099 element **bundleDetailType/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3100

3101

3102 element **bundleDetailType/TotalCopies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3103

3104


3105 element `bundleDetailType/BundleZip`

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

3106

3107

3108 element `bundleDetailType/BundleCarrierRoute`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es4												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

3109

3110


3111 element `bundleDetailType/DestinationEntry`

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:entryDiscountType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	B		enumeration	S		enumeration	D		enumeration	A	
Kind	Value	Annotation																	
enumeration	N																		
enumeration	B																		
enumeration	S																		
enumeration	D																		
enumeration	A																		

3112

3113

3114 element `bundleDetailType/Zone`

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:zoneICType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1	
Kind	Value	Annotation														
enumeration	N															
enumeration	M															
enumeration	LC															
enumeration	1															

	enumeration 3 enumeration 4 enumeration 5 enumeration 6 enumeration 7 enumeration 8 enumeration 9 enumeration A enumeration DDU enumeration SCF enumeration ADC
--	---

3115

3116


3117 element **bundleDetailType/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

3118

3119

3120 element **bundleDetailType/OutsideCountyBundleIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:inCountyOutCountyIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	I		enumeration	N	
Kind	Value	Annotation								
enumeration	I									
enumeration	N									

3121

3122

3123 element **bundleDetailType/ChargeableBundleIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3124

3125

3126 element **bundleDetailType/SortationLevel**

diagram																																																																																																																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																																																								
type	mailxml_base:containerLevelType																																																																																																																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>U</td><td></td></tr> <tr><td>enumeration</td><td>V</td><td></td></tr> <tr><td>enumeration</td><td>W</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>Y</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>AA</td><td></td></tr> <tr><td>enumeration</td><td>AB</td><td></td></tr> <tr><td>enumeration</td><td>AC</td><td></td></tr> <tr><td>enumeration</td><td>AD</td><td></td></tr> <tr><td>enumeration</td><td>AE</td><td></td></tr> <tr><td>enumeration</td><td>AF</td><td></td></tr> <tr><td>enumeration</td><td>AG</td><td></td></tr> <tr><td>enumeration</td><td>AH</td><td></td></tr> <tr><td>enumeration</td><td>AI</td><td></td></tr> <tr><td>enumeration</td><td>AJ</td><td></td></tr> <tr><td>enumeration</td><td>AK</td><td></td></tr> <tr><td>enumeration</td><td>AL</td><td></td></tr> <tr><td>enumeration</td><td>AM</td><td></td></tr> <tr><td>enumeration</td><td>AN</td><td></td></tr> <tr><td>enumeration</td><td>AO</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	M		enumeration	N		enumeration	P		enumeration	Q		enumeration	R		enumeration	S		enumeration	T		enumeration	U		enumeration	V		enumeration	W		enumeration	X		enumeration	Y		enumeration	Z		enumeration	AA		enumeration	AB		enumeration	AC		enumeration	AD		enumeration	AE		enumeration	AF		enumeration	AG		enumeration	AH		enumeration	AI		enumeration	AJ		enumeration	AK		enumeration	AL		enumeration	AM		enumeration	AN		enumeration	AO	
Kind	Value	Annotation																																																																																																																							
enumeration	A																																																																																																																								
enumeration	B																																																																																																																								
enumeration	C																																																																																																																								
enumeration	D																																																																																																																								
enumeration	E																																																																																																																								
enumeration	F																																																																																																																								
enumeration	G																																																																																																																								
enumeration	H																																																																																																																								
enumeration	I																																																																																																																								
enumeration	J																																																																																																																								
enumeration	K																																																																																																																								
enumeration	M																																																																																																																								
enumeration	N																																																																																																																								
enumeration	P																																																																																																																								
enumeration	Q																																																																																																																								
enumeration	R																																																																																																																								
enumeration	S																																																																																																																								
enumeration	T																																																																																																																								
enumeration	U																																																																																																																								
enumeration	V																																																																																																																								
enumeration	W																																																																																																																								
enumeration	X																																																																																																																								
enumeration	Y																																																																																																																								
enumeration	Z																																																																																																																								
enumeration	AA																																																																																																																								
enumeration	AB																																																																																																																								
enumeration	AC																																																																																																																								
enumeration	AD																																																																																																																								
enumeration	AE																																																																																																																								
enumeration	AF																																																																																																																								
enumeration	AG																																																																																																																								
enumeration	AH																																																																																																																								
enumeration	AI																																																																																																																								
enumeration	AJ																																																																																																																								
enumeration	AK																																																																																																																								
enumeration	AL																																																																																																																								
enumeration	AM																																																																																																																								
enumeration	AN																																																																																																																								
enumeration	AO																																																																																																																								

	enumeration AP
	enumeration AQ
	enumeration AR
	enumeration AS
	enumeration AT
	enumeration BA
	enumeration BB
	enumeration BC
	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH
	enumeration BI
	enumeration BJ
	enumeration BK
	enumeration BL
	enumeration BM

3127

3128

3129 element **bundleDetailType/BundleLevel**

diagram	 mailxml_mm:BundleLevel																																																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																									
type	mailxml_base:bundleDetailLevelType																																																									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>G</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>I</td><td></td></tr> <tr><td>enumeration</td><td>J</td><td></td></tr> <tr><td>enumeration</td><td>K</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>O</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>Q</td><td></td></tr> <tr><td>enumeration</td><td>R</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	E		enumeration	F		enumeration	G		enumeration	H		enumeration	I		enumeration	J		enumeration	K		enumeration	L		enumeration	M		enumeration	N		enumeration	O		enumeration	P		enumeration	Q		enumeration	R	
Kind	Value	Annotation																																																								
enumeration	A																																																									
enumeration	B																																																									
enumeration	C																																																									
enumeration	D																																																									
enumeration	E																																																									
enumeration	F																																																									
enumeration	G																																																									
enumeration	H																																																									
enumeration	I																																																									
enumeration	J																																																									
enumeration	K																																																									
enumeration	L																																																									
enumeration	M																																																									
enumeration	N																																																									
enumeration	O																																																									
enumeration	P																																																									
enumeration	Q																																																									
enumeration	R																																																									

	enumeration S enumeration T enumeration U enumeration V enumeration W enumeration X
--	--

3130

3131


3132 element **bundleDetailType/ParentBundleID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3133

3134


3135 element **bundleDetailType/BundleBarcode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3136

3137


3138 element **bundleDetailType/BundleStatus**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:bundleStatusType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td></td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration			enumeration	C	
Kind	Value	Annotation								
enumeration										
enumeration	C									

3139

3140


3141 element **bundleDetailType/BundleRecordStatus**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:bundleRecordStatusType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>U</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	O		enumeration	D		enumeration	I		enumeration	U	
Kind	Value	Annotation														
enumeration	O															
enumeration	D															
enumeration	I															
enumeration	U															

3142

3143


3144 element **bundleDetailType/USPSPackageUniqueCharacteristic**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:uspsPackageUniqueCharacteristicType

3145

3146

3147 element **bundleDetailType/BundleVersion**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:VersionID mailxml_mm:VersionName

3148

3149

3150 element **bundleDetailType/BundleVersion/VersionID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

3151

3152


3153 element **bundleDetailType/BundleVersion/VersionName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

3154

3155

3156 complexType **bundleRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/BundleRecord

3157

3158

3159 element **bundleRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3160

3161

3162 element **bundleRecordType/PublicationTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

3163

3164

3165 element **bundleRecordType/PostageStatementLineNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:postageStatementLineNumber3Type												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>D1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	D1		enumeration	D2		enumeration	D3	
Kind	Value	Annotation											
enumeration	D1												
enumeration	D2												
enumeration	D3												

	enumeration D4 enumeration D5 enumeration D6 enumeration D7 enumeration D8 enumeration D9 enumeration D10 enumeration D11 enumeration D12 enumeration D13 enumeration D14 enumeration D15 enumeration D16 enumeration D17
--	--

3166

3167

3168 element **bundleRecordType/ChargeableContainerLevel**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

3169

3170

3171 element **bundleRecordType/ChargeableBundleLevel**


diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_mm:chargeableBundleLevelType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	F		enumeration	M	
Kind	Value	Annotation																				
enumeration	3																					
enumeration	5																					
enumeration	A																					
enumeration	C																					
enumeration	F																					
enumeration	M																					

	enumeration FS
--	----------------

3172

3173

3174 element **bundleRecordType/Bundles**

diagram	 mailxml_mm:Bundle
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3175

3176


3177 element **bundleRecordType/IssueDate**

diagram	 mailxml_mm:IssueDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3178

3179


3180 element **bundleRecordType/IssueNumber**

diagram	 mailxml_mm:IssueNumber												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3181

3182


3183 element **bundleRecordType/VolumeNumber**

diagram	 mailxml_mm:VolumeNumber												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

3184

3185


3186 complexType **bundleVersionRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:DocumentVersionData mailxml mm:PublicationInfo mailxml mm:PublicationTitle mailxml mm:PostageStatementLineNumber mailxml mm:ChargeableContainerLevel mailxml mm:ChargeableBundleLevel mailxml mm:Bundles mailxml mm:IssueDate mailxml mm:IssueNumber mailxml mm:VolumeNumber
used by	element ContainerBundleVersionRecords/BundleVersionRecord

3187

3188

3189 element **bundleVersionRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3190

3191

3192 element **bundleVersionRecordType/PublicationTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

3193

3194

3195 element **bundleVersionRecordType/PostageStatementLineNumber**

diagram																																																							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																						
type	mailxml_base:postageStatementLineNumber3Type																																																						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>D1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D10</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D11</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D12</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D13</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D14</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D15</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D16</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D17</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	D1		enumeration	D2		enumeration	D3		enumeration	D4		enumeration	D5		enumeration	D6		enumeration	D7		enumeration	D8		enumeration	D9		enumeration	D10		enumeration	D11		enumeration	D12		enumeration	D13		enumeration	D14		enumeration	D15		enumeration	D16		enumeration	D17	
Kind	Value	Annotation																																																					
enumeration	D1																																																						
enumeration	D2																																																						
enumeration	D3																																																						
enumeration	D4																																																						
enumeration	D5																																																						
enumeration	D6																																																						
enumeration	D7																																																						
enumeration	D8																																																						
enumeration	D9																																																						
enumeration	D10																																																						
enumeration	D11																																																						
enumeration	D12																																																						
enumeration	D13																																																						
enumeration	D14																																																						
enumeration	D15																																																						
enumeration	D16																																																						
enumeration	D17																																																						

3196

3197

3198 element **bundleVersionRecordType/ChargeableContainerLevel**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

3199

3200

3201 element **bundleVersionRecordType/ChargeableBundleLevel**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableBundleLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	F		enumeration	M		enumeration	FS	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	F																								
enumeration	M																								
enumeration	FS																								

3202

3203

3204 element **bundleVersionRecordType/Bundles**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3205

3206

3207 element **bundleVersionRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:date
------	----------------

3208

3209

3210 element **bundleVersionRecordType/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3211

3212

3213 element **bundleVersionRecordType/VolumeNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

3214

3215

3216 complexType **campaignDataType**

diagram	<pre> classDiagram class campaignDataType { -> mailxml_mm:m:CampaignID -> mailxml_mm:m:USPSCampaign... -> mailxml_mm:m:CampaignTitle -> mailxml_mm:m:CampaignSeri... -> mailxml_mm:m:CampaignCode -> mailxml_mm:m:DisplayName -> mailxml_mm:m:DateStart -> mailxml_mm:m:DateEnd -> mailxml_mm:m:CampaignShar... -> mailxml_mm:m:CampaignTarg... -> mailxml_mm:m:CampaignMail... -> mailxml_mm:m:FlexOptionA -> mailxml_mm:m:FlexOptionB -> mailxml_mm:m:FlexOptionC -> mailxml_mm:m:FlexOptionD -> mailxml_mm:m:FlexOptionE -> mailxml_mm:m:Referenceable... } </pre> <p>The diagram illustrates the structure of the campaignDataType complex type. It consists of several child elements, each associated with a specific namespace prefix (<code>mailxml_mm:m:</code>). The elements include CampaignID, USPSCampaign..., CampaignTitle, CampaignSerial..., CampaignCode, DisplayName, DateStart, DateEnd, CampaignSharingIndicator, CampaignTargetURLIndicator, CampaignMailOwnerCRID, FlexOptionA, FlexOptionB, FlexOptionC, FlexOptionD, FlexOptionE, and Referenceable.... The Referenceable... element is marked with a plus sign (+) and a multiplicity of 1..∞, indicating it can appear one or more times.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:CampaignID mailxml_mm:USPSCampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:CampaignSharingIndicator mailxml_mm:CampaignTargetURLIndicator mailxml_mm:CampaignMailOwnerCRID mailxml_mm:FlexOptionA mailxml_mm:FlexOptionB mailxml_mm:FlexOptionC mailxml_mm:FlexOptionD mailxml_mm:FlexOptionE mailxml_mm:ReferenceableMailData
used by	elements QualificationReportDetailCreateRequest/CampaignData mailPieceRequestType/CampaignData

3217

3218

3219 element **campaignDataType/CampaignID**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s08		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	8	
	whiteSpace	preserve	

3220

3221


3222 element **campaignDataType/USPSCampaignID**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s22		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	22	
	whiteSpace	preserve	

3223

3224

3225 element **campaignDataType/CampaignTitle**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s60		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	60	
	whiteSpace	preserve	

3226

3227

3228 element **campaignDataType/CampaignSerialGrouping**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:campaignSerialGroupingType		
facets	Kind	Value	Annotation
	enumeration	B	
	enumeration	C	

3229

3230

3231 element **campaignDataType/CampaignCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s40
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

3232

3233

3234 element **campaignDataType/DisplayName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s30
facets	Kind Value Annotation minLength 1 maxLength 30 whiteSpace preserve

3235

3236

3237 element **campaignDataType/DateStart**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3238

3239

3240 element **campaignDataType/DateEnd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3241

3242

3243 element **campaignDataType/CampaignSharingIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3244

3245

3246 element **campaignDataType/CampaignTargetURLIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3247

3248


3249 element **campaignDataType/CampaignMailOwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

3250

3251

3252 element **campaignDataType/FlexOptionA**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

3253

3254

3255 element **campaignDataType/FlexOptionB**

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s02														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	2														
whiteSpace	preserve														

3256

3257

3258 element **campaignDataType/FlexOptionC**

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s02														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	2														
whiteSpace	preserve														

3259

3260

3261 element **campaignDataType/FlexOptionD**

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s02														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	2														
whiteSpace	preserve														

3262

3263

3264 element **campaignDataType/FlexOptionE**

diagram												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm											
type	mailxml_base:s02											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2	
Kind	Value	Annotation										
minLength	1											
maxLength	2											

	whiteSpace preserve
--	---------------------

3265

3266

3267 element **campaignDataType/ReferenceableMailData**

diagram	<pre> classDiagram class mailxml_mm:referenceableMailData class mailxml_mm:m:Referenceable... class mailxml_mm:m:TemplateCode class mailxml_mm:m:Referenceable... mailxml_mm:referenceableMailData "1..oo" --> mailxml_mm:m:Referenceable... mailxml_mm:referenceableMailData --> mailxml_mm:m:TemplateCode mailxml_mm:m:TemplateCode --> mailxml_mm:m:Referenceable... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:referenceableMailDataType
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailContentGroup

3268

3269

3270 complexType **certificationDataType**

diagram	<pre> classDiagram class certificationDataType class mailxml_mm:m>ContactName class mailxml_mm:m:PhoneAreaCode class mailxml_mm:m:PhoneLast4 class mailxml_mm:m:PhonePrefix certificationDataType --> mailxml_mm:m>ContactName certificationDataType --> mailxml_mm:m:PhoneAreaCode certificationDataType --> mailxml_mm:m:PhoneLast4 certificationDataType --> mailxml_mm:m:PhonePrefix </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix
used by	elements abstractInternationalPostageStatementDataType/CertificationData abstractPeriodicalStatementDataType/CertificationData abstractPostageStatementDataType/CertificationData

3271

3272

3273 element **certificationDataType/ContactName**

diagram	<pre> classDiagram class mailxml_mm:m>ContactName </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s40

facets	Kind minLength maxLength whiteSpace	Value 1 40 preserve	Annotation
--------	--	------------------------------	------------

3274

3275

3276 element **certificationDataType/PhoneAreaCode**

diagram	 mailxml_mm:PhoneAreaCode		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:es3		
facets	Kind minLength maxLength whiteSpace	Value 3 3 preserve	Annotation

3277

3278

3279 element **certificationDataType/PhoneLast4**

diagram	 mailxml_mm:PhoneLast4		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:es4		
facets	Kind minLength maxLength whiteSpace	Value 4 4 preserve	Annotation

3280

3281


3282 element **certificationDataType/PhonePrefix**

diagram	 mailxml_mm:PhonePrefix		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:es3		
facets	Kind minLength maxLength whiteSpace	Value 3 3 preserve	Annotation

3283

3284


3285 complexType **componentPeriodicalAdpercentType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentPeriodicalAdPercent mailxml_mm:ComponentPeriodicalAdPercentStatus mailxml_mm:ComponentPeriodicalAdPercentBasis
used by	elements ComponentUpdateRequest/AdPercentUpdate ComponentQueryResponse/ComponentQueryAccept/ComponentAdPercent

3286

3287

3288 element **componentPeriodicalAdpercentType/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

3289

3290

3291 element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercent**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3292

3293

3294 element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentStatus**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:componentPeriodicalAdPercentStatusType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>length</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	length	1		enumeration	N		enumeration	P		enumeration	F		enumeration	M	
Kind	Value	Annotation																	
length	1																		
enumeration	N																		
enumeration	P																		
enumeration	F																		
enumeration	M																		

3295

3296


3297 element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentBasis**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3298

3299


3300 complexType **componentWeightUpdateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Component mailxml_mm:ComponentWeight mailxml_mm:ComponentWeightSource mailxml_mm:ComponentWeightStatus
used by	elements ComponentQueryResponse / ComponentQueryAccept / ComponentWeight ComponentUpdateRequest / PieceWeightUpdate

3301

3302

3303 element **componentWeightUpdateType/Component**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

3304

3305

3306 element **componentWeightUpdateType/ComponentWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3307

3308

3309 element **componentWeightUpdateType/ComponentWeightSource**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:componentWeightSourceType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>length</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	length	1		enumeration	A		enumeration	C		enumeration	P		enumeration	L	
Kind	Value	Annotation																	
length	1																		
enumeration	A																		
enumeration	C																		
enumeration	P																		
enumeration	L																		

3310

3311


3312 element **componentWeightUpdateType/ComponentWeightStatus**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:componentWeightStatusType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>length</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	length	1		enumeration	N		enumeration	P		enumeration	F		enumeration	M	
Kind	Value	Annotation																	
length	1																		
enumeration	N																		
enumeration	P																		
enumeration	F																		
enumeration	M																		

3313

3314

3315 complexType **containerCountType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:OtherType mailxml mm:Pallets mailxml mm:Sacks mailxml mm:Trays1mm mailxml mm:Trays2emm mailxml mm:Trays2mm mailxml mm:TraysFlat
used by	elements abstractInternationalPostageStatementDataType/ContainerCount abstractPeriodicalStatementDataType/ContainerCount abstractPostageStatementDataType/ContainerCount createConsolidatedPeriodicalStatementDataType/ContainerCount

3316

3317


3318 element **containerCountType/OtherType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3319

3320


3321 element **containerCountType/Pallets**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3322

3323

3324 element **containerCountType/Sacks**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger
------	------------------------------

3325

3326

3327 element containerCountType/Trays1mm

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3328

3329

3330 element containerCountType/Trays2emm

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3331

3332

3333 element containerCountType/Trays2mm

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3334

3335


3336 element containerCountType/TraysFlat

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3337

3338


3339 complexType **containerManifestType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey
used by	elements ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/AcceptedContainers ContainerManifestCancelResponse/ContainerManifestCancelAccept/CancelledContainers ContainerManifestCreateRequest/Container ContainerManifestUpdateRequest/Container ContainerManifestCancelRequest/Container ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/RejectedContainers

3340

3341


3342 element **containerManifestType/IMcb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMcbType
facets	Kind Value Annotation minLength 21 maxLength 24

3343

3344

3345 element **containerManifestType/IMtb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:IMtbType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

3346

3347


3348 element **containerManifestType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

3349

3350

3351 element **containerManifestType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3352

3353

3354 element **containerManifestType/StatementID**

diagram	 0..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3355

3356

3357 element **containerManifestType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

3358

3359

3360 element **containerManifestType/EntryLocaleKey**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:localeKeyType
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

3361

3362

3363 complexType **containerPostageType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:ContainerID mailxml_mm:m:ContainerDetail... mailxml_mm:m:Pieces mailxml_mm:m:Copies mailxml_mm:m:IMtb mailxml_mm:m:IMcb mailxml_mm:m:IMpb
used by	elements abstractInternationalPostageStatementDataType/ContainerPostage createPeriodicalStatementType/ContainerPostage createPostageStatementType/ContainerPostage periodicalStatementDataType/ContainerPostage postageStatementDataType/ContainerPostage

3364

3365

3366 element **containerPostageType/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1

	maxLength 6 whiteSpace preserve
--	------------------------------------

3367

3368

3369 element **containerPostageType/ContainerDetailID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

3370

3371

3372 element **containerPostageType/Pieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3373

3374

3375 element **containerPostageType/Copies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3376

3377

3378 element **containerPostageType/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

3379

3380

3381 element **containerPostageType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

3382

3383

3384 element **containerPostageType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

3385

3386

3387 complexType **containerType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb

3388

3389

3390 element **containerType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

3391

3392

3393 element **containerType/StatementID**

diagram	 1..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3394

3395

3396 element **containerType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

3397

3398


3399 element **containerType/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:localeKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

3400

3401

3402 element **containerType/IMcb**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

3403

3404

3405 element **containerType/IMtb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMtbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24		maxLength	24	
Kind	Value	Annotation								
minLength	24									
maxLength	24									

3406

3407


3408 element **containerType/IMpb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

3409

3410

3411 complexType **createConsolidatedPeriodicalStatementDataType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PeriodicalStatement mailxml_mm:FirstStatementSequenceNumber mailxml_mm:LastStatementSequenceNumber mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PublisherData mailxml_mm:MailingAgentData mailxml_mm:ContainerCount mailxml_mm:PeriodicalLineItemData
used by	element ConsolidatedPeriodicalStatementCreateRequest/CreateConsolidatedPeriodicalStatementData

3412

3413

3414 element **createConsolidatedPeriodicalStatementType/PeriodicalStatement**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:createPeriodicalStatementType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:ContainerPostage

3415

3416

3417 element **createConsolidatedPeriodicalStatementDataType/FirstStatementSequenceNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

3418

3419

3420 element **createConsolidatedPeriodicalStatementDataType/LastStatementSequenceNumber**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s30						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 30 whiteSpace preserve
--	-------------------------------------

3421

3422


3423 element **createConsolidatedPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

3424

3425


3426 element **createConsolidatedPeriodicalStatementDataType/PublisherData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm>ContactName mailxml_mm:PermitPublicationData

3427

3428

3429 element **createConsolidatedPeriodicalStatementDataType/MailingAgentData**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerMIDCRIDDDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData

3430

3431


3432 element **createConsolidatedPeriodicalStatementDataType/ContainerCount**

diagram	<pre> classDiagram class ContainerCount { <<mailxml_mm:ContainerCount>> } class OtherType { <<mailxml_mm:m:OtherType>> } class Pallets { <<mailxml_mm:m:Pallets>> } class Sacks { <<mailxml_mm:m:Sacks>> } class Trays1mm { <<mailxml_mm:m:Trays1mm>> } class Trays2emm { <<mailxml_mm:m:Trays2emm>> } class Trays2mm { <<mailxml_mm:m:Trays2mm>> } class TraysFlat { <<mailxml_mm:m:TraysFlat>> } ContainerCount < -- OtherType ContainerCount < -- Pallets ContainerCount < -- Sacks ContainerCount < -- Trays1mm ContainerCount < -- Trays2emm ContainerCount < -- Trays2mm ContainerCount < -- TraysFlat </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:containerCountType
children	mailxml mm:OtherType mailxml mm:Pallets mailxml mm:Sacks mailxml mm:Trays1mm mailxml mm:Trays2emm mailxml mm:Trays2mm mailxml mm:TraysFlat

3433

3434

3435 complexType `createInternationalPostageStatementType`



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml mm:abstractInternationalPostageStatementDataType
children	mailxml mm:AgencyCostCode mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CanadaAdmailOnly mailxml mm:UnderICMAgreement mailxml mm:ICMAGreementNumber mailxml mm:DirectShipmentCountry mailxml mm:TareWeight mailxml mm:ReceiptNo mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:InternationalPostageStatementLineItemSummaryData mailxml mm:InternationalPostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:ContainerPostage mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData
used by	element InternationalPostageStatementCreateRequest/CreatePostageStatement

3436

3437


3438 element [createInternationalPostageStatementType/PermitHolderData](#)

diagram	<pre> classDiagram class mailxml_mm::mailerDataRequestType { m:MID m:CRID m>ContactName m:PermitPublicationData } class mailxml_mm::PermitHolderData mailxml_mm::PermitHolderData --> mailxml_mm::mailerDataRequestType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData

3439

3440


3441 element **createInternationalPostageStatementType/MailingOwnerData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

3442

3443

3444 element **createInternationalPostageStatementType/MailingAgentData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

3445

3446

3447 element **createInternationalPostageStatementType/PermitHolderForAPData**


diagram	A UML class diagram showing the structure of <code>mailxml_mm:mailerDataRequestType</code> . The class is represented by a yellow rounded rectangle labeled <code>mailxml_mm:mailerDataReq...</code> . It has four attributes represented by dashed rectangles: <code>mailxml_mm:m:PermitHolder...</code> , <code>mailxml_mm:m:MID</code> , <code>mailxml_mm:m:CRID</code> , <code>mailxml_mm:m>ContactName</code> , and <code>mailxml_mm:m:PermitPublica...</code> .
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

3448

3449

3450 complexType **createPeriodicalStatementType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml mm:abstractPeriodicalStatementDataType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:ContainerPostage
used by	elements PeriodicalStatementCreateRequest/CreatePeriodicalStatement createConsolidatedPeriodicalStatementDataType/PeriodicalStatement

3451

3452


3453 element **createPeriodicalStatementType/MailingAgentData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerMIDCRIDDDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm>ContactName mailxml mm:PermitPublicationData

3454

3455

3456 element **createPeriodicalStatementType/PublisherData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm>ContactName mailxml_mm:PermitPublicationData

3457

3458


3459 element **createPeriodicalStatementType/PendingPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3460

3461

3462 element **createPeriodicalStatementType/ContainerPostage**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml mm:containerPostageType
children	mailxml mm:ContainerID mailxml mm:ContainerDetailID mailxml mm:Pieces mailxml mm:Copies mailxml mm:IMtb mailxml mm:IMcb mailxml mm:IMpb

3463

3464

3465 complexType **createPostageStatementType**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml mm:abstractPostageStatementDataType
children	mailxml mm:AgencyCostCode mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:CustomerCommitmentAgreementNumber mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:EnclosedBy mailxml mm:DMLType mailxml mm:EstimateIndicator mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:PostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:SinglePieceDimensionalWeight mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:MoveUpdateMethod mailxml mm:PaymentDateandTime mailxml mm:MailArrivalDateandTime mailxml mm:PostageAutoFinalization mailxml mm:FCMLtrResidualPrepIndicator mailxml mm:SSFTID mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData mailxml mm:ContainerPostage
used by	element PostageStatementCreateRequest/CreatePostageStatement

3466

3467


3468 element [createPostageStatementType/PermitHolderData](#)

diagram	<pre> classDiagram class mailxml_mm:mailerDataReq { m:MID m:CRID m>ContactName m:PermitPublica... } class mailxml_mm:PermitHolder... mailxml_mm:mailerDataReq "2" --> "2" mailxml_mm:PermitHolder... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData

3469

3470


3471 element **createPostageStatementType/MailingOwnerData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerMIDCRIDDDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData

3472

3473


3474 element **createPostageStatementType/MailingAgentData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerMIDCRIDDDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData

3475

3476


3477 element **createPostageStatementType/PermitHolderForAPData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailerDataRequestType
children	mailxml mm:MID mailxml mm:CRID mailxml mm>ContactName mailxml mm:PermitPublicationData

3478

3479


3480 element **createPostageStatementType/ContainerPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:containerPostageType
children	mailxml mm:ContainerID mailxml mm:ContainerDetailID mailxml mm:Pieces mailxml mm:Copies mailxml mm:IMtb mailxml mm:IMcb mailxml mm:IMpb

3481

3482

3483 complexType **customerMailReportInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:CustomerName mailxml mm:PermitInfo mailxml mm:RateAffixed mailxml mm:AdditionalPermitInfo mailxml mm:Weight mailxml mm:TotalPostage mailxml mm:PostageAffixed mailxml mm:NumberOfPieces mailxml mm:RunningTotalNumberofPieces
used by	element CustomerMailReportCreateRequest/CustomerMailReportInfo

3484

3485

3486 element **customerMailReportInfoType/CustomerName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

3487

3488

3489 element **customerMailReportInfoType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3490

3491

3492 element **customerMailReportInfoType/RateAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3493

3494

3495 element **customerMailReportInfoType/AdditionalPermitInfo**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3496

3497

3498 element **customerMailReportInfoType/Weight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3499

3500

3501 element **customerMailReportInfoType/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3502

3503


3504 element **customerMailReportInfoType/PostageAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3505

3506


3507 element **customerMailReportInfoType/NumberOfPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3508

3509

3510 element **customerMailReportInfoType/RunningTotalNumberOfPieces**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3511

3512


3513 complexType **customsType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Category mailxml_mm:Count mailxml_mm:Value
used by	element manifestMailPieceType/Customs

3514

3515


3516 element **customsType/Category**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

3517

3518

3519 element **customsType/Count**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns02

3520

3521


3522 element **customsType/Value**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

3523

3524

3525 complexType **fullComponentType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID
used by	elements ComponentUpdateResponse/ComponentUpdateAccept/Component ComponentUpdateResponse/ComponentUpdateReject/Component ComponentQueryRequest/Component ComponentQueryResponse/ComponentQueryAccept/Component ComponentQueryResponse/ComponentQueryReject/Component componentPeriodicalAdpercentType/Component componentWeightUpdateType/Component

3526

3527


3528 element **fullComponentType/UserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

3529

3530

3531 element **fullComponentType/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

3532

3533


3534 element **fullComponentType/ComponentID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

3535

3536

3537 complexType **informedDeliveryCampaignCreateRequestType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:mm:SubmittingParty mailxml_mm:mm:SubmittingSoftware mailxml_mm:mm:SubmitterTrackingID mailxml_mm:mm:CustomerGroupID mailxml_mm:mm:MailingGroupID mailxml_mm:mm:TransmittedCount mailxml_mm:mm:InformedDeliveryCampaignData
used by	element InformedDeliveryCampaignCreateRequest

3538

3539

3540 element **informedDeliveryCampaignCreateRequestType/SubmittingParty**

diagram	<pre> classDiagram class SubmittingParty { <<mailxml_mm>> } class participantID { <<mailxml_defs>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLicense mailxml_defs:fs:ShippingAgentID mailxml_defs:fs:ReceivingAgentID } SubmittingParty "1" --> "1" participantID </pre>																																																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ScheduledID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:ScheduledID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:ScheduledID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

3541

3542

3543 element **informedDeliveryCampaignCreateRequestType/SubmittingSoftware**

diagram	<pre> classDiagram class SubmittingSoftware { SoftwareName Vendor Version ApprovalDate ApprovalKey } SubmittingSoftware < -- m:SubmittingSoftware </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

3544

3545

3546 element **informedDeliveryCampaignCreateRequestType/SubmitterTrackingID**

diagram	<pre> classDiagram class SubmitterTrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3547

3548

3549 element **informedDeliveryCampaignCreateRequestType/CustomerGroupID**

diagram	<pre> classDiagram class CustomerGroupID </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s25						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 25 whiteSpace preserve
--	-------------------------------------

3550

3551

3552 element **informedDeliveryCampaignCreateRequestType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3553

3554


3555 element **informedDeliveryCampaignCreateRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3556

3557

3558 element **informedDeliveryCampaignCreateRequestType/InformedDeliveryCampaignData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:m:informedDeliveryCampaignCreateRequestTypeType
children	mailxml_mm:m:CampaignID mailxml_mm:m:CampaignTitle mailxml_mm:m:CampaignSerialGrouping mailxml_mm:m:CampaignCode mailxml_mm:m:DisplayName mailxml_mm:m:DateStart mailxml_mm:m:DateEnd

	mailxml_mm:ReferenceableMailDataBarcodes
3559	
3560	
3561	complexType informedDeliveryCampaignCreateRequestType
diagram	<pre> classDiagram class informedDeliveryCampaignCreateRequestType { <> 1..* ---> m:CampaignID <> 1..* ---> m:CampaignTitle <> 1..* ---> m:CampaignSerial... <> 1..* ---> m:CampaignCode <> 1..* ---> m:DisplayName <> 1..* ---> m:DateStart <> 1..* ---> m:DateEnd <> 1..* ---> m:Referenceable... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:ReferenceableMailDataBarcodes
used by	element informedDeliveryCampaignCreateRequestType/InformedDeliveryCampaignData

3562

3563

3564 element [informedDeliveryCampaignCreateRequestType/CampaignID](#)

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

3565

3566

3567 element [informedDeliveryCampaignCreateRequestType/CampaignTitle](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

3568

3569

3570 element **informedDeliveryCampaignCreateRequestType/CampaignSerialGrouping**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:campaignSerialGroupingType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	C	
Kind	Value	Annotation								
enumeration	B									
enumeration	C									

3571

3572

3573 element **informedDeliveryCampaignCreateRequestType/CampaignCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

3574

3575

3576 element **informedDeliveryCampaignCreateRequestType/DisplayName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

3577

3578

3579 element **informedDeliveryCampaignCreateRequestType/DatesStart**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3580

3581


3582 element **informedDeliveryCampaignCreateRequestTypeType/DateEnd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3583

3584


3585 element **informedDeliveryCampaignCreateRequestTypeType/ReferenceableMailDataBarcodes**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:referenceableMailDataBarcodesType
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailContentGroup mailxml_mm:OriginalMailingGroupID mailxml_mm:OriginalUserLicenseCode mailxml_mm:OriginalMaildatJobID mailxml_mm:IMB

3586

3587


3588 complexType **informedDeliveryCampaignDeleteRequestType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID mailxml_mm:TransmittedCount mailxml_mm:InformedDeliveryCampaignData
used by	element InformedDeliveryCampaignCancelRequest

3589

3590

3591 element **informedDeliveryCampaignDeleteRequestType/SubmittingParty**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_defs:participantIDType																		
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
Name	Type	Used	Default	Fixed	Annotation														
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																		
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																		

	mailxml_defs:CRID mailxml_defs:SchedulerID mailxml_defs:MaildatUserLicense mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	mailxml_base:CRIDType mailxml_base:s12 mailxml_base:userLicenseCodeType mailxml_base:s12 mailxml_base:s12
--	---	--

3592

3593

3594 element **informedDeliveryCampaignDeleteRequestType/SubmittingSoftware**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

3595

3596


3597 element **informedDeliveryCampaignDeleteRequestType/SubmitterTrackingID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3598

3599

3600 element **informedDeliveryCampaignDeleteRequestType/CustomerGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s25												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>25</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

3601

3602


3603 element **informedDeliveryCampaignDeleteRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3604

3605


3606 element **informedDeliveryCampaignDeleteRequestType/InformedDeliveryCampaignData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:informedDeliveryCampaignDeleteTypeType
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignCode

3607

3608

3609 complexType **informedDeliveryCampaignDeleteTypeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:CampaignID mailxml mm:CampaignTitle mailxml mm:CampaignCode
used by	element informedDeliveryCampaignDeleteRequestType/informedDeliveryCampaignData

3610

3611

3612 element **informedDeliveryCampaignDeleteType/CampaignID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

3613

3614

3615 element **informedDeliveryCampaignDeleteType/CampaignTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

3616

3617

3618 element **informedDeliveryCampaignDeleteType/CampaignCode**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

3619

3620

3621 complexType **internationalPostageStatementDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml_mm:AbstractInternationalPostageStatementDataType
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostageStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData
used by	element InternationalPostageStatementQueryResponse/QueryResults/PostageStatementData

3622

3623

3624 element **internationalPostageStatementDataType/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3625

3626


3627 element **internationalPostageStatementDataType/ConfirmationNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3628

3629


3630 element **internationalPostageStatementDataType/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:mailClassType																		
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

3631

3632


3633 element **internationalPostageStatementDataType/Origin**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

3634

3635


3636 element **internationalPostageStatementDataType/SpecialFeesAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3637

3638

3639 element **internationalPostageStatementDataType/PostageStatementStatus**


diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_base:postageStatementStatusType																								
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>UPD</td><td></td></tr><tr><td>enumeration</td><td>FIN</td><td></td></tr><tr><td>enumeration</td><td>REW</td><td></td></tr><tr><td>enumeration</td><td>REV</td><td></td></tr><tr><td>enumeration</td><td>CAN</td><td></td></tr><tr><td>enumeration</td><td>FAI</td><td></td></tr><tr><td>enumeration</td><td>PEN</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	UPD		enumeration	FIN		enumeration	REW		enumeration	REV		enumeration	CAN		enumeration	FAI		enumeration	PEN	
Kind	Value	Annotation																							
enumeration	UPD																								
enumeration	FIN																								
enumeration	REW																								
enumeration	REV																								
enumeration	CAN																								
enumeration	FAI																								
enumeration	PEN																								

	enumeration PAS enumeration INC enumeration NAP enumeration EST enumeration CON enumeration ERR enumeration COM enumeration AVW enumeration PAV enumeration FPP
--	--

3640

3641

3642 element **internationalPostageStatementDataType/TotalPieces**

diagram	 mailxml_mm:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3643

3644

3645 element **internationalPostageStatementDataType/TotalPostageAmount**

diagram	 mailxml_mm:TotalPostageA...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3646

3647


3648 element **internationalPostageStatementDataType/TotalPostageAmountDue**

diagram	 mailxml_mm:TotalPostageA...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3649

3650

3651 element **internationalPostageStatementDataType/TotalWeight**

diagram	 mailxml_mm:TotalWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3652

3653

3654 element **internationalPostageStatementDataType/PermitHolderData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { m:Address1 m:Address2 m:City m:Count... m:Email m:MID m:CRID m>ContactName m:PermitPublica... m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class mailxml_mm:m:PermitHolder... mailxml_mm:m:PermitHolder... --> mailxml_mm:mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml mm:mailerDataType</u>
children	<u>mailxml mm:Address1</u> <u>mailxml mm:Address2</u> <u>mailxml mm:City</u> <u>mailxml mm:Country</u> <u>mailxml mm:Email</u> <u>mailxml mm:MID</u> <u>mailxml mm:CRID</u> <u>mailxml mm>ContactName</u> <u>mailxml mm:PermitPublicationData</u> <u>mailxml mm:PhoneAreaCode</u> <u>mailxml mm:PhoneExtension</u> <u>mailxml mm:PhoneLast4</u> <u>mailxml mm:PhonePrefix</u> <u>mailxml mm:State</u> <u>mailxml mm:ZipCode</u> <u>mailxml mm:ZipCode4</u>

3655

3656

3657 element **internationalPostageStatementDataType/MailingOwnerData**

diagram	<pre> classDiagram class mailxml_mm { m:Address1 m:Address2 m:City m:Country m>Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class m { MailingOwnerData } m "3..1" -- "1..1" mailxml_mm </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm:ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

3658

3659

3660 element **internationalPostageStatementDataType/MailingAgentData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { m:Address1 m:Address2 m:City m:Country m:Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class mailxml_mm:MailingAgentData mailxml_mm:MailingAgentData "1" -- "1" mailxml_mm:mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm>ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

3661

3662


3663 element **internationalPostageStatementDataType/PermitHolderForAPData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { m:Address1 m:Address2 m:City m:Count... m:Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class mailxml_mm:m:PermitHolder... mailxml_mm:m:PermitHolder... --> mailxml_mm:mailerDataType : ... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm:ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

3664

3665

3666 complexType **invoiceLineItemDataType**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:FeeExpiresDate mailxml mm:BarcodeRate mailxml mm:EntryDiscount mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:HeavyLetter mailxml mm:MarketingOrFulfillment mailxml mm:HandlingCharge mailxml mm:PriceType mailxml mm:LineLabel mailxml mm:LineNumber mailxml mm:PieceRate mailxml mm:DiscountTotalAmount mailxml mm:FeeTotalAmount mailxml mm:PoundRate mailxml mm:PreparedAsSM mailxml mm:RateCategory mailxml mm:SinglePieceWeight mailxml mm:SurchargeType mailxml mm:TotalWeight mailxml mm:Zone mailxml mm:FlatRateIndicator mailxml mm:FullServiceParticipationIndicator mailxml mm:SinglePieceDimensionalWeight mailxml mm:SinglePieceDimensionalPrice mailxml mm:SinglePieceDimensionalBalloonPrice
used by	elements InvoiceQueryResponse/QueryResults/InvoiceLineItemData InvoiceDelivery/InvoiceLineItemData

3667

3668

3669 element **invoiceLineItemDataType/FeeExpiresDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3670

3671

3672 element **invoiceLineItemDataType/BarcodeRate**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:barcodeRateType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Y</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Y		enumeration	N		enumeration	O	
Kind	Value	Annotation											
enumeration	Y												
enumeration	N												
enumeration	O												

3673

3674

3675 element **invoiceLineItemDataType/EntryDiscount**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:entryDiscountType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	B		enumeration	S	
Kind	Value	Annotation											
enumeration	N												
enumeration	B												
enumeration	S												

	enumeration D enumeration A
--	--------------------------------

3676

3677


3678 element **invoiceLineItemDataType/EntryFacilityType**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:entryFacilityType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>W</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	O		enumeration	B		enumeration	S		enumeration	D		enumeration	A		enumeration	W		enumeration	H		enumeration	R	
Kind	Value	Annotation																										
enumeration	O																											
enumeration	B																											
enumeration	S																											
enumeration	D																											
enumeration	A																											
enumeration	W																											
enumeration	H																											
enumeration	R																											

3679

3680

3681 element **invoiceLineItemDataType/EntryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

3682

3683

3684 element **invoiceLineItemDataType/HeavyLetter**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3685

3686

3687 element **invoiceLineItemDataType/MarketingOrFulfillment**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:marketingOrFulfillmentType		
facets	Kind	Value	Annotation
	enumeration	Marketing	
	enumeration	NotMarketingParcels	
	enumeration	SampleLarge	
	enumeration	SampleSmall	

3688

3689

3690 element **invoiceLineItemDataType/HandlingCharge**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

3691

3692

3693 element **invoiceLineItemDataType/PriceType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:priceType
facets	Kind Value Annotation enumeration commercial enumeration commercialplus enumeration retail

3694

3695


3696 element **invoiceLineItemDataType/LineLabel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s80
facets	Kind Value Annotation minLength 1 maxLength 80 whiteSpace preserve

3697

3698

3699 element **invoiceLineItemDataType/LineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s03												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>3</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

3700

3701

3702 element **invoiceLineItemDataType/PieceRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3703

3704

3705 element **invoiceLineItemDataType/DiscountTotalAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3706

3707

3708 element **invoiceLineItemDataType/FeeTotalAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3709

3710


3711 element **invoiceLineItemDataType/PoundRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3712

3713

3714 element **invoiceLineItemDataType/PreparedAsSM**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3715

3716

3717 element **invoiceLineItemDataType/RateCategory**

diagram																																																																																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																																			
type	mailxml_mm:rateCategoryType																																																																																																			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FB</td> <td></td> </tr> <tr> <td>enumeration</td> <td>G</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>H</td> <td></td> </tr> <tr> <td>enumeration</td> <td>K</td> <td></td> </tr> <tr> <td>enumeration</td> <td>KF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TQ</td> <td></td> </tr> <tr> <td>enumeration</td> <td>TR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	A1		enumeration	AF		enumeration	B		enumeration	B1		enumeration	B2		enumeration	BF		enumeration	C		enumeration	C1		enumeration	D		enumeration	D1		enumeration	DF		enumeration	E		enumeration	FB		enumeration	G		enumeration	GF		enumeration	H		enumeration	K		enumeration	KF		enumeration	L		enumeration	L1		enumeration	L2		enumeration	L3		enumeration	L4		enumeration	L5		enumeration	L6		enumeration	L7		enumeration	L8		enumeration	TQ		enumeration	TR		enumeration	N		enumeration	O	
Kind	Value	Annotation																																																																																																		
enumeration	A																																																																																																			
enumeration	A1																																																																																																			
enumeration	AF																																																																																																			
enumeration	B																																																																																																			
enumeration	B1																																																																																																			
enumeration	B2																																																																																																			
enumeration	BF																																																																																																			
enumeration	C																																																																																																			
enumeration	C1																																																																																																			
enumeration	D																																																																																																			
enumeration	D1																																																																																																			
enumeration	DF																																																																																																			
enumeration	E																																																																																																			
enumeration	FB																																																																																																			
enumeration	G																																																																																																			
enumeration	GF																																																																																																			
enumeration	H																																																																																																			
enumeration	K																																																																																																			
enumeration	KF																																																																																																			
enumeration	L																																																																																																			
enumeration	L1																																																																																																			
enumeration	L2																																																																																																			
enumeration	L3																																																																																																			
enumeration	L4																																																																																																			
enumeration	L5																																																																																																			
enumeration	L6																																																																																																			
enumeration	L7																																																																																																			
enumeration	L8																																																																																																			
enumeration	TQ																																																																																																			
enumeration	TR																																																																																																			
enumeration	N																																																																																																			
enumeration	O																																																																																																			

	enumeration	O1
	enumeration	PI
	enumeration	PM
	enumeration	P7
	enumeration	P8
	enumeration	PE
	enumeration	PQ
	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35

	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42
	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63
	enumeration	IK64
	enumeration	IK65
	enumeration	IK66
	enumeration	IK67
	enumeration	IQ68
	enumeration	IR69
	enumeration	PS1
	enumeration	PS2
	enumeration	PS3
	enumeration	PS4
	enumeration	PS5
	enumeration	PS6
	enumeration	PS7
	enumeration	PS8
	enumeration	PS9
	enumeration	PS10
	enumeration	PS11
	enumeration	Z

	enumeration D2 enumeration TE enumeration TK enumeration PO
--	--

3718

3719


3720 element **invoiceLineItemDataType/SinglePieceWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3721

3722

3723 element **invoiceLineItemDataType/SurchargeType**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:surchargeType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	2		enumeration	A		enumeration	D		enumeration	N		enumeration	P		enumeration	E		enumeration	R		enumeration	L	
Kind	Value	Annotation																										
enumeration	2																											
enumeration	A																											
enumeration	D																											
enumeration	N																											
enumeration	P																											
enumeration	E																											
enumeration	R																											
enumeration	L																											

3724

3725


3726 element **invoiceLineItemDataType/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3727

3728

3729 element **invoiceLineItemDataType/Zone**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zoneCType

	facets	Kind	Value	Annotation
		enumeration	N	
		enumeration	M	
		enumeration	LC	
		enumeration	1	
		enumeration	3	
		enumeration	4	
		enumeration	5	
		enumeration	6	
		enumeration	7	
		enumeration	8	
		enumeration	9	
		enumeration	A	
		enumeration	DDU	
		enumeration	SCF	
		enumeration	ADC	

3730

3731

3732 element **invoiceLineItemDataType/FlatRateIndicator**

	diagram	 mailxml_mm:im:FlatRateIndica... []
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:flatRateIndicatorType
	facets	Kind Value Annotation
		enumeration B
		enumeration E
		enumeration L
		enumeration M
		enumeration O
		enumeration P
		enumeration S

3733

3734

3735 element **invoiceLineItemDataType/FullServiceParticipationIndicator**

	diagram	 mailxml_mm:im:FullServicePar... []
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_mm:fspiType
	facets	Kind Value Annotation
		enumeration M
		enumeration F

3736

3737


3738 element **invoiceLineItemDataType/SinglePieceDimensionalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3739

3740

3741 element **invoiceLineItemDataType/SinglePieceDimensionalPrice**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3742

3743


3744 element **invoiceLineItemDataType/SinglePieceDimensionalBalloonPrice**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3745

3746


3747 complexType **invoiceRequestHeaderInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:StatementID mailxml_mm:PermitInfo mailxml_mm:DateRange
used by	element InvoiceQueryRequest/InvoiceRequestHeaderInfo

3748

3749

3750 element invoiceRequestHeaderInfoType/CustomerReferenceID

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s40		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	whiteSpace	preserve	

3751

3752


3753 element invoiceRequestHeaderInfoType/FinanceNumber

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:ns10		

3754

3755


3756 element invoiceRequestHeaderInfoType/PaymentAccountNumber

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s20		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

3757

3758


3759 element invoiceRequestHeaderInfoType/StatementID

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	xs:nonNegativeInteger		

3760

3761


3762 element **invoiceRequestHeaderInfoType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3763

3764

3765 complexType **invoiceResponseHeaderInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:CustomerReferenceID mailxml_mm:m:FinanceNumber mailxml_mm:m:PaymentAccountNumber mailxml_mm:m:PermitInfo mailxml_mm:m:DateRange
used by	element InvoiceQueryResponse/InvoiceResponseHeaderInfo

3766

3767

3768 element **invoiceResponseHeaderInfoType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s40												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>40</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

3769

3770

3771 element **invoiceResponseHeaderInfoType/FinanceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns10

3772

3773


3774 element **invoiceResponseHeaderInfoType/PaymentAccountNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>20</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3775

3776

3777 element **invoiceResponseHeaderInfoType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType

	<p>children</p> <p>mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber</p>
3778	
3779	
3780	complexType invoiceSummaryDataType
diagram	<pre> classDiagram invoiceSummaryDataType < --> ... invoiceSummaryDataType --> m:RequestDate invoiceSummaryDataType --> m:CostCenter invoiceSummaryDataType --> m:TransactionNu... invoiceSummaryDataType --> m:BRMType invoiceSummaryDataType --> m:RateType invoiceSummaryDataType --> m:OpeningBalance invoiceSummaryDataType --> m:ClosingBalance invoiceSummaryDataType --> m:MailingDate invoiceSummaryDataType --> m:MailingClass invoiceSummaryDataType --> m:ProcessingCat... invoiceSummaryDataType --> m:TotalPieces invoiceSummaryDataType --> m:TotalPostageA... invoiceSummaryDataType --> m:SubtotalPosta... invoiceSummaryDataType --> m:BRMFee </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	<p>mailxml mm:RequestDate mailxml mm:CostCenter mailxml mm:TransactionNumber mailxml mm:BRMType mailxml mm:RateType mailxml mm:OpeningBalance mailxml mm:ClosingBalance mailxml mm:MailingDate mailxml mm:MailingClass mailxml mm:ProcessingCategory mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:SubtotalPostageAmount mailxml mm:BRMFee</p>
used by	<p>elements</p> <p>InvoiceQueryResponse/QueryResults/InvoiceSummaryData InvoiceDelivery/InvoiceSummaryData</p>

3781

3782


3783 element invoiceSummaryDataType/RequestDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3784

3785

3786 element invoiceSummaryDataType/CostCenter

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

3787

3788

3789 element invoiceSummaryDataType/TransactionNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

3790

3791

3792 element invoiceSummaryDataType/BRMType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:BRMType
facets	Kind Value Annotation enumeration A enumeration B enumeration C enumeration D

3793

3794


3795 element **invoiceSummaryDataType/RateType**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:rateType		
facets	Kind	Value	Annotation
	enumeration	R	
	enumeration	L	
	enumeration	B	
	enumeration	C	
	enumeration	S	
	enumeration	S1	
	enumeration	S2	
	enumeration	S3	
	enumeration	S4	
	enumeration	S5	
	enumeration	S6	
	enumeration	S7	
	enumeration	F	
	enumeration	A	
	enumeration	N	
	enumeration	P	
	enumeration	T	
	enumeration	D	
	enumeration	X	
	enumeration	H	
	enumeration	M	
	enumeration	Z	
	enumeration	E	
	enumeration	E4	
	enumeration	G	
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	J	
	enumeration	K	
	enumeration	V	
	enumeration	W	
	enumeration	Y	
	enumeration	Q	

3796

3797


3798 element invoiceSummaryDataType/OpeningBalance

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3799

3800

3801 element invoiceSummaryDataType/ClosingBalance

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3802

3803

3804 element invoiceSummaryDataType/MailingDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

3805

3806


3807 element invoiceSummaryDataType/MailingClass

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailClassType
facets	Kind Value Annotation enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration 6

3808

3809

3810 element invoiceSummaryDataType/ProcessingCategory

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:processingCategoryType

facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

3811

3812

3813 element **invoiceSummaryDataType/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

3814

3815


3816 element **invoiceSummaryDataType/TotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3817

3818

3819 element **invoiceSummaryDataType/SubtotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

3820

3821

3822 element **invoiceSummaryDataType/BRMFee**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:BRMFeeType

	facets	Kind	Value	Annotation
		enumeration	A	
		enumeration	AM	
		enumeration	MW	
		enumeration	Q	

3823

3824

3825 complexType **mailCharacteristicsType**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	children	mailxml mm:Fee mailxml mm:Content mailxml mm:Incentive mailxml mm:eMailpieceSampleGroupID
	used by	elements InternationalPostageStatementLineItemSummaryData/MailCharacteristic InternationalPostageStatementLineItemData/MailCharacteristic DocumentVersionDataWithPermit/MailCharacteristic DocumentVersionData/MailCharacteristic

3826

3827

3828 element **mailCharacteristicsType/Fee**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:characteristicFeeType
	facets	Kind enumeration OS enumeration GS enumeration PP enumeration EM enumeration PM

3829

3830


3831 element **mailCharacteristicsType/Content**

diagram	 mailxml_mm:Content 0..∞																																																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																															
type	mailxml_base:characteristicContentType																																																															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>CT</td><td></td></tr> <tr><td>enumeration</td><td>RR</td><td></td></tr> <tr><td>enumeration</td><td>NF</td><td></td></tr> <tr><td>enumeration</td><td>DC</td><td></td></tr> <tr><td>enumeration</td><td>PS</td><td></td></tr> <tr><td>enumeration</td><td>RT</td><td></td></tr> <tr><td>enumeration</td><td>MI</td><td></td></tr> <tr><td>enumeration</td><td>NP</td><td></td></tr> <tr><td>enumeration</td><td>EM</td><td></td></tr> <tr><td>enumeration</td><td>PM</td><td></td></tr> <tr><td>enumeration</td><td>0X</td><td></td></tr> <tr><td>enumeration</td><td>1X</td><td></td></tr> <tr><td>enumeration</td><td>2X</td><td></td></tr> <tr><td>enumeration</td><td>3X</td><td></td></tr> <tr><td>enumeration</td><td>4X</td><td></td></tr> <tr><td>enumeration</td><td>5X</td><td></td></tr> <tr><td>enumeration</td><td>6X</td><td></td></tr> <tr><td>enumeration</td><td>7X</td><td></td></tr> <tr><td>enumeration</td><td>8X</td><td></td></tr> <tr><td>enumeration</td><td>9X</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	CT		enumeration	RR		enumeration	NF		enumeration	DC		enumeration	PS		enumeration	RT		enumeration	MI		enumeration	NP		enumeration	EM		enumeration	PM		enumeration	0X		enumeration	1X		enumeration	2X		enumeration	3X		enumeration	4X		enumeration	5X		enumeration	6X		enumeration	7X		enumeration	8X		enumeration	9X	
Kind	Value	Annotation																																																														
enumeration	CT																																																															
enumeration	RR																																																															
enumeration	NF																																																															
enumeration	DC																																																															
enumeration	PS																																																															
enumeration	RT																																																															
enumeration	MI																																																															
enumeration	NP																																																															
enumeration	EM																																																															
enumeration	PM																																																															
enumeration	0X																																																															
enumeration	1X																																																															
enumeration	2X																																																															
enumeration	3X																																																															
enumeration	4X																																																															
enumeration	5X																																																															
enumeration	6X																																																															
enumeration	7X																																																															
enumeration	8X																																																															
enumeration	9X																																																															

3832

3833

3834 element **mailCharacteristicsType/Incentive**


diagram	 mailxml_mm:Incentive																														
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:characteristicIncentiveType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>SS</td><td></td></tr> <tr><td>enumeration</td><td>MT</td><td></td></tr> <tr><td>enumeration</td><td>VV</td><td></td></tr> <tr><td>enumeration</td><td>VP</td><td></td></tr> <tr><td>enumeration</td><td>RE</td><td></td></tr> <tr><td>enumeration</td><td>PI</td><td></td></tr> <tr><td>enumeration</td><td>PP</td><td></td></tr> <tr><td>enumeration</td><td>PS</td><td></td></tr> <tr><td>enumeration</td><td>SB</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	SS		enumeration	MT		enumeration	VV		enumeration	VP		enumeration	RE		enumeration	PI		enumeration	PP		enumeration	PS		enumeration	SB	
Kind	Value	Annotation																													
enumeration	SS																														
enumeration	MT																														
enumeration	VV																														
enumeration	VP																														
enumeration	RE																														
enumeration	PI																														
enumeration	PP																														
enumeration	PS																														
enumeration	SB																														

	enumeration CT
	enumeration RR
	enumeration DC
	enumeration RT
	enumeration MI
	enumeration ME
	enumeration IV
	enumeration AD
	enumeration CP
	enumeration EM
	enumeration PM
	enumeration CO
	enumeration HD
	enumeration 0X
	enumeration 1X
	enumeration 2X
	enumeration 3X
	enumeration 4X
	enumeration 5X
	enumeration 6X
	enumeration 7X
	enumeration 8X
	enumeration 9X

3835

3836


3837 element **mailCharacteristicsType/eMailpieceSampleGroupID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s34												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	34		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	34												
whiteSpace	preserve												

3838

3839

3840 complexType **mailerDataRequestType**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData
used by	elements createInternationalPostageStatementType/PermitHolderData createPostageStatementType/PermitHolderData createInternationalPostageStatementType/PermitHolderForAPData createPostageStatementType/PermitHolderForAPData createPeriodicalStatementType/PublisherData createConsolidatedPeriodicalStatementDataType/PublisherData

3841

3842

3843 element **mailerDataRequestType/MID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

3844

3845

3846 element **mailerDataRequestType/CRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

3847

3848

3849 element **mailerDataRequestType/ContactName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s60
facets	Kind Value Annotation minLength 1 maxLength 60

	whiteSpace preserve
3850	
3851	
3852	element mailerDataRequestType/PermitPublicationData
diagram	<pre> classDiagram class mailxml_mm { m:PermitPublicati... } class mailxml_defs { permitPublicati... PermitNumber PaymentAcco... PermitType PermitZip4 PublicationNu... PaymentAcco... } mailxml_mm "2" --> "1..1" mailxml_defs:permitPublicati... mailxml_mm "2" --> "1..1" mailxml_defs:PaymentAcco... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3853

3854

3855 complexType **mailerDataType**

diagram	<pre> classDiagram class mailerDataType class mAddress1 class mAddress2 class mCity class mCount... class mEmail class mMID class mCRID class mContactName class mPermitPublicationData class mPhoneAreaCode class mPhoneExtension class mPhoneLast4 class mPhonePrefix class mState class mZipCode class mZipCode4 mailerDataType < -- mAddress1 mailerDataType < -- mAddress2 mailerDataType < -- mCity mailerDataType < -- mCount... mailerDataType < -- mEmail mailerDataType < -- mMID mailerDataType < -- mCRID mailerDataType < -- mContactName mailerDataType < -- mPermitPublicationData mailerDataType < -- mPhoneAreaCode mailerDataType < -- mPhoneExtension mailerDataType < -- mPhoneLast4 mailerDataType < -- mPhonePrefix mailerDataType < -- mState mailerDataType < -- mZipCode mailerDataType < -- mZipCode4 </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:Address1 mailxml mm:Address2 mailxml mm:City mailxml mm:Country mailxml mm:Email mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData mailxml mm:PhoneAreaCode mailxml mm:PhoneExtension mailxml mm:PhoneLast4 mailxml mm:PhonePrefix mailxml mm:State mailxml mm:ZipCode mailxml mm:ZipCode4
used by	elements internationalPostageStatementDataType/MailingAgentData periodicalStatementDataType/MailingAgentData postageStatementDataType/MailingAgentData internationalPostageStatementDataType/MailingOwnerData postageStatementDataType/MailingOwnerData internationalPostageStatementDataType/PermitHolderData postageStatementDataType/PermitHolderData internationalPostageStatementDataType/PermitHolderForAPData postageStatementDataType/PermitHolderForAPData periodicalStatementDataType/PublisherData

3856

3857


3858 element **mailerDataType/Address1**

diagram	 mailxml_mm:Address1
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s64
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve

3859

3860


3861 element **mailerDataType/Address2**

diagram	 mailxml_mm:Address2
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s64
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve

3862

3863

3864 element **mailerDataType/City**

diagram	 mailxml_mm:City
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s45
facets	Kind Value Annotation minLength 1 maxLength 45 whiteSpace preserve

3865

3866

3867 element **mailerDataType/Country**

diagram	 mailxml_mm:Count...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s45
facets	Kind Value Annotation

	minLength 1 maxLength 45 whiteSpace preserve
--	--

3868

3869


3870 element **mailerDataType/Email**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:emailType

3871

3872

3873 element **mailerDataType/MID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

3874

3875

3876 element **mailerDataType/CRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

3877

3878

3879 element **mailerDataType/ContactName**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s60

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	60	
		whiteSpace	preserve	

3880

3881

3882 element **mailerDataType/PermitPublicationData**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_defs:permitPublicationDataType
	children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3883

3884

3885 element **mailerDataType/PhoneAreaCode**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:es3
	facets	Kind Value Annotation minLength 3 maxLength 3 whiteSpace preserve

3886

3887

3888 element **mailerDataType/PhoneExtension**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

3889

3890

3891 element **mailerDataType/PhoneLast4**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es4												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

3892

3893


3894 element **mailerDataType/PhonePrefix**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es3												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>3</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	3		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	3												
maxLength	3												
whiteSpace	preserve												

3895

3896

3897 element **mailerDataType/State**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_base:stateCode																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AK</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>AZ</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AA		enumeration	AE		enumeration	AP		enumeration	AL		enumeration	AK		enumeration	AS		enumeration	AZ	
Kind	Value	Annotation																							
enumeration	AA																								
enumeration	AE																								
enumeration	AP																								
enumeration	AL																								
enumeration	AK																								
enumeration	AS																								
enumeration	AZ																								

	enumeration	AR
	enumeration	CA
	enumeration	CO
	enumeration	CT
	enumeration	DE
	enumeration	DC
	enumeration	FM
	enumeration	FL
	enumeration	GA
	enumeration	GU
	enumeration	HI
	enumeration	IL
	enumeration	IN
	enumeration	IA
	enumeration	ID
	enumeration	KS
	enumeration	KY
	enumeration	LA
	enumeration	MH
	enumeration	MD
	enumeration	MA
	enumeration	ME
	enumeration	MO
	enumeration	MI
	enumeration	MN
	enumeration	MS
	enumeration	MT
	enumeration	NE
	enumeration	NH
	enumeration	NV
	enumeration	NJ
	enumeration	NM
	enumeration	NY
	enumeration	NC
	enumeration	ND
	enumeration	MP
	enumeration	OH
	enumeration	OR
	enumeration	OK
	enumeration	PW
	enumeration	PA
	enumeration	PR
	enumeration	RI
	enumeration	SC
	enumeration	SD
	enumeration	TN

	enumeration TX enumeration UT enumeration VT enumeration VI enumeration VA enumeration WA enumeration WV enumeration WI enumeration WY
--	--

3898

3899

3900 element **mailerDataType/ZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:zipCode

3901

3902


3903 element **mailerDataType/ZipCode4**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es4												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>4</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	4		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	4												
maxLength	4												
whiteSpace	preserve												

3904

3905

3906 complexType **mailerMIDCRIDDDataRequestType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData
used by	elements createPeriodicalStatementType/MailingAgentData createConsolidatedPeriodicalStatementDataType/MailingAgentData

	createInternationalPostageStatementType/MailingAgentData createPostageStatementType/MailingAgentData createInternationalPostageStatementType/MailingOwnerData createPostageStatementType/MailingOwnerData
--	--

3907

3908

3909 element **mailerMIDCRIDDDataRequestType/MID**

diagram	<pre> classDiagram class mailxml_defs[MIDType] class mailxml_mm[m:MID] class mailxml_defs[fs:MID6] class mailxml_defs[fs:MID9] mailxml_mm "1" -- "1" mailxml_defs mailxml_defs "1" -- "1" mailxml_defs mailxml_defs "1" -- "1" mailxml_defs </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:fs:MID9

3910

3911

3912 element **mailerMIDCRIDDDataRequestType/CRID**

diagram	<pre> classDiagram class mailxml_mm[m:CRID] </pre>									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

3913

3914

3915 element **mailerMIDCRIDDDataRequestType/ContactName**

diagram	<pre> classDiagram class mailxml_mm[m>ContactName] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

3916

3917

3918 element **mailerMIDCRIDDDataRequestType/PermitPublicationData**

diagram	<pre> classDiagram class mailxml_defs { permitPublicationData } class mailxml_mm { m:PermitPublica... } class mailxml_defs { fs:PermitNumber fs:PaymentAcco... fs:PermitType fs:PermitZip4 fs:PublicationNu... fs:PaymentAcco... } mailxml_mm "1" --> "1" mailxml_defs mailxml_mm "1" --> "1" mailxml_defs </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3919

3920

3921 complexType **mailingGroupDataType**


diagram	<pre> classDiagram class mailingGroupDataType class mailxml_mm { m:CustomerDesc... m:SubmitterCRID m:PermitPublica... m:PostOfficeOfM... m:MailingFacility m:MailXMLPrese... m:MailerID m:FullServicePar... m:MailAgreemen... m:ContractNumber m:OnePassIndica... m:LogicalPhysica... } mailingGroupDataType "1" --> "1" mailxml_mm </pre>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:CustomerDescription mailxml mm:SubmitterCRID mailxml mm:PermitPublicationData mailxml mm:PostOfficeOfMailingZip mailxml mm:MailingFacility mailxml mm:MailXMLPresentationCategory mailxml mm:MailerID mailxml mm:FullServiceParticipationIndicator mailxml mm:MailAgreementType mailxml mm:ContractNumber mailxml mm:OnePassIndicator mailxml mm:LogicalPhysicalContainerIndicator
used by	elements MailingGroupQueryResponse/QueryResults/MailingGroup OpenMailingGroupRequest/MailingGroupData

3922

3923

3924 element **mailingGroupDataType/CustomerDescription**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

3925

3926

3927 element **mailingGroupDataType/SubmitterCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

3928

3929

3930 element **mailingGroupDataType/PermitPublicationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3931

3932

3933 element **mailingGroupDataType/PostOfficeOfMailingZip**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:es5												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>5</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	5		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	5												
maxLength	5												
whiteSpace	preserve												

3934

3935

3936 element **mailingGroupDataType/MailingFacility**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

3937

3938


3939 element **mailingGroupDataType/MailXMLPresentationCategory**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_base:mailXMLPresentationCategoryType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>I</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	P		enumeration	I		enumeration	N		enumeration	S		enumeration	C		enumeration	E	
Kind	Value	Annotation																							
enumeration	M																								
enumeration	P																								
enumeration	I																								
enumeration	N																								
enumeration	S																								
enumeration	C																								
enumeration	E																								

3940

3941

3942 element **mailingGroupDataType/MailerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

3943

3944

3945 element **mailingGroupDataType/FullServiceParticipationIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:fspiType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	M		enumeration	F	
Kind	Value	Annotation								
enumeration	M									
enumeration	F									

3946

3947

3948 element **mailingGroupDataType/MailAgreementType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:mailAgreementTypeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C	
Kind	Value	Annotation											
enumeration	A												
enumeration	B												
enumeration	C												

	enumeration D enumeration E enumeration F
--	---

3949

3950


3951 element **mailingGroupDataType/ContractNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

3952

3953

3954 element **mailingGroupDataType/OnePassIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

3955

3956


3957 element **mailingGroupDataType/LogicalPhysicalContainerIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:logicalPhysicalContainerIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	P		enumeration	L	
Kind	Value	Annotation								
enumeration	P									
enumeration	L									

3958

3959

3960 complexType **mailOwnerBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:CRID mailxml mm:SchedulerID mailxml mm:MaildatUserLicense mailxml mm:PermitPublicationData mailxml mm:MailOwnerMID6 mailxml mm:MailOwnerMID9
used by	element mailPieceBlockType/MailOwner

3961

3962


3963 element **mailOwnerBlockType/CRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

3964

3965

3966 element **mailOwnerBlockType/SchedulerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s12
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

3967

3968


3969 element **mailOwnerBlockType/MaildatUserLicense**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

3970

3971

3972 element **mailOwnerBlockType/PermitPublicationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

3973

3974


3975 element **mailOwnerBlockType/MailOwnerMID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns06

3976

3977


3978 element **mailOwnerBlockType/MailOwnerMID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s09

3979

3980

3981 complexType **mailPieceBlockGroupType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock
used by	elements mailPieceCancelType/MailPieceBlockGroup mailPieceRequestType/MailPieceBlockGroup

3982

3983

3984 element **mailPieceBlockGroupType/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

3985

3986

3987 element **mailPieceBlockGroupType/ContainerDetailID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s09
facets	Kind Value Annotation minLength 1

	maxLength 9 whiteSpace preserve
--	------------------------------------

3988

3989

3990 element **mailPieceBlockGroupType/BundleID**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

3991

3992

3993 element **mailPieceBlockGroupType/MailPieceBlock**

diagram




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailPieceBlockType
children	mailxml mm:ServiceLevelIndicator mailxml mm:LOTSequenceDirectionCode mailxml mm:LOTSequenceNumber mailxml mm:WalkSequenceNumber mailxml mm:IMPackageBarcode mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:PlanetCode mailxml mm:DeliveryPointZIP mailxml mm:DeliveryContainerID mailxml mm:DeliveryPointZIP mailxml mm:IMB mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:ReferenceableMailID mailxml mm:PieceID mailxml_defs:ExtraServiceData mailxml mm:WastedPieceIndicator mailxml mm:MLOCRrateANDpostageMarking mailxml mm:MoveComplianceUpdateMethod mailxml mm:MailOwner mailxml mm:BarCodeApplicator mailxml mm:MachineID mailxml mm:ACSKeyline mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold

3994

3995

3996 complexType **mailPieceBlockType**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ServiceLevelIndicator mailxml mm:LOTSequenceDirectionCode mailxml mm:LOTSequenceNumber mailxml mm:WalkSequenceNumber mailxml mm:IMPackageBarcode mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:PlanetCode mailxml mm:DeliveryPointZIP mailxml mm:DeliveryContainerID mailxml mm:DeliveryPointZIP mailxml mm:IMB mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:ReferenceableMailID mailxml mm:PieceID mailxml_defs:ExtraServiceData mailxml mm:WastedPieceIndicator mailxml mm:MLOCRateANDpostageMarking mailxml mm:MoveComplianceUpdateMethod mailxml mm:MailOwner mailxml mm:BarCodeApplicator mailxml mm:MachinID mailxml mm:ACSKeyline mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold
used by	elements mailPieceBlockGroupType/MailPieceBlock PDRMailPieceBlockType/MailPieceBlock

3997

3998


3999 element **mailPieceBlockType/ServiceLevelIndicator**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:serviceLevelIndicatorType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	F		enumeration	B		enumeration	P		enumeration	O	
Kind	Value	Annotation														
enumeration	F															
enumeration	B															
enumeration	P															
enumeration	O															

4000

4001

4002 element **mailPieceBlockType/LOTSequenceDirectionCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

4003

4004

4005 element **mailPieceBlockType/LOTSequenceNumber**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns04

4006

4007


4008 element **mailPieceBlockType/WalkSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns05

4009

4010

4011 element **mailPieceBlockType/IMPPackageBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

4012

4013

4014 element **mailPieceBlockType/UPAAddress**

diagram	<pre> classDiagram class mailxml_defs:addressType { <<attributes>> mailxml_defs:fs:CommunicationRole } class mailxml_mm:m:UPAAddress class mailxml_defs:Address1 class mailxml_defs:Address2 class mailxml_defs:Address3 class mailxml_defs:Address4 class mailxml_defs:City class mailxml_defs:County class mailxml_defs:State class mailxml_defs:ZipCode class mailxml_defs:GPSCoordinates mailxml_mm:m:UPAAddress "1" -- "1" mailxml_defs:addressType mailxml_defs:addressType "1" -- "1" mailxml_defs:Address1 mailxml_defs:addressType "1" -- "1" mailxml_defs:Address2 mailxml_defs:addressType "1" -- "1" mailxml_defs:Address3 mailxml_defs:addressType "1" -- "1" mailxml_defs:Address4 mailxml_defs:addressType "1" -- "1" mailxml_defs:City mailxml_defs:addressType "1" -- "1" mailxml_defs:County mailxml_defs:addressType "1" -- "1" mailxml_defs:State mailxml_defs:addressType "1" -- "1" mailxml_defs:ZipCode mailxml_defs:addressType "1" -- "1" mailxml_defs:GPSCoordinates </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_defs:addressType												
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CommunicationRole</td> <td>mailxml_base:communicationRoleType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				
Name	Type	User	Default	Fixed	Annotation								
mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType												

4015

4016


4017 element **mailPieceBlockType/DeliveryPointZIP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:RoutingZipCodeType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>0</td> <td></td> </tr> <tr> <td>maxLength</td> <td>11</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	0		maxLength	11	
Kind	Value	Annotation								
minLength	0									
maxLength	11									

4018

4019

4020 element **mailPieceBlockType/ExtraServiceIMPackageBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

4021

4022

4023 element **mailPieceBlockType/PlanetCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:planetCodeType
facets	Kind Value Annotation minLength 11 maxLength 13

4024

4025

4026 element **mailPieceBlockType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:RoutingZipCodeType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>0</td> <td></td> </tr> <tr> <td>maxLength</td> <td>11</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	0		maxLength	11	
Kind	Value	Annotation								
minLength	0									
maxLength	11									

4027

4028

4029 element **mailPieceBlockType/DeliveryContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4030

4031

4032 element **mailPieceBlockType/DeliveryPointZIP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:RoutingZipCodeType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>minLength</td> <td>0</td> <td></td> </tr> <tr> <td>maxLength</td> <td>11</td> <td></td> </tr> </table>	Kind	Value	Annotation	minLength	0		maxLength	11	
Kind	Value	Annotation								
minLength	0									
maxLength	11									

4033

4034

4035 element **mailPieceBlockType/IMB**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_defs:intelligentMailBarcodeType
children	mailxml_defs:BarcodeID mailxml_defs:MailClass mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber9 mailxml_defs:MailerID9 mailxml_defs:SerialNumber6 mailxml_defs:DeliveryPointZIP

4036

4037

4038 element **mailPieceBlockType/UPAAddress**

diagram	<pre> classDiagram class mailxml_defs { addressType } class mailxml_mm { UPAAddress } mailxml_mm "1" --> "1" mailxml_defs mailxml_defs << attributes >> mailxml_defs << mailxml_defs:CommunicationRole >> mailxml_defs << mailxml_defs:Address1 >> mailxml_defs << mailxml_defs:Address2 >> mailxml_defs << mailxml_defs:Address3 >> mailxml_defs << mailxml_defs:Address4 >> mailxml_defs << mailxml_defs:City >> mailxml_defs << mailxml_defs:County >> mailxml_defs << mailxml_defs:State >> mailxml_defs << mailxml_defs:ZipCode >> mailxml_defs << mailxml_defs:GPSCoordinates >> </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_defs:addressType												
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates												
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>User</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CommunicationRole</td> <td>mailxml_base:communicationRoleType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	User	Default	Fixed	Annotation	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				
Name	Type	User	Default	Fixed	Annotation								
mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType												

4039

4040


4041 element **mailPieceBlockType/DeliveryPointZIP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:RoutingZipCodeType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>0</td> <td></td> </tr> <tr> <td>maxLength</td> <td>11</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	0		maxLength	11	
Kind	Value	Annotation								
minLength	0									
maxLength	11									

4042

4043


4044 element **mailPieceBlockType/ExtraServiceIMPackageBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit

4045

4046

4047 element **mailPieceBlockType/ReferenceableMailID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:s10						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 10 whiteSpace preserve
--	-------------------------------------

4048

4049

4050 element **mailPieceBlockType/PieceID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

4051

4052


4053 element **mailPieceBlockType/WastedPieceIndicator**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:wastedPieceIndicatorType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>W</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> <tr> <td>enumeration</td> <td>T</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	W		enumeration	S		enumeration	X		enumeration	T	
Kind	Value	Annotation														
enumeration	W															
enumeration	S															
enumeration	X															
enumeration	T															

4054

4055

4056 element **mailPieceBlockType/MLOCRateANDpostageMarking**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s07												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>7</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	7		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	7												
whiteSpace	preserve												

4057

4058

4059 element **mailPieceBlockType/MoveComplianceUpdateMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:moveUpdateMethodType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8	
Kind	Value	Annotation																										
enumeration	0																											
enumeration	1																											
enumeration	2																											
enumeration	4																											
enumeration	5																											
enumeration	6																											
enumeration	7																											
enumeration	8																											

4060

4061


4062 element **mailPieceBlockType/MailOwner**

diagram	<pre> classDiagram class mailxml_mm(mailOwnerBlockType) { m:CRID m:ScheduledID m:MaildatUserLicense m:PermitPublicationData m:MailOwnerMID6 m:MailOwnerMID9 } class mailxml_mm(mailOwner) { <>--> mailxml_mm(mailOwnerBlockType) } mailxml_mm(mailOwner) --> mailxml_mm(mailOwnerBlockType) </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailOwnerBlockType
children	mailxml_mm:CRID mailxml_mm:ScheduledID mailxml_mm:MaildatUserLicense mailxml_mm:PermitPublicationData mailxml_mm:MailOwnerMID6 mailxml_mm:MailOwnerMID9

4063

4064

4065 element mailPieceBlockType/BarCodeApplicator

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Used</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicense</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Used	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Used	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

4066

4067

4068 element mailPieceBlockType/MachineID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s04												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

4069

4070

4071 element **mailPieceBlockType/ACSKeyline**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s16
facets	Kind Value Annotation minLength 1 maxLength 16 whiteSpace preserve

4072

4073


4074 element **mailPieceBlockType/HoldForPickup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

4075

4076

4077 element **mailPieceBlockType/NumberOfPiecesToHold**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:positiveInteger

4078

4079

4080 complexType **mailPieceCancelType**

diagram	<pre> classDiagram class mailPieceCancelType { grp mailxml_defs:MailXML... mailxml_defs:fs:CustomerGrou... mailxml_defs:fs:MailingGroupID mailxml_defs:fs:MaildatJobID mailxml_defs:fs:UserLicenseCo... mailxml_mm:m:SubmittingPa... mailxml_mm:m:SubmittingSo... mailxml_mm:m:SubmitterTrac... mailxml_mm:m:UserLicenseCode mailxml_mm:m:MaildatJobID mailxml_mm:m:TransmittedCo... mailxml_mm:m:PDRMailPiece... mailxml_mm:m:PDRRangePie... mailxml_mm:m:MailPieceID mailxml_mm:m:PieceRangeID mailxml_mm:m:CustomerGrou... mailxml_mm:m:MailingGroupID mailxml_mm:m:TransmittedCo... mailxml_mm:m:MailPieceBloc... mailxml_mm:m:MailXMLPie... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	<u>mailxml_mm:SubmittingParty</u> <u>mailxml_mm:SubmittingSoftware</u> <u>mailxml_mm:SubmitterTrackingID</u> <u>mailxml_mm:UserLicenseCode</u> <u>mailxml_mm:MaildatJobID</u> <u>mailxml_mm:TransmittedCount</u> <u>mailxml_mm:PDRMailPieceBlock</u> <u>mailxml_mm:PDRRangePieceBlock</u> <u>mailxml_mm:MailPieceID</u> <u>mailxml_mm:PieceRangeID</u> <u>mailxml_mm:CustomerGroupID</u> <u>mailxml_mm:MailingGroupID</u> <u>mailxml_mm:TransmittedCount</u> <u>mailxml_mm:MailPieceBlockGroup</u>

	mailxml_mm:MailXMLPieceRangeBlock																														
used by	element MailPieceCancelRequest																														
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:CustomerGroupID</td> <td>mailxml_base:s25</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailingGroupID</td> <td>xs:nonNegativeInteger</td> <td></td> <td></td> <td></td> <td>required</td> </tr> <tr> <td>mailxml_defs:MaildatJobID</td> <td>mailxml_base:jobIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:UserLicenseCode</td> <td>mailxml_base:userLicenseCodeType</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CustomerGroupID	mailxml_base:s25					mailxml_defs:MailingGroupID	xs:nonNegativeInteger				required	mailxml_defs:MaildatJobID	mailxml_base:jobIDType					mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
Name	Type	Use	Default	Fixed	Annotation																										
mailxml_defs:CustomerGroupID	mailxml_base:s25																														
mailxml_defs:MailingGroupID	xs:nonNegativeInteger				required																										
mailxml_defs:MaildatJobID	mailxml_base:jobIDType																														
mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType																														

4081

4082

4083 element **mailPieceCancelType/SubmittingParty**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens</td> <td>mailxml_base:userLicenseCodeTyp</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Use	Default	Fixed	Annotation																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens	mailxml_base:userLicenseCodeTyp																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

4084

4085

4086 element **mailPieceCancelType/SubmittingSoftware**

diagram	<pre> classDiagram class mailxml_mm[m:SubmittingSoftware] class mailxml_defs[submittingSoftwareType] mailxml_mm "1" --> "1" mailxml_defs mailxml_defs << attributes >> SoftwareName : xs:string Vendor : xs:string Version : xs:string ApprovalDate : xs:date ApprovalKey : xs:string end </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

4087

4088

4089 element **mailPieceCancelType/SubmitterTrackingID**

diagram	<pre> classDiagram class mailxml_mm[m:SubmitterTrackingID] </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

4090

4091

4092 element **mailPieceCancelType/UserLicenseCode**

diagram	<pre> classDiagram class mailxml_mm[m:UserLicenseCode] </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

4093

4094


4095 element **mailPieceCancelType/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

4096

4097


4098 element **mailPieceCancelType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4099

4100


4101 element **mailPieceCancelType/PDRMailPieceBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:PDRMailPieceBlockType
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaseID mailxml_mm:MailPieceBlock

4102

4103

4104 element **mailPieceCancelType/PDRRangePieceBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:DatabaseContainerID mailxml mm:PieceRangeBlock

4105

4106


4107 element **mailPieceCancelType/PDRRangePieceBlock/DatabaseContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:databaseContainerIDType
facets	Kind Value Annotation totalDigits 6

4108

4109

4110 element **mailPieceCancelType/PDRRangePieceBlock/PieceRangeBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml mm:pieceRangeBlockType
children	mailxml mm:PieceRangeID mailxml mm:IMbarcodeLowerSerialization mailxml mm:IMbarcodeUpperSerialization mailxml mm:MailPreparer mailxml mm:MailOwner mailxml mm:ServiceTypeCode mailxml mm:MailClass mailxml mm:ServiceLevelIndicator mailxml mm:Pieces mailxml mm:Copies

4111

4112

4113 element **mailPieceCancelType/MailPieceID**

diagram	<pre> classDiagram class mailxml_mm { <> MailPieceID } class mailxml_defs { <> mailPieceIDType <> IMB <> PlanetCode <> DeliveryPointZIP <> DeliveryContainerID } MailPieceID "1..∞" --> mailPieceIDType mailPieceIDType "*" --> IMB mailPieceIDType "*" --> PlanetCode mailPieceIDType "*" --> DeliveryPointZIP mailPieceIDType "*" --> DeliveryContainerID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:mailPieceIDType
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP

4114

4115

4116 element **mailPieceCancelType/PieceRangeID**

diagram	<pre> classDiagram class mailxml_mm { <> PieceRangeID } PieceRangeID "1..∞" </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

4117

4118

4119 element **mailPieceCancelType/CustomerGroupID**

diagram	<pre> classDiagram class mailxml_mm { <> CustomerGroupID } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s25												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>25</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

4120

4121

4122 element **mailPieceCancelType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4123

4124

4125 element **mailPieceCancelType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4126

4127

4128 element **mailPieceCancelType/MailPieceBlockGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailPieceBlockGroupType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock

4129

4130

4131 element **mailPieceCancelType/MailXMLPieceRangeBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailXMLPieceRangeBlockType
children	mailxml_mm:ContainerID mailxml_mm:PieceRangeBlock

4132

4133

4134 complexType **mailPieceRequestType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock mailxml_mm:CustomerGroup mailxml_mm:MailingGroupID mailxml_mm:TransmittedCo... mailxml_mm:MailPieceBloc... mailxml_mm:CampaignData

	mailxml mm:CustomerGroupID mailxml mm:MailingGroupID mailxml mm:TransmittedCount mailxml mm:MailPieceBlockGroup mailxml mm:CampaignData
used by	elements MailPieceCreateRequest MailPieceUpdateRequest

4135

4136

4137 element **mailPieceRequestType/SubmittingParty**

diagram	<pre> classDiagram participant IDType { <<mailxml_defs:participantIDType>> <<attributes>> mailxml_defs:fs:MailerID6 mailxml_defs:fs:MailerID9 mailxml_defs:fs:CRID mailxml_defs:fs:SchedulerID mailxml_defs:fs:MaildatUserLi... mailxml_defs:fs:ShippingAgen... mailxml_defs:fs:ReceivingAge... } SubmittingParty { <<mailxml_mm:m:SubmittingPa...>> } IDType "2" -- "1" SubmittingParty </pre>																																																
namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_defs:participantIDType																																																
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Us e</th> <th>Defaul t</th> <th>Fixe d</th> <th>Annotatio n</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:MailerID6</td> <td>mailxml_base:mailerID6Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MailerID9</td> <td>mailxml_base:mailerID9Type</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:CRID</td> <td>mailxml_base:CRIDType</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:SchedulerID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:MaildatUserLicens e</td> <td>mailxml_base:userLicenseCodeTyp e</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ShippingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ReceivingAgentID</td> <td>mailxml_base:s12</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	mailxml_defs:MailerID6	mailxml_base:mailerID6Type					mailxml_defs:MailerID9	mailxml_base:mailerID9Type					mailxml_defs:CRID	mailxml_base:CRIDType					mailxml_defs:SchedulerID	mailxml_base:s12					mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e					mailxml_defs:ShippingAgentID	mailxml_base:s12					mailxml_defs:ReceivingAgentID	mailxml_base:s12				
Name	Type	Us e	Defaul t	Fixe d	Annotatio n																																												
mailxml_defs:MailerID6	mailxml_base:mailerID6Type																																																
mailxml_defs:MailerID9	mailxml_base:mailerID9Type																																																
mailxml_defs:CRID	mailxml_base:CRIDType																																																
mailxml_defs:SchedulerID	mailxml_base:s12																																																
mailxml_defs:MaildatUserLicens e	mailxml_base:userLicenseCodeTyp e																																																
mailxml_defs:ShippingAgentID	mailxml_base:s12																																																
mailxml_defs:ReceivingAgentID	mailxml_base:s12																																																

4138

4139

4140 element **mailPieceRequestType/SubmittingSoftware**

diagram	<pre> classDiagram class SubmittingSoftware { SoftwareName Vendor Version ApprovalDate ApprovalKey } SubmittingSoftware < -- submittingSoftwareType </pre>																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_defs:submittingSoftwareType																																				
attributes	<table> <thead> <tr> <th>Name</th> <th>Type</th> <th>Use</th> <th>Default</th> <th>Fixed</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>mailxml_defs:SoftwareName</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Vendor</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:Version</td> <td>xs:string</td> <td>required</td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalDate</td> <td>xs:date</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>mailxml_defs:ApprovalKey</td> <td>xs:string</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:SoftwareName	xs:string	required				mailxml_defs:Vendor	xs:string	required				mailxml_defs:Version	xs:string	required				mailxml_defs:ApprovalDate	xs:date					mailxml_defs:ApprovalKey	xs:string				
Name	Type	Use	Default	Fixed	Annotation																																
mailxml_defs:SoftwareName	xs:string	required																																			
mailxml_defs:Vendor	xs:string	required																																			
mailxml_defs:Version	xs:string	required																																			
mailxml_defs:ApprovalDate	xs:date																																				
mailxml_defs:ApprovalKey	xs:string																																				

4141

4142

4143 element **mailPieceRequestType/SubmitterTrackingID**

diagram	<pre> classDiagram class SubmitterTrackingID </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

4144

4145

4146 element **mailPieceRequestType/UserLicenseCode**

diagram	<pre> classDiagram class UserLicenseCode </pre>						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:userLicenseCodeType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1	
Kind	Value	Annotation					
minLength	1						

	maxLength 4 whiteSpace preserve
--	------------------------------------

4147

4148

4149 element **mailPieceRequestType/MaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

4150

4151


4152 element **mailPieceRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4153

4154

4155 element **mailPieceRequestType/PDRMailPieceBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:PDRMailPieceBlockType
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaselD mailxml_mm:MailPieceBlock

4156

4157

4158 element **mailPieceRequestType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s25												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>25</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	25		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	25												
whiteSpace	preserve												

4159

4160


4161 element **mailPieceRequestType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4162

4163


4164 element **mailPieceRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4165

4166

4167 element **mailPieceRequestType/MailPieceBlockGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailPieceBlockGroupType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock

4168

4169


4170 element **mailPieceRequestType/CampaignData**

diagram	<pre> classDiagram class mailxml_mm:campaignDataT { mailxml_mm:m:CampaignID mailxml_mm:m:USPSCampaign... mailxml_mm:m:CampaignTitle mailxml_mm:m:CampaignSerial... mailxml_mm:m:CampaignCode mailxml_mm:m:DisplayName mailxml_mm:m:DateStart mailxml_mm:m:DateEnd mailxml_mm:m:CampaignSharingIndicator mailxml_mm:m:CampaignTargetURLIndicator mailxml_mm:m:CampaignMailOwnerCRID mailxml_mm:m:FlexOptionA mailxml_mm:m:FlexOptionB mailxml_mm:m:FlexOptionC mailxml_mm:m:FlexOptionD mailxml_mm:m:FlexOptionE mailxml_mm:m:ReferenceableMailData } mailxml_mm:campaignDataT "0..∞" -- "0..∞" mailxml_mm:m:CampaignData mailxml_mm:m:CampaignData "1..∞" -- "1..∞" mailxml_mm:campaignDataT </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:campaignDataType
children	mailxml_mm:CampaignID mailxml_mm:USPSCampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:CampaignSharingIndicator mailxml_mm:CampaignTargetURLIndicator mailxml_mm:CampaignMailOwnerCRID mailxml_mm:FlexOptionA mailxml_mm:FlexOptionB mailxml_mm:FlexOptionC mailxml_mm:FlexOptionD mailxml_mm:FlexOptionE mailxml_mm:ReferenceableMailData

4171

4172

4173 complexType **mailXMLPieceRangeBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ContainerID mailxml mm:PieceRangeBlock
used by	element mailPieceCancelType/MailXMLPieceRangeBlock

4174

4175

4176 element **mailXMLPieceRangeBlockType/ContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

4177

4178

4179 element **mailXMLPieceRangeBlockType/PieceRangeBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:pieceRangeBlockType
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies

4180

4181

4182 complexType **manifestAndOrderIDInfoBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ManifestIDNumber mailxml_mm:ConsigneeManifestID mailxml_mm:PieceOrDetailRecordID mailxml_mm:ConsigneePieceORDetailID
used by	element ManifestCreateResponse/ManifestCreateAccept/ManifestAndOrderIDInfoBlock

4183

4184

4185 element **manifestAndOrderIDInfoBlockType/ManifestIDNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4186

4187


4188 element **manifestAndOrderIDInfoBlockType/ConsigneeManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4189

4190


4191 element **manifestAndOrderIDInfoBlockType/PieceOrDetailRecordID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4192

4193


4194 element **manifestAndOrderIDInfoBlockType/ConsigneePieceORDetailID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4195

4196

4197 complexType **manifestErrorWarningDetailType**


diagram	 <p>The diagram shows the structure of the manifestErrorWarningDetailType complex type. It consists of a main element 'manifestErrorWarningDetail...' followed by a sequence of three elements: 'm:ErrorWarningC...', 'm:ElectronicFile...', and 'm:IMpb'. A dashed box encloses these three elements, labeled 'm:DescriptionEle...'. Below this dashed box is another element 'm:ErrorWarning...'.</p>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ErrorWarningCode mailxml mm:ElectronicFileLineNumber mailxml mm:IMpb mailxml mm:Description ElectronicFileErrorWarning mailxml mm:ErrorWarningMessage
used by	element manifestErrorWarningSummaryType/ManifestErrorWarningDetail

4198

4199

4200 element [**manifestErrorWarningDetailType/ErrorWarningCode**](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:errorWarningCodeType
facets	Kind Value Annotation enumeration E enumeration W

4201

4202

4203 element [**manifestErrorWarningDetailType/ElectronicFileLineNumber**](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4204

4205

4206 element [**manifestErrorWarningDetailType/IMpb**](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMpbType
facets	Kind Value Annotation minLength 21 maxLength 34

4207

4208

4209 element [**manifestErrorWarningDetailType/DescriptionElectronicFileErrorWarning**](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s34
facets	Kind Value Annotation minLength 1

	maxLength 34 whiteSpace preserve
--	-------------------------------------

4210

4211


4212 element **manifestErrorWarningDetailType/ErrorWarningMessage**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

4213

4214

4215 complexType **manifestErrorWarningSummaryType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	<p>mailxml_mm:m:MID mailxml_mm:m:ElectronicFileSequenceNumber mailxml_mm:m:ElectronicFileReceiptDate mailxml_mm:m:ElectronicFileReceiptTime mailxml_mm:m:EntryFacilityZipCode mailxml_mm:m:MailingDate</p>

	mailxml mm:NumberOfRecordsRead mailxml mm:NumberOfRecordsRejected mailxml mm:NumberOfRecordsAccepted mailxml mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml mm:SummaryMessage mailxml mm:ManifestErrorWarningDetail
used by	elements ManifestCreateResponse/ManifestCreateAccept/ManifestErrorWarningSummary ManifestCreateResponse/ManifestCreateReject/ManifestErrorWarningSummary

4216

4217

4218 element **manifestErrorWarningSummaryType/MID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

4219

4220


4221 element **manifestErrorWarningSummaryType/ElectronicFileSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns14

4222

4223

4224 element **manifestErrorWarningSummaryType/ElectronicFileReceiptDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4225

4226

4227 element **manifestErrorWarningSummaryType/ElectronicFileReceiptTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

4228

4229

4230 element **manifestErrorWarningSummaryType/EntryFacilityZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns05

4231

4232


4233 element **manifestErrorWarningSummaryType/MailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4234

4235


4236 element **manifestErrorWarningSummaryType/NumberOfRecordsRead**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4237

4238


4239 element **manifestErrorWarningSummaryType/NumberOfRecordsRejected**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4240

4241


4242 element **manifestErrorWarningSummaryType/NumberOfRecordsAccepted**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4243

4244


4245 element **manifestErrorWarningSummaryType/NumberOfElectronicFileD1RecordRecordsAccepted**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4246

4247


4248 element **manifestErrorWarningSummaryType/NumberOfElectronicFileD2RecordRecordsAccepted**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4249

4250


4251 element **manifestErrorWarningSummaryType/SummaryMessage**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

4252

4253

4254 element **manifestErrorWarningSummaryType/ManifestErrorWarningDetail**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:manifestErrorWarningDetailType
children	mailxml_mm:ErrorWarningCode mailxml_mm:ElectronicFileLineNumber mailxml_mm:IMpb

	mailxml_mm:Description ElectronicFileErrorWarning mailxml_mm:ErrorWarningMessage
4255	
4256	
4257	complexType manifestMailPieceSummaryType
diagram	<pre> classDiagram manifestMailPieceSummaryType < -- m:ClassOfMail manifestMailPieceSummaryType < -- m:InternationalZone manifestMailPieceSummaryType < -- m:DestinationCountryCode manifestMailPieceSummaryType < -- m:BarCodeConstructCode manifestMailPieceSummaryType < -- m:WeightUnit manifestMailPieceSummaryType < -- m:TotalWeight manifestMailPieceSummaryType < -- m:TotalPieces manifestMailPieceSummaryType < -- m>TotalSacks manifestMailPieceSummaryType < -- m:ProcessingCategory manifestMailPieceSummaryType < -- m:InternationalProvince manifestMailPieceSummaryType < -- m:CountryType manifestMailPieceSummaryType < -- m:PriceGroup manifestMailPieceSummaryType < -- m:RateType manifestMailPieceSummaryType < -- m:BagNumber manifestMailPieceSummaryType < -- m:SubAreaWithinCountry </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ClassOfMail mailxml_mm:InternationalZone mailxml_mm:DestinationCountryCode mailxml_mm:BarCodeConstructCode mailxml_mm:WeightUnit mailxml_mm:TotalWeight mailxml_mm:TotalPieces mailxml_mm:TotalSacks mailxml_mm:ProcessingCategory mailxml_mm:InternationalProvince mailxml_mm:CountryType mailxml_mm:PriceGroup mailxml_mm:RateType mailxml_mm:BagNumber mailxml_mm:SubAreaWithinCountry

4258

4259

4260 element **manifestMailPieceSummaryType/ClassOfMail**

diagram	<pre> classDiagram m:ClassOfMail </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_mm:manifestMailClassType																																																									
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>BB</td><td></td></tr> <tr><td>enumeration</td><td>BL</td><td></td></tr> <tr><td>enumeration</td><td>BP</td><td></td></tr> <tr><td>enumeration</td><td>BS</td><td></td></tr> <tr><td>enumeration</td><td>CP</td><td></td></tr> <tr><td>enumeration</td><td>DM</td><td></td></tr> <tr><td>enumeration</td><td>EX</td><td></td></tr> <tr><td>enumeration</td><td>FC</td><td></td></tr> <tr><td>enumeration</td><td>IE</td><td></td></tr> <tr><td>enumeration</td><td>IL</td><td></td></tr> <tr><td>enumeration</td><td>LC</td><td></td></tr> <tr><td>enumeration</td><td>PG</td><td></td></tr> <tr><td>enumeration</td><td>PM</td><td></td></tr> <tr><td>enumeration</td><td>PS</td><td></td></tr> <tr><td>enumeration</td><td>S2</td><td></td></tr> <tr><td>enumeration</td><td>S3</td><td></td></tr> <tr><td>enumeration</td><td>S4</td><td></td></tr> <tr><td>enumeration</td><td>SA</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	BB		enumeration	BL		enumeration	BP		enumeration	BS		enumeration	CP		enumeration	DM		enumeration	EX		enumeration	FC		enumeration	IE		enumeration	IL		enumeration	LC		enumeration	PG		enumeration	PM		enumeration	PS		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	SA	
Kind	Value	Annotation																																																								
enumeration	BB																																																									
enumeration	BL																																																									
enumeration	BP																																																									
enumeration	BS																																																									
enumeration	CP																																																									
enumeration	DM																																																									
enumeration	EX																																																									
enumeration	FC																																																									
enumeration	IE																																																									
enumeration	IL																																																									
enumeration	LC																																																									
enumeration	PG																																																									
enumeration	PM																																																									
enumeration	PS																																																									
enumeration	S2																																																									
enumeration	S3																																																									
enumeration	S4																																																									
enumeration	SA																																																									

4261

4262

4263 element **manifestMailPieceSummaryType/InternationalZone**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_mm:internationalZoneType																																																
facets	<table> <thead> <tr> <th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15	
Kind	Value	Annotation																																															
enumeration	1																																																
enumeration	2																																																
enumeration	3																																																
enumeration	4																																																
enumeration	5																																																
enumeration	6																																																
enumeration	7																																																
enumeration	8																																																
enumeration	9																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
enumeration	13																																																
enumeration	14																																																
enumeration	15																																																

4264

4265

4266 element **manifestMailPieceSummaryType/DestinationCountryCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

4267

4268

4269 element **manifestMailPieceSummaryType/BarCodeConstructCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s04
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve

4270

4271

4272 element **manifestMailPieceSummaryType/WeightUnit**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:weightUnitType
facets	Kind Value Annotation minLength 1 maxLength 1 whiteSpace preserve enumeration 1 enumeration 2 enumeration 3

4273

4274

4275 element **manifestMailPieceSummaryType/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:double
------	------------------

4276

4277

4278 element **manifestMailPieceSummaryType/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4279

4280

4281 element **manifestMailPieceSummaryType/TotalSacks**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4282

4283

4284 element **manifestMailPieceSummaryType/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:processingCategoryType																																				
facets	<table border="1"> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

4285

4286

4287 element **manifestMailPieceSummaryType/InternationalProvince**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4288

4289

4290 element **manifestMailPieceSummaryType/CountryType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

4291

4292


4293 element **manifestMailPieceSummaryType/PriceGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4294

4295

4296 element **manifestMailPieceSummaryType/RateType**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
type	mailxml_base:rateType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>S6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	L		enumeration	B		enumeration	C		enumeration	S		enumeration	S1		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	S5		enumeration	S6	
Kind	Value	Annotation																																			
enumeration	R																																				
enumeration	L																																				
enumeration	B																																				
enumeration	C																																				
enumeration	S																																				
enumeration	S1																																				
enumeration	S2																																				
enumeration	S3																																				
enumeration	S4																																				
enumeration	S5																																				
enumeration	S6																																				

	enumeration S7 enumeration F enumeration A enumeration N enumeration P enumeration T enumeration D enumeration X enumeration H enumeration M enumeration Z enumeration E enumeration E4 enumeration G enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration J enumeration K enumeration V enumeration W enumeration Y enumeration Q
--	--

4297

4298


4299 element **manifestMailPieceSummaryType/BagNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4300

4301

4302 element **manifestMailPieceSummaryType/SubAreaWithinCountry**


diagram				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm			
type	mailxml_base:s28			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> </table>	Kind	Value	Annotation
Kind	Value	Annotation		

	minLength 1 maxLength 28 whiteSpace preserve
--	--

4303

4304

4305 complexType **manifestMailPieceType**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ClassofMail mailxml mm:DestinationZipPlusFour mailxml mm:DestinationZipCode mailxml mm:DetailRecordID mailxml mm:PieceID mailxml mm:ItemDescription mailxml mm:DestinationFacilityType mailxml mm:CarrierRoute mailxml mm:LogisticsManagerMID mailxml mm:MailOwnerMailerID9 mailxml mm:MailOwnerCRID mailxml mm:MailPreparerMailerID9 mailxml mm:MailerOrCustomersInternalReferenceNumber mailxml mm:ConsigneeApptID mailxml mm:ScheduledInductionDate mailxml mm:ScheduledInductionTime mailxml mm:ServiceTypeCode mailxml mm:IMpb mailxml mm:PieceOrPackageIMBarcode mailxml mm:IMcb mailxml mm:UnitValue mailxml mm:WeekendHolidayDelivery mailxml mm:SpecialService mailxml mm:ClientMID mailxml mm:FASTReservationNumber mailxml mm:FASTScheduledInductionDate mailxml mm:FASTScheduledInductionTime mailxml mm:CustomerReferenceID mailxml mm:DestinationCountryCode mailxml mm:BarCodeConstructCode mailxml mm:CustomerAgreementNumber mailxml mm:NameOfAddressee mailxml mm:MisellaneousAddressInformation mailxml mm:AdditionalAddressInformation mailxml mm:DeliveryAddress mailxml mm:City mailxml mm:State mailxml mm:PostalCode mailxml mm:InternationalProvince mailxml mm:CountryType mailxml mm:ContainerType1 mailxml mm:ContainerID1 mailxml mm:ContainerType2 mailxml mm:ContainerID2 mailxml mm:ContainerType3 mailxml mm:ContainerID3 mailxml mm:Customs mailxml mm:PriceGroup mailxml mm:RateType mailxml mm:BagNumber mailxml mm:SubAreaWithinCountry

4306

4307

4308 element **manifestMailPieceType/ClassofMail**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

4309

4310

4311 element **manifestMailPieceType/DestinationZipPlusFour**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s09

	facets	Kind	Value	Annotation
		minLength	1	
		maxLength	9	
		whiteSpace	preserve	

4312

4313

4314 element **manifestMailPieceType/DestinationZipCode**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_defs:zipCode

4315

4316

4317 element **manifestMailPieceType/DetailRecordID**


	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s02
	facets	Kind minLength maxLength whiteSpace

Kind	Value	Annotation
minLength	1	
maxLength	2	
whiteSpace	preserve	

4318

4319


4320 element **manifestMailPieceType/PieceID**

	diagram	
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_defs:mailPieceIDType
	children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP

4321

4322


4323 element **manifestMailPieceType/ItemDescription**

diagram	 mailxml_mm:im:ItemDescription
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s50
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

4324

4325


4326 element **manifestMailPieceType/DestinationFacilityType**

diagram	 mailxml_mm:im:DestinationFa...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4327

4328

4329 element **manifestMailPieceType/CarrierRoute**

diagram	 mailxml_mm:im:CarrierRoute
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s05
facets	Kind Value Annotation minLength 1 maxLength 5 whiteSpace preserve

4330

4331

4332 element **manifestMailPieceType/LogisticsManagerID**

diagram	 mailxml_mm:im:LogisticsMana...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID6Type

4333

4334

4335 element **manifestMailPieceType/MailOwnerMailerID9**

diagram	 mailxml_mm:im:MailOwnerMai...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:mailerID9Type
------	-----------------------------------

4336

4337

4338 element **manifestMailPieceType/MailOwnerCRID**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
<td>mailxml_base:CRIDType</td>	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

4339

4340

4341 element **manifestMailPieceType/MailPreparerMailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
<td>mailxml_base:mailerID9Type</td>	mailxml_base:mailerID9Type

4342

4343

4344 element **manifestMailPieceType/MailerOrCustomersInternalReferenceNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
<td>mailxml_base:s30</td>	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

4345

4346

4347 element **manifestMailPieceType/ConsigneeApptID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
<td>mailxml_base:s12</td>	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

4348

4349

4350 element **manifestMailPieceType/ScheduledInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:scheduledInductionDateType

4351

4352

4353 element **manifestMailPieceType/ScheduledInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

4354

4355

4356 element **manifestMailPieceType/ServiceTypeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s04
facets	Kind Value Annotation minLength 1 maxLength 4 whiteSpace preserve

4357

4358


4359 element **manifestMailPieceType/IMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMpbType
facets	Kind Value Annotation minLength 21 maxLength 34

4360

4361

4362 element **manifestMailPieceType/PieceOrPackageIMBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

4363

4364

4365 element **manifestMailPieceType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

4366

4367

4368 element **manifestMailPieceType/UnitValue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4369

4370

4371 element **manifestMailPieceType/WeekendHolidayDelivery**

diagram																																											
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																										
type	mailxml_base:weekendHolidayIndexType																																										
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	E	
Kind	Value	Annotation																																									
minLength	1																																										
maxLength	1																																										
whiteSpace	preserve																																										
enumeration	1																																										
enumeration	2																																										
enumeration	3																																										
enumeration	4																																										
enumeration	5																																										
enumeration	6																																										
enumeration	7																																										
enumeration	8																																										
enumeration	9																																										
enumeration	E																																										

	enumeration F enumeration G enumeration P
--	---

4372

4373

4374 element **manifestMailPieceType/SpecialService**

diagram																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																												
type	mailxml_mm:manifestExtraServiceCode																																																												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>420</td> <td></td> </tr> <tr> <td>enumeration</td> <td>430</td> <td></td> </tr> <tr> <td>enumeration</td> <td>440</td> <td></td> </tr> <tr> <td>enumeration</td> <td>910</td> <td></td> </tr> <tr> <td>enumeration</td> <td>915</td> <td></td> </tr> <tr> <td>enumeration</td> <td>920</td> <td></td> </tr> <tr> <td>enumeration</td> <td>921</td> <td></td> </tr> <tr> <td>enumeration</td> <td>925</td> <td></td> </tr> <tr> <td>enumeration</td> <td>930</td> <td></td> </tr> <tr> <td>enumeration</td> <td>931</td> <td></td> </tr> <tr> <td>enumeration</td> <td>935</td> <td></td> </tr> <tr> <td>enumeration</td> <td>940</td> <td></td> </tr> <tr> <td>enumeration</td> <td>950</td> <td></td> </tr> <tr> <td>enumeration</td> <td>955</td> <td></td> </tr> <tr> <td>enumeration</td> <td>957</td> <td></td> </tr> <tr> <td>enumeration</td> <td>960</td> <td></td> </tr> <tr> <td>enumeration</td> <td>970</td> <td></td> </tr> <tr> <td>enumeration</td> <td>980</td> <td></td> </tr> <tr> <td>enumeration</td> <td>985</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	420		enumeration	430		enumeration	440		enumeration	910		enumeration	915		enumeration	920		enumeration	921		enumeration	925		enumeration	930		enumeration	931		enumeration	935		enumeration	940		enumeration	950		enumeration	955		enumeration	957		enumeration	960		enumeration	970		enumeration	980		enumeration	985	
Kind	Value	Annotation																																																											
enumeration	420																																																												
enumeration	430																																																												
enumeration	440																																																												
enumeration	910																																																												
enumeration	915																																																												
enumeration	920																																																												
enumeration	921																																																												
enumeration	925																																																												
enumeration	930																																																												
enumeration	931																																																												
enumeration	935																																																												
enumeration	940																																																												
enumeration	950																																																												
enumeration	955																																																												
enumeration	957																																																												
enumeration	960																																																												
enumeration	970																																																												
enumeration	980																																																												
enumeration	985																																																												

4375

4376

4377 element **manifestMailPieceType/ClientMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4378

4379

4380 element **manifestMailPieceType/FASTReservationNumber**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s12		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	12	
	whiteSpace	preserve	

4381

4382

4383 element **manifestMailPieceType/FASTScheduledInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:scheduledInductionDateType

4384

4385


4386 element **manifestMailPieceType/FASTScheduledInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

4387

4388

4389 element **manifestMailPieceType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s30
facets	Kind Value Annotation minLength 1 maxLength 30 whiteSpace preserve

4390

4391

4392 element **manifestMailPieceType/DestinationCountryCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1

	maxLength 2 whiteSpace preserve
--	------------------------------------

4393

4394

4395 element **manifestMailPieceType/BarCodeConstructCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s04												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

4396

4397

4398 element **manifestMailPieceType/CustomerAgreementNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

4399

4400

4401 element **manifestMailPieceType/NameOfAddressee**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s48												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	48												
whiteSpace	preserve												

4402

4403

4404 element **manifestMailPieceType/MiscellaneousAddressInformation**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:s48									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48	
Kind	Value	Annotation								
minLength	1									
maxLength	48									

	whiteSpace preserve
--	---------------------

4405

4406

4407 element **manifestMailPieceType/AdditionalAddressInformation**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s48												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	48												
whiteSpace	preserve												

4408

4409

4410 element **manifestMailPieceType/DeliveryAddress**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s48												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	48												
whiteSpace	preserve												

4411

4412

4413 element **manifestMailPieceType/City**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4414

4415

4416 element **manifestMailPieceType/State**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:stateCode

	Kind	Value	Annotation
facets	enumeration	AA	
	enumeration	AE	
	enumeration	AP	
	enumeration	AL	
	enumeration	AK	
	enumeration	AS	
	enumeration	AZ	
	enumeration	AR	
	enumeration	CA	
	enumeration	CO	
	enumeration	CT	
	enumeration	DE	
	enumeration	DC	
	enumeration	FM	
	enumeration	FL	
	enumeration	GA	
	enumeration	GU	
	enumeration	HI	
	enumeration	IL	
	enumeration	IN	
	enumeration	IA	
	enumeration	ID	
	enumeration	KS	
	enumeration	KY	
	enumeration	LA	
	enumeration	MH	
	enumeration	MD	
	enumeration	MA	
	enumeration	ME	
	enumeration	MO	
	enumeration	MI	
	enumeration	MN	
	enumeration	MS	
	enumeration	MT	
	enumeration	NE	
	enumeration	NH	
	enumeration	NV	
	enumeration	NJ	
	enumeration	NM	
	enumeration	NY	
	enumeration	NC	
	enumeration	ND	
	enumeration	MP	
	enumeration	OH	
	enumeration	OR	

	enumeration OK
	enumeration PW
	enumeration PA
	enumeration PR
	enumeration RI
	enumeration SC
	enumeration SD
	enumeration TN
	enumeration TX
	enumeration UT
	enumeration VT
	enumeration VI
	enumeration VA
	enumeration WA
	enumeration WV
	enumeration WI
	enumeration WY

4417

4418

4419 element **manifestMailPieceType/PostalCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s11												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>11</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	11		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	11												
whiteSpace	preserve												

4420

4421

4422 element **manifestMailPieceType/InternationalProvince**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4423

4424

4425 element manifestMailPieceType/CountryType

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s03														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	3														
whiteSpace	preserve														

4426

4427

4428 element manifestMailPieceType/ContainerType1

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s02														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	2														
whiteSpace	preserve														

4429

4430

4431 element manifestMailPieceType/ContainerID1

diagram												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm											
type	mailxml_base:iMBType											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation										
minLength	20											
maxLength	34											

4432

4433

4434 element manifestMailPieceType/ContainerType2

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s02														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	2														
whiteSpace	preserve														

4435

4436

4437 element **manifestMailPieceType/ContainerID2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBType
facets	Kind Value Annotation minLength 20 maxLength 34

4438

4439

4440 element **manifestMailPieceType/ContainerType3**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

4441

4442


4443 element **manifestMailPieceType/ContainerID3**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBType
facets	Kind Value Annotation minLength 20 maxLength 34

4444

4445

4446 element **manifestMailPieceType/Customs**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:customsType
children	mailxml mm:Category mailxml mm:Count mailxml mm:Value

4447

4448

4449 element **manifestMailPieceType/PriceGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4450

4451

4452 element **manifestMailPieceType/RateType**

diagram																																																																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																											
type	mailxml_base:rateType																																																																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>R</td><td></td></tr> <tr><td>enumeration</td><td>L</td><td></td></tr> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>S</td><td></td></tr> <tr><td>enumeration</td><td>S1</td><td></td></tr> <tr><td>enumeration</td><td>S2</td><td></td></tr> <tr><td>enumeration</td><td>S3</td><td></td></tr> <tr><td>enumeration</td><td>S4</td><td></td></tr> <tr><td>enumeration</td><td>S5</td><td></td></tr> <tr><td>enumeration</td><td>S6</td><td></td></tr> <tr><td>enumeration</td><td>S7</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>N</td><td></td></tr> <tr><td>enumeration</td><td>P</td><td></td></tr> <tr><td>enumeration</td><td>T</td><td></td></tr> <tr><td>enumeration</td><td>D</td><td></td></tr> <tr><td>enumeration</td><td>X</td><td></td></tr> <tr><td>enumeration</td><td>H</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>Z</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>E4</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	L		enumeration	B		enumeration	C		enumeration	S		enumeration	S1		enumeration	S2		enumeration	S3		enumeration	S4		enumeration	S5		enumeration	S6		enumeration	S7		enumeration	F		enumeration	A		enumeration	N		enumeration	P		enumeration	T		enumeration	D		enumeration	X		enumeration	H		enumeration	M		enumeration	Z		enumeration	E		enumeration	E4	
Kind	Value	Annotation																																																																										
enumeration	R																																																																											
enumeration	L																																																																											
enumeration	B																																																																											
enumeration	C																																																																											
enumeration	S																																																																											
enumeration	S1																																																																											
enumeration	S2																																																																											
enumeration	S3																																																																											
enumeration	S4																																																																											
enumeration	S5																																																																											
enumeration	S6																																																																											
enumeration	S7																																																																											
enumeration	F																																																																											
enumeration	A																																																																											
enumeration	N																																																																											
enumeration	P																																																																											
enumeration	T																																																																											
enumeration	D																																																																											
enumeration	X																																																																											
enumeration	H																																																																											
enumeration	M																																																																											
enumeration	Z																																																																											
enumeration	E																																																																											
enumeration	E4																																																																											

	enumeration G enumeration 1 enumeration 2 enumeration 3 enumeration 4 enumeration J enumeration K enumeration V enumeration W enumeration Y enumeration Q
--	---

4453

4454


4455 element **manifestMailPieceType/BagNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4456

4457

4458 element **manifestMailPieceType/SubAreaWithinCountry**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s28												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>28</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	28		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	28												
whiteSpace	preserve												

4459

4460

4461 complexType **manifestMailType**

diagram	<pre> classDiagram manifestMailType { <<mailxml_mm>> m:HeaderRecordID <<mailxml_mm>> m:ManifestIDNumber <<mailxml_mm>> m:ElectronicFileType <<mailxml_mm>> m:USPSElectronicFileVersionNumber <<mailxml_mm>> m:ElectronicFileNumber <<mailxml_mm>> m:DateOfMailing <<mailxml_mm>> m:TimeOfMailing <<mailxml_mm>> m:EntryFacilityType <<mailxml_mm>> m:EntryFacilityZone <<mailxml_mm>> m:EntryFacilityZone <<mailxml_mm>> m:DirectEntryOrDelivery <<mailxml_mm>> m:ShipmentFeeCategory <<mailxml_mm>> m:ExtraFeeForShipping <<mailxml_mm>> m:FileRecordCount <<mailxml_mm>> m:SoftwareVendor <<mailxml_mm>> m:SoftwareVersion <<mailxml_mm>> m:TransactionID <<mailxml_mm>> m:TrackingInformation <<mailxml_mm>> m:PaymentInformation <<mailxml_mm>> m:SpecialProductInformation } </pre> <p>The diagram illustrates the structure of the manifestMailType complex type. It begins with a root element manifestMailType, which has three child elements: HeaderRecordID, ManifestIDNumber, and ElectronicFileType. Following these are several other required elements: USPSElectronicFileVersionNumber, ElectronicFileNumber, DateOfMailing, TimeOfMailing, EntryFacilityType, EntryFacilityZone, DirectEntryOrDelivery, ShipmentFeeCategory, ExtraFeeForShipping, FileRecordCount, SoftwareVendor, SoftwareVersion, and TransactionID. After these, there are three optional groups, each represented by a dashed box with a multiplicity of 0..∞: TrackingInformation, PaymentInformation, and SpecialProductInformation.</p>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:HeaderRecordID mailxml_mm:ManifestIDNumber mailxml_mm:ElectronicFileType mailxml_mm:USPSElectronicFileVersionNumber mailxml_mm:ElectronicFileNumber mailxml_mm:DateOfMailing mailxml_mm:TimeOfMailing mailxml_mm:EntryFacilityType

	mailxml mm:EntryFacilityZipCode mailxml mm:EntryFacilityZipPlusFour mailxml mm:DirectEntryOriginCountryCode mailxml mm:ShipmentFeeCode mailxml mm:ExtraFeeForShipment mailxml mm:FileRecordCount mailxml mm:SoftwareVendorProductVersion mailxml mm:SoftwareVendorCode mailxml mm:TransactionID mailxml mm:TrackingInformation mailxml mm:PaymentInformation mailxml mm:SpecialProductInformation
used by	element ManifestCreateRequest/ManifestMailInfo

4462

4463

4464 element **manifestMailType/HeaderRecordID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

4465

4466

4467 element **manifestMailType/ManifestIDNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4468

4469

4470 element **manifestMailType/ElectronicFileType**

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:electronicFileType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	C	
Kind	Value	Annotation																													
minLength	1																														
maxLength	1																														
whiteSpace	preserve																														
enumeration	1																														
enumeration	2																														
enumeration	3																														
enumeration	4																														
enumeration	5																														
enumeration	C																														

4471

4472


4473 element **manifestMailType/USPSElectronicFileVersionNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns03

4474

4475

4476 element **manifestMailType/ElectronicFileNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns34

4477

4478

4479 element **manifestMailType/DateOfMailing**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4480

4481

4482 element **manifestMailType/TimeOfMailing**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

4483

4484

4485 element **manifestMailType/EntryFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:entryFacilityType
facets	Kind Value Annotation enumeration O enumeration B enumeration S

	enumeration D enumeration A enumeration W enumeration H enumeration R
--	---

4486

4487

4488 element **manifestMailType/EntryFacilityZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s05

4489

4490

4491 element **manifestMailType/EntryFacilityZipPlusFour**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

4492

4493

4494 element **manifestMailType/DirectEntryOriginCountryCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

4495

4496

4497 element **manifestMailType/ShipmentFeeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03

facets	Kind minLength maxLength whiteSpace	Value 1 3 preserve	Annotation
--------	--	-----------------------------	------------

4498

4499

4500 element **manifestMailType/ExtraFeeForShipment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns06

4501

4502

4503 element **manifestMailType/FileRecordCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4504

4505

4506 element **manifestMailType/SoftwareVendorProductVersion**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s08
facets	Kind minLength maxLength whiteSpace

4507

4508

4509 element **manifestMailType/SoftwareVendorCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s04
facets	Kind minLength maxLength whiteSpace

4510

4511

4512 element **manifestMailType/TransactionID**


diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s12												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>12</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

4513

4514

4515 element **manifestMailType/TrackingInformation**

diagram




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:manifestTrackingInformationType
children	mailxml mm:DetailRecordID mailxml mm:IMpb mailxml mm:MailClass mailxml mm:ServiceTypeCode mailxml mm:BarCodeConstructCode mailxml mm:DestinationZipCode mailxml mm:DestinationZipPlusFour mailxml mm:DestinationFacilityType mailxml mm:DestinationCountryCode mailxml mm:PostalCode mailxml mm:CarrierRoute mailxml mm:LogisticsManagerMID mailxml mm:MailOwnerMID mailxml mm:ContainerID1 mailxml mm:ContainerType1 mailxml mm:ContainerType2 mailxml mm:ContainerID2 mailxml mm:ContainerType3 mailxml mm:ContainerID3 mailxml mm:MailOwnerCRID mailxml mm:CustomerReferenceID mailxml mm:FASTReservationNumber mailxml mm:FASTScheduledInductionDate mailxml mm:FASTScheduledInductionTime

4516

4517

4518 element manifestMailType/PaymentInformation



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:paymentInformationType
children	mailxml mm:PaymentAccountNumber mailxml mm:PaymentMethod mailxml mm:CSSCProductID mailxml mm:CSSCNumber mailxml mm:ProcessingCategory mailxml mm:RateIndicator mailxml mm:Height mailxml mm:Width mailxml mm:Length mailxml mm:ExtraServiceFeeFifthService mailxml mm:ExtraServiceFeeFourthService mailxml mm:ExtraServiceFeeThirdService mailxml mm:ExtraServiceFeeSecondService mailxml mm:ExtraServiceFeeFirstService mailxml mm:ExtraServiceCodeFifthService mailxml mm:ExtraServiceCodeFourthService mailxml mm:ExtraServiceCodeThirdService mailxml mm:ExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeFirstService mailxml mm:ValueOfArticle mailxml mm:CODAmountDueSender mailxml mm:HandlingCharge mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:NonIncidentalEnclosureRateIndicator mailxml mm:NonIncidentalEnclosureClass mailxml mm:NonIncidentalEnclosurePostage mailxml mm:NonIncidentalEnclosureWeight mailxml mm:NonIncidentalEnclosureProcessingCategory mailxml mm:POBoxIndicator mailxml mm:SignatureWaiver mailxml mm:PostalRoutingBarcode mailxml mm:OpenDistributeContentsIndicator mailxml mm:DeliveryOptionIndicator mailxml mm:DestinationDeliveryPoint mailxml mm:DiscountAmount mailxml mm:DiscountType mailxml mm:DimensionalWeight mailxml mm:Zone mailxml mm:DestinationRateInd mailxml mm:PieceWeight mailxml mm:WeightUnit mailxml mm:PostageType mailxml mm:Postage mailxml mm:ChargebackCode mailxml mm:MeterSerialNumber mailxml mm:PostOfficeOfAccountZipCode

4519

4520


4521 element **manifestMailType/SpecialProductInformation**

diagram	<pre> classDiagram class mailxml_mm:mm:SpecialProduct... attribute m:ElectronicFile... attribute m:IMpb attribute m:RecipientName attribute m:DeliveryAddress attribute m:State attribute m:City attribute m:Delivery... attribute m:DeliveryZipPl... attribute m:RecipientEmail... attribute m:SenderName attribute m:SenderEmailA... attribute m:SenderSMSNu... attribute m:RecipientSMS... end mailxml_mm:mm:SpecialProduct... "0..∞" --> " " </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:specialProductInformationType</u>
children	<u>mailxml_mm:ElectronicFileDetailRecordID</u> <u>mailxml_mm:IMpb</u> <u>mailxml_mm:RecipientName</u> <u>mailxml_mm:DeliveryAddress</u> <u>mailxml_mm:State</u> <u>mailxml_mm:City</u> <u>mailxml_mm:DeliveryZip</u> <u>mailxml_mm:DeliveryZipPlusFour</u> <u>mailxml_mm:RecipientEmailAddress</u> <u>mailxml_mm:SenderName</u> <u>mailxml_mm:SenderEmailAddress</u> <u>mailxml_mm:SenderSMSNumber</u> <u>mailxml_mm:RecipientSMSNumber</u>

4522

4523

4524 complexType **manifestPaymentExtractDataType**



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMpb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID
used by	elements ManifestPaymentExtractDelivery/ManifestExtractData ManifestPaymentExtractQueryResponse/QueryResults/ManifestExtractData

4525

4526

4527 element **manifestPaymentExtractDataType/RecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4528

4529

4530 element **manifestPaymentExtractDataType/FileVersionNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4531

4532

4533 element **manifestPaymentExtractDataType/TransactionID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4534

4535

4536 element **manifestPaymentExtractDataType/MailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4537

4538


4539 element **manifestPaymentExtractDataType/MailingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4540

4541

4542 element **manifestPaymentExtractDataType/ProcessingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4543

4544

4545 element **manifestPaymentExtractDataType/ProcessingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4546

4547

4548 element **manifestPaymentExtractDataType/EntryFacilityZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4549

4550

4551 element **manifestPaymentExtractDataType/EntryFacilityZip4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4552

4553

4554 element **manifestPaymentExtractDataType/PICIMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4555

4556

4557 element **manifestPaymentExtractDataType/MailClass**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
-----------	---

4558

4559

4560 element **manifestPaymentExtractDataType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4561

4562

4563 element **manifestPaymentExtractDataType/Weight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4564

4565

4566 element **manifestPaymentExtractDataType/DimWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4567

4568


4569 element **manifestPaymentExtractDataType/Length**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4570

4571

4572 element **manifestPaymentExtractDataType/Width**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4573

4574

4575 element **manifestPaymentExtractDataType/Height**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4576

4577


4578 element manifestPaymentExtractDataType/PackageDestinationZIP

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4579

4580


4581 element manifestPaymentExtractDataType/DestinationZIP4

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4582

4583

4584 element manifestPaymentExtractDataType/DestinationRateIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4585

4586


4587 element manifestPaymentExtractDataType/RateIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4588

4589

4590 element manifestPaymentExtractDataType/Zone

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4591

4592

4593 element manifestPaymentExtractDataType/PostalRoutingBarcode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4594

4595

4596 element manifestPaymentExtractDataType/ExtraServiceCodeFirstService

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4597

4598

4599 element **manifestPaymentExtractDataType/FeeForExtraServiceCodeFirstService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4600

4601

4602 element **manifestPaymentExtractDataType/ExtraServiceCodeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4603

4604

4605 element **manifestPaymentExtractDataType/FeeForExtraServiceCodeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4606

4607

4608 element **manifestPaymentExtractDataType/ExtraServiceCodeThirdService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4609

4610

4611 element **manifestPaymentExtractDataType/FeeForExtraServiceCodeService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4612

4613

4614 element **manifestPaymentExtractDataType/DiscountType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4615

4616

4617 element **manifestPaymentExtractDataType/DiscountAmount**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
-----------	---

4618

4619

4620 element **manifestPaymentExtractDataType/SurchargeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4621

4622

4623 element **manifestPaymentExtractDataType/SurchargeAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4624

4625

4626 element **manifestPaymentExtractDataType/CustomerReferenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4627

4628

4629 element **manifestPaymentExtractDataType/PriceType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4630

4631

4632 element **manifestPaymentExtractDataType/USPSCalculatedManifestPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4633

4634

4635 element **manifestPaymentExtractDataType/PaymentStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4636

4637

4638 element **manifestPaymentExtractDataType/CAPSTransactionID**

diagram	A sequence diagram showing three components connected sequentially. The first component is labeled "mailxml_mm:m:CAPSTransacti...". This is followed by a connector, which then leads to a dashed rectangular box. Inside this dashed box, there are two more components: "mailxml_mm:m:ManifestPiece..." and "mailxml_mm:m:ConsigneeMan...".
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

4639

4640

4641 complexType **manifestPieceListType**

diagram	A diagram showing the "manifestPieceListType" element connected to two other elements via a dashed box. The "manifestPieceListType" is connected to "mailxml_mm:m:ManifestPieceOrDetailRecordID" and "mailxml_mm:m:ConsigneeManifestPieceORDetailID". Both of these are contained within a single dashed rectangular box.
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:m:ManifestPieceOrDetailRecordID mailxml_mm:m:ConsigneeManifestPieceORDetailID

4642

4643

4644 element **manifestPieceListType/ManifestPieceOrDetailRecordID**

diagram	A diagram showing a single dashed rectangular box containing the element "mailxml_mm:m:ManifestPiece...".
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4645

4646

4647 element **manifestPieceListType/ConsigneeManifestPieceORDetailID**

diagram	A diagram showing a single dashed rectangular box containing the element "mailxml_mm:m:ConsigneeMan...".
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns22

4648

4649

4650 complexType **manifestTrackingInformationType**

diagram	<pre> classDiagram manifestTrackingInformationType < -- m:DetailRecordID manifestTrackingInformationType < -- m:IMpb manifestTrackingInformationType < -- m:MailClass manifestTrackingInformationType < -- m:ServiceTypeCo... manifestTrackingInformationType < -- m:BarCodeConstr... manifestTrackingInformationType < -- m:DestinationZi... manifestTrackingInformationType < -- m:DestinationZi... manifestTrackingInformationType < -- m:DestinationFa... manifestTrackingInformationType < -- m:DestinationCo... manifestTrackingInformationType < -- m:PostalCode manifestTrackingInformationType < -- m:CarrierRoute manifestTrackingInformationType < -- m:LogisticsMan... manifestTrackingInformationType < -- m:MailOwnerMID manifestTrackingInformationType < -- m:ContainerID1 manifestTrackingInformationType < -- m:ContainerType1 manifestTrackingInformationType < -- m:ContainerType2 manifestTrackingInformationType < -- m:ContainerID2 manifestTrackingInformationType < -- m:ContainerType3 manifestTrackingInformationType < -- m:ContainerID3 manifestTrackingInformationType < -- m:MailOwnerCRID manifestTrackingInformationType < -- m:CustomerRefer... manifestTrackingInformationType < -- m:FASTReservati... manifestTrackingInformationType < -- m:FASTSchedule... manifestTrackingInformationType < -- m:FASTSchedule... </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

children	mailxml mm:DetailRecordID mailxml mm:IMpb mailxml mm:MailClass mailxml mm:ServiceTypeCode mailxml mm:BarCodeConstructCode mailxml mm:DestinationZipCode mailxml mm:DestinationZipPlusFour mailxml mm:DestinationFacilityType mailxml mm:DestinationCountryCode mailxml mm:PostalCode mailxml mm:CarrierRoute mailxml mm:LogisticsManagerMID mailxml mm:MailOwnerMID mailxml mm:ContainerID1 mailxml mm:ContainerType1 mailxml mm:ContainerType2 mailxml mm:ContainerID2 mailxml mm:ContainerType3 mailxml mm:ContainerID3 mailxml mm:MailOwnerCRID mailxml mm:CustomerReferenceID mailxml mm:FASTReservationNumber mailxml mm:FASTScheduledInductionDate mailxml mm:FASTScheduledInductionTime
used by	element manifestMailType/TrackingInformation

4651

4652

4653 element [manifestTrackingInformationType/DetailRecordID](#)

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

4654

4655

4656 element [manifestTrackingInformationType/IMpb](#)

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

4657

4658

4659 element [manifestTrackingInformationType/MailClass](#)

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:mailClassType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2	
Kind	Value	Annotation								
enumeration	1									
enumeration	2									

	enumeration 3 enumeration 4 enumeration 6
--	---

4660

4661

4662 element **manifestTrackingInformationType/ServiceTypeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ServiceTypeCodeType

4663

4664

4665 element **manifestTrackingInformationType/BarCodeConstructCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s04												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

4666

4667

4668 element **manifestTrackingInformationType/DestinationZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:zipCode

4669

4670

4671 element **manifestTrackingInformationType/DestinationZipPlusFour**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

4672

4673

4674 element **manifestTrackingInformationType/DestinationFacilityType**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s01		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	1	
	whiteSpace	preserve	

4675

4676

4677 element **manifestTrackingInformationType/DestinationCountryCode**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s02		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	2	
	whiteSpace	preserve	

4678

4679

4680 element **manifestTrackingInformationType/PostalCode**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s11		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	11	
	whiteSpace	preserve	

4681

4682

4683 element **manifestTrackingInformationType/CarrierRoute**


diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s05		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	5	

	whiteSpace preserve
--	---------------------

4684

4685


4686 element **manifestTrackingInformationType/LogisticsManagerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

4687

4688


4689 element **manifestTrackingInformationType/MailOwnerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

4690

4691

4692 element **manifestTrackingInformationType/ContainerID1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBType
facets	Kind Value Annotation minLength 20 maxLength 34

4693

4694

4695 element **manifestTrackingInformationType/ContainerType1**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s02		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	2	
	whiteSpace	preserve	

4696

4697

4698 element **manifestTrackingInformationType/ContainerType2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation
	minLength 1
	maxLength 2
	whiteSpace preserve

4699

4700

4701 element **manifestTrackingInformationType/ContainerID2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBType
facets	Kind Value Annotation
	minLength 20
	maxLength 34

4702

4703

4704 element **manifestTrackingInformationType/ContainerType3**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation
	minLength 1
	maxLength 2
	whiteSpace preserve

4705

4706

4707 element manifestTrackingInformationType/ContainerID3

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:iMBType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>20</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	20		maxLength	34	
Kind	Value	Annotation								
minLength	20									
maxLength	34									

4708

4709


4710 element manifestTrackingInformationType/MailOwnerCRID

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

4711

4712

4713 element manifestTrackingInformationType/CustomerReferenceID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

4714

4715


4716 element manifestTrackingInformationType/FASTReservationNumber

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

4717

4718


4719 element **manifestTrackingInformationType/FASTScheduledInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:scheduledInductionDateType

4720

4721


4722 element **manifestTrackingInformationType/FASTScheduledInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

4723

4724

4725 complexType **palletContainerRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate
used by	element ContainerBundleSummaryRecords/PalletContainerRecord

4726

4727

4728 element **palletContainerRecordType/PublicationInfo**

diagram	<pre> classDiagram class PublicationInfo { <<mailxml_mm:m:PublicationInfo>> } class permitPublicationData { <<mailxml_defs:permitPublicationDataType>> PermitNumber PaymentAccountNumber PermitType PermitZip4 PublicationNumber PaymentAccountNumber } PublicationInfo "1" --> "1" permitPublicationData permitPublicationData "1" --> "1" PaymentAccountNumber </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

4729

4730

4731 element **palletContainerRecordType/PublicationTitle**

diagram	<pre> classDiagram class PublicationTitle { <<mailxml_mm:m:PublicationTitle>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

4732

4733

4734 element **palletContainerRecordType/PostageStatementLineNumber**

diagram	<pre> classDiagram class PostageStatementLineNumber { <<mailxml_mm:m:PostageState...>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:postageStatementLineNumber1Type												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E26</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E27</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E28</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E26		enumeration	E27		enumeration	E28	
Kind	Value	Annotation											
enumeration	E26												
enumeration	E27												
enumeration	E28												

	enumeration E29
	enumeration E30
	enumeration E31
	enumeration E32
	enumeration E33
	enumeration E34
	enumeration E35
	enumeration E36
	enumeration E37
	enumeration E38
	enumeration E39
	enumeration E40
	enumeration E41
	enumeration E42
	enumeration E43
	enumeration E44
	enumeration E45
	enumeration E46

4735

4736

4737 element **palletContainerRecordType/ChargeableContainerLevel**

diagram	 mailxml_mm:ChargeableCo...																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

4738

4739

4740 element **palletContainerRecordType/ChargeableEntryLevel**

diagram	 mailxml_mm:ChargeableEnt...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:chargeableEntryLevelType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	C	
Kind	Value	Annotation								
enumeration	B									
enumeration	C									

	enumeration D enumeration J enumeration K enumeration O enumeration R enumeration S enumeration P
--	---

4741

4742


4743 element **palletContainerRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4744

4745

4746 element **palletContainerRecordType/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

4747

4748

4749 element **palletContainerRecordType/VolumeNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

4750

4751

4752 element **palletContainerRecordType/IssueDate**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4753

4754

4755 complexType **palletContainerVersionRecordType**

diagram	<pre> classDiagram class palletContainerVersionRecordType { DocumentVersionData } class DocumentVersionData { PublicationInfo PublicationTitle PostageStatementLineNumber ChargeableContainerLevel ChargeableEntryLevel Containers IssueNumber VolumeNumber IssueDate } palletContainerVersionRecordType "1" --> "1" DocumentVersionData </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate
used by	element ContainerBundleVersionRecords/PalletContainerVersionRecord

4756

4757

4758 element **palletContainerVersionRecordType/PublicationInfo**

diagram	<pre> classDiagram class PublicationInfo { <<mailxml_mm:m:PublicationInfo>> } class permitPublicationData { <<mailxml_defs:permitPublicationData>> } class PermitNumber { <<mailxml_defs:fs:PermitNumber>> } class PaymentAccountNumber { <<mailxml_defs:fs:PaymentAccountNumber>> } class PermitType { <<mailxml_defs:fs:PermitType>> } class PermitZip4 { <<mailxml_defs:fs:PermitZip4>> } class PublicationNumber { <<mailxml_defs:fs:PublicationNumber>> } PublicationInfo --> permitPublicationData permitPublicationData --> PermitNumber permitPublicationData --> PaymentAccountNumber permitPublicationData --> PermitType permitPublicationData --> PermitZip4 permitPublicationData --> PublicationNumber PermitNumber --> PaymentAccountNumber PaymentAccountNumber --> PermitType PermitType --> PaymentAccountNumber PermitZip4 --> PaymentAccountNumber PublicationNumber --> PaymentAccountNumber </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

4759

4760

4761 element **palletContainerVersionRecordType/PublicationTitle**

diagram	<pre> classDiagram class PublicationTitle { <<mailxml_mm:m:PublicationTitle>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

4762

4763

4764 element **palletContainerVersionRecordType/PostageStatementLineNumber**

diagram	<pre> classDiagram class PostageStatementLine... { <<mailxml_mm:m:PostageStatementLine...>> } </pre>												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:postageStatementLineNumber1Type												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E26</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E27</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E28</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E26		enumeration	E27		enumeration	E28	
Kind	Value	Annotation											
enumeration	E26												
enumeration	E27												
enumeration	E28												

	enumeration E29
	enumeration E30
	enumeration E31
	enumeration E32
	enumeration E33
	enumeration E34
	enumeration E35
	enumeration E36
	enumeration E37
	enumeration E38
	enumeration E39
	enumeration E40
	enumeration E41
	enumeration E42
	enumeration E43
	enumeration E44
	enumeration E45
	enumeration E46

4765

4766

4767 element **palletContainerVersionRecordType/ChargeableContainerLevel**

diagram	 mailxml_mm:ChargeableCo...																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

4768

4769

4770 element **palletContainerVersionRecordType/ChargeableEntryLevel**


diagram	 mailxml_mm:ChargeableEnt...									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_mm:chargeableEntryLevelType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>B</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	C	
Kind	Value	Annotation								
enumeration	B									
enumeration	C									

	enumeration D enumeration J enumeration K enumeration O enumeration R enumeration S enumeration P
--	---

4771

4772


4773 element **palletContainerVersionRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4774

4775

4776 element **palletContainerVersionRecordType/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

4777

4778

4779 element **palletContainerVersionRecordType/VolumeNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s05												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

4780

4781

4782 element **palletContainerVersionRecordType/IssueDate**

diagram	
---------	---


namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4783

4784

4785 complexType **paymentInformationType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:PaymentAccountNumber mailxml mm:PaymentMethod mailxml mm:CSSCProductID mailxml mm:CSSCNumber mailxml mm:ProcessingCategory mailxml mm:RateIndicator mailxml mm:Height mailxml mm:Width mailxml mm:Length mailxml mm:ExtraServiceFeeFifthService mailxml mm:ExtraServiceFeeFourthService mailxml mm:ExtraServiceFeeThirdService mailxml mm:ExtraServiceFeeSecondService mailxml mm:ExtraServiceFeeFirstService mailxml mm:ExtraServiceCodeFifthService mailxml mm:ExtraServiceCodeFourthService mailxml mm:ExtraServiceCodeThirdService mailxml mm:ExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeFirstService mailxml mm:ValueOfArticle mailxml mm:CODAmountDueSender mailxml mm:HandlingCharge mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:NonIncidentalEnclosureRateIndicator mailxml mm:NonIncidentalEnclosureClass mailxml mm:NonIncidentalEnclosurePostage mailxml mm:NonIncidentalEnclosureWeight mailxml mm:NonIncidentalEnclosureProcessingCategory mailxml mm:POBoxIndicator mailxml mm:SignatureWaiver mailxml mm:PostalRoutingBarcode mailxml mm:OpenDistributeContentsIndicator mailxml mm:DeliveryOptionIndicator mailxml mm:DestinationDeliveryPoint mailxml mm:DiscountAmount mailxml mm:DiscountType mailxml mm:DimensionalWeight mailxml mm:Zone mailxml mm:DestinationRateInd mailxml mm:PieceWeight mailxml mm:WeightUnit mailxml mm:PostageType mailxml mm:Postage mailxml mm:ChargebackCode mailxml mm:MeterSerialNumber mailxml mm:PostOfficeOfAccountZipCode
used by	element manifestMailType/PaymentInformation

4786

4787

4788 element [paymentInformationType/PaymentAccountNumber](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns10

4789

4790


4791 element [paymentInformationType/PaymentMethod](#)

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_mm:postagePaymentMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	S		enumeration	M		enumeration	P	
Kind	Value	Annotation											
enumeration	S												
enumeration	M												
enumeration	P												

4792

4793


4794 element **paymentInformationType/CSSCPromotionID**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s14		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	14	
	whiteSpace	preserve	

4795

4796

4797 element **paymentInformationType/CSSCNumber**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s22		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	22	
	whiteSpace	preserve	

4798

4799

4800 element **paymentInformationType/ProcessingCategory**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:processingCategoryType		
facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

4801

4802

4803 element paymentInformationType/RateIndicaror

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

4804

4805

4806 element paymentInformationType/Height

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4807

4808

4809 element paymentInformationType/Width

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4810

4811


4812 element paymentInformationType/Length

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4813

4814

4815 element paymentInformationType/ExtraServiceFeeFifthService

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4816

4817

4818 element **paymentInformationType/ExtraServiceFeeFourthService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4819

4820

4821 element **paymentInformationType/ExtraServiceFeeThirdService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4822

4823

4824 element **paymentInformationType/ExtraServiceFeeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4825

4826

4827 element **paymentInformationType/ExtraServiceFeeFirstService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4828

4829

4830 element **paymentInformationType/ExtraServiceCodeFifthService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03
facets	Kind Value Annotation minLength 1 maxLength 3 whiteSpace preserve

4831

4832

4833 element paymentInformationType/ExtraServiceCodeFourthService

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s03		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	3	
	whiteSpace	preserve	

4834

4835

4836 element paymentInformationType/ExtraServiceCodeThirdService

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s03		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	3	
	whiteSpace	preserve	

4837

4838

4839 element paymentInformationType/ExtraServiceCodeSecondService

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s03		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	3	
	whiteSpace	preserve	

4840

4841

4842 element paymentInformationType/ExtraServiceCodeFirstService

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s03		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	3	

	whiteSpace preserve
--	---------------------

4843

4844

4845 element **paymentInformationType/ValueOfArticle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4846

4847


4848 element **paymentInformationType/CODAmountDueSender**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4849

4850


4851 element **paymentInformationType/HandlingCharge**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

4852

4853


4854 element **paymentInformationType/SurchargeType**

diagram																												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																											
type	mailxml_base:surchargeType																											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	2		enumeration	A		enumeration	D		enumeration	N		enumeration	P		enumeration	E		enumeration	R		enumeration	L	
Kind	Value	Annotation																										
enumeration	2																											
enumeration	A																											
enumeration	D																											
enumeration	N																											
enumeration	P																											
enumeration	E																											
enumeration	R																											
enumeration	L																											

4855

4856

4857 element **paymentInformationType/SurchargeAmount**

diagram	 mailxml_mm:mm:SurchargeAmo...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4858

4859

4860 element **paymentInformationType/NonIncidentalEnclosureRateIndicator**

diagram	 mailxml_mm:mm:NonIncidental...																																																																																													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																																																													
type	mailxml_mm:manifestRateLevelIndicatorType																																																																																													
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>AD</td><td></td></tr> <tr><td>enumeration</td><td>BA</td><td></td></tr> <tr><td>enumeration</td><td>BM</td><td></td></tr> <tr><td>enumeration</td><td>BN</td><td></td></tr> <tr><td>enumeration</td><td>BP</td><td></td></tr> <tr><td>enumeration</td><td>BS</td><td></td></tr> <tr><td>enumeration</td><td>B3</td><td></td></tr> <tr><td>enumeration</td><td>CB</td><td></td></tr> <tr><td>enumeration</td><td>CD</td><td></td></tr> <tr><td>enumeration</td><td>CH</td><td></td></tr> <tr><td>enumeration</td><td>CR</td><td></td></tr> <tr><td>enumeration</td><td>CS</td><td></td></tr> <tr><td>enumeration</td><td>C1</td><td></td></tr> <tr><td>enumeration</td><td>C2</td><td></td></tr> <tr><td>enumeration</td><td>C3</td><td></td></tr> <tr><td>enumeration</td><td>C4</td><td></td></tr> <tr><td>enumeration</td><td>C5</td><td></td></tr> <tr><td>enumeration</td><td>DN</td><td></td></tr> <tr><td>enumeration</td><td>DR</td><td></td></tr> <tr><td>enumeration</td><td>E1</td><td></td></tr> <tr><td>enumeration</td><td>E3</td><td></td></tr> <tr><td>enumeration</td><td>E4</td><td></td></tr> <tr><td>enumeration</td><td>FB</td><td></td></tr> <tr><td>enumeration</td><td>FE</td><td></td></tr> <tr><td>enumeration</td><td>IG</td><td></td></tr> <tr><td>enumeration</td><td>IM</td><td></td></tr> <tr><td>enumeration</td><td>MA</td><td></td></tr> <tr><td>enumeration</td><td>MB</td><td></td></tr> <tr><td>enumeration</td><td>NP</td><td></td></tr> <tr><td>enumeration</td><td>OS</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AD		enumeration	BA		enumeration	BM		enumeration	BN		enumeration	BP		enumeration	BS		enumeration	B3		enumeration	CB		enumeration	CD		enumeration	CH		enumeration	CR		enumeration	CS		enumeration	C1		enumeration	C2		enumeration	C3		enumeration	C4		enumeration	C5		enumeration	DN		enumeration	DR		enumeration	E1		enumeration	E3		enumeration	E4		enumeration	FB		enumeration	FE		enumeration	IG		enumeration	IM		enumeration	MA		enumeration	MB		enumeration	NP		enumeration	OS	
Kind	Value	Annotation																																																																																												
enumeration	AD																																																																																													
enumeration	BA																																																																																													
enumeration	BM																																																																																													
enumeration	BN																																																																																													
enumeration	BP																																																																																													
enumeration	BS																																																																																													
enumeration	B3																																																																																													
enumeration	CB																																																																																													
enumeration	CD																																																																																													
enumeration	CH																																																																																													
enumeration	CR																																																																																													
enumeration	CS																																																																																													
enumeration	C1																																																																																													
enumeration	C2																																																																																													
enumeration	C3																																																																																													
enumeration	C4																																																																																													
enumeration	C5																																																																																													
enumeration	DN																																																																																													
enumeration	DR																																																																																													
enumeration	E1																																																																																													
enumeration	E3																																																																																													
enumeration	E4																																																																																													
enumeration	FB																																																																																													
enumeration	FE																																																																																													
enumeration	IG																																																																																													
enumeration	IM																																																																																													
enumeration	MA																																																																																													
enumeration	MB																																																																																													
enumeration	NP																																																																																													
enumeration	OS																																																																																													

	enumeration PG
	enumeration PL
	enumeration PM
	enumeration PP
	enumeration PR
	enumeration RB
	enumeration SB
	enumeration SP
	enumeration S1
	enumeration S2
	enumeration S5
	enumeration 1A
	enumeration 1E
	enumeration 2A
	enumeration 2E
	enumeration 3A
	enumeration 3D
	enumeration 3E
	enumeration 5D
	enumeration 5S

4861

4862

4863 element **paymentInformationType/NonIncidentalEnclosureClass**

diagram																																																				
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																			
type	mailxml_mm:manifestMailClassType																																																			
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>BB</td><td></td></tr> <tr><td>enumeration</td><td>BL</td><td></td></tr> <tr><td>enumeration</td><td>BP</td><td></td></tr> <tr><td>enumeration</td><td>BS</td><td></td></tr> <tr><td>enumeration</td><td>CP</td><td></td></tr> <tr><td>enumeration</td><td>DM</td><td></td></tr> <tr><td>enumeration</td><td>EX</td><td></td></tr> <tr><td>enumeration</td><td>FC</td><td></td></tr> <tr><td>enumeration</td><td>IE</td><td></td></tr> <tr><td>enumeration</td><td>IL</td><td></td></tr> <tr><td>enumeration</td><td>LC</td><td></td></tr> <tr><td>enumeration</td><td>PG</td><td></td></tr> <tr><td>enumeration</td><td>PM</td><td></td></tr> <tr><td>enumeration</td><td>PS</td><td></td></tr> <tr><td>enumeration</td><td>S2</td><td></td></tr> <tr><td>enumeration</td><td>S3</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	BB		enumeration	BL		enumeration	BP		enumeration	BS		enumeration	CP		enumeration	DM		enumeration	EX		enumeration	FC		enumeration	IE		enumeration	IL		enumeration	LC		enumeration	PG		enumeration	PM		enumeration	PS		enumeration	S2		enumeration	S3	
Kind	Value	Annotation																																																		
enumeration	BB																																																			
enumeration	BL																																																			
enumeration	BP																																																			
enumeration	BS																																																			
enumeration	CP																																																			
enumeration	DM																																																			
enumeration	EX																																																			
enumeration	FC																																																			
enumeration	IE																																																			
enumeration	IL																																																			
enumeration	LC																																																			
enumeration	PG																																																			
enumeration	PM																																																			
enumeration	PS																																																			
enumeration	S2																																																			
enumeration	S3																																																			

	enumeration S4 enumeration SA
--	----------------------------------

4864

4865

4866 element **paymentInformationType/NonIncidentalEnclosurePostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4867

4868


4869 element **paymentInformationType/NonIncidentalEnclosureWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4870

4871

4872 element **paymentInformationType/NonIncidentalEnclosureProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:processingCategoryType

facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

4873

4874

4875 element **paymentInformationType/POBoxIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

4876

4877

4878 element **paymentInformationType/SignatureWaiver**

diagram	 mailxml_mm:im:SignatureWaiver									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

4879

4880

4881 element **paymentInformationType/PostalRoutingBarcode**

diagram	 mailxml_mm:im:PostalRouting...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

4882

4883

4884 element **paymentInformationType/OpenDistributeContentsIndicator**

diagram	 mailxml_mm:im:OpenDistribut...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

4885

4886

4887 element **paymentInformationType/DeliveryOptionIndicator**


diagram	 mailxml_mm:im:DeliveryOpti...
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s01		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	1	
	whiteSpace	preserve	

4888

4889


4890 element **paymentInformationType/DestinationDeliveryPoint**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns02

4891

4892


4893 element **paymentInformationType/DiscountAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4894

4895


4896 element **paymentInformationType/DiscountType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

4897

4898

4899 element **paymentInformationType/DimensionalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:weightUnitType
facets	Kind Value Annotation minLength 1

	<pre>maxLength 1 whiteSpace preserve enumeration 1 enumeration 2 enumeration 3</pre>
--	--

4900

4901

4902 element **paymentInformationType/Zone**

diagram																																																	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																																
type	mailxml_base:zoneIContentType																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>LC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> <tr> <td>enumeration</td> <td>7</td> <td></td> </tr> <tr> <td>enumeration</td> <td>8</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>DDU</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SCF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ADC</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	M		enumeration	LC		enumeration	1		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	A		enumeration	DDU		enumeration	SCF		enumeration	ADC	
Kind	Value	Annotation																																															
enumeration	N																																																
enumeration	M																																																
enumeration	LC																																																
enumeration	1																																																
enumeration	3																																																
enumeration	4																																																
enumeration	5																																																
enumeration	6																																																
enumeration	7																																																
enumeration	8																																																
enumeration	9																																																
enumeration	A																																																
enumeration	DDU																																																
enumeration	SCF																																																
enumeration	ADC																																																

4903

4904

4905 element **paymentInformationType/DestinationRateInd**

diagram																									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:manifestRateLevelIndicatorType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>AD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BA</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	AD		enumeration	BA		enumeration	BM		enumeration	BN		enumeration	BP		enumeration	BS		enumeration	B3	
Kind	Value	Annotation																							
enumeration	AD																								
enumeration	BA																								
enumeration	BM																								
enumeration	BN																								
enumeration	BP																								
enumeration	BS																								
enumeration	B3																								

	enumeration	CB
	enumeration	CD
	enumeration	CH
	enumeration	CR
	enumeration	CS
	enumeration	C1
	enumeration	C2
	enumeration	C3
	enumeration	C4
	enumeration	C5
	enumeration	DN
	enumeration	DR
	enumeration	E1
	enumeration	E3
	enumeration	E4
	enumeration	FB
	enumeration	FE
	enumeration	IG
	enumeration	IM
	enumeration	MA
	enumeration	MB
	enumeration	NP
	enumeration	OS
	enumeration	PG
	enumeration	PL
	enumeration	PM
	enumeration	PP
	enumeration	PR
	enumeration	RB
	enumeration	SB
	enumeration	SP
	enumeration	S1
	enumeration	S2
	enumeration	S5
	enumeration	1A
	enumeration	1E
	enumeration	2A
	enumeration	2E
	enumeration	3A
	enumeration	3D
	enumeration	3E
	enumeration	5D
	enumeration	5S

4906

4907


4908 element paymentInformationType/PieceWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4909

4910


4911 element paymentInformationType/WeightUnit

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_base:weightUnitType																					
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>1</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve		enumeration	1		enumeration	2		enumeration	3	
Kind	Value	Annotation																				
minLength	1																					
maxLength	1																					
whiteSpace	preserve																					
enumeration	1																					
enumeration	2																					
enumeration	3																					

4912

4913


4914 element paymentInformationType/PostageType

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>1</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

4915

4916


4917 element paymentInformationType/Postage

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4918

4919

4920 element **paymentInformationType/ChargebackCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

4921

4922


4923 element **paymentInformationType/MeterSerialNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s20												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

4924

4925


4926 element **paymentInformationType/PostOfficeOfAccountZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns05

4927

4928


4929 complexType **PDRMailPieceBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaseID mailxml_mm:MailPieceBlock
used by	elements mailPieceCancelType/PDRMailPieceBlock mailPieceRequestType/PDRMailPieceBlock

4930

4931

4932 element **PDRMailPieceBlockType/PackagelD**

diagram	 												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:packageIDType												
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>minLength</td><td>1</td><td></td></tr><tr><td>maxLength</td><td>6</td><td></td></tr><tr><td>whiteSpace</td><td>preserve</td><td></td></tr></tbody></table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

4933

4934

4935 element **PDRMailPieceBlockType/CQTDatabaseID**


diagram	 									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CQTdatabaseIDType									
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>totalDigits</td><td>8</td><td></td></tr><tr><td>whiteSpace</td><td>collapse</td><td></td></tr></tbody></table>	Kind	Value	Annotation	totalDigits	8		whiteSpace	collapse	
Kind	Value	Annotation								
totalDigits	8									
whiteSpace	collapse									

4936

4937

4938 element **PDRMailPieceBlockType/MailPieceBlock**

diagram




namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml mm:mailPieceBlockType
children	mailxml mm:ServiceLevelIndicator mailxml mm:LOTSequenceDirectionCode mailxml mm:LOTSequenceNumber mailxml mm:WalkSequenceNumber mailxml mm:IMPackageBarcode mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:PlanetCode mailxml mm:DeliveryPointZIP mailxml mm:DeliveryContainerID mailxml mm:DeliveryPointZIP mailxml mm:IMB mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPackageBarcode mailxml mm:ReferenceableMailID mailxml mm:PieceID mailxml_defs:ExtraServiceData mailxml mm:WastedPieceIndicator mailxml mm:MOCRRateANDpostageMarking mailxml mm:MoveComplianceUpdateMethod mailxml mm:MailOwner mailxml mm:BarCodeApplicator mailxml mm:MachineID mailxml mm:ACSKeyline mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold

4939

4940

4941 complexType **periodicalStatementDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml mm:abstractPeriodicalStatementDataType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm>LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:StatementID mailxml mm:MailClass mailxml mm:Origin mailxml mm:PostageStatementStatus mailxml mm:TotalCopies mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalWeight mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:MailArrivalDateandTime mailxml mm:PaymentDateandTime mailxml mm:StartTheClockDate mailxml mm:ContainerPostage
used by	element PeriodicalStatementQueryResponse/QueryResults/PeriodicalStatementData

4942

4943

4944 element [periodicalStatementDataType/StatementID](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4945

4946

4947 element [periodicalStatementDataType/MailClass](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailClassType

	facets	Kind	Value	Annotation
		enumeration	1	
		enumeration	2	
		enumeration	3	
		enumeration	4	
		enumeration	6	

4948

4949

4950 element **periodicalStatementDataType/Origin**

	diagram	mailxml_mm:Origin
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:s06
	facets	Kind Value Annotation minLength 1 maxLength 6 whiteSpace preserve

4951

4952

4953 element **periodicalStatementDataType/PostageStatementStatus**

	diagram	mailxml_mm:PostageState...
	namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
	type	mailxml_base:postageStatementStatusType
	facets	Kind Value Annotation enumeration UPD enumeration FIN enumeration REW enumeration REV enumeration CAN enumeration FAI enumeration PEN enumeration PAS enumeration INC enumeration NAP enumeration EST enumeration CON enumeration ERR enumeration COM enumeration AVW enumeration PAV enumeration FPP

4954

4955

4956 element **periodicalStatementDataType/TotalCopies**

diagram	 mailxml_mm:mm:TotalCopies
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4957

4958

4959 element **periodicalStatementDataType/TotalPieces**

diagram	 mailxml_mm:mm:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

4960

4961

4962 element **periodicalStatementDataType/TotalPostageAmount**

diagram	 mailxml_mm:mm:TotalPostageA...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4963

4964

4965 element **periodicalStatementDataType/TotalWeight**

diagram	 mailxml_mm:mm:TotalWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4966

4967

4968 element **periodicalStatementDataType/MailingAgentData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { mailxml_mm:m:Address1 mailxml_mm:m:Address2 mailxml_mm:m:City mailxml_mm:m:Count... mailxml_mm:m:Email mailxml_mm:m:MID mailxml_mm:m:CRID mailxml_mm:m>ContactName mailxml_mm:m:PermitPublicationData mailxml_mm:m:PhoneAreaCode mailxml_mm:m:PhoneExtension mailxml_mm:m:PhoneLast4 mailxml_mm:m:PhonePrefix mailxml_mm:m:State mailxml_mm:m:ZipCode mailxml_mm:m:ZipCode4 } class mailxml_mm:m:MailingAgent... mailxml_mm:m:MailingAgent... --> mailxml_mm:mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm>ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

4969

4970

4971 element **periodicalStatementDataType/PublisherData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { mailxml_mm:m:Address1 mailxml_mm:m:Address2 mailxml_mm:m:City mailxml_mm:m:Country mailxml_mm:m:Email mailxml_mm:m:MID mailxml_mm:m:CRID mailxml_mm:m>ContactName mailxml_mm:m:PermitPublicationData mailxml_mm:m:PhoneAreaCode mailxml_mm:m:PhoneExtension mailxml_mm:m:PhoneLast4 mailxml_mm:m:PhonePrefix mailxml_mm:m:State mailxml_mm:m:ZipCode mailxml_mm:m:ZipCode4 } class mailxml_mm:PublisherData mailxml_mm:PublisherData --> mailxml_mm:mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm>ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

4972

4973

4974 element **periodicalStatementDataType/PendingPostageAmount**

diagram	<pre> classDiagram class mailxml_mm:PendingPostageAmount </pre>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

4975

4976

4977 element **periodicalStatementDataType/MailArrivalDateandTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

4978

4979

4980 element **periodicalStatementDataType/PaymentDateandTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

4981

4982


4983 element **periodicalStatementDataType/StartTheClockDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

4984

4985


4986 element **periodicalStatementDataType/ContainerPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

4987

4988

4989 complexType **pieceRangeBlockType**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:PieceRangeID mailxml mm:IMbarcodeLowerSerialization mailxml mm:IMbarcodeUpperSerialization mailxml mm:MailPreparer mailxml mm:MailOwner mailxml mm:ServiceTypeCode mailxml mm:MailClass mailxml mm:ServiceLevelIndicator mailxml mm:Pieces mailxml mm:Copies
used by	elements mailXMLPieceRangeBlockType/PieceRangeBlock mailPieceCancelType/PDRRangePieceBlock/PieceRangeBlock

4990

4991

4992 element **pieceRangeBlockType/PieceRangeID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s22												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>22</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	22		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	22												
whiteSpace	preserve												

4993

4994

4995 element **pieceRangeBlockType/IMbarcodeLowerSerialization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:MailerID6 mailxml mm:SerialNumber9 mailxml mm:MailerID9 mailxml mm:SerialNumber6

4996

4997

4998 element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID6Type

4999

5000

5001 element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBSerialNumber9Type

5002

5003

5004 element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID9Type

5005

5006


5007 element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBSerialNumber6Type

5008

5009

5010 element **pieceRangeBlockType/IMbarcodeUpperSerialization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:MailerID6 mailxml_mm:SerialNumber9 mailxml_mm:MailerID9 mailxml_mm:SerialNumber6

5011

5012

5013 element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID6Type

5014

5015

5016 element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBSerialNumber9Type

5017

5018

5019 element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID9Type

5020

5021


5022 element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:iMBSerialNumber6Type

5023

5024

5025 element **pieceRangeBlockType/MailPreparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

e							
type	mailxml_defs:participantIDType						
attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	

mailxml_defs:MailerID6 **mailxml_base:mailerID6Type**

mailxml_defs:MailerID9 **mailxml_base:mailerID9Type**

mailxml_defs:CRID **mailxml_base:CRIDType**

mailxml_defs:SchedulerID **mailxml_base:s12**

mailxml_defs:MaildatUserLicense **mailxml_base:userLicenseCodeType**

mailxml_defs:ShippingAgentID **mailxml_base:s12**

mailxml_defs:ReceivingAgentID **mailxml_base:s12**

5026

5027

5028 element **pieceRangeBlockType/MailOwner**

diagram	The diagram illustrates the structure of the mailxml_defs:participantIDType complex type. It is represented by a yellow dashed box containing a tree view of its attributes. The attributes listed are: fs:MailerID6 , fs:MailerID9 , fs:CRID , fs:SchedulerID , fs:MaildatUserLi... , fs:ShippingAgen... , and fs:ReceivingAge... . A reference line connects this box to a mailxml_mm:m:MailOwner element, which is shown in a separate dashed box.						
namespac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_defs:participantIDType						
attributes	Name	Type	Us e	Defaul t	Fixe d	Annotatio n	

mailxml_defs:MailerID6 **mailxml_base:mailerID6Type**

mailxml_defs:MailerID9 **mailxml_base:mailerID9Type**

mailxml_defs:CRID **mailxml_base:CRIDType**

mailxml_defs:SchedulerID **mailxml_base:s12**

mailxml_defs:MaildatUserLicense **mailxml_base:userLicenseCodeType**


mailxml_defs:ShippingAgentID **mailxml_base:s12**

mailxml_defs:ReceivingAgentID **mailxml_base:s12**

5029

5030

5031 element **pieceRangeBlockType/ServiceTypeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ServiceTypeCodeType

5032

5033

5034 element **pieceRangeBlockType/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:mailClassType																		
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>1</td><td></td></tr><tr><td>enumeration</td><td>2</td><td></td></tr><tr><td>enumeration</td><td>3</td><td></td></tr><tr><td>enumeration</td><td>4</td><td></td></tr><tr><td>enumeration</td><td>6</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

5035

5036

5037 element **pieceRangeBlockType/ServiceLevelIndicator**

diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:serviceLevelIndicatorType															
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>F</td><td></td></tr><tr><td>enumeration</td><td>B</td><td></td></tr><tr><td>enumeration</td><td>P</td><td></td></tr><tr><td>enumeration</td><td>O</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	F		enumeration	B		enumeration	P		enumeration	O	
Kind	Value	Annotation														
enumeration	F															
enumeration	B															
enumeration	P															
enumeration	O															

5038

5039

5040 element **pieceRangeBlockType/Pieces**

diagram	 1..∞
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5041

5042

5043 element **pieceRangeBlockType/Copies**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5044

5045

5046 complexType **postageStatementDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	extension of mailxml mm:abstractPostageStatementDataType
children	mailxml mm:AgencyCostCode mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:CustomerCommitmentAgreementNumber mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:EnclosedBy mailxml mm:DMLType mailxml mm:EstimateIndicator mailxml mm:ExtendedForm mailxml mm:FormType mailxml mm:PostageStatementLineItemData mailxml mm:PostageStatementMailingDate mailxml mm:PackagingMethod mailxml mm:PostageAffixedAmount mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:RateType mailxml mm:RegisterOfMailing mailxml mm:SackingBasis mailxml mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml mm:ExtraServiceSummaryData mailxml mm:StatementSequenceNumber mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MeteredAffixedMethod mailxml mm:CombinedMailingID mailxml mm:SinglePieceDimensionalWeight mailxml mm:EnclosingVolumeNo mailxml mm:EnclosingIssueNo mailxml mm:EnclosingIssueDate mailxml mm:MoveUpdateMethod mailxml mm:PaymentDateandTime mailxml mm:MailArrivalDateandTime mailxml mm:PostageAutoFinalization mailxml mm:FCMLtrResidualPrepIndicator mailxml mm:SSFTID mailxml mm:StatementID mailxml mm:ConfirmationNumber mailxml mm:MailClass mailxml mm:Origin mailxml mm:SpecialFeesAmount mailxml mm:PostateStatementStatus mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalPostageAmountDue mailxml mm:TotalWeight mailxml mm:PermitHolderData mailxml mm:MailingOwnerData mailxml mm:MailingAgentData mailxml mm:PermitHolderForAPData mailxml mm:StartTheClockDate mailxml mm:ContainerPostage
used by	element PostageStatementQueryResponse/QueryResults/PostageStatementData

5047

5048

5049 element **postageStatementDataType/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5050

5051

5052 element **postageStatementDataType/ConfirmationNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:nonNegativeInteger
------	------------------------------

5053

5054


5055 element **postageStatementDataType/MailClass**

diagram																			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml_base:mailClassType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	6	
Kind	Value	Annotation																	
enumeration	1																		
enumeration	2																		
enumeration	3																		
enumeration	4																		
enumeration	6																		

5056

5057

5058 element **postageStatementDataType/Origin**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:string

5059

5060

5061 element **postageStatementDataType/SpecialFeesAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5062

5063

5064 element **postageStatementDataType/PostateStatementStatus**


diagram																
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	mailxml_base:postageStatementStatusType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>UPD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FIN</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REW</td> <td></td> </tr> <tr> <td>enumeration</td> <td>REV</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	UPD		enumeration	FIN		enumeration	REW		enumeration	REV	
Kind	Value	Annotation														
enumeration	UPD															
enumeration	FIN															
enumeration	REW															
enumeration	REV															

	enumeration CAN
	enumeration FAI
	enumeration PEN
	enumeration PAS
	enumeration INC
	enumeration NAP
	enumeration EST
	enumeration CON
	enumeration ERR
	enumeration COM
	enumeration AVW
	enumeration PAV
	enumeration FPP

5065

5066

5067 element **postageStatementDataType/TotalPieces**

diagram	 mailxml_mm:TotalPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5068

5069

5070 element **postageStatementDataType/TotalPostageAmount**

diagram	 mailxml_mm:TotalPostageA...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5071

5072


5073 element **postageStatementDataType/TotalPostageAmountDue**

diagram	 mailxml_mm:TotalPostageA...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5074

5075

5076 element **postageStatementDataType/TotalWeight**

diagram	 mailxml_mm:TotalWeight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

	<table border="1"> <tr> <td style="padding: 5px;">type</td><td style="padding: 5px;">xs:double</td></tr> </table>	type	xs:double
type	xs:double		
	5077		
	5078		
	5079 element postageStatementDataType/PermitHolderData		
diagram	<pre> classDiagram class mailxml_mm:mm:mailerDataType { m:Address1 m:Address2 m:City m:Count... m>Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } mailxml_mm:mm:PermitHolder... --> mailxml_mm:mm:mailerDataType </pre>		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_mm:mailerDataType		
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4		

5080

5081

5082 element **postageStatementDataType/MailingOwnerData**

diagram	<pre>classDiagram class MailingOwnerData { <<postageStatementDataType>> } class mailerDataType { <<mailerDataType>> Address1 Address2 City Count Email MID CRID ContactName PermitPublicationData PhoneAreaCode PhoneExtension PhoneLast4 PhonePrefix State ZipCode ZipCode4 } MailingOwnerData "1" -- "1" mailerDataType : <<...>></pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm>ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

5083

5084

5085 element **postageStatementDataType/MailingAgentData**

diagram	<pre> classDiagram class mailxml_mm { m:Address1 m:Address2 m:City m:Count... m:Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class MailingAgentData { <>--> mailerDataType } MailingAgentData "1" --> "1" mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm>ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

5086

5087

5088 element **postageStatementDataType/PermitHolderForAPData**

diagram	<pre> classDiagram class mailxml_mm:mailerDataType { m:Address1 m:Address2 m:City m:Country m:Email m:MID m:CRID m>ContactName m:PermitPublicationData m:PhoneAreaCode m:PhoneExtension m:PhoneLast4 m:PhonePrefix m:State m:ZipCode m:ZipCode4 } class mailxml_mm:m:PermitHolder... mailxml_mm:m:PermitHolder... --> mailxml_mm:mailerDataType </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	<u>mailxml_mm:mailerDataType</u>
children	<u>mailxml_mm:Address1</u> <u>mailxml_mm:Address2</u> <u>mailxml_mm:City</u> <u>mailxml_mm:Country</u> <u>mailxml_mm:Email</u> <u>mailxml_mm:MID</u> <u>mailxml_mm:CRID</u> <u>mailxml_mm:ContactName</u> <u>mailxml_mm:PermitPublicationData</u> <u>mailxml_mm:PhoneAreaCode</u> <u>mailxml_mm:PhoneExtension</u> <u>mailxml_mm:PhoneLast4</u> <u>mailxml_mm:PhonePrefix</u> <u>mailxml_mm:State</u> <u>mailxml_mm:ZipCode</u> <u>mailxml_mm:ZipCode4</u>

5089

5090

5091 element **postageStatementDataType/StartTheClockDate**

diagram	<pre> classDiagram class mailxml_mm:StartTheClockDate </pre>
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5092

5093

5094 element **postageStatementDataType/ContainerPostage**

diagram	<pre> classDiagram class mailxml_mm::ContainerPostage class mailxml_mm::ContainerPos... class mailxml_mm::ContainerID class mailxml_mm::ContainerDetailID class mailxml_mm::Pieces class mailxml_mm::Copies class mailxml_mm::IMtb class mailxml_mm::IMcb class mailxml_mm::IMpb mailxml_mm::ContainerPostage "1" -- "1" mailxml_mm::ContainerPos... mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::ContainerID mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::ContainerDetailID mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::Pieces mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::Copies mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::IMtb mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::IMcb mailxml_mm::ContainerPos... "*" -- "1" mailxml_mm::IMpb </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

5095

5096

5097 complexType **qualificationPreparerDataType**

diagram	<pre> complexTypeDiagram class qualificationPreparerDataTy... class mailxml_mm::PermitNumber class mailxml_mm::PermitType class mailxml_mm::PermitZip4 class mailxml_mm::PublicationNu... class mailxml_mm::MailerID6 class mailxml_mm::MailerID9 class mailxml_mm::CRID qualificationPreparerDataTy... "*" -- "1" mailxml_mm::PermitNumber qualificationPreparerDataTy... "*" -- "1" mailxml_mm::PermitType qualificationPreparerDataTy... "*" -- "1" mailxml_mm::PermitZip4 qualificationPreparerDataTy... "*" -- "1" mailxml_mm::PublicationNu... qualificationPreparerDataTy... "*" -- "1" mailxml_mm::MailerID6 qualificationPreparerDataTy... "*" -- "1" mailxml_mm::MailerID9 qualificationPreparerDataTy... "*" -- "1" mailxml_mm::CRID </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9

	mailxml_mm:CRID
used by	elements qualificationReportDataType/QualificationReportPreparer qualificationReportSummaryDataType/QualificationReportPreparer

5098

5099

5100 element **qualificationPreparerDataType/PermitNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s08												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

5101

5102

5103 element **qualificationPreparerDataType/PermitType**

diagram																																		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																	
type	mailxml_base:permitTypeType																																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>PI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>GH</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OI</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PA</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PI		enumeration	MT		enumeration	PC		enumeration	BR		enumeration	PE		enumeration	GH		enumeration	OI		enumeration	OM		enumeration	PP		enumeration	PA	
Kind	Value	Annotation																																
enumeration	PI																																	
enumeration	MT																																	
enumeration	PC																																	
enumeration	BR																																	
enumeration	PE																																	
enumeration	GH																																	
enumeration	OI																																	
enumeration	OM																																	
enumeration	PP																																	
enumeration	PA																																	

5104

5105

5106 element **qualificationPreparerDataType/PermitZip4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns09

5107

5108


5109 element qualificationPreparerDataType/PublicationNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s08
facets	Kind Value Annotation minLength 1 maxLength 8 whiteSpace preserve

5110

5111

5112 element qualificationPreparerDataType/MailerID6

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID6Type

5113

5114


5115 element qualificationPreparerDataType/MailerID9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:mailerID9Type

5116

5117

5118 element qualificationPreparerDataType/CRID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:CRIDType
facets	Kind Value Annotation minLength 1 maxLength 15

5119

5120

5121 complexType qualificationReportDataType

diagram	<pre> classDiagram qualificationReportDataType { mailxml_mm:m:DMMSection mailxml_mm:m:BatchManifest... mailxml_defs:ContainerInfo... 0..∞ mailxml_mm:m:CustomerQual... mailxml_mm:m:CustomerCom... mailxml_mm:m:FormType mailxml_mm:m:PreparedDate mailxml_mm:m:Qualification... mailxml_mm:m:PresortSWCo... mailxml_mm:m:PresortSWPro... mailxml_mm:m:PresortSWVers... mailxml_mm:DocumentVer... 1..∞ mailxml_mm:m:LogicalPhysica... mailxml_mm:m:ZoneMatrixDate } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:ZoneMatrixDate
used by	elements QualificationReportCreateRequest/QualificationReport QualificationReportQueryResponse/QueryResults/QualificationReport

5122

5123

5124 element qualificationReportDataType/DMMSection

diagram	<pre> element mailxml_mm:m:DMMSection </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s12												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

5125

5126


5127 element **qualificationReportDataType/BatchManifestIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5128

5129


5130 element **qualificationReportDataType/CustomerQualificationReportID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s66												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>66</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	66		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	66												
whiteSpace	preserve												

5131

5132

5133 element **qualificationReportDataType/CustomerCommitmentAgreementNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s40												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>40</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	40		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	40												
whiteSpace	preserve												

5134

5135

5136 element **qualificationReportDataType/FormType**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:formType		
facets	Kind	Value	Annotation
	enumeration	PM	
	enumeration	FC	
	enumeration	SM	
	enumeration	BP	
	enumeration	PE	
	enumeration	PP	
	enumeration	ML	
	enumeration	IM	
	enumeration	PS	

5137

5138


5139 element **qualificationReportDataType/PreparedDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5140

5141

5142 element **qualificationReportDataType/QualificationReportPreparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationPreparerDataType
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID

5143

5144

5145 element qualificationReportDataType/PresortSWCompany

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s50		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	50	
	whiteSpace	preserve	

5146

5147

5148 element qualificationReportDataType/PresortSWProduct

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s50		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	50	
	whiteSpace	preserve	

5149

5150


5151 element qualificationReportDataType/PresortSWVersion

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s20		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	20	
	whiteSpace	preserve	

5152

5153

5154 element qualificationReportDataType/LogicalPhysicalBundleIndicator

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:logicalPhysicalBundleIndicatorType		
facets	Kind	Value	Annotation
	enumeration	P	
	enumeration	L	

5155

5156


5157 element **qualificationReportDataType/ZoneMatrixDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5158

5159

5160 complexType **qualificationReportDetailDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:CustomerQualificationReportID mailxml_defs:ContainerInfoData mailxml_mm:DocumentVersionDataWithPermit
used by	element QualificationReportDetailCreateRequest/QualificationReport

5161

5162

5163 element **qualificationReportDetailDataType/CustomerQualificationReportID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s66
facets	Kind Value Annotation minLength 1 maxLength 66 whiteSpace preserve

5164

5165

5166 complexType qualificationReportSummaryDataType

diagram	<pre> classDiagram class qualificationReportSummary { DMMSection BatchManifestIndicator CustomerQualificationReportID FormType PreparedDate QualificationReportPreparer InformedAddressIndicator InformedAddressExpDate PresortSWCompany PresortSWProduct PresortSWVersion LogicalPhysicalBundleIndicator BypassSeamlessAcceptance ZoneMatrixDate } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:DMMSection mailxml mm:BatchManifestIndicator mailxml mm:CustomerQualificationReportID mailxml mm:FormType mailxml mm:PreparedDate mailxml mm:QualificationReportPreparer mailxml mm:InformedAddressIndicator mailxml mm:InformedAddressExpDate mailxml mm:PresortSWCompany mailxml mm:PresortSWProduct mailxml mm:PresortSWVersion mailxml mm:LogicalPhysicalBundleIndicator mailxml mm:BypassSeamlessAcceptance mailxml mm:ZoneMatrixDate
used by	element QualificationReportSummaryCreateRequest/QualificationReportSummary

5167

5168

5169 element qualificationReportSummaryDataType/DMMSection

diagram	<pre> classDiagram class DMMSection </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s12
facets	Kind Value Annotation

	minLength 1 maxLength 12 whiteSpace preserve
--	--

5170

5171


5172 element qualificationReportSummaryDataType/BatchManifestIndicator

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5173

5174

5175 element qualificationReportSummaryDataType/CustomerQualificationReportID

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s66												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>66</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	66		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	66												
whiteSpace	preserve												

5176

5177

5178 element qualificationReportSummaryDataType/FormType

diagram																															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	mailxml_base:formType																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>PM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FC</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>BP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PE</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>ML</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	PM		enumeration	FC		enumeration	SM		enumeration	BP		enumeration	PE		enumeration	PP		enumeration	ML		enumeration	IM		enumeration	PS	
Kind	Value	Annotation																													
enumeration	PM																														
enumeration	FC																														
enumeration	SM																														
enumeration	BP																														
enumeration	PE																														
enumeration	PP																														
enumeration	ML																														
enumeration	IM																														
enumeration	PS																														

5179

5180

5181 element **qualificationReportSummaryDataType/PreparedDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5182

5183

5184 element **qualificationReportSummaryDataType/QualificationReportPreparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:qualificationPreparerDataType
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID

5185

5186

5187 element **qualificationReportSummaryDataType/InformedAddressIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:yesNo
facets	Kind Value Annotation enumeration Yes enumeration No

5188

5189

5190 element qualificationReportSummaryDataType/InformedAddressExpDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5191

5192

5193 element qualificationReportSummaryDataType/PresortSWCompany

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s50
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

5194

5195

5196 element qualificationReportSummaryDataType/PresortSWProduct

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s50
facets	Kind Value Annotation minLength 1 maxLength 50 whiteSpace preserve

5197

5198

5199 element qualificationReportSummaryDataType/PresortSWVersion

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s20
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

5200

5201


5202 element **qualificationReportSummaryDataType/LogicalPhysicalBundleIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:logicalPhysicalBundleIndicatorType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>L</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	P		enumeration	L	
Kind	Value	Annotation								
enumeration	P									
enumeration	L									

5203

5204

5205 element **qualificationReportSummaryDataType/BypassSeamlessAcceptance**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5206

5207


5208 element **qualificationReportSummaryDataType/ZoneMatrixDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5209

5210

5211 complexType **referenceableMailContentGroupType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink
used by	elements referenceableMailDataType/ReferenceableMailContentGroup referenceableMailDataBarcodesType/ReferenceableMailContentGroup

5212

5213

5214 element **referenceableMailContentGroupType/ReferenceableMailContentType**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																		
type	mailxml mm:referenceableMailContentTypeType																		
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>O</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D		enumeration	O	
Kind	Value	Annotation																	
enumeration	A																		
enumeration	B																		
enumeration	C																		
enumeration	D																		
enumeration	O																		

5215

5216


5217 element **referenceableMailContentGroupType/ReferenceableMailContentLink**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:anyURI

5218

5219

5220 complexType **referenceableMailDataBarcodesType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ReferenceableMailID mailxml mm:TemplateCode mailxml mm:ReferenceableMailContentGroup mailxml mm:OriginalMailingGroupID mailxml mm:OriginalUserLicenseCode mailxml mm:OriginalMaildataJobID mailxml mm:IMB
used by	element informedDeliveryCampaignCreateRequestTypeType/ReferenceableMailDataBarcodes

5221

5222

5223 element **referenceableMailDataBarcodesType/ReferenceableMailID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s10												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>10</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	10		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	10												
whiteSpace	preserve												

5224

5225


5226 element **referenceableMailDataBarcodesType/TemplateCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:sAZCaps

5227

5228

5229 element **referenceableMailDataBarcodesType/ReferenceableMailContentGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:referenceableMailContentGroupType
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink

5230

5231

5232 element **referenceableMailDataBarcodesType/OriginalMailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5233

5234

5235 element **referenceableMailDataBarcodesType/OriginalUserLicenseCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:userLicenseCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>4</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	4		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	4												
whiteSpace	preserve												

5236

5237


5238 element **referenceableMailDataBarcodesType/OriginalMaildatJobID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:jobIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	8												
whiteSpace	preserve												

5239

5240

5241 element **referenceableMailDataBarcodesType/IMB**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:intelligentMailBarcodeType

children	mailxml_defs:BarcodeID mailxml_defs:MailClass mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber9 mailxml_defs:MailerID9 mailxml_defs:SerialNumber6 mailxml_defs:DeliveryPointZIP
----------	--

5242

5243

5244 complexType **referenceableMailDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailContentGroup
used by	element campaignDataType/ReferenceableMailData

5245

5246


5247 element **referenceableMailDataType/ReferenceableMailID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s10
facets	Kind Value Annotation minLength 1 maxLength 10 whiteSpace preserve

5248

5249

5250 element **referenceableMailDataType/TemplateCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:sAZCaps

5251

5252

5253 element **referenceableMailDataType/ReferenceableMailContentGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:referenceableMailContentGroupType
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink

5254

5255

5256 complexType **sackTrayContainerRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/SackTrayContainerRecord

5257

5258

5259 element **sackTrayContainerRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

5260

5261

5262 element **sackTrayContainerRecordType/PublicationTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

5263

5264

5265 element **sackTrayContainerRecordType/PostageStatementLineNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:postageStatementLineNumber2Type												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E1		enumeration	E2		enumeration	E3	
Kind	Value	Annotation											
enumeration	E1												
enumeration	E2												
enumeration	E3												

	enumeration E4
	enumeration E5
	enumeration E6
	enumeration E7
	enumeration E8
	enumeration E9
	enumeration E10
	enumeration E11
	enumeration E12
	enumeration E13
	enumeration E14
	enumeration E15
	enumeration E16
	enumeration E17
	enumeration E18
	enumeration E19
	enumeration E20
	enumeration E21
	enumeration E22
	enumeration E23
	enumeration E24

5266

5267

5268 element **sackTrayContainerRecordType/ChargeableContainerLevel**

diagram	 mailxml_mm:ChargeableCo...																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

5269

5270

5271 element **sackTrayContainerRecordType/ChargeableEntryLevel**

diagram	 mailxml_mm:ChargeableEnt...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:chargeableEntryLevelType

	Kind	Value	Annotation
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	J	
	enumeration	K	
	enumeration	O	
	enumeration	R	
	enumeration	S	
	enumeration	P	

5272

5273

5274 element **sackTrayContainerRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5275

5276


5277 element **sackTrayContainerRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5278

5279


5280 element **sackTrayContainerRecordType/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5281

5282

5283 element **sackTrayContainerRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s05												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>5</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

5284

5285

5286 complexType **sackTrayContainerVersionRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleVersionRecords/SackTrayContainerVersionRecord

5287

5288

5289 element **sackTrayContainerVersionRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

5290

5291

5292 element **sackTrayContainerVersionRecordType/PublicationTitle**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s60												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>60</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	60		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	60												
whiteSpace	preserve												

5293

5294

5295 element **sackTrayContainerVersionRecordType/PostageStatementLineNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:postageStatementLineNumber2Type												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>E1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E3</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	E1		enumeration	E2		enumeration	E3	
Kind	Value	Annotation											
enumeration	E1												
enumeration	E2												
enumeration	E3												

	enumeration E4
	enumeration E5
	enumeration E6
	enumeration E7
	enumeration E8
	enumeration E9
	enumeration E10
	enumeration E11
	enumeration E12
	enumeration E13
	enumeration E14
	enumeration E15
	enumeration E16
	enumeration E17
	enumeration E18
	enumeration E19
	enumeration E20
	enumeration E21
	enumeration E22
	enumeration E23
	enumeration E24

5296

5297

5298 element **sackTrayContainerVersionRecordType/ChargeableContainerLevel**

diagram	 mailxml_mm:ChargeableCo...																								
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	mailxml_mm:chargeableContainerLevelType																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>A</td><td></td></tr> <tr><td>enumeration</td><td>C</td><td></td></tr> <tr><td>enumeration</td><td>M</td><td></td></tr> <tr><td>enumeration</td><td>E</td><td></td></tr> <tr><td>enumeration</td><td>F</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	M																								
enumeration	E																								
enumeration	F																								

5299

5300

5301 element **sackTrayContainerVersionRecordType/ChargeableEntryLevel**

diagram	 mailxml_mm:ChargeableEnt...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_mm:chargeableEntryLevelType

	Kind	Value	Annotation
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	J	
	enumeration	K	
	enumeration	O	
	enumeration	R	
	enumeration	S	
	enumeration	P	

5302

5303

5304 element **sackTrayContainerVersionRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5305

5306

5307 element **sackTrayContainerVersionRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5308

5309

5310 element **sackTrayContainerVersionRecordType/IssueNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5311

5312

5313 element **sackTrayContainerVersionRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s05												
facets	<table> <tr> <td>Kind</td><td>Value</td><td>Annotation</td></tr> <tr> <td>minLength</td><td>1</td><td></td></tr> <tr> <td>maxLength</td><td>5</td><td></td></tr> <tr> <td>whiteSpace</td><td>preserve</td><td></td></tr> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

5314

5315

5316 complexType **specialProductInformationType**

diagram	<pre> classDiagram class specialProductInformationT... class ElectronicFileDetailRecordID class IMpb class RecipientName class DeliveryAddress class State class City class Delivery class DeliveryZipPlusFour class RecipientEmailAddress class SenderName class SenderEmailAddress class SenderSMSNumber class RecipientSMSNumber specialProductInformationT... "3" -- "0..1" ElectronicFileDetailRecordID specialProductInformationT... "3" -- "0..1" IMpb specialProductInformationT... "3" -- "0..1" RecipientName specialProductInformationT... "3" -- "0..1" DeliveryAddress specialProductInformationT... "3" -- "0..1" State specialProductInformationT... "3" -- "0..1" City specialProductInformationT... "3" -- "0..1" Delivery specialProductInformationT... "3" -- "0..1" DeliveryZipPlusFour specialProductInformationT... "3" -- "0..1" RecipientEmailAddress specialProductInformationT... "3" -- "0..1" SenderName specialProductInformationT... "3" -- "0..1" SenderEmailAddress specialProductInformationT... "3" -- "0..1" SenderSMSNumber specialProductInformationT... "3" -- "0..1" RecipientSMSNumber </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:ElectronicFileDetailRecordID mailxml mm:IMpb mailxml mm:RecipientName mailxml mm:DeliveryAddress mailxml mm:State mailxml mm:City mailxml mm:DeliveryZipPlusFour mailxml mm:RecipientEmailAddress mailxml mm:SenderName mailxml mm:SenderEmailAddress mailxml mm:SenderSMSNumber mailxml mm:RecipientSMSNumber
used by	element manifestMailType/SpecialProductInformation

5317

5318

5319 element **specialProductInformationType/ElectronicFileDetailRecordID**

diagram	 mailxml_mm:ElectronicFile...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s02												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>2</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	2		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	2												
whiteSpace	preserve												

5320

5321


5322 element **specialProductInformationType/IMpb**

diagram	 mailxml_mm:IMpb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

5323

5324

5325 element **specialProductInformationType/RecipientName**

diagram	 mailxml_mm:RecipientName												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s48												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	48												
whiteSpace	preserve												

5326

5327


5328 element **specialProductInformationType/DeliveryAddress**

diagram	 mailxml_mm:DeliveryAddr...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s48												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>48</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	48		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	48												
whiteSpace	preserve												

5329

5330


5331 element **specialProductInformationType/State**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s02
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

5332

5333

5334 element **specialProductInformationType/City**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s28
facets	Kind Value Annotation minLength 1 maxLength 28 whiteSpace preserve

5335

5336

5337 element **specialProductInformationType/DeliveryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns05

5338

5339

5340 element **specialProductInformationType/DeliveryZipPlusFour**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s09
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

5341

5342

5343 element **specialProductInformationType/RecipientEmailAddress**

diagram	 mailxml_mm:m:RecipientEmail... []
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s64
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve

5344

5345

5346 element **specialProductInformationType/SenderName**

diagram	 mailxml_mm:m:SenderName []
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s48
facets	Kind Value Annotation minLength 1 maxLength 48 whiteSpace preserve

5347

5348

5349 element **specialProductInformationType/SenderEmailAddress**

diagram	 mailxml_mm:m:SenderEmailA... []
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s64
facets	Kind Value Annotation minLength 1 maxLength 64 whiteSpace preserve

5350

5351

5352 element **specialProductInformationType/SenderSMSNumber**

diagram	 mailxml_mm:m:SenderSMSNu... []
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s64
facets	Kind Value Annotation minLength 1

	maxLength 64 whiteSpace preserve
--	-------------------------------------

5353

5354


5355 element **specialProductInformationType/RecipientSMSNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s64												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>64</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	64		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	64												
whiteSpace	preserve												

5356

5357

5358 complexType **STCForContainerOrTrayType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:StartTheClockDate mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

5359

5360


5361 element **STCForContainerOrTrayType/StartTheClockDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5362

5363

5364 element **STCForContainerOrTrayType/IMtb**


diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:IMtbType						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	24	
Kind	Value	Annotation					
minLength	24						

	maxLength 24
--	--------------

5365

5366


5367 element **STCForContainerOrTrayType/IMcb**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

5368

5369

5370 element **STCForContainerOrTrayType/IMpb**


diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMpbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>34</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	34	
Kind	Value	Annotation								
minLength	21									
maxLength	34									

5371

5372

5373 complexType **summaryRecordUpdateType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:FullContainerID mailxml mm:PhysicalPostalCodeEntryPoint mailxml mm:EntryPointEDPostalCode mailxml mm:EntryPointEDFacilityType mailxml mm:DestinationZip mailxml mm:EntryPointFacilityType mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey mailxml mm:EntryPointADLocaleKey mailxml mm:EntryPointADPostalCode mailxml mm:ContainerGroupingDescription mailxml mm:MailOwnerCRID mailxml mm:ParentContainerRefID mailxml mm:SiblingContainerID mailxml mm:TruckDispatchNumber mailxml mm:StopDesignator mailxml mm:ReservationNumber mailxml mm:CarrierID mailxml mm:ContainerShipDate mailxml mm:ContainerShipTime mailxml mm:ScheduledShipDate mailxml mm:ScheduledShipTime mailxml mm:ScheduledShipDateTime mailxml mm:ActualContainerShipDate mailxml mm:ActualContainerShipTime mailxml mm:SchdeuledContainerPickupDate mailxml mm:ScheduledContainerPickupTime mailxml mm:ScheduledInductionTime mailxml mm:ActualContainerPickupDate mailxml mm:ActualContainerPickupTime mailxml mm:ContainerAcceptanceDate mailxml mm:ContainerAcceptanceTime mailxml mm:ScheduledInHomeDate mailxml mm:AdditionalInHomeRange mailxml mm:ScheduledInductionStartTime mailxml mm:ScheduledInductionEndTime mailxml mm:ActuallInductionDate mailxml mm:ActualInductionTime mailxml mm:PostageStatementMailingDate mailxml mm:PostageStatementMailingTime mailxml mm:TruckAndDispatchNumber mailxml mm:ContainerReadyToPayTransactionID mailxml mm:TransportationCarrierID mailxml mm:CSATripID mailxml mm:CSADispatchNumber mailxml mm:CSAID mailxml mm:CSADispatchTime mailxml mm:InternalDate mailxml mm:TotalWeight mailxml mm:UniqueContainerID mailxml mm:ContainerStatus mailxml mm:TransShipBoLNumber mailxml mm:PostageGroupingID mailxml mm:ContainerHeightSource mailxml mm:TransportDUNSNumber mailxml mm:IMBarcode mailxml mm:IMpb mailxml mm:ContainerBarcode mailxml mm:UserInformationLine1 mailxml mm:UserInformationLine2 mailxml mm:ConsigneeContentID mailxml mm:FASTSchedulerID mailxml mm:CarrierRouteNumber mailxml mm:CinCode mailxml mm:ParentContainerID mailxml_defs:ContainerDetailData mailxml mm:ContainerDisplayName mailxml mm:ContainerType mailxml mm:ProcessingCategory mailxml mm:IncludedInOtherDoc mailxml mm:SiblingContainerID mailxml mm:SortationLevel mailxml mm:OverflowIndicator mailxml mm:SupplementalPhysicalContainerID mailxml mm:USPSPickup mailxml mm:TotalWeightOfContainer mailxml mm:AdditionalTrayPostageAmount mailxml mm:eInductionIndicator mailxml mm:ReadyForSASP mailxml mm:AcceptMisshipped mailxml mm:LabelDestLine1 mailxml mm:LabelDestLine2 mailxml mm:LabelContentLine1 mailxml mm:LabelContentLine2 mailxml mm:LabelEntryOriginPointLine mailxml mm:LabelUserInfoLine1 mailxml mm:LabelUserInfoLine2 mailxml mm:LabelContLabelCINCode mailxml mm:LabelContLabelType mailxml mm:PresortLabelingListEffectiveDate mailxml mm>LastUsedLabelingListEffectiveDate mailxml mm:PresortCityStatePublicationDate mailxml mm:LastUsedCityStatePublicationDate mailxml mm:PresortZoneChartMatrixPublicationDate

	mailxml mm:LastUsedZoneChartMatrixPublication mailxml mm:LastUsedMailDirectionPublicationDate
used by	element ContainerUpdateRequest/SummaryRecordUpdate

5374

5375

5376 element **summaryRecordUpdateType/FullContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb

5377

5378

5379 element **summaryRecordUpdateType/PhysicalPostalCodeEntryPoint**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5380

5381

5382 element **summaryRecordUpdateType/EntryPointEDPostalCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:entryPointEDPostalCodeType		
facets	Kind	Value	Annotation

5383

5384

5385 element **summaryRecordUpdateType/EntryPointEDFacilityType**

diagram	 mailxml_mm:EntryPointED...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:entryPointEDFacilityType
facets	Kind minLength 1 maxLength 1 whiteSpace preserve

5386

5387

5388 element **summaryRecordUpdateType/DestinationZip**

diagram	 mailxml_mm:DestinationZip
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

5389

5390

5391 element **summaryRecordUpdateType/EntryPointFacilityType**

diagram	 mailxml_mm:EntryPointFac...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:entryFacilityType
facets	Kind enumeration O enumeration B enumeration S enumeration D enumeration A enumeration W enumeration H enumeration R

5392

5393

5394 element **summaryRecordUpdateType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

5395

5396

5397 element **summaryRecordUpdateType/EntryLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:localeKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

5398

5399

5400 element **summaryRecordUpdateType/EntryPointADLocaleKey**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:entryPointADLocaleKeyType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

5401

5402

5403 element **summaryRecordUpdateType/EntryPointADPostalCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:entryPointADPostalCodeType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

5404

5405

5406 element `summaryRecordUpdateType/ContainerGroupingDescription`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s09												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>9</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	9		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	9												
whiteSpace	preserve												

5407

5408

5409 element `summaryRecordUpdateType/MailOwnerCRID`

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:CRIDType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15	
Kind	Value	Annotation								
minLength	1									
maxLength	15									

5410

5411


5412 element `summaryRecordUpdateType/ParentContainerRefID`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:parentContainerRefIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5413

5414

5415 element `summaryRecordUpdateType/SiblingContainerID`

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5416

5417

5418 element **summaryRecordUpdateType/TruckDispatchNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:truckDispatchNumberType
facets	Kind Value Annotation minLength 1 maxLength 20 whiteSpace preserve

5419

5420

5421 element **summaryRecordUpdateType/StopDesignator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:stopDesignatorType
facets	Kind Value Annotation minLength 1 maxLength 2 whiteSpace preserve

5422

5423


5424 element **summaryRecordUpdateType/ReservationNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:reservationNumberType
facets	Kind Value Annotation minLength 1 maxLength 15 whiteSpace preserve

5425

5426

5427 element **summaryRecordUpdateType/CarrierID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s15
facets	Kind Value Annotation

	<pre>minLength 1 maxLength 15 whiteSpace preserve</pre>
--	---

5428

5429

5430 element **summaryRecordUpdateType/ContainerShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipDateType

5431

5432

5433 element **summaryRecordUpdateType/ContainerShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipTimeType

5434

5435

5436 element **summaryRecordUpdateType/ScheduledShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipDateType

5437

5438

5439 element **summaryRecordUpdateType/ScheduledShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipTimeType

5440

5441

5442 element **summaryRecordUpdateType/ScheduledShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5443

5444

5445 element **summaryRecordUpdateType/ActualContainerShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipDateType

5446

5447

5448 element **summaryRecordUpdateType/ActualContainerShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerShipTimeType

5449

5450

5451 element **summaryRecordUpdateType/SchdeuledContainerPickupDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerPickupDateType

5452

5453


5454 element **summaryRecordUpdateType/ScheduledContainerPickupTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerPickupTimeType

5455

5456

5457 element **summaryRecordUpdateType/ScheduledInductionDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5458

5459

5460 element **summaryRecordUpdateType/ActualContainerPickupDate**

diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerPickupDateType

5461

5462


5463 element **summaryRecordUpdateType/ActualContainerPickupTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerPickupTimeType

5464

5465


5466 element **summaryRecordUpdateType/ContainerAcceptanceDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerAcceptanceDateType

5467

5468


5469 element **summaryRecordUpdateType/ContainerAcceptanceTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

5470

5471


5472 element **summaryRecordUpdateType/ScheduledInHomeDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:scheduledInHomeDateType

5473

5474

5475 element **summaryRecordUpdateType/AdditionalInHomeRange**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:additionalInHomeRangeType
facets	Kind Value Annotation totalDigits 1

5476

5477

5478 element **summaryRecordUpdateType/ScheduledInductionStartTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5479

5480

5481 element **summaryRecordUpdateType/ScheduledInductionEndTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:dateTime

5482

5483

5484 element **summaryRecordUpdateType/ActualInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5485

5486

5487 element **summaryRecordUpdateType/ActualInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

5488

5489

5490 element **summaryRecordUpdateType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5491

5492

5493 element **summaryRecordUpdateType/PostageStatementMailingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

5494

5495

5496 element **summaryRecordUpdateType/TruckAndDispatchNumber**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:truckDispatchNumberType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>20</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	20		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	20												
whiteSpace	preserve												

5497

5498

5499 element **summaryRecordUpdateType/ContainerReadyToPayTransactionID**

diagram							
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:n06						
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>totalDigits</td> <td>6</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	totalDigits	6	
Kind	Value	Annotation					
totalDigits	6						

5500

5501

5502 element **summaryRecordUpdateType/TransportationCarrierID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

5503

5504

5505 element **summaryRecordUpdateType/CSATripID**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s10		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	whiteSpace	preserve	

5506

5507


5508 element **summaryRecordUpdateType/CSADispatchNumber**

diagram	 mailxml_mm:m:CSADispatchN...		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s10		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	whiteSpace	preserve	

5509

5510


5511 element **summaryRecordUpdateType/CSAID**

diagram	 mailxml_mm:m:CSAID		
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s10		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	10	
	whiteSpace	preserve	

5512

5513

5514 element **summaryRecordUpdateType/CSADispatchTime**

diagram	 mailxml_mm:m:CSADispatchTi...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

5515

5516

5517 element **summaryRecordUpdateType/InternalDate**

diagram	 mailxml_mm:m:InternalDate
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:internalDateType
------	--------------------------------------

5518

5519

5520 element **summaryRecordUpdateType/TotalWeight**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
<td>mailxml_base:totalWeightType</td>	mailxml_base:totalWeightType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	5												
whiteSpace	preserve												

5521

5522

5523 element **summaryRecordUpdateType/UniqueContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
<td>mailxml_base:uniqueContainerIDType</td>	mailxml_base:uniqueContainerIDType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>12</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	12		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	12												
whiteSpace	preserve												

5524

5525

5526 element **summaryRecordUpdateType/ContainerStatus**

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
<td>mailxml_base:maildatContainerStatusType</td>	mailxml_base:maildatContainerStatusType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> <tr> <td>enumeration</td> <td>X</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> <tr> <td>enumeration</td> <td>T</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	R		enumeration	X		enumeration	C		enumeration	D		enumeration	P		enumeration	T	
Kind	Value	Annotation																				
enumeration	R																					
enumeration	X																					
enumeration	C																					
enumeration	D																					
enumeration	P																					
enumeration	T																					

5527

5528


5529 element `summaryRecordUpdateType/TransShipBoLNumber`

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:transShipBoLNumberType														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>5</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	5		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	5														
whiteSpace	preserve														

5530

5531

5532 element `summaryRecordUpdateType/PostageGroupingID`

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:postageGroupingIDType														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>8</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	8		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	8														
whiteSpace	preserve														

5533

5534

5535 element `summaryRecordUpdateType/ContainerHeightSource`

diagram												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm											
type	mailxml_base:containerHeightSourceType											
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	A		enumeration	E	
Kind	Value	Annotation										
enumeration	A											
enumeration	E											

5536

5537


5538 element `summaryRecordUpdateType/TransportDUNSNumber`

diagram															
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	mailxml_base:s15														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation													
minLength	1														
maxLength	15														
whiteSpace	preserve														

5539

5540


5541 element **summaryRecordUpdateType/IMBarcode**

diagram	 mailxml_mm:IMBarcode
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMcbType
facets	Kind Value Annotation minLength 21 maxLength 24

5542

5543


5544 element **summaryRecordUpdateType/IMpb**

diagram	 mailxml_mm:IMpb
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMpbType
facets	Kind Value Annotation minLength 21 maxLength 34

5545

5546


5547 element **summaryRecordUpdateType/ContainerBarcode**

diagram	 mailxml_mm:ContainerBarc...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMcbType
facets	Kind Value Annotation minLength 21 maxLength 24

5548

5549

5550 element **summaryRecordUpdateType/UserInformationLine1**

diagram	 mailxml_mm:UserInformati...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:userInformationLine1Type
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

5551

5552

5553 element **summaryRecordUpdateType/UserInformationLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:userInformationLine2Type
facets	Kind Value Annotation minLength 1 maxLength 40 whiteSpace preserve

5554

5555

5556 element **summaryRecordUpdateType/ConsigneeContentID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:consigneeContentIDType
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

5557

5558


5559 element **summaryRecordUpdateType/FASTSchedulerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:fASTSchedulerIDType
facets	Kind Value Annotation minLength 1 maxLength 12 whiteSpace preserve

5560

5561

5562 element **summaryRecordUpdateType/CarrierRouteNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:es4
facets	Kind Value Annotation

	<pre>minLength 4 maxLength 4 whiteSpace preserve</pre>
--	--

5563

5564

5565 element **summaryRecordUpdateType/CinCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s03												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>3</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	3		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	3												
whiteSpace	preserve												

5566

5567

5568 element **summaryRecordUpdateType/ParentContainerID**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>6</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5569

5570

5571 element **summaryRecordUpdateType/ContainerDisplayName**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

5572

5573

5574 element **summaryRecordUpdateType/ContainerType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:mailXMLContainerType		
facets	Kind	Value	Annotation
	enumeration	1	
	enumeration	2	
	enumeration	3	
	enumeration	4	
	enumeration	5	
	enumeration	6	
	enumeration	7	
	enumeration	8	
	enumeration	9	
	enumeration	10	
	enumeration	11	
	enumeration	12	
	enumeration	13	
	enumeration	14	
	enumeration	E	
	enumeration	F	
	enumeration	L	
	enumeration	O	
	enumeration	P	
	enumeration	S	
	enumeration	T	
	enumeration	V	
	enumeration	B	
	enumeration	U	
	enumeration	Z	
	enumeration	X	
	enumeration	H	
	enumeration	A	
	enumeration	G	
	enumeration	D	
	enumeration	R	
	enumeration	C	
	enumeration	CT	
	enumeration	M	
	enumeration	AB	
	enumeration	Y	

5575

5576

5577 element **summaryRecordUpdateType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:processingCategoryType		
facets	Kind	Value	Annotation
	enumeration	LT	
	enumeration	FL	
	enumeration	CD	
	enumeration	OS	
	enumeration	MP	
	enumeration	IR	
	enumeration	PF	
	enumeration	CM	
	enumeration	NP	
	enumeration	SP	
	enumeration	MB	

5578

5579


5580 element **summaryRecordUpdateType/IncludedInOtherDoc**

diagram	 mailxml_mm:m:IncludedInOth...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:includedInOtherDocType
facets	Kind Value Annotation
	enumeration L
	enumeration O
	enumeration I

5581

5582

5583 element **summaryRecordUpdateType/SiblingContainerID**

diagram	 mailxml_mm:m:SiblingContain...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s06
facets	Kind Value Annotation
	minLength 1
	maxLength 6
	whiteSpace preserve

5584

5585

5586 element **summaryRecordUpdateType/SortationLevel**

diagram	 mailxml_mm:m:SortationLevel
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerLevelType

	Kind	Value	Annotation
facets	enumeration	A	
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	F	
	enumeration	G	
	enumeration	H	
	enumeration	I	
	enumeration	J	
	enumeration	K	
	enumeration	M	
	enumeration	N	
	enumeration	P	
	enumeration	Q	
	enumeration	R	
	enumeration	S	
	enumeration	T	
	enumeration	U	
	enumeration	V	
	enumeration	W	
	enumeration	X	
	enumeration	Y	
	enumeration	Z	
	enumeration	AA	
	enumeration	AB	
	enumeration	AC	
	enumeration	AD	
	enumeration	AE	
	enumeration	AF	
	enumeration	AG	
	enumeration	AH	
	enumeration	AI	
	enumeration	AJ	
	enumeration	AK	
	enumeration	AL	
	enumeration	AM	
	enumeration	AN	
	enumeration	AO	
	enumeration	AP	
	enumeration	AQ	
	enumeration	AR	
	enumeration	AS	
	enumeration	AT	
	enumeration	BA	

	enumeration BB
	enumeration BC
	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH
	enumeration BI
	enumeration BJ
	enumeration BK
	enumeration BL
	enumeration BM

5587

5588

5589 element **summaryRecordUpdateType/OverflowIndicator**

diagram	mailxml_mm:OverflowIndicator									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr><th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>Yes</td><td></td></tr> <tr><td>enumeration</td><td>No</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5590

5591

5592 element **summaryRecordUpdateType/SupplementalPhysicalContainerID**

diagram	mailxml_mm:SupplementalPhysicalContainerID												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s06												
facets	<table> <thead> <tr><th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>minLength</td><td>1</td><td></td></tr> <tr><td>maxLength</td><td>6</td><td></td></tr> <tr><td>whiteSpace</td><td>preserve</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	6		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	6												
whiteSpace	preserve												

5593

5594

5595 element **summaryRecordUpdateType/USPSPickup**

diagram	mailxml_mm:USPSPickup						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm						
type	mailxml_base:yesNo						
facets	<table> <thead> <tr><th>Kind</th><th>Value</th><th>Annotation</th></tr> </thead> <tbody> <tr><td>enumeration</td><td>Yes</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes	
Kind	Value	Annotation					
enumeration	Yes						

	enumeration No
--	----------------

5596

5597


5598 element **summaryRecordUpdateType/TotalWeightOfContainer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5599

5600

5601 element **summaryRecordUpdateType/AdditionalTrayPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5602

5603

5604 element **summaryRecordUpdateType/eInductionIndicator**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5605

5606


5607 element **summaryRecordUpdateType/ReadyForSASP**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5608

5609

5610 element **summaryRecordUpdateType/AcceptMisshipped**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:yesNo									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Yes</td> <td></td> </tr> <tr> <td>enumeration</td> <td>No</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Yes		enumeration	No	
Kind	Value	Annotation								
enumeration	Yes									
enumeration	No									

5611

5612

5613 element **summaryRecordUpdateType/LabelDestLine1**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

5614

5615


5616 element **summaryRecordUpdateType/LabelDestLine2**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

5617

5618


5619 element **summaryRecordUpdateType/LabelContentLine1**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

5620

5621


5622 element **summaryRecordUpdateType/LabelContentLine2**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s30		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	whiteSpace	preserve	

5623

5624

5625 element **summaryRecordUpdateType/LabelEntryOriginPointLine**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:s30		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	30	
	whiteSpace	preserve	

5626

5627

5628 element **summaryRecordUpdateType/LabelUserInfoLine1**

diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:userInformationLine1Type		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	
	whiteSpace	preserve	

5629

5630

5631 element **summaryRecordUpdateType/LabelUserInfoLine2**


diagram			
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	mailxml_base:userInformationLine1Type		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	40	

	whiteSpace preserve
--	---------------------

5632

5633


5634 element **summaryRecordUpdateType/LabelContLabelCINCode**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s30												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>30</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	30		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	30												
whiteSpace	preserve												

5635

5636

5637 element **summaryRecordUpdateType/LabelContLabelType**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s01												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>1</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	1		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	1												
whiteSpace	preserve												

5638

5639

5640 element **summaryRecordUpdateType/PresortLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5641

5642

5643 element **summaryRecordUpdateType/LastUsedLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5644

5645

5646 element **summaryRecordUpdateType/PresortCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5647

5648

5649 element **summaryRecordUpdateType/LastUsedCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5650

5651

5652 element **summaryRecordUpdateType/PresortZoneChartMatrixPublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5653

5654

5655 element **summaryRecordUpdateType/LastUsedZoneChartMatrixPublication**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5656

5657

5658 element **summaryRecordUpdateType/LastUsedMailDirectionPublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5659

5660

5661 complexType **summaryZipDestinationReportType**

diagram	<pre> classDiagram class summaryZipDestinationReportType { m:DestinationZip m:ProcessingCategory m:PostagePaymentMethod m:MLOCRRateType m:Weight m:RateAffixed m:NumberOfPieces m:NumberOfPiecesDifference m:PostageAffixed m:CumulativePostageAffixed m>TotalPostage m:NetPostageDue m:CumulativePostageDue m:RunningTotalPieces m:SortationLevel } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml mm:DestinationZip mailxml mm:ProcessingCategory mailxml mm:PostagePaymentMethod mailxml mm:MLOCRRateType mailxml mm:Weight mailxml mm:RateAffixed mailxml mm:NumberOfPieces mailxml mm:NumberOfPiecesDifference mailxml mm:PostageAffixed mailxml mm:CumulativePostageAffixed mailxml mm>TotalPostage mailxml mm:NetPostageDue mailxml mm:CumulativePostageDue mailxml mm:RunningTotalPieces mailxml mm:SortationLevel
used by	element SummaryZipDestinationReportCreateRequest/SummaryZipDestinationReport

5662

5663

5664 element **summaryZipDestinationReportType/DestinationZip**

diagram	<pre> classDiagram class summaryZipDestinationReportType { m:DestinationZip } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:zipCodeThreeOrFiveDigit
------	---

5665

5666

5667 element **summaryZipDestinationReportType/ProcessingCategory**

diagram																																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																																				
<td>mailxml_base:processingCategoryType</td>	mailxml_base:processingCategoryType																																				
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>LT</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FL</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CD</td> <td></td> </tr> <tr> <td>enumeration</td> <td>OS</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>IR</td> <td></td> </tr> <tr> <td>enumeration</td> <td>PF</td> <td></td> </tr> <tr> <td>enumeration</td> <td>CM</td> <td></td> </tr> <tr> <td>enumeration</td> <td>NP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>SP</td> <td></td> </tr> <tr> <td>enumeration</td> <td>MB</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	LT		enumeration	FL		enumeration	CD		enumeration	OS		enumeration	MP		enumeration	IR		enumeration	PF		enumeration	CM		enumeration	NP		enumeration	SP		enumeration	MB	
Kind	Value	Annotation																																			
enumeration	LT																																				
enumeration	FL																																				
enumeration	CD																																				
enumeration	OS																																				
enumeration	MP																																				
enumeration	IR																																				
enumeration	PF																																				
enumeration	CM																																				
enumeration	NP																																				
enumeration	SP																																				
enumeration	MB																																				

5668

5669


5670 element **summaryZipDestinationReportType/PostagePaymentMethod**

diagram													
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
<td>mailxml_mm:postagePaymentMethodType</td>	mailxml_mm:postagePaymentMethodType												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>S</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>P</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	S		enumeration	M		enumeration	P	
Kind	Value	Annotation											
enumeration	S												
enumeration	M												
enumeration	P												

5671

5672


5673 element **summaryZipDestinationReportType/MLOCRRateType**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
<td>mailxml_base:mlocrRateType</td>	mailxml_base:mlocrRateType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td>enumeration</td> <td>R</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	N		enumeration	R	
Kind	Value	Annotation								
enumeration	N									
enumeration	R									

5674

5675

5676 element **summaryZipDestinationReportType/Weight**

diagram	 mailxml_mm:im:Weight
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5677

5678


5679 element **summaryZipDestinationReportType/RateAffixed**

diagram	 mailxml_mm:im:RateAffixed
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5680

5681


5682 element **summaryZipDestinationReportType/NumberOfPieces**

diagram	 mailxml_mm:im:NumberOfPieces
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5683

5684

5685 element **summaryZipDestinationReportType/NumberOfPiecesDifference**

diagram	 mailxml_mm:im:NumberOfPiec...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5686

5687

5688 element **summaryZipDestinationReportType/PostageAffixed**

diagram	 mailxml_mm:im:PostageAffixed
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5689

5690

5691 element **summaryZipDestinationReportType/CumulativePostageAffixed**

diagram	 mailxml_mm:im:CumulativePo...
---------	---

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5692

5693

5694 element **summaryZipDestinationReportType/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5695

5696


5697 element **summaryZipDestinationReportType/NetPostageDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5698

5699


5700 element **summaryZipDestinationReportType/CumulativePostageDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:double

5701

5702


5703 element **summaryZipDestinationReportType/RunningTotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:nonNegativeInteger

5704

5705

5706 element **summaryZipDestinationReportType/SortationLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:containerLevelType
facets	Kind Value Annotation enumeration A

	enumeration B
	enumeration C
	enumeration D
	enumeration E
	enumeration F
	enumeration G
	enumeration H
	enumeration I
	enumeration J
	enumeration K
	enumeration M
	enumeration N
	enumeration P
	enumeration Q
	enumeration R
	enumeration S
	enumeration T
	enumeration U
	enumeration V
	enumeration W
	enumeration X
	enumeration Y
	enumeration Z
	enumeration AA
	enumeration AB
	enumeration AC
	enumeration AD
	enumeration AE
	enumeration AF
	enumeration AG
	enumeration AH
	enumeration AI
	enumeration AJ
	enumeration AK
	enumeration AL
	enumeration AM
	enumeration AN
	enumeration AO
	enumeration AP
	enumeration AQ
	enumeration AR
	enumeration AS
	enumeration AT
	enumeration BA
	enumeration BB
	enumeration BC

	enumeration BD
	enumeration BE
	enumeration BF
	enumeration BG
	enumeration BH
	enumeration BI
	enumeration BJ
	enumeration BK
	enumeration BL
	enumeration BM

5707

5708

5709 complexType **tMSDataLoggerDetailType**

diagram	<pre> classDiagram class tMSDataLoggerDetailType { Date TimeStamp OperatingMode IMtb ErrorCode IndexNumber DestOrVia RouteAssignment GrossTrayWeight Transportation UniqueTrayId TrayTypeIndicator LowTareWeight ManifestWeight HighTareWeight ManifestPostage AssignedSort SAMSQueue DNRTrayBarcode IMcb ContainerTray DestinationZip EntryLocaleK } </pre>
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
children	mailxml_mm:Date mailxml_mm:TimeStamp mailxml_mm:OperatingMode mailxml_mm:IMtb

	mailxml mm:ErrorCode mailxml mm:IndexNumber mailxml mm:DestOrVia mailxml mm:RouteAssignment mailxml mm:GrossTrayWeight mailxml mm:TransportationMode mailxml mm:UniqueTrayIdentifier mailxml mm:TrayTypeIndicator mailxml mm:LowTareWeight mailxml mm:ManifestWeight mailxml mm:HighTareWeight mailxml mm:ManifestPostage mailxml mm:AssignedSort mailxml mm:SAMSQuery mailxml mm:DNRTrayBarcode mailxml mm:IMcb mailxml mm:ContainerTrayCount mailxml mm:DestinationZip mailxml mm:EntryLocaleKey
used by	element s TMSDataLoggerDelivery/TMSDataLoggerDetail/TMSDataDetailBlock TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/TMSDataDetailBlock

5710

5711

5712 element **tMSDataLoggerDetailType/Date**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:date

5713

5714

5715 element **tMSDataLoggerDetailType/TimeStamp**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:time

5716

5717

5718 element **tMSDataLoggerDetailType/OperatingMode**

diagram										
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:operatingModeType									
facets	<table> <tr> <td>Kind</td> <td>Value</td> <td>Annotation</td> </tr> <tr> <td>enumeration</td> <td>N</td> <td></td> </tr> <tr> <td></td> <td>B</td> <td></td> </tr> </table>	Kind	Value	Annotation	enumeration	N			B	
Kind	Value	Annotation								
enumeration	N									
	B									

5719

5720

5721 element **tMSDataLoggerDetailType/IMtb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:IMtbType

facets	Kind minLength maxLength	Value 24 24	Annotation
--------	--------------------------------	-------------------	------------

5722

5723

5724 element **tMSDataLoggerDetailType/ErrorCode**

diagram	mailxml_mm:um:ErrorCode
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s04
facets	Kind minLength maxLength whiteSpace Value 1 4 preserve

5725

5726

5727 element **tMSDataLoggerDetailType/IndexNumber**

diagram	mailxml_mm:um:IndexNumber
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s96
facets	Kind minLength maxLength whiteSpace Value 1 96 preserve

5728

5729

5730 element **tMSDataLoggerDetailType/DestOrVia**

diagram	mailxml_mm:um:DestOrVia
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:s03
facets	Kind minLength maxLength whiteSpace Value 1 3 preserve

5731

5732

5733 element **tMSDataLoggerDetailType/RouteAssignment**

diagram	mailxml_mm:um:RouteAssignm...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

5734

5735

5736 element **tMSDataLoggerDetailType/GrossTrayWeight**

diagram	mailxml_mm:im:GrossTrayWei... []
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

5737

5738

5739 element **tMSDataLoggerDetailType/TransportationMode**

diagram	mailxml_mm:im:Transportation... []																					
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_base:transportationModeType																					
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>0</td> <td></td> </tr> <tr> <td>enumeration</td> <td>1</td> <td></td> </tr> <tr> <td>enumeration</td> <td>2</td> <td></td> </tr> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>4</td> <td></td> </tr> <tr> <td>enumeration</td> <td>9</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	0		enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	9	
Kind	Value	Annotation																				
enumeration	0																					
enumeration	1																					
enumeration	2																					
enumeration	3																					
enumeration	4																					
enumeration	9																					

5740

5741

5742 element **tMSDataLoggerDetailType/UniqueTrayIdentifier**

diagram	mailxml_mm:im:UniqueTrayId... []												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s24												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	24		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	24												
whiteSpace	preserve												

5743

5744

5745 element tMSDataLoggerDetailType/TrayTypeIndicator

diagram																						
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																					
type	mailxml_mm:trayTypeIndicatorType																					
facets	<table><thead><tr><th>Kind</th><th>Value</th><th>Annotation</th></tr></thead><tbody><tr><td>enumeration</td><td>T</td><td></td></tr><tr><td>enumeration</td><td>M</td><td></td></tr><tr><td>enumeration</td><td>N</td><td></td></tr><tr><td>enumeration</td><td>E</td><td></td></tr><tr><td>enumeration</td><td>O</td><td></td></tr><tr><td>enumeration</td><td>U</td><td></td></tr></tbody></table>	Kind	Value	Annotation	enumeration	T		enumeration	M		enumeration	N		enumeration	E		enumeration	O		enumeration	U	
Kind	Value	Annotation																				
enumeration	T																					
enumeration	M																					
enumeration	N																					
enumeration	E																					
enumeration	O																					
enumeration	U																					

5746

5747

5748 element tMSDataLoggerDetailType/LowTareWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

5749

5750

5751 element tMSDataLoggerDetailType/ManifestWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

5752

5753

5754 element tMSDataLoggerDetailType/HighTareWeight

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	xs:decimal

5755

5756

5757 element tMSDataLoggerDetailType/ManifestPostage

diagram	
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm

type	xs:decimal
------	-------------------

5758

5759

5760 element tMSDataLoggerDetailType/AssignedSort

diagram	 mailxml_mm:m:AssignedSort
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns03

5761

5762

5763 element tMSDataLoggerDetailType/SAMSQuery

diagram	 mailxml_mm:m:SAMSQue...												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s15												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>15</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	15		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	15												
whiteSpace	preserve												

5764

5765

5766 element tMSDataLoggerDetailType/DNRTrayBarcode

diagram	 mailxml_mm:m:DNRTrayBarcode												
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm												
type	mailxml_base:s50												
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>1</td> <td></td> </tr> <tr> <td>maxLength</td> <td>50</td> <td></td> </tr> <tr> <td>whiteSpace</td> <td>preserve</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	1		maxLength	50		whiteSpace	preserve	
Kind	Value	Annotation											
minLength	1												
maxLength	50												
whiteSpace	preserve												

5767

5768

5769 element tMSDataLoggerDetailType/IMcb

diagram	 mailxml_mm:m:IMcb									
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	mailxml_base:IMcbType									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>minLength</td> <td>21</td> <td></td> </tr> <tr> <td>maxLength</td> <td>24</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	minLength	21		maxLength	24	
Kind	Value	Annotation								
minLength	21									
maxLength	24									

5770

5771

5772 element **tMSDataLoggerDetailType/ContainerTrayCount**

diagram	mailxml_mm:im:ContainerTray...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:ns02

5773

5774

5775 element **tMSDataLoggerDetailType/DestinationZip**

diagram	mailxml_mm:im:DestinationZip...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

5776

5777

5778 element **tMSDataLoggerDetailType/EntryLocaleKey**

diagram	mailxml_mm:im:EntryLocaleK...
namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	mailxml_base:localeKeyType
facets	Kind Value Annotation minLength 1 maxLength 9 whiteSpace preserve

5779

5780

5781 simpleType **agencyCostCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	restriction of xs:string
used by	elements abstractInternationalPostageStatementDataType/AgencyCostCode abstractPeriodicalStatementDataType/AgencyCostCode abstractPostageStatementDataType/AgencyCostCode attribute MailXMLPostageStatementRequestHeaderInfo/@AgencyCostCode

5782

5783

5784 simpleType **BRMFeeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm
type	restriction of xs:string
used by	element invoiceSummaryDataType/BRMFee
facets	Kind Value Annotation

	enumeration A enumeration AM enumeration MW enumeration Q
--	--

5785

5786

5787 simpleType **BRMType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm															
type	restriction of xs:string															
used by	element invoiceSummaryDataType/BRMType															
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	A		enumeration	B		enumeration	C		enumeration	D	
Kind	Value	Annotation														
enumeration	A															
enumeration	B															
enumeration	C															
enumeration	D															

5788

5789

5790 simpleType **campaignSerialGroupingType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	restriction of xs:string									
used by	elements campaignDataType/CampaignSerialGrouping informedDeliveryCampaignCreateRequestType/CampaignSerialGrouping									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	B		enumeration	C	
Kind	Value	Annotation								
enumeration	B									
enumeration	C									

5791

5792

5793 simpleType **chargeableBundleLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																								
type	restriction of xs:string																								
used by	elements PeriodicalLineItemData/ChargeableBundleLevel bundleRecordType/ChargeableBundleLevel bundleVersionRecordType/ChargeableBundleLevel																								
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>FS</td> <td></td> </tr> </tbody> </table>	Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	F		enumeration	M		enumeration	FS	
Kind	Value	Annotation																							
enumeration	3																								
enumeration	5																								
enumeration	A																								
enumeration	C																								
enumeration	F																								
enumeration	M																								
enumeration	FS																								

5794

5795

5796 simpleType **chargeableContainerLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																										
type	restriction of xs:string																										
used by	elements PeriodicalLineItemData/ChargeableContainerLevel PostageStatementLineItemData/ChargeableContainerLevel bundleRecordType/ChargeableContainerLevel bundleVersionRecordType/ChargeableContainerLevel palletContainerRecordType/ChargeableContainerLevel palletContainerVersionRecordType/ChargeableContainerLevel sackTrayContainerRecordType/ChargeableContainerLevel sackTrayContainerVersionRecordType/ChargeableContainerLevel																										
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>3</td> <td></td> </tr> <tr> <td>enumeration</td> <td>5</td> <td></td> </tr> <tr> <td>enumeration</td> <td>A</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>M</td> <td></td> </tr> <tr> <td>enumeration</td> <td>E</td> <td></td> </tr> <tr> <td>enumeration</td> <td>F</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	3		enumeration	5		enumeration	A		enumeration	C		enumeration	M		enumeration	E		enumeration	F	
Kind	Value	Annotation																									
enumeration	3																										
enumeration	5																										
enumeration	A																										
enumeration	C																										
enumeration	M																										
enumeration	E																										
enumeration	F																										

5797

5798

5799 simpleType **chargeableContainerType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																	
type	restriction of xs:string																	
used by	element PeriodicalLineItemData/ChargeableContainerType																	
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>Sacks</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Trays</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Pallets</td> <td></td> </tr> <tr> <td>enumeration</td> <td>Airbox</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	Sacks		enumeration	Trays		enumeration	Pallets		enumeration	Airbox	
Kind	Value	Annotation																
enumeration	Sacks																	
enumeration	Trays																	
enumeration	Pallets																	
enumeration	Airbox																	

5800

5801

5802 simpleType **chargeableEntryLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm														
type	restriction of xs:string														
used by	elements PeriodicalLineItemData/ChargeableEntryLevel palletContainerRecordType/ChargeableEntryLevel palletContainerVersionRecordType/ChargeableEntryLevel sackTrayContainerRecordType/ChargeableEntryLevel sackTrayContainerVersionRecordType/ChargeableEntryLevel														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr> <td>enumeration</td> <td>B</td> <td></td> </tr> <tr> <td>enumeration</td> <td>C</td> <td></td> </tr> <tr> <td>enumeration</td> <td>D</td> <td></td> </tr> </tbody> </table>			Kind	Value	Annotation	enumeration	B		enumeration	C		enumeration	D	
Kind	Value	Annotation													
enumeration	B														
enumeration	C														
enumeration	D														

	enumeration J enumeration K enumeration O enumeration R enumeration S enumeration P
--	--

5803

5804

5805 simpleType **containerBundleStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm	
type	restriction of xs:string	
used by	elements ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleStatus	
facets	Kind	Value Annotation
	enumeration	-1
	enumeration	0
	enumeration	1

5806

5807

5808 simpleType **directOrMixedCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm	
type	restriction of xs:string	
used by	elements InternationalPostageStatementLineItemSummaryData/DirectOrMixedCategory InternationalPostageStatementLineItemData/DirectOrMixedCategory	
facets	Kind	Value Annotation
	enumeration	Direct
	enumeration	Mixed

5809

5810

5811 simpleType **DMLTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm	
type	restriction of xs:string	
used by	element abstractPostageStatementDataType/DMLType	
facets	Kind	Value Annotation
	enumeration	A
	enumeration	B

5812

5813

5814 simpleType **errorWarningCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm	
type	restriction of xs:string	
used by	element manifestErrorWarningDetailType/ErrorWarningCode	

facets	Kind enumeration enumeration	Value E W	Annotation
--------	------------------------------------	-----------------	------------

5815

5816

5817 simpleType **fspiType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements InternationalPostageStatementLineItemData/FullServiceParticipationIndicator PeriodicalLineItemData/FullServiceParticipationIndicator PostageStatementLineItemData/FullServiceParticipationIndicator invoiceLineItemDataType/FullServiceParticipationIndicator mailingGroupDataType/FullServiceParticipationIndicator		
facets	Kind enumeration M enumeration F		

5818

5819

5820 simpleType **gpExtraServiceTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements DocumentVersionDataWithPermit/GpExtraServiceType DocumentVersionData/GpExtraServiceType		
facets	Kind enumeration B enumeration F		

5821

5822

5823 simpleType **internationalPSPartSectionType**

namepac e	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	element InternationalPostageStatementLineItemSummaryData/PostageStatementPartsSec InternationalPostageStatementLineItemData/PostageStatementPartsSection		
facets	Kind enumeration ICLM enumeration ICLO enumeration ICLP enumeration ICLPL enumeration ICLS enumeration ICOM enumeration ICOP enumeration IEM enumeration IEMF enumeration IFCP		

	enumeration IFE
	enumeration IFLB
	enumeration IFMB
	enumeration IFSB
	enumeration IGBB
	enumeration IGBM
	enumeration IGD
	enumeration IGXG
	enumeration ILDC
	enumeration ILDD
	enumeration ILDF
	enumeration IMBG
	enumeration INDG
	enumeration IPM
	enumeration IPMI
	enumeration IPMM
	enumeration IRV
	enumeration ISAL
	enumeration ISAM

5824

5825

5826 simpleType **internationalPSPartType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements InternationalPostageStatementLineItemSummaryData/PostageStatementPart InternationalPostageStatementLineItemData/PostageStatementPart		
facets	Kind	Value	Annotation
	enumeration	A	
	enumeration	B	
	enumeration	C	
	enumeration	D	
	enumeration	E	
	enumeration	F	
	enumeration	G	
	enumeration	H	
	enumeration	I	
	enumeration	J	
	enumeration	K	
	enumeration	Q	
	enumeration	R	
	enumeration	S	

5827

5828

5829 simpleType **internationalZoneType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
-----------	---	--	--

type	restriction of xs:string																																																
used by	element manifestMailPieceSummaryType/InternationalZone																																																
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>1</td><td></td></tr> <tr><td>enumeration</td><td>2</td><td></td></tr> <tr><td>enumeration</td><td>3</td><td></td></tr> <tr><td>enumeration</td><td>4</td><td></td></tr> <tr><td>enumeration</td><td>5</td><td></td></tr> <tr><td>enumeration</td><td>6</td><td></td></tr> <tr><td>enumeration</td><td>7</td><td></td></tr> <tr><td>enumeration</td><td>8</td><td></td></tr> <tr><td>enumeration</td><td>9</td><td></td></tr> <tr><td>enumeration</td><td>10</td><td></td></tr> <tr><td>enumeration</td><td>11</td><td></td></tr> <tr><td>enumeration</td><td>12</td><td></td></tr> <tr><td>enumeration</td><td>13</td><td></td></tr> <tr><td>enumeration</td><td>14</td><td></td></tr> <tr><td>enumeration</td><td>15</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	1		enumeration	2		enumeration	3		enumeration	4		enumeration	5		enumeration	6		enumeration	7		enumeration	8		enumeration	9		enumeration	10		enumeration	11		enumeration	12		enumeration	13		enumeration	14		enumeration	15	
Kind	Value	Annotation																																															
enumeration	1																																																
enumeration	2																																																
enumeration	3																																																
enumeration	4																																																
enumeration	5																																																
enumeration	6																																																
enumeration	7																																																
enumeration	8																																																
enumeration	9																																																
enumeration	10																																																
enumeration	11																																																
enumeration	12																																																
enumeration	13																																																
enumeration	14																																																
enumeration	15																																																

5830

5831

5832 simpleType **invoiceStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm									
type	restriction of xs:string									
used by	element accountHeaderInfoBlockType/Status									
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>Planned</td><td></td></tr> <tr><td>enumeration</td><td>Final</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	Planned		enumeration	Final	
Kind	Value	Annotation								
enumeration	Planned									
enumeration	Final									

5833

5834

5835 simpleType **manifestExtraServiceCode**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm																														
type	restriction of xs:string																														
used by	element manifestMailPieceType/SpecialService																														
facets	<table> <thead> <tr> <th>Kind</th> <th>Value</th> <th>Annotation</th> </tr> </thead> <tbody> <tr><td>enumeration</td><td>420</td><td></td></tr> <tr><td>enumeration</td><td>430</td><td></td></tr> <tr><td>enumeration</td><td>440</td><td></td></tr> <tr><td>enumeration</td><td>910</td><td></td></tr> <tr><td>enumeration</td><td>915</td><td></td></tr> <tr><td>enumeration</td><td>920</td><td></td></tr> <tr><td>enumeration</td><td>921</td><td></td></tr> <tr><td>enumeration</td><td>925</td><td></td></tr> <tr><td>enumeration</td><td>930</td><td></td></tr> </tbody> </table>	Kind	Value	Annotation	enumeration	420		enumeration	430		enumeration	440		enumeration	910		enumeration	915		enumeration	920		enumeration	921		enumeration	925		enumeration	930	
Kind	Value	Annotation																													
enumeration	420																														
enumeration	430																														
enumeration	440																														
enumeration	910																														
enumeration	915																														
enumeration	920																														
enumeration	921																														
enumeration	925																														
enumeration	930																														

	enumeration	931
	enumeration	935
	enumeration	940
	enumeration	950
	enumeration	955
	enumeration	957
	enumeration	960
	enumeration	970
	enumeration	980
	enumeration	985

5836

5837

5838 simpleType **manifestMailClassType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements manifestMailPieceSummaryType/ClassOfMail paymentInformationType/NonIncidentalEnclosureClass		
facets	Kind	Value	Annotation
	enumeration	BB	
	enumeration	BL	
	enumeration	BP	
	enumeration	BS	
	enumeration	CP	
	enumeration	DM	
	enumeration	EX	
	enumeration	FC	
	enumeration	IE	
	enumeration	IL	
	enumeration	LC	
	enumeration	PG	
	enumeration	PM	
	enumeration	PS	
	enumeration	S2	
	enumeration	S3	
	enumeration	S4	
	enumeration	SA	

5839

5840

5841 simpleType **manifestRateLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements paymentInformationType/DestinationRateInd paymentInformationType/NonIncidentalEnclosureRateIndicator		
facets	Kind	Value	Annotation

	enumeration	AD
	enumeration	BA
	enumeration	BM
	enumeration	BN
	enumeration	BP
	enumeration	BS
	enumeration	B3
	enumeration	CB
	enumeration	CD
	enumeration	CH
	enumeration	CR
	enumeration	CS
	enumeration	C1
	enumeration	C2
	enumeration	C3
	enumeration	C4
	enumeration	C5
	enumeration	DN
	enumeration	DR
	enumeration	E1
	enumeration	E3
	enumeration	E4
	enumeration	FB
	enumeration	FE
	enumeration	IG
	enumeration	IM
	enumeration	MA
	enumeration	MB
	enumeration	NP
	enumeration	OS
	enumeration	PG
	enumeration	PL
	enumeration	PM
	enumeration	PP
	enumeration	PR
	enumeration	RB
	enumeration	SB
	enumeration	SP
	enumeration	S1
	enumeration	S2
	enumeration	S5
	enumeration	1A
	enumeration	1E
	enumeration	2A
	enumeration	2E
	enumeration	3A

	enumeration 3D enumeration 3E enumeration 5D enumeration 5S
--	--

5842

5843

5844 simpleType **manifestType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of mailxml_base:s02		
used by	element ManifestCreateRequest/InternationalOrDomestic		
facets	Kind	Value	Annotation
	minLength	1	
	maxLength	2	
	whiteSpace	preserve	
	enumeration	DM	
	enumeration	IM	

5845

5846

5847 simpleType **onePassOrTwoPassType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements CustomerMailReportCreateRequest/OnePassOrTwoPass SummaryZipDestinationReportCreateRequest/OnePassOrTwoPass		
facets	Kind	Value	Annotation
	enumeration	One	
	enumeration	Two	

5848

5849

5850 simpleType **periodicalPriceType**

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	element PeriodicalLineItemData/PeriodicalPrice		
facets	Kind	Value	Annotation
	enumeration	D	
	enumeration	C	
	enumeration	E	
	enumeration	R	
	enumeration	Z	
	enumeration	5	
	enumeration	9	
	enumeration	1	

5851

5852

5853 simpleType [postageAutoFinalizationType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements abstractPeriodicalStatementDataType/PostageAutoFinalization abstractPostageStatementDataType/PostageAutoFinalization		
facets	Kind	Value	Annotation
	enumeration	Passed	
	enumeration	Failed	
	enumeration	Pending	
	enumeration	Not Applicable	

5854

5855

5856 simpleType [postagePaymentMethodType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements paymentInformationType/PaymentMethod abstractInternationalPostageStatementDataType/PostagePaymentMethod abstractPeriodicalStatementDataType/PostagePaymentMethod abstractPostageStatementDataType/PostagePaymentMethod summaryZipDestinationReportType/PostagePaymentMethod attribute MailXMLPostageStatementRequestHeaderInfo/@PostageStatementMethod		
facets	Kind	Value	Annotation
	enumeration	S	
	enumeration	M	
	enumeration	P	

5857

5858

5859 simpleType [priceType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	elements InternationalPostageStatementLineItemSummaryData/PriceType InternationalPostageStatementLineItemData/PriceType PostageStatementLineItemData/PriceType LineItemSummaryData/PriceType invoiceLineItemData/PriceType		
facets	Kind	Value	Annotation
	enumeration	commercial	
	enumeration	commercialplus	
	enumeration	retail	

5860

5861

5862 simpleType [rateCategoryType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		

used by	elements	InternationalPostageStatementLineItemSummaryData/RateCategory InternationalPostageStatementLineItemData/RateCategory PeriodicalLineItemData/RateCategory PostageStatementLineItemData/RateCategory QualificationSummaryReport/RateCategory LineItemSummaryData/RateCategory invoiceLineItemData/Type/RateCategory
facets	Kind	Value Annotation
	enumeration	A
	enumeration	A1
	enumeration	AF
	enumeration	B
	enumeration	B1
	enumeration	B2
	enumeration	BF
	enumeration	C
	enumeration	C1
	enumeration	D
	enumeration	D1
	enumeration	DF
	enumeration	E
	enumeration	FB
	enumeration	G
	enumeration	GF
	enumeration	H
	enumeration	K
	enumeration	KF
	enumeration	L
	enumeration	L1
	enumeration	L2
	enumeration	L3
	enumeration	L4
	enumeration	L5
	enumeration	L6
	enumeration	L7
	enumeration	L8
	enumeration	TQ
	enumeration	TR
	enumeration	N
	enumeration	O
	enumeration	O1
	enumeration	PI
	enumeration	PM
	enumeration	P7
	enumeration	P8
	enumeration	PE
	enumeration	PQ

	enumeration	PR
	enumeration	PG
	enumeration	PK
	enumeration	P5
	enumeration	P6
	enumeration	P11
	enumeration	P12
	enumeration	P13
	enumeration	P14
	enumeration	P15
	enumeration	P16
	enumeration	S
	enumeration	SD
	enumeration	IA10
	enumeration	IA11
	enumeration	IA12
	enumeration	IA13
	enumeration	IB14
	enumeration	IB15
	enumeration	IC15
	enumeration	IC17
	enumeration	IC18
	enumeration	ID19
	enumeration	ID20
	enumeration	ID21
	enumeration	ID22
	enumeration	ID23
	enumeration	ID24
	enumeration	IE25
	enumeration	IE26
	enumeration	IE27
	enumeration	IE28
	enumeration	IE29
	enumeration	IF30
	enumeration	IF31
	enumeration	IG32
	enumeration	IH33
	enumeration	IH34
	enumeration	II35
	enumeration	II36
	enumeration	II37
	enumeration	II38
	enumeration	II39
	enumeration	II40
	enumeration	II41
	enumeration	IJ42

	enumeration	IJ43
	enumeration	IJ44
	enumeration	IJ45
	enumeration	IJ46
	enumeration	IJ47
	enumeration	IK48
	enumeration	IK49
	enumeration	IK50
	enumeration	IK51
	enumeration	IK52
	enumeration	IK53
	enumeration	IK54
	enumeration	IK55
	enumeration	IK56
	enumeration	IK57
	enumeration	IK58
	enumeration	IK59
	enumeration	IK60
	enumeration	IK61
	enumeration	IK62
	enumeration	IK63
	enumeration	IK64
	enumeration	IK65
	enumeration	IK66
	enumeration	IK67
	enumeration	IQ68
	enumeration	IR69
	enumeration	PS1
	enumeration	PS2
	enumeration	PS3
	enumeration	PS4
	enumeration	PS5
	enumeration	PS6
	enumeration	PS7
	enumeration	PS8
	enumeration	PS9
	enumeration	PS10
	enumeration	PS11
	enumeration	Z
	enumeration	D2
	enumeration	TE
	enumeration	TK
	enumeration	PO

5863

5864

5865 simpleType [referenceableMailContentType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	element referenceableMailContentGroupType/ReferenceableMailContentType		
facets	Kind Value Annotation enumeration A enumeration B enumeration C enumeration D enumeration O		

5866

5867

5868 simpleType [residualPrepType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	element abstractPostageStatementDataType/FCMLtrResidualPrepIndicator		
facets	Kind Value Annotation enumeration M enumeration S		

5869

5870

5871 simpleType [trayTypeIndicatorType](#)

namespace	http://delivery-tech.org/Specs/mailxml25.0/mailxml_mm		
type	restriction of xs:string		
used by	element tMSDataLoggerDetailType/TrayTypeIndicator		
facets	Kind Value Annotation enumeration T enumeration M enumeration N enumeration E enumeration O enumeration U		