

Mail.XML Version 24.1

System Messages Specification

May 10, 2021

Working Group Chair

Bob Schimek, Quad

Technical Director

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Editor:

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2020 – Delivery Technology Advocacy Council (“DTAC”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



Copyright and Legal Notices

© 2021 Delivery Technology Advocacy Council. All Rights Reserved.

Copyright 2021 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

Mail.XML and Mail.dat are trademarks of DTAC.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

What's New in Mail.XML Version 24.1?

With this release, the Mail.XML Messaging Protocol moves to Version 24.1. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 24.1 include:

- CR 2411 – Modification to RateCategoryType, to include a value of B2 to represent High Density Flats Carrier Route Bundles on Pallets
- CR 2412 – Updates to CharacteristicIncentiveType to include enumerations from 0X to 9X to make values consistent with list of Content values and with Mail.dat
- CR 2410 – Updates to ZoneIType to support Zone 10 (represented as value A) for USPS competitive products

About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)

- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema².xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations: xmlns:mailxml=<http://delivery-tech.org/Specs/mailxml24.1/mailxml> targetNamespace=<http://delivery-tech.org/Specs/mailxml24.1/mailxml>

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.1A/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.1A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.1B/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.1B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.1/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.1.xsd' <- Major Version

Mail.XML 24.1 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml_base_24.1.xsd*).

- mailxml_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_tm:
- mailxml_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_mm:

- mailxml_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_iv:
- mailxml_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_dd:
- mailxml_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_id:
- mailxml_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_sc:
- mailxml_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml_base:
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml:

The Mail.XML™ 24 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 23.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 24.1: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 24.1: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 24.1: Informed Visibility Specification documents all informed visibility messages
- Mail.XML™ 24.1: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 24.1: Identification Messaging Specification documents all identification messages
- Mail.XML™ 24.1: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 24.1: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 24.1: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 24.1: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 24.1: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

Table of Contents

ABSTRACT	3
ABOUT MAIL.XML™	3
WHAT’S NEW IN MAIL.XML VERSION 24.1?	3
ABOUT MAIL.XML SCHEMA MODULARIZATION	3
MAIL.XML MODULE VERSIONING RULES	4
MAIL.XML 24.1 XSD MODULES:.....	4
THE MAIL.XML™ 24 MESSAGING DOCUMENTATION SET	5
1 INDEX	7
2 ELEMENTS	11

1 Index

schema location: **mailxml_mm_24.1.xsd**
attributeFormDefault: **qualified**
elementFormDefault: **qualified**
targetNamespace: **http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm**

Elements

BeginCombinedMailingRequest

BeginCombinedMailingResponse

BundleDetailCancelRequest

BundleDetailCancelResponse

BundleDetailCreateRequest

BundleDetailCreateResponse

CloseMailingGroupRequest

CloseMailingGroupResponse

ComponentQueryRequest

ComponentQueryResponse

ComponentUpdateRequest

ComponentUpdateResponse

ConsolidatedPeriodicalStatementCreateRequest

ConsolidatedPeriodicalStatementCreateResponse

ContainerBundleReportCancelRequest

ContainerBundleReportCancelResponse

ContainerBundleReportCreateRequest

ContainerBundleReportCreateResponse

ContainerBundleReportQueryRequest

ContainerBundleReportQueryResponse

ContainerBundleReports

Complex types

abstractInternationalPostageStatementDataType

abstractPeriodicalStatementDataType

abstractPostageStatementDataType

accountHeaderInfoBlockType

bundleDetailType

bundleRecordType

bundleVersionRecordType

campaignDataType

certificationDataType

componentPeriodicalAdpercentType

componentWeightUpdateType

containerCountType

containerManifestType

containerPostageType

containerType

createConsolidatedPeriodicalStatementDataType

createInternationalPostageStatementType

createPeriodicalStatementType

createPostageStatementType

customerMailReportInfoType

customsType

Simple types

agencyCostCodeType

BRMFeeType

BRMType

campaignSerialGroupingType

chargeableBundleLevelType

chargeableContainerLevelType

chargeableContainerType

chargeableEntryLevelType

containerBundleStatusType

directOrMixedCategoryType

DMLTypeType

errorWarningCodeType

fspiType

gpExtraServiceTypeType

internationalPSPartSectionType

internationalPSPartType

internationalZoneType

invoiceStatusType

manifestExtraServiceCode

manifestMailClassType

manifestRateLevelIndica

ContainerBundleSummaryRecords	fullComponentType	torType
ContainerBundleVersionRecords	informedDeliveryCampaignCreateRequestType	manifestType
ContainerManifestCancelRequest	informedDeliveryCampaignCreateRequestTypeType	onePassOrTwoPassType
ContainerManifestCancelResponse	informedDeliveryCampaignDeleteRequestType	periodicalPriceType
ContainerManifestCreateRequest	informedDeliveryCampaignDeleteTypeType	postageAutoFinalizationType
ContainerManifestCreateResponse	internationalPostageStatementDataType	postagePaymentMethodType
ContainerManifestUpdateRequest	invoiceLineItemDataType	priceType
ContainerManifestUpdateResponse	invoiceRequestHeaderInfoType	rateCategoryType
ContainerUpdateRequest	invoiceResponseHeaderInfoType	referenceableMailContentTypeType
ContainerUpdateResponse	invoiceSummaryDataType	residualPrepType
CustomerMailReportCreateRequest	mailCharacteristicsType	trayTypeIndicatorType
CustomerMailReportCreateResponse	mailerDataRequestType	
DateRange	mailerDataType	
DocumentVersionData	mailerMIDCRIDDataRequestType	
DocumentVersionDataWithPermit	mailingGroupDataType	
EndCombinedMailingRequest	mailOwnerBlockType	
EndCombinedMailingResponse	mailPieceBlockGroupType	
ExtraServiceSummaryData	mailPieceBlockType	
InformedDeliveryCampaignCancelRequest	mailPieceCancelType	
InformedDeliveryCampaignCancelResponse	mailPieceRequestType	
InformedDeliveryCampaignCreateRequest	mailXMLPieceRangeBlockType	
InformedDeliveryCampaignCreateResponse	manifestAndOrderIDInfoBlockType	
InternationalPostageStatementCreateRequest	manifestErrorWarningDetailType	
InternationalPostageStatementCreateResponse	manifestErrorWarningSummaryType	
InternationalPostageStatementLineItemData	manifestMailPieceSummaryType	
InternationalPostageStatementLineItemSummaryData	manifestMailPieceType	
InternationalPostageStatementQueryRequest	manifestMailType	
InternationalPostageStatementQueryResponse	manifestPaymentExtractDataType	
InvoiceDelivery	manifestPieceListType	
InvoiceQueryRequest	manifestTrackingInformationType	
InvoiceQueryResponse	palletContainerRecordType	

LineItemSummaryData	palletContainerVersionRecordType
MailingGroupQueryRequest	paymentInformationType
MailingGroupQueryResponse	PDRMailPieceBlockType
MailingGroupSummary	periodicalStatementDataType
MailPieceCancelRequest	pieceRangeBlockType
MailPieceCancelResponse	postageStatementDataType
MailPieceCreateRequest	qualificationPreparerDataType
MailPieceCreateResponse	qualificationReportDataType
MailPieceUpdateRequest	qualificationReportDetailDataType
MailPieceUpdateResponse	qualificationReportSummaryDataTy pe
ManifestCancelRequest	referenceableMailContentGroupTyp e
ManifestCancelResponse	referenceableMailDataBarcodesTyp e
ManifestCreateRequest	referenceableMailDataType
ManifestCreateResponse	sackTrayContainerRecordType
ManifestPaymentExtractQueryRequest	sackTrayContainerVersionRecordTy pe
ManifestPaymentExtractDelivery	specialProductInformationType
ManifestPaymentExtractNotification	STCForContainerOrTrayType
ManifestPaymentExtractQueryRespon se	summaryRecordUpdateType
OpenMailingGroupRequest	summaryZipDestinationReportType
OpenMailingGroupResponse	tMSDataLoggerDetailType
PaymentMessage	
PaymentMessageQueryRequest	
PaymentMessageQueryResponse	
PeriodicalLineItemData	
PeriodicalStatementCreateRequest	
PeriodicalStatementCreateResponse	
PeriodicalStatementQueryRequest	
PeriodicalStatementQueryResponse	
PostageStatementCancelRequest	
PostageStatementCancelResponse	
PostageStatementCreateRequest	
PostageStatementCreateResponse	
PostageStatementLineItemData	
PostageStatementQueryRequest	
PostageStatementQueryResponse	
PostageStatementStatusQueryReques t	
PostageStatementStatusQueryRespon se	
QualificationReportCreateRequest	
QualificationReportCreateResponse	

QualificationReportDetailCreateRequest
QualificationReportDetailCreateResponse
QualificationReportQueryRequest
QualificationReportQueryResponse
QualificationReportSummaryCreateRequest
QualificationReportSummaryCreateResponse
QualificationSummaryReport
ReconciliationReport
ReconciliationReportQueryRequest
ReconciliationReportQueryResponse
SummaryZipDestinationReportCreateRequest
SummaryZipDestinationReportCreateResponse
TMSDataLoggerDelivery
TMSDataLoggerNotification
TMSDataLoggerQueryRequest
TMSDataLoggerQueryResponse

2 Elements


complexType abstractInternationalPostageStatementDataType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage
used by	complexTypes createInternationalPostageStatementType internationalPostageStatementDataType


element **abstractInternationalPostageStatementDataType/AgencyCostCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:agencyCostCodeType


element **abstractInternationalPostageStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractInternationalPostageStatementDataType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40

element **abstractInternationalPostageStatementDataType/UserPostageStatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10

element **abstractInternationalPostageStatementDataType/CertificationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:certificationDataType
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix


element **abstractInternationalPostageStatementDataType/ContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:TraysFlat


element **abstractInternationalPostageStatementDataType/CanadaAdmailOnly**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:canadaAdMailOnlyType


element **abstractInternationalPostageStatementDataType/UnderICMAgreement**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractInternationalPostageStatementDataType/ICMAgreementNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **abstractInternationalPostageStatementDataType/DirectShipmentCountry**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s45


element **abstractInternationalPostageStatementDataType/TareWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **abstractInternationalPostageStatementDataType/ReceiptNo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **abstractInternationalPostageStatementDataType/ExtendedForm**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractInternationalPostageStatementDataType/FormType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:formType


element **abstractInternationalPostageStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractInternationalPostageStatementDataType/PackagingMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:packagingMethodType


element **abstractInternationalPostageStatementDataType/PostageAffixedAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **abstractInternationalPostageStatementDataType/PostagePaymentMethod**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:postagePaymentMethodType

element **abstractInternationalPostageStatementDataType/ProcessingCategory**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:processingCategoryType
------	-------------------------------------


element **abstractInternationalPostageStatementDataType/RateType**

diagram	 A diagram showing the element <code>mailxml_mm:RateType</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType


element **abstractInternationalPostageStatementDataType/RegisterOfMailing**

diagram	 A diagram showing the element <code>mailxml_mm:RegisterOfMailing</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractInternationalPostageStatementDataType/SackingBasis**

diagram	 A diagram showing the element <code>mailxml_mm:SackingBasis</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:sackingBasisType


element **abstractInternationalPostageStatementDataType/SinglePieceWeight**

diagram	 A diagram showing the element <code>mailxml_mm:SinglePieceWeight</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **abstractInternationalPostageStatementDataType/StatementSequenceNumber**


diagram	 A diagram showing the element <code>mailxml_mm:StatementSequenceNumber</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **abstractInternationalPostageStatementDataType/MeteredAffixedMethod**


diagram	 A diagram showing the element <code>mailxml_mm:MeteredAffixedMethod</code> with a dashed border and a small icon to the left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:meteredAffixedMethodType


element **abstractInternationalPostageStatementDataType/CombinedMailingID**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:CombinedMailingID'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **abstractInternationalPostageStatementDataType/EnclosingVolumeNo**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:EnclosingVolumeNo'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

element **abstractInternationalPostageStatementDataType/EnclosingIssueNo**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:EnclosingIssueNo'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **abstractInternationalPostageStatementDataType/EnclosingIssueDate**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:EnclosingIssueDate'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractInternationalPostageStatementDataType/ContainerPostage**

diagram	<pre> graph LR subgraph mailxml_mm_containerPostageType [mailxml_mm:containerPostageType] direction TB CID[mailxml_mm:ContainerID] CDetailID[mailxml_mm:ContainerDetailID] Pieces[mailxml_mm:Pieces] Copies[mailxml_mm:Copies] Choice(()) IMtb[mailxml_mm:IMtb] IMcb[mailxml_mm:IMcb] IMpb[mailxml_mm:IMpb] Choice --- IMtb Choice --- IMcb Choice --- IMpb end ContainerPostage[mailxml_mm:ContainerPostage] --- CID ContainerPostage --- CDetailID ContainerPostage --- Pieces ContainerPostage --- Copies ContainerPostage --- Choice </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType abstractPeriodicalStatementDataType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm:LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey
used by	complexTypes createPeriodicalStatementType periodicalStatementDataType


element **abstractPeriodicalStatementDataType/AdvertisingPercentage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:percentageType


element **abstractPeriodicalStatementDataType/DeliveryStatisticsFileDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **abstractPeriodicalStatementDataType/UserPostageStatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **abstractPeriodicalStatementDataType/CarrierRouteAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractPeriodicalStatementDataType/CarrierRouteSequencingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractPeriodicalStatementDataType/CertificationData**

diagram	 <p>The diagram shows the structure of the <code>mailxml_mm:CertificationData</code> element. It is a container element that contains a complex type <code>mailxml_mm:certificationDataType</code>. This complex type is composed of four child elements: <code>mailxml_mm:ContactName</code>, <code>mailxml_mm:PhoneAreaCode</code>, <code>mailxml_mm:PhoneLast4</code>, and <code>mailxml_mm:PhonePrefix</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:certificationDataType
children	mailxml mm:ContactName mailxml mm:PhoneAreaCode mailxml mm:PhoneLast4 mailxml mm:PhonePrefix

element **abstractPeriodicalStatementDataType/ContainerCount**

diagram	<pre> graph LR CC[mailxml_mm:ContainerCount] --- Choice(()) subgraph mailxml_mm:containerCountType Choice --- OT[mailxml_mm:OtherType] Choice --- P[mailxml_mm:Pallets] Choice --- S[mailxml_mm:Sacks] Choice --- T1[mailxml_mm:Trays1mm] Choice --- T2e[mailxml_mm:Trays2emm] Choice --- T2m[mailxml_mm:Trays2mm] Choice --- TF[mailxml_mm:TraysFlat] end </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

element **abstractPeriodicalStatementDataType/CopyWeight**

diagram	<pre> graph LR CW[mailxml_mm:CopyWeight] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **abstractPeriodicalStatementDataType/EditionCode**

diagram	<pre> graph LR EC[mailxml_mm:EditionCode] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **abstractPeriodicalStatementDataType/FirstIssueDate**

diagram	<pre> graph LR FID[mailxml_mm:FirstIssueDate] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/FormType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:formType


element **abstractPeriodicalStatementDataType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/IssueFrequency**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **abstractPeriodicalStatementDataType/LastIssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPeriodicalStatementDataType/Over10**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractPeriodicalStatementDataType/PostagePaymentMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:postagePaymentMethodType


element **abstractPeriodicalStatementDataType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **abstractPeriodicalStatementDataType/PublicationTitle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **abstractPeriodicalStatementDataType/CombinedMailingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **abstractPeriodicalStatementDataType/RateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType


element **abstractPeriodicalStatementDataType/SingleRideAlongWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **abstractPeriodicalStatementDataType/StatementSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **abstractPeriodicalStatementDataType/EntryFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryFacilityType


element **abstractPeriodicalStatementDataType/EntryZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es5

element **abstractPeriodicalStatementDataType/AgencyCostCode**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:agencyCostCodeType

element **abstractPeriodicalStatementDataType/RepositionableNotesIndicator**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:yesNo
------	--------------------


element **abstractPeriodicalStatementDataType/MoveUpdateMethod**

diagram	 The diagram shows the element <code>mailxml_mm:MoveUpdateMethod</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:moveUpdateMethodType


element **abstractPeriodicalStatementDataType/VolumeNumber**

diagram	 The diagram shows the element <code>mailxml_mm:VolumeNumber</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05


element **abstractPeriodicalStatementDataType/IssueNumber**

diagram	 The diagram shows the element <code>mailxml_mm:IssueNumber</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **abstractPeriodicalStatementDataType/InCountyAddressedSupplementPieces**

diagram	 The diagram shows the element <code>mailxml_mm:InCountyAddress...</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **abstractPeriodicalStatementDataType/OutsideCountyAddressedSupplementPieces**


diagram	 The diagram shows the element <code>mailxml_mm:OutsideCountyAd...</code> enclosed in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **abstractPeriodicalStatementDataType/PiecesExcludingAddressedSupplementPieces**


diagram	 The diagram shows the element <code>mailxml_mm:PiecesExcludingA...</code> enclosed in a dashed rectangular box with a small icon to its left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **abstractPeriodicalStatementDataType/PostageAutoFinalization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:postageAutoFinalizationType

element **abstractPeriodicalStatementDataType/EntryLocaleKey**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:localeKeyType


complexType abstractPostageStatementDataType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID
used by	complexTypes createPostageStatementType postageStatementDataType


element **abstractPostageStatementDataType/AgencyCostCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:agencyCostCodeType


element **abstractPostageStatementDataType/DeliveryStatisticsFileDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPostageStatementDataType/AutomationAddressMatchDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPostageStatementDataType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **abstractPostageStatementDataType/CustomerCommitmentAgreementNumber**

diagram	 A dashed box containing the text "mailxml_mm:CustomerCommitmentAgreementNumber".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **abstractPostageStatementDataType/UserPostageStatementID**

diagram	 A dashed box containing the text "mailxml_mm:UserPostageStatementID".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **abstractPostageStatementDataType/CarrierRouteAddressMatchDate**

diagram	 A dashed box containing the text "mailxml_mm:CarrierRouteAddressMatchDate".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractPostageStatementDataType/CarrierRouteSequencingDate**

diagram	 A dashed box containing the text "mailxml_mm:CarrierRouteSequencingDate".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **abstractPostageStatementDataType/CertificationData**

diagram	 A diagram showing the structure of the CertificationData element. On the left is a box labeled "mailxml_mm:CertificationData". To its right is a dashed box labeled "mailxml_mm:certificationDataType". Inside this dashed box, there is a connector box (a circle with four dots) connected to four separate boxes: "mailxml_mm:ContactName", "mailxml_mm:PhoneAreaCode", "mailxml_mm:PhoneLast4", and "mailxml_mm:PhonePrefix".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:certificationDataType
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix

element **abstractPostageStatementDataType/ContainerCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

element **abstractPostageStatementDataType/EnclosedBy**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:enclosedByType


element **abstractPostageStatementDataType/DMLType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:DMLTypeType


element **abstractPostageStatementDataType/EstimateIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractPostageStatementDataType/ExtendedForm**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractPostageStatementDataType/FormType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:formType


element **abstractPostageStatementDataType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPostageStatementDataType/PackagingMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:packagingMethodType

element **abstractPostageStatementDataType/PostageAffixedAmount**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **abstractPostageStatementDataType/PostagePaymentMethod**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_mm:postagePaymentMethodType
------	---


element **abstractPostageStatementDataType/ProcessingCategory**

diagram	 A diagram showing the element <code>mailxml_mm:ProcessingCategory</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **abstractPostageStatementDataType/RateType**

diagram	 A diagram showing the element <code>mailxml_mm:RateType</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType


element **abstractPostageStatementDataType/RegisterOfMailing**

diagram	 A diagram showing the element <code>mailxml_mm:RegisterOfMailing</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo

element **abstractPostageStatementDataType/SackingBasis**

diagram	 A diagram showing the element <code>mailxml_mm:SackingBasis</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:sackingBasisType

element **abstractPostageStatementDataType/SinglePieceWeight**


diagram	 A diagram showing the element <code>mailxml_mm:SinglePieceWeight</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **abstractPostageStatementDataType/StatementSequenceNumber**


diagram	 A diagram showing the element <code>mailxml_mm:StatementSequenceNumber</code> with a dashed border and a small icon to the left.
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **abstractPostageStatementDataType/RepositionableNotesIndicator**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:RepositionableNot..." is displayed in a blue font. To the left of the box, there is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **abstractPostageStatementDataType/MeteredAffixedMethod**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:MeteredAffixedMe..." is displayed in a blue font. To the left of the box, there is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:meteredAffixedMethodType


element **abstractPostageStatementDataType/CombinedMailingID**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:CombinedMailingID" is displayed in a blue font. To the left of the box, there is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **abstractPostageStatementDataType/SinglePieceDimensionalWeight**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:SinglePieceDimen..." is displayed in a blue font. To the left of the box, there is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **abstractPostageStatementDataType/EnclosingVolumeNo**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text "mailxml_mm:EnclosingVolumeNo" is displayed in a blue font. To the left of the box, there is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05


element **abstractPostageStatementDataType/EnclosingIssueNo**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:EnclosingIssueNo'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **abstractPostageStatementDataType/EnclosingIssueDate**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:EnclosingIssueDate'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **abstractPostageStatementDataType/MoveUpdateMethod**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:MoveUpdateMethod'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:moveUpdateMethodType


element **abstractPostageStatementDataType/PaymentDateandTime**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:PaymentDateandTi...'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **abstractPostageStatementDataType/MailArrivalDateandTime**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:MailArrivalDateand...'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **abstractPostageStatementDataType/PostageAutoFinalization**

diagram	 The diagram shows a dashed rectangular box containing the text 'mailxml_mm:PostageAutoFinali...'. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:postageAutoFinalizationType

element **abstractPostageStatementDataType/FCMLtrResidualPreIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:residualPrepType

element **abstractPostageStatementDataType/SSFTID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns12

complexType **accountHeaderInfoBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PermitInfo mailxml_mm:PermitIssuedCity mailxml_mm:PermitIssuedState mailxml_mm:CompanyName mailxml_mm:Address mailxml_mm:Status mailxml_mm:PhoneNumber mailxml_mm:Comment mailxml_mm:CurrentBalance mailxml_mm:ContactName mailxml_mm:FinanceNumber mailxml_mm:AlternateMethodUsed mailxml_mm:PostageStatus

used by	elements	InvoiceQueryResponse/QueryResults/AccountHeaderInfoBlock InvoiceDelivery/AccountHeaderInfoBlock
---------	----------	--

element **accountHeaderInfoBlockType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **accountHeaderInfoBlockType/PermitIssuedCity**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s45

element **accountHeaderInfoBlockType/PermitIssuedState**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:stateCode

element **accountHeaderInfoBlockType/CompanyName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s260

element **accountHeaderInfoBlockType/Address**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:addressType
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates


element **accountHeaderInfoBlockType/Status**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:invoiceStatusType


element **accountHeaderInfoBlockType/PhoneNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:phoneNumberType


element **accountHeaderInfoBlockType/Comment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s260


element **accountHeaderInfoBlockType/CurrentBalance**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **accountHeaderInfoBlockType/ContactName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **accountHeaderInfoBlockType/FinanceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns10

element **accountHeaderInfoBlockType/AlternateMethodUsed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo

element **accountHeaderInfoBlockType/PostageStatus**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_defs:containerStatusType
------	----------------------------------


complexType **bundleDetailType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ContainerID mailxml mm:BundleID mailxml mm:TotalPieces mailxml mm:TotalCopies mailxml mm:BundleZip mailxml mm:BundleCarrierRoute mailxml mm:DestinationEntry mailxml mm:Zone mailxml mm:DestinationZip mailxml mm:OutsideCountyBundleIndicator mailxml mm:ChargeableBundleIndicator mailxml mm:SortationLevel mailxml mm:BundleLevel mailxml mm:ParentBundleID mailxml mm:BundleBarcode mailxml mm:BundleStatus mailxml mm:BundleRecordStatus mailxml mm:USPSPackageUniqueCharacteristic mailxml mm:BundleVersion
used by	element BundleDetailCreateRequest/BundleDetail


element **bundleDetailType/ContainerID**

diagram	 A diagram of the mailxml_mm:ContainerID element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **bundleDetailType/BundleID**

diagram	 A diagram of the mailxml_mm:BundleID element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **bundleDetailType/TotalPieces**

diagram	 A diagram of the mailxml_mm:TotalPieces element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **bundleDetailType/TotalCopies**

diagram	 A diagram of the mailxml_mm:TotalCopies element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **bundleDetailType/BundleZip**

diagram	 A diagram of the mailxml_mm:BundleZip element, represented as a rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element **bundleDetailType/BundleCarrierRoute**

diagram	 A diagram of the mailxml_mm:BundleCarrierRoute element, represented as a dashed rectangle with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es4


element **bundleDetailType/DestinationEntry**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryDiscountType


element **bundleDetailType/Zone**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zoneICType


element **bundleDetailType/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element **bundleDetailType/OutsideCountyBundleIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:inCountyOutCountyIndicatorType

element **bundleDetailType/ChargeableBundleIndicator**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo

element **bundleDetailType/SortationLevel**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:containerLevelType
------	---------------------------------


element **bundleDetailType/BundleLevel**

diagram	 A diagram showing the element name 'mailxml_mm:BundleLevel' in a blue box with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:bundleDetailLevelType


element **bundleDetailType/ParentBundleID**

diagram	 A diagram showing the element name 'mailxml_mm:ParentBundleID' in a blue box with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **bundleDetailType/BundleBarcode**

diagram	 A diagram showing the element name 'mailxml_mm:BundleBarcode' in a blue box with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **bundleDetailType/BundleStatus**

diagram	 A diagram showing the element name 'mailxml_mm:BundleStatus' in a blue box with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:bundleStatusType

element **bundleDetailType/BundleRecordStatus**


diagram	 A diagram showing the element name 'mailxml_mm:BundleRecordStatus' in a blue box with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:bundleRecordStatusType

element **bundleDetailType/USPSPackageUniqueCharacteristic**


diagram	 A diagram showing the element name 'mailxml_mm:USPSPackageUniq...' in a blue box with a dashed border and a small icon to the left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:uspsPackageUniqueCharacteristicType


element **bundleDetailType/BundleVersion**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:VersionID mailxml mm:VersionName

element **bundleDetailType/BundleVersion/VersionID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10

element **bundleDetailType/BundleVersion/VersionName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12


complexType **bundleRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/BundleRecord


element **bundleRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **bundleRecordType/PublicationTitle**

diagram	 A diagram showing the element <code>mailxml_mm:PublicationTitle</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **bundleRecordType/PostageStatementLineNumber**

diagram	 A diagram showing the element <code>mailxml_mm:Postage Statement...</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber3Type


element **bundleRecordType/ChargeableContainerLevel**

diagram	 A diagram showing the element <code>mailxml_mm:ChargeableContai...</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType


element **bundleRecordType/ChargeableBundleLevel**

diagram	 A diagram showing the element <code>mailxml_mm:ChargeableBundle...</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableBundleLevelType


element **bundleRecordType/Bundles**

diagram	 A diagram showing the element <code>mailxml_mm:Bundles</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **bundleRecordType/IssueDate**

diagram	 A diagram showing the element <code>mailxml_mm:IssueDate</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **bundleRecordType/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **bundleRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

complexType **bundleVersionRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableBundleLevel mailxml_mm:Bundles mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleVersionRecords/BundleVersionRecord

element **bundleVersionRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **bundleVersionRecordType/PublicationTitle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **bundleVersionRecordType/PostageStatementLineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber3Type


element **bundleVersionRecordType/ChargeableContainerLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType


element **bundleVersionRecordType/ChargeableBundleLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableBundleLevelType


element **bundleVersionRecordType/Bundles**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **bundleVersionRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **bundleVersionRecordType/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **bundleVersionRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05


complexType campaignDataType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CampaignID mailxml_mm:USPSCampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:ReferenceableMailData
used by	elements QualificationReportDetailCreateRequest/CampaignData mailPieceRequestType/CampaignData


element campaignDataType/CampaignID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08

element campaignDataType/USPSCampaignID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s22

element campaignDataType/CampaignTitle


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s60
------	------------------


element **campaignDataType/CampaignSerialGrouping**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:campaignSerialGroupingType


element **campaignDataType/CampaignCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **campaignDataType/DisplayName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30

element **campaignDataType/DateStart**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **campaignDataType/DateEnd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element campaignDataType/ReferenceableMailData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:referenceableMailDataType
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailContentGroup

complexType certificationDataType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ContactName mailxml_mm:PhoneAreaCode mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix
used by	elements abstractInternationalPostageStatementDataType/CertificationData abstractPeriodicalStatementDataType/CertificationData abstractPostageStatementDataType/CertificationData


element certificationDataType/ContactName

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element certificationDataType/PhoneAreaCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es3


element **certificationDataType/PhoneLast4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es4


element **certificationDataType/PhonePrefix**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es3


complexType **componentPeriodicalAdpercentType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:Component mailxml mm:ComponentPeriodicalAdPercent mailxml mm:ComponentPeriodicalAdPercentStatus mailxml mm:ComponentPeriodicalAdPercentBasis
used by	elements ComponentUpdateRequest/AdPercentUpdate ComponentQueryResponse/ComponentQueryAccept/ComponentAdPercent


element **componentPeriodicalAdpercentType/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:fullComponentType
children	mailxml mm:UserLicenseCode mailxml mm:MaildatJobID mailxml mm:ComponentID


element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercent**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:componentPeriodicalAdPercentStatusType

element **componentPeriodicalAdpercentType/ComponentPeriodicalAdPercentBasis**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

complexType **componentWeightUpdateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:Component mailxml mm:ComponentWeight mailxml mm:ComponentWeightSource mailxml mm:ComponentWeightStatus
used by	elements ComponentQueryResponse/ComponentQueryAccept/ComponentWeight ComponentUpdateRequest/PieceWeightUpdate

element **componentWeightUpdateType/Component**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:fullComponentType
children	mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:ComponentID

element **componentWeightUpdateType/ComponentWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **componentWeightUpdateType/ComponentWeightSource**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:componentWeightSourceType

element **componentWeightUpdateType/ComponentWeightStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:componentWeightStatusType

complexType containerCountType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat
used by	elements abstractInternationalPostageStatementDataType/ContainerCount abstractPeriodicalStatementDataType/ContainerCount abstractPostageStatementDataType/ContainerCount createConsolidatedPeriodicalStatementDataType/ContainerCount

element containerCountType/OtherType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element containerCountType/Pallets

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element containerCountType/Sacks

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **containerCountType/Trays1mm**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Trays1mm".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **containerCountType/Trays2emm**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Trays2emm".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **containerCountType/Trays2mm**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Trays2mm".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **containerCountType/TraysFlat**


diagram	 A dashed rectangular box containing the text "mailxml_mm:TraysFlat".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

complexType **containerManifestType**


diagram	 A complex type diagram for "containerManifestType". The root is a rounded rectangle labeled "containerManifestType". It is connected to a sequence container (a rectangle with three dots). This container has four children: 1) A choice container (a rectangle with a vertical bar and a plus sign) containing three elements: "mailxml_mm:IMcb", "mailxml_mm:IMtb", and "mailxml_mm:IMpb". 2) "mailxml_mm:ContainerID". 3) "mailxml_mm:StatementID" with a cardinality of "0..∞". 4) "mailxml_mm:EntryPointZip". 5) "mailxml_mm:EntryLocaleKey". All child elements are shown in dashed rectangular boxes.
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
children	mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey	
used by	elements	ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/AcceptedContainers ContainerManifestCancelResponse/ContainerManifestCancelAccept/CancelledContainers ContainerManifestCreateRequest/Container ContainerManifestUpdateRequest/Container ContainerManifestCancelRequest/Container ContainerManifestUpdateResponse/ContainerManifestUpdateAccept/RejectedContainers


element containerManifestType/IMcb

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:IMcbType	


element containerManifestType/IMtb

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:IMtbType	


element containerManifestType/IMpb

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:IMpbType	


element containerManifestType/ContainerID

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:s06	


element containerManifestType/StatementID

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	xs:nonNegativeInteger	


element **containerManifestType/EntryPointZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element **containerManifestType/EntryLocaleKey**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:localeKeyType


complexType **containerPostageType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ContainerID mailxml mm:ContainerDetailID mailxml mm:Pieces mailxml mm:Copies mailxml mm:IMtb mailxml mm:IMcb mailxml mm:IMpb
used by	elements abstractInternationalPostageStatementDataType/ContainerPostage createPeriodicalStatementType/ContainerPostage createPostageStatementType/ContainerPostage periodicalStatementDataType/ContainerPostage postageStatementDataType/ContainerPostage


element **containerPostageType/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **containerPostageType/ContainerDetailID**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerDetailID</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09


element **containerPostageType/Pieces**

diagram	 A diagram showing the element <code>mailxml_mm:Pieces</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **containerPostageType/Copies**

diagram	 A diagram showing the element <code>mailxml_mm:Copies</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **containerPostageType/IMtb**

diagram	 A diagram showing the element <code>mailxml_mm:IMtb</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMtbType

element **containerPostageType/IMcb**

diagram	 A diagram showing the element <code>mailxml_mm:IMcb</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMcbType

element **containerPostageType/IMpb**

diagram	 A diagram showing the element <code>mailxml_mm:IMpb</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType

complexType containerType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:StatementID mailxml_mm:EntryPointZip mailxml_mm:EntryLocaleKey mailxml_mm:IMcb mailxml_mm:IMtb mailxml_mm:IMpb

element containerType/ContainerID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element containerType/StatementID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element containerType/EntryPointZip

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element **containerType/EntryLocaleKey**

diagram	 A diagram showing a dashed rectangular box containing the text "mailxml_mm:EntryLocaleKey". To the left of the box is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:localeKeyType


element **containerType/IMcb**

diagram	 A diagram showing a solid rectangular box containing the text "mailxml_mm:IMcb". To the left of the box is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMcbType

element **containerType/IMtb**

diagram	 A diagram showing a solid rectangular box containing the text "mailxml_mm:IMtb". To the left of the box is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMtbType

element **containerType/IMpb**


diagram	 A diagram showing a solid rectangular box containing the text "mailxml_mm:IMpb". To the left of the box is a small icon consisting of three horizontal lines.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType

complexType createConsolidatedPeriodicalStatementDataType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PeriodicalStatement mailxml_mm:FirstStatementSequenceNumber mailxml_mm:LastStatementSequenceNumber mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PublisherData mailxml_mm:MailingAgentData mailxml_mm:ContainerCount mailxml_mm:PeriodicalLinelttemData
used by	element ConsolidatedPeriodicalStatementCreateRequest/CreateConsolidatedPeriodicalStatementData


element **createConsolidatedPeriodicalStatementDataType/PeriodicalStatement**

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:createPeriodicalStatementType
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm:LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:ContainerPostage


element **createConsolidatedPeriodicalStatementDataType/FirstStatementSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30

element **createConsolidatedPeriodicalStatementDataType/LastStatementSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30

element **createConsolidatedPeriodicalStatementDataType/LimitedCirculationDiscountClaimed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo

element **createConsolidatedPeriodicalStatementDataType/PublisherData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createConsolidatedPeriodicalStatementDataType/MailingAgentData**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createConsolidatedPeriodicalStatementDataType/ContainerCount**

diagram	<pre> graph LR CC[mailxml_mm:ContainerCount] --- M[...] M --- OT[mailxml_mm:OtherType] M --- P[mailxml_mm:Pallets] M --- S[mailxml_mm:Sacks] M --- T1[mailxml_mm:Trays1mm] M --- T2e[mailxml_mm:Trays2emm] M --- T2m[mailxml_mm:Trays2mm] M --- TF[mailxml_mm:TraysFlat] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerCountType
children	mailxml_mm:OtherType mailxml_mm:Pallets mailxml_mm:Sacks mailxml_mm:Trays1mm mailxml_mm:Trays2emm mailxml_mm:Trays2mm mailxml_mm:TraysFlat

complexType createInternationalPostageStatementType

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	extension of mailxml_mm:abstractInternationalPostageStatementDataType
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData
used by	element InternationalPostageStatementCreateRequest/CreatePostageStatement

element [createInternationalPostageStatementType/PermitHolderData](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element [createInternationalPostageStatementType/MailingOwnerData](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createInternationalPostageStatementType/MailingAgentData


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createInternationalPostageStatementType/PermitHolderForAPData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

complexType createPeriodicalStatementType

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	extension of mailxml_mm:abstractPeriodicalStatementDataType
children	mailxml_mm:AdvertisingPercentage mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CopyWeight mailxml_mm:EditionCode mailxml_mm:FirstIssueDate mailxml_mm:FormType mailxml_mm:IssueDate mailxml_mm:IssueFrequency mailxml_mm:LastIssueDate mailxml_mm:PostageStatementMailingDate mailxml_mm:Over10 mailxml_mm:LimitedCirculationDiscountClaimed mailxml_mm:PeriodicalLineItemData mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:PublicationTitle mailxml_mm:CombinedMailingID mailxml_mm:RateType mailxml_mm:SingleRideAlongWeight mailxml_mm:StatementSequenceNumber mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:AgencyCostCode mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MoveUpdateMethod mailxml_mm:VolumeNumber mailxml_mm:IssueNumber mailxml_mm:InCountyAddressedSupplementPieces mailxml_mm:OutsideCountyAddressedSupplementPieces mailxml_mm:PiecesExcludingAddressedSupplementPieces mailxml_mm:PostageAutoFinalization mailxml_mm:EntryLocaleKey mailxml_mm:MailingAgentData mailxml_mm:PublisherData mailxml_mm:PendingPostageAmount mailxml_mm:ContainerPostage
used by	elements PeriodicalStatementCreateRequest/CreatePeriodicalStatement createConsolidatedPeriodicalStatementDataType/PeriodicalStatement

element [createPeriodicalStatementType/MailingAgentData](#)


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element [createPeriodicalStatementType/PublisherData](#)


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element **createPeriodicalStatementType/PendingPostageAmount**


diagram	 A diagram showing a single rectangular box labeled 'mailxml_mm:PendingPostageA...' with a dashed border.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **createPeriodicalStatementType/ContainerPostage**

diagram	 A complex diagram showing the structure of the 'mailxml_mm:containerPostageType' element. On the left, a dashed box labeled 'mailxml_mm:ContainerPostage' with a multiplicity of '0..∞' is connected to a central circle containing three dots. This circle branches into four paths. The first path leads to a box labeled 'mailxml_mm:ContainerID'. The second path leads to a dashed box labeled 'mailxml_mm:ContainerDetailID'. The third path leads to a box labeled 'mailxml_mm:Pieces'. The fourth path leads to a box labeled 'mailxml_mm:Copies'. The 'mailxml_mm:Copies' box is further connected to a circle containing a plus sign, which then branches into three paths leading to boxes labeled 'mailxml_mm:IMtb', 'mailxml_mm:IMcb', and 'mailxml_mm:IMpb'. The entire structure is enclosed in a yellow dashed box labeled 'mailxml_mm:containerPostageType'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb

complexType createPostageStatementType

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	extension of mailxml_mm:abstractPostageStatementDataType
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:ContainerPostage
used by	element PostageStatementCreateRequest/CreatePostageStatement

element createPostageStatementType/PermitHolderData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createPostageStatementType/MailingOwnerData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createPostageStatementType/MailingAgentData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerMIDCRIDDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData

element createPostageStatementType/PermitHolderForAPData

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataRequestType
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData


element **createPostageStatementType/ContainerPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType **customerMailReportInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CustomerName mailxml_mm:PermitInfo mailxml_mm:RateAffixed mailxml_mm:AdditionalPermitInfo mailxml_mm:Weight mailxml_mm:TotalPostage mailxml_mm:PostageAffixed mailxml_mm:NumberOfPieces mailxml_mm:RunningTotalNumberOfPieces
used by	element CustomerMailReportCreateRequest/CustomerMailReportInfo


element **customerMailReportInfoType/CustomerName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50

element **customerMailReportInfoType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **customerMailReportInfoType/RateAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **customerMailReportInfoType/AdditionalPermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **customerMailReportInfoType/Weight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **customerMailReportInfoType/TotalPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **customerMailReportInfoType/PostageAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **customerMailReportInfoType/NumberOfPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **customerMailReportInfoType/RunningTotalNumberOfPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


complexType **customsType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:Category mailxml_mm:Count mailxml_mm:Value
used by	element manifestMailPieceType/Customs


element **customsType/Category**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **customsType/Count**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns02


element **customsType/Value**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


complexType **fullComponentType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:UserLicenseCode mailxml mm:MaildatJobID mailxml mm:ComponentID
used by	<div>elements</div> <div> ComponentUpdateResponse/ComponentUpdateAccept/Component ComponentUpdateResponse/ComponentUpdateReject/Component ComponentQueryRequest/Component ComponentQueryResponse/ComponentQueryAccept/Component ComponentQueryResponse/ComponentQueryReject/Component componentPeriodicalAdpercentType/Component componentWeightUpdateType/Component </div>


element **fullComponentType/UserLicenseCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userLicenseCodeType

element **fullComponentType/MaildatJobID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:jobIDType

element **fullComponentType/ComponentID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08

complexType informedDeliveryCampaignCreateRequestType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:SubmittingParty mailxml mm:SubmittingSoftware mailxml mm:SubmitterTrackingID mailxml mm:CustomerGroupID mailxml mm:MailingGroupID mailxml mm:TransmittedCount mailxml mm:InformedDeliveryCampaignData
used by	element InformedDeliveryCampaignCreateRequest

element informedDeliveryCampaignCreateRequestType/SubmittingParty

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType

element **informedDeliveryCampaignCreateRequestType/SubmittingSoftware**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:submittingSoftwareType

element **informedDeliveryCampaignCreateRequestType/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **informedDeliveryCampaignCreateRequestType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s25

element **informedDeliveryCampaignCreateRequestType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **informedDeliveryCampaignCreateRequestType/TransmittedCount**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **informedDeliveryCampaignCreateRequestType/InformedDeliveryCampaignData**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:informedDeliveryCampaignCreateRequestTypeType
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:ReferenceableMailDataBarcodes

complexType **informedDeliveryCampaignCreateRequestTypeType**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:ReferenceableMailDataBarcodes
used by	element informedDeliveryCampaignCreateRequestType/InformedDeliveryCampaignData


element informedDeliveryCampaignCreateRequestType/CampaignID

diagram	 A diagram showing the element <code>mailxml_mm:CampaignID</code> in a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08


element informedDeliveryCampaignCreateRequestType/CampaignTitle

diagram	 A diagram showing the element <code>mailxml_mm:CampaignTitle</code> in a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element informedDeliveryCampaignCreateRequestType/CampaignSerialGrouping

diagram	 A diagram showing the element <code>mailxml_mm:CampaignSerialGr...</code> in a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:campaignSerialGroupingType


element informedDeliveryCampaignCreateRequestType/CampaignCode

diagram	 A diagram showing the element <code>mailxml_mm:CampaignCode</code> in a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element informedDeliveryCampaignCreateRequestType/DisplayName

diagram	 A diagram showing the element <code>mailxml_mm:DisplayName</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **informedDeliveryCampaignCreateRequestType/DateStart**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **informedDeliveryCampaignCreateRequestType/DateEnd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **informedDeliveryCampaignCreateRequestType/ReferenceableMailDataBarcodes**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:referenceableMailDataBarcodesType
children	mailxml mm:ReferenceableMailID mailxml mm:TemplateCode mailxml mm:ReferenceableMailContentGroup mailxml mm:OriginalMailingGroupID mailxml mm:OriginalUserLicenseCode mailxml mm:OriginalMaildataJobID mailxml mm:IMB

complexType informedDeliveryCampaignDeleteRequestType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:SubmittingParty mailxml_mm:SubmittingSoftware mailxml_mm:SubmitterTrackingID mailxml_mm:CustomerGroupID mailxml_mm:TransmittedCount mailxml_mm:InformedDeliveryCampaignData
used by	element InformedDeliveryCampaignCancelRequest

element informedDeliveryCampaignDeleteRequestType/SubmittingParty

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType

element **informedDeliveryCampaignDeleteRequestType/SubmittingSoftware**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:submittingSoftwareType

element **informedDeliveryCampaignDeleteRequestType/SubmitterTrackingID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **informedDeliveryCampaignDeleteRequestType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s25

element **informedDeliveryCampaignDeleteRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **informedDeliveryCampaignDeleteRequestType/InformedDeliveryCampaignData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:informedDeliveryCampaignDeleteTypeType
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignCode

complexType **informedDeliveryCampaignDeleteTypeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignCode
used by	element informedDeliveryCampaignDeleteRequestType/InformedDeliveryCampaignData

element **informedDeliveryCampaignDeleteTypeType/CampaignID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08

element **informedDeliveryCampaignDeleteTypeType/CampaignTitle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **informedDeliveryCampaignDeleteTypeType/CampaignCode**

diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40

complexType internationalPostageStatementDataType

diagram




namespace


http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	extension of mailxml_mm:abstractInternationalPostageStatementDataType
children	mailxml_mm:AgencyCostCode mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:UserPostageStatementID mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:CanadaAdmailOnly mailxml_mm:UnderICMAgreement mailxml_mm:ICMAgreementNumber mailxml_mm:DirectShipmentCountry mailxml_mm:TareWeight mailxml_mm:ReceiptNo mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:InternationalPostageStatementLineItemSummaryData mailxml_mm:InternationalPostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:ContainerPostage mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostageStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData
used by	element InternationalPostageStatementQueryResponse/QueryResults/PostageStatementData


element [internationalPostageStatementDataType/StatementID](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element [internationalPostageStatementDataType/ConfirmationNumber](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element [internationalPostageStatementDataType/MailClass](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType


element [internationalPostageStatementDataType/Origin](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:string


element **internationalPostageStatementDataType/SpecialFeesAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **internationalPostageStatementDataType/PostateStatementStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementStatusType


element **internationalPostageStatementDataType/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **internationalPostageStatementDataType/TotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **internationalPostageStatementDataType/TotalPostageAmountDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **internationalPostageStatementDataType/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	xs:double
------	-----------

element internationalPostageStatementDataType/PermitHolderData

<div> <div>diagram</div> </div>	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:mailerDataType
children	mailxml mm:Address1 mailxml mm:Address2 mailxml mm:City mailxml mm:Country mailxml mm:Email mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData mailxml mm:PhoneAreaCode mailxml mm:PhoneExtension mailxml mm:PhoneLast4 mailxml mm:PhonePrefix mailxml mm:State mailxml mm:ZipCode mailxml mm:ZipCode4

element **internationalPostageStatementDataType/MailingOwnerData**

diagram	<pre> graph LR MailingOwnerData[mailxml_mm:MailingOwnerData] --- MailerDataType[mailxml_mm:mailerDataType] MailerDataType --- Address1[mailxml_mm:Address1] MailerDataType --- Address2[mailxml_mm:Address2] MailerDataType --- City[mailxml_mm:City] MailerDataType --- Country[mailxml_mm:Country] MailerDataType --- Email[mailxml_mm:Email] MailerDataType --- MID[mailxml_mm:MID] MailerDataType --- CRID[mailxml_mm:CRID] MailerDataType --- ContactName[mailxml_mm:ContactName] MailerDataType --- PermitPublicationData[mailxml_mm:PermitPublicationData] MailerDataType --- PhoneAreaCode[mailxml_mm:PhoneAreaCode] MailerDataType --- PhoneExtension[mailxml_mm:PhoneExtension] MailerDataType --- PhoneLast4[mailxml_mm:PhoneLast4] MailerDataType --- PhonePrefix[mailxml_mm:PhonePrefix] MailerDataType --- State[mailxml_mm:State] MailerDataType --- ZipCode[mailxml_mm:ZipCode] MailerDataType --- ZipCode4[mailxml_mm:ZipCode4] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **internationalPostageStatementDataType/MailingAgentData**

diagram	<pre> graph LR MailingAgentData[mailxml_mm:MailingAgentData] --- MailerDataType[mailxml_mm:mailerDataType] MailerDataType --- Address1[mailxml_mm:Address1] MailerDataType --- Address2[mailxml_mm:Address2] MailerDataType --- City[mailxml_mm:City] MailerDataType --- Country[mailxml_mm:Country] MailerDataType --- Email[mailxml_mm:Email] MailerDataType --- MID[mailxml_mm:MID] MailerDataType --- CRID[mailxml_mm:CRID] MailerDataType --- ContactName[mailxml_mm:ContactName] MailerDataType --- PermitPublicationData[mailxml_mm:PermitPublicationData] MailerDataType --- PhoneAreaCode[mailxml_mm:PhoneAreaCode] MailerDataType --- PhoneExtension[mailxml_mm:PhoneExtension] MailerDataType --- PhoneLast4[mailxml_mm:PhoneLast4] MailerDataType --- PhonePrefix[mailxml_mm:PhonePrefix] MailerDataType --- State[mailxml_mm:State] MailerDataType --- ZipCode[mailxml_mm:ZipCode] MailerDataType --- ZipCode4[mailxml_mm:ZipCode4] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **internationalPostageStatementDataType/PermitHolderForAPData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4


complexType invoiceLineItemDataType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:FeeExpiresDate mailxml_mm:BarcodeRate mailxml_mm:EntryDiscount mailxml_mm:EntryFacilityType mailxml_mm:EntryZip mailxml_mm:HeavyLetter mailxml_mm:MarketingOrFulfillment mailxml_mm:HandlingCharge mailxml_mm:PriceType mailxml_mm:LineLabel mailxml_mm:LineNumber mailxml_mm:PieceRate mailxml_mm:DiscountTotalAmount mailxml_mm:FeeTotalAmount mailxml_mm:PoundRate mailxml_mm:PreparedAsSM mailxml_mm:RateCategory mailxml_mm:SinglePieceWeight mailxml_mm:SurchargeType mailxml_mm:TotalWeight mailxml_mm:Zone mailxml_mm:FlatRateIndicator mailxml_mm:FullServiceParticipationIndicator mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:SinglePieceDimensionalPrice mailxml_mm:SinglePieceDimensionalBalloonPrice
used by	elements InvoiceQueryResponse/QueryResults/InvoiceLineItemData InvoiceDelivery/InvoiceLineItemData


element **invoiceLineItemDataType/FeeExpiresDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **invoiceLineItemDataType/BarcodeRate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:barcodeRateType

element **invoiceLineItemDataType/EntryDiscount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryDiscountType

element **invoiceLineItemDataType/EntryFacilityType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryFacilityType

element **invoiceLineItemDataType/EntryZip**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element invoiceLineItemDataType/HeavyLetter

diagram	 A diagram showing the element <code>mailxml_mm:HeavyLetter</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element invoiceLineItemDataType/MarketingOrFulfillment

diagram	 A diagram showing the element <code>mailxml_mm:MarketingOrFulfillment</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:marketingOrFulfillmentType


element invoiceLineItemDataType/HandlingCharge

diagram	 A diagram showing the element <code>mailxml_mm:HandlingCharge</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element invoiceLineItemDataType/PriceType

diagram	 A diagram showing the element <code>mailxml_mm:PriceType</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:priceType


element invoiceLineItemDataType/LineLabel

diagram	 A diagram showing the element <code>mailxml_mm:LineLabel</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s80


element **invoiceLineItemDataType/LineNumber**

diagram	 A diagram showing the element <code>mailxml_mm:LineNumber</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **invoiceLineItemDataType/PieceRate**

diagram	 A diagram showing the element <code>mailxml_mm:PieceRate</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/DiscountTotalAmount**

diagram	 A diagram showing the element <code>mailxml_mm:DiscountTotalAmount</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/FeeTotalAmount**

diagram	 A diagram showing the element <code>mailxml_mm:FeeTotalAmount</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/PoundRate**

diagram	 A diagram showing the element <code>mailxml_mm:PoundRate</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/PreparedAsSM**

diagram	 A diagram showing the element <code>mailxml_mm:PreparedAsSM</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **invoiceLineItemDataType/RateCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:rateCategoryType


element **invoiceLineItemDataType/SinglePieceWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/SurchargeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:surchargeType


element **invoiceLineItemDataType/TotalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/Zone**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zoneICType


element **invoiceLineItemDataType/FlatRateIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:flatRateIndicatorType


element **invoiceLineItemDataType/FullServiceParticipationIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:fspiType


element **invoiceLineItemDataType/SinglePieceDimensionalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceLineItemDataType/SinglePieceDimensionalPrice**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **invoiceLineItemDataType/SinglePieceDimensionalBalloonPrice**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

complexType **invoiceRequestHeaderInfoType**


diagram	 <p>The diagram shows the structure of the invoiceRequestHeaderInfoType complex type. It is represented by a rounded rectangle labeled invoiceRequestHeaderInfoType. To its right, a dashed line indicates a sequence of elements: mailxml_mm:CustomerReferen..., mailxml_mm:FinanceNumber, mailxml_mm:PaymentAccountN..., mailxml_mm:StatementID, mailxml_mm:PermitInfo (with a plus sign indicating it is optional), and mailxml_mm:DateRange (with a plus sign indicating it is optional).</p>
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:StatementID mailxml_mm:PermitInfo mailxml_mm:DateRange
used by	element InvoiceQueryRequest/InvoiceRequestHeaderInfo


element **invoiceRequestHeaderInfoType/CustomerReferenceID**

diagram	 A diagram showing the element <code>mailxml_mm:CustomerReferenceID</code> in a dashed box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **invoiceRequestHeaderInfoType/FinanceNumber**

diagram	 A diagram showing the element <code>mailxml_mm:FinanceNumber</code> in a dashed box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns10

element **invoiceRequestHeaderInfoType/PaymentAccountNumber**

diagram	 A diagram showing the element <code>mailxml_mm:PaymentAccountNumber</code> in a dashed box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **invoiceRequestHeaderInfoType/StatementID**

diagram	 A diagram showing the element <code>mailxml_mm:StatementID</code> in a dashed box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **invoiceRequestHeaderInfoType/PermitInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


complexType **invoiceResponseHeaderInfoType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CustomerReferenceID mailxml_mm:FinanceNumber mailxml_mm:PaymentAccountNumber mailxml_mm:PermitInfo mailxml_mm:DateRange
used by	element InvoiceQueryResponse/InvoiceResponseHeaderInfo


element **invoiceResponseHeaderInfoType/CustomerReferenceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40


element **invoiceResponseHeaderInfoType/FinanceNumber**

diagram	 A dashed rectangular box containing the text "mailxml_mm:FinanceNumber".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns10


element **invoiceResponseHeaderInfoType/PaymentAccountNumber**

diagram	 A dashed rectangular box containing the text "mailxml_mm:PaymentAccountN...".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **invoiceResponseHeaderInfoType/PermitInfo**

diagram	 A diagram showing the structure of the "mailxml_mm:PermitInfo" element. It is represented by a dashed box on the left. A line connects it to a container box on the right. Inside this container box, there are two main branches. The top branch contains a sequence of three elements: "mailxml_defs:PermitNumber", "mailxml_defs:PaymentAccountN...", and "mailxml_defs:PermitType". The bottom branch contains a sequence of three elements: "mailxml_defs:PermitZip4", "mailxml_defs:PublicationNumber", and "mailxml_defs:PaymentAccountN...". The entire container box is labeled "mailxml_defs:permitPublicationDataType" at the top.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


complexType invoiceSummaryDataType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:RequestDate mailxml mm:CostCenter mailxml mm:TransactionNumber mailxml mm:BRMType mailxml mm:RateType mailxml mm:OpeningBalance mailxml mm:ClosingBalance mailxml mm:MailingDate mailxml mm:MailingClass mailxml mm:ProcessingCategory mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:SubtotalPostageAmount mailxml mm:BRMFee
used by	elements InvoiceQueryResponse/QueryResults/InvoiceSummaryData InvoiceDelivery/InvoiceSummaryData

element invoiceSummaryDataType/RequestDate


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element invoiceSummaryDataType/CostCenter


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s20
------	------------------


element **invoiceSummaryDataType/TransactionNumber**

diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:TransactionNumber'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **invoiceSummaryDataType/BRMType**

diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:BRMType'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:BRMType


element **invoiceSummaryDataType/RateType**

diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:RateType'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType

element **invoiceSummaryDataType/OpeningBalance**

diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:OpeningBalance'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **invoiceSummaryDataType/ClosingBalance**


diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:ClosingBalance'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **invoiceSummaryDataType/MailingDate**


diagram	 A UML diagram showing a dashed rectangle containing the text 'mailxml_mm:MailingDate'.
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **invoiceSummaryDataType/MailingClass**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType


element **invoiceSummaryDataType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **invoiceSummaryDataType/TotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **invoiceSummaryDataType/TotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceSummaryDataType/SubtotalPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **invoiceSummaryDataType/BRMFee**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:BRMFeeType


complexType **mailCharacteristicsType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:Fee mailxml_mm:Content mailxml_mm:Incentive mailxml_mm:eMailpieceSampleGroupID
used by	<div>elements</div> <div> InternationalPostageStatementLineItemSummaryData/MailCharacteristic InternationalPostageStatementLineItemData/MailCharacteristic DocumentVersionDataWithPermit/MailCharacteristic DocumentVersionData/MailCharacteristic </div>

element **mailCharacteristicsType/Fee**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:characteristicFeeType

element **mailCharacteristicsType/Content**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:characteristicContentType

element **mailCharacteristicsType/Incentive**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:characteristicIncentiveType


element mailCharacteristicsType/eMailpieceSampleGroupID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s34


complexType mailerDataRequestType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData
used by	elements createInternationalPostageStatementType/PermitHolderData createPostageStatementType/PermitHolderData createInternationalPostageStatementType/PermitHolderForAPData createPostageStatementType/PermitHolderForAPData createPeriodicalStatementType/PublisherData createConsolidatedPeriodicalStatementDataTypes/PublisherData

element mailerDataRequestType/MID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element mailerDataRequestType/CRID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:CRIDType
------	-----------------------

element
 mailerDataRequestType/ContactName

diagram	<p>The diagram shows a single rectangular box labeled <code>mailxml_mm:ContactName</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60

element
 mailerDataRequestType/PermitPublicationData

diagram	<p>The diagram illustrates the structure of the <code>mailxml_mm:PermitPublicationData</code> element. It is represented as a box connected to a container (dashed yellow box) labeled <code>mailxml_defs:permitPublicationDataType</code>. Inside this container, there are two main branches, each starting with an optional connector (a circle with a dashed line). The top branch contains three elements: <code>mailxml_defs:PermitNumber</code>, <code>mailxml_defs:PaymentAccountN...</code> (dashed box), and <code>mailxml_defs:PermitType</code>. The bottom branch contains two elements: <code>mailxml_defs:PublicationNumber</code> and <code>mailxml_defs:PaymentAccountN...</code> (dashed box).</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

complexType **mailerDataType**


diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
children	mailxml mm:Address1 mailxml mm:Address2 mailxml mm:City mailxml mm:Country mailxml mm:Email mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData mailxml mm:PhoneAreaCode mailxml mm:PhoneExtension mailxml mm:PhoneLast4 mailxml mm:PhonePrefix mailxml mm:State mailxml mm:ZipCode mailxml mm:ZipCode4	
used by	elements	internationalPostageStatementDataType/MailingAgentData periodicalStatementDataType/MailingAgentData postageStatementDataType/MailingAgentData internationalPostageStatementDataType/MailingOwnerData postageStatementDataType/MailingOwnerData internationalPostageStatementDataType/PermitHolderData postageStatementDataType/PermitHolderData internationalPostageStatementDataType/PermitHolderForAPData postageStatementDataType/PermitHolderForAPData periodicalStatementDataType/PublisherData

element **mailerDataType/Address1**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s64
------	------------------


element **mailerDataType/Address2**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Address2".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s64


element **mailerDataType/City**

diagram	 A dashed rectangular box containing the text "mailxml_mm:City".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s45


element **mailerDataType/Country**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Country".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s45


element **mailerDataType/Email**

diagram	 A dashed rectangular box containing the text "mailxml_mm:Email".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:emailType


element **mailerDataType/MID**

diagram	 A diagram showing a dashed box labeled "mailxml_mm:MID" connected to a yellow box labeled "mailxml_defs:MIDType". Inside the yellow box, there is a switch symbol connected to two sub-elements: "mailxml_defs:MID6" and "mailxml_defs:MID9".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9


element **mailerDataType/CRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType


element **mailerDataType/ContactName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **mailerDataType/PermitPublicationData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **mailerDataType/PhoneAreaCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es3


element **mailerDataType/PhoneExtension**

diagram	 A diagram of the mailxml_mm:PhoneExtension element, represented by a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05


element **mailerDataType/PhoneLast4**

diagram	 A diagram of the mailxml_mm:PhoneLast4 element, represented by a solid rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es4


element **mailerDataType/PhonePrefix**

diagram	 A diagram of the mailxml_mm:PhonePrefix element, represented by a solid rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es3


element **mailerDataType/State**

diagram	 A diagram of the mailxml_mm:State element, represented by a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:stateCode

element **mailerDataType/ZipCode**

diagram	 A diagram of the mailxml_mm:ZipCode element, represented by a solid rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:zipCode

element **mailerDataType/ZipCode4**

diagram	 A diagram of the mailxml_mm:ZipCode4 element, represented by a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es4

complexType mailerMIDCRIDDataRequestType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData
used by	elements createPeriodicalStatementType/MailingAgentData createConsolidatedPeriodicalStatementDataType/MailingAgentData createInternationalPostageStatementType/MailingAgentData createPostageStatementType/MailingAgentData createInternationalPostageStatementType/MailingOwnerData createPostageStatementType/MailingOwnerData

element mailerMIDCRIDDataRequestType/MID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element mailerMIDCRIDDataRequestType/CRID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType

element mailerMIDCRIDDataRequestType/ContactName

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60

element **mailerMIDCRIDDataRequestType/PermitPublicationData**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

complexType **mailingGroupDataType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

children	mailxml_mm:CustomerDescription mailxml_mm:SubmitterCRID mailxml_mm:PermitPublicationData mailxml_mm:PostOfficeOfMailingZip mailxml_mm:MailingFacility mailxml_mm:MailXMLPresentationCategory mailxml_mm:MailerID mailxml_mm:FullServiceParticipationIndicator mailxml_mm:MailAgreementType mailxml_mm:ContractNumber mailxml_mm:OnePassIndicator mailxml_mm:LogicalPhysicalContainerIndicator	
used by	elements	MailingGroupQueryResponse/QueryResults/MailingGroup OpenMailingGroupRequest/MailingGroupData


element mailingGroupDataType/CustomerDescription

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:s50	

element mailingGroupDataType/SubmitterCRID

diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_base:CRIDType	

element mailingGroupDataType/PermitPublicationData


diagram		
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	mailxml_defs:permitPublicationDataType	
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber	

element mailingGroupDataType/PostOfficeOfMailingZip


diagram		
---------	---	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es5


element mailingGroupDataType/MailingFacility

diagram	 The diagram shows the element 'mailxml_mm:MailingFacility' enclosed in a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType


element mailingGroupDataType/MailXMLPresentationCategory

diagram	 The diagram shows the element 'mailxml_mm:MailXMLPresentati...' (truncated) enclosed in a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailXMLPresentationCategoryType


element mailingGroupDataType/MailerID

diagram	 The diagram shows the element 'mailxml_mm:MailerID' enclosed in a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:string


element mailingGroupDataType/FullServiceParticipationIndicator

diagram	 The diagram shows the element 'mailxml_mm:FullServiceParticip...' (truncated) enclosed in a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:fspiType


element mailingGroupDataType/MailAgreementType

diagram	 The diagram shows the element 'mailxml_mm:MailAgreementType' enclosed in a dashed rectangular box with a small icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailAgreementTypeType


element **mailingGroupDataType/ContractNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **mailingGroupDataType/OnePassIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **mailingGroupDataType/LogicalPhysicalContainerIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:logicalPhysicalContainerIndicatorType

complexType **mailOwnerBlockType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:CRID mailxml mm:SchedulerID mailxml mm:MaildatUserLicense mailxml mm:PermitPublicationData mailxml mm:MailOwnerMID6 mailxml mm:MailOwnerMID9
used by	element mailPieceBlockType/MailOwner

element **mailOwnerBlockType/CRID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:CRIDType
------	-----------------------


element mailOwnerBlockType/SchedulerID

diagram	 A diagram showing a dashed box containing the text 'mailxml_mm:SchedulerID'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12


element mailOwnerBlockType/MaildatUserLicense

diagram	 A diagram showing a dashed box containing the text 'mailxml_mm:MaildatUserLicense'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userLicenseCodeType


element mailOwnerBlockType/PermitPublicationData

diagram	 A diagram showing a dashed box containing the text 'mailxml_mm:PermitPublicationData'. To its right is a yellow box labeled 'mailxml_defs:permitPublicationDataType'. Inside the yellow box, there are two groups of elements. The first group contains 'mailxml_defs:PermitNumber', 'mailxml_defs:PaymentAccountN...', 'mailxml_defs:PermitType', and 'mailxml_defs:PermitZip4'. The second group contains 'mailxml_defs:PublicationNumber' and 'mailxml_defs:PaymentAccountN...'. Lines connect the 'mailxml_mm:PermitPublicationData' box to the first group, and the second group is connected to the first group.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element mailOwnerBlockType/MailOwnerMID6

diagram	 A diagram showing a dashed box containing the text 'mailxml_mm:MailOwnerMID6'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns06


element mailOwnerBlockType/MailOwnerMID9

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09


complexType mailPieceBlockGroupType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ContainerID mailxml mm:ContainerDetailID mailxml mm:BundleID mailxml mm:MailPieceBlock
used by	elements mailPieceCancelType/MailPieceBlockGroup mailPieceRequestType/MailPieceBlockGroup


element mailPieceBlockGroupType/ContainerID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element mailPieceBlockGroupType/ContainerDetailID


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09

element mailPieceBlockGroupType/BundleID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12

element **mailPieceBlockGroupType/MailPieceBlock**

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailPieceBlockType
children	mailxml_mm:ServiceLevelIndicator mailxml_mm:LOTSequenceDirectionCode mailxml_mm:LOTSequenceNumber mailxml_mm:WalkSequenceNumber mailxml_mm:IMPackageBarcode mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:PlanetCode mailxml_mm:DeliveryPointZIP mailxml_mm:DeliveryContainerID mailxml_mm:DeliveryPointZIP mailxml_mm:IMB mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:ReferenceableMailID mailxml_mm:PieceID mailxml_defs:ExtraServiceData mailxml_mm:WastedPieceIndicator mailxml_mm:MLOCRrateANDpostageMarking mailxml_mm:MoveComplianceUpdateMethod mailxml_mm:MailOwner mailxml_mm:BarCodeApplicator mailxml_mm:MachineID mailxml_mm:ACSKeyline mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold


complexType mailPieceBlockType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ServiceLevelIndicator mailxml mm:LOTSequenceDirectionCode mailxml mm:LOTSequenceNumber mailxml mm:WalkSequenceNumber mailxml mm:IMPpackageBarcode mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPpackageBarcode mailxml mm:PlanetCode mailxml mm:DeliveryPointZIP mailxml mm:DeliveryContainerID mailxml mm:DeliveryPointZIP mailxml mm:IMB mailxml mm:UPAAddress mailxml mm:DeliveryPointZIP mailxml mm:ExtraServiceIMPpackageBarcode mailxml mm:ReferenceableMailID mailxml mm:PieceID mailxml_defs:ExtraServiceData mailxml mm:WastedPieceIndicator mailxml mm:MLOCRrateANDpostageMarking mailxml mm:MoveComplianceUpdateMethod mailxml mm:MailOwner mailxml mm:BarCodeApplicator mailxml mm:MachineID mailxml mm:ACSKeyline mailxml mm:HoldForPickup mailxml mm:NumberOfPiecesToHold
used by	elements mailPieceBlockGroupType/MailPieceBlock PDRMailPieceBlockType/MailPieceBlock


element mailPieceBlockType/ServiceLevelIndicator

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:serviceLevelIndicatorType


element mailPieceBlockType/LOTSequenceDirectionCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01

element mailPieceBlockType/LOTSequenceNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns04

element mailPieceBlockType/WalkSequenceNumber

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns05

element **mailPieceBlockType/IMPackageBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:intelligentMailPackageBarcodeType
children	mailxml_defs:PostalRoutingCodeAppID mailxml_defs:DestinationZipCode mailxml_defs:ChannelApplicationIdentifier mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber10or14 mailxml_defs:MailerID9 mailxml_defs:SerialNumber7or11 mailxml_defs:Mod10CheckDigit


element **mailPieceBlockType/UPAAddress**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:addressType
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates


element **mailPieceBlockType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:RoutingZipCodeType


element mailPieceBlockType/ExtraServiceIMPpackageBarcode

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_defs:intelligentMailPackageBarcodeType</code> element. It is a complex type containing several child elements: <code>mailxml_defs:PostalRoutingCodeAppID</code>, <code>mailxml_defs:DestinationZipCode</code>, <code>mailxml_defs:ChannelApplicationIdentifier</code>, <code>mailxml_defs:ServiceTypeCode</code>, <code>mailxml_defs:Mod10CheckDigit</code>, and a choice of two complex types. The first complex type contains <code>mailxml_defs:MailerID6</code> and <code>mailxml_defs:SerialNumber10or14</code>. The second complex type contains <code>mailxml_defs:MailerID9</code> and <code>mailxml_defs:SerialNumber7or11</code>. The entire structure is enclosed in a dashed box labeled <code>mailxml_mm:ExtraServiceIMPpackageBarcode</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_defs:intelligentMailPackageBarcodeType</code>
children	<code>mailxml_defs:PostalRoutingCodeAppID</code> <code>mailxml_defs:DestinationZipCode</code> <code>mailxml_defs:ChannelApplicationIdentifier</code> <code>mailxml_defs:ServiceTypeCode</code> <code>mailxml_defs:MailerID6</code> <code>mailxml_defs:SerialNumber10or14</code> <code>mailxml_defs:MailerID9</code> <code>mailxml_defs:SerialNumber7or11</code> <code>mailxml_defs:Mod10CheckDigit</code>


element mailPieceBlockType/PlanetCode

diagram	 <p>The diagram shows the <code>mailxml_mm:PlanetCode</code> element, which is a simple type represented by a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:planetCodeType</code>


element mailPieceBlockType/DeliveryPointZIP

diagram	 <p>The diagram shows the <code>mailxml_mm:DeliveryPointZIP</code> element, which is a simple type represented by a solid box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:RoutingZipCodeType</code>


element mailPieceBlockType/DeliveryContainerID

diagram	 <p>The diagram shows the <code>mailxml_mm:DeliveryContainerID</code> element, which is a simple type represented by a solid box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:ns22</code>

element **mailPieceBlockType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:RoutingZipCodeType

element **mailPieceBlockType/IMB**

diagram	 <p>The diagram illustrates the structure of the mailxml_mm:IMB element. It is a container element that includes a sequence of child elements. The first child is mailxml_defs:intelligentMailBarcodeType, which is a complex element containing several sub-elements: mailxml_defs:BarcodeID, mailxml_defs:MailClass, mailxml_defs:ServiceTypeCode, mailxml_defs:MailerID6, mailxml_defs:SerialNumber9, mailxml_defs:MailerID9, mailxml_defs:SerialNumber6, and mailxml_defs:DeliveryPointZIP. The mailxml_defs:BarcodeID and mailxml_defs:DeliveryPointZIP elements are shown as dashed boxes, indicating they are optional. The mailxml_defs:MailClass and mailxml_defs:ServiceTypeCode elements are shown as solid boxes, indicating they are required. The mailxml_defs:MailerID6, mailxml_defs:SerialNumber9, mailxml_defs:MailerID9, and mailxml_defs:SerialNumber6 elements are shown as solid boxes, indicating they are required. The mailxml_mm:IMB element is shown as a solid box, indicating it is required.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:intelligentMailBarcodeType
children	mailxml_defs:BarcodeID mailxml_defs:MailClass mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber9 mailxml_defs:MailerID9 mailxml_defs:SerialNumber6 mailxml_defs:DeliveryPointZIP


element **mailPieceBlockType/UPAAddress**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:addressType
children	mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates


element **mailPieceBlockType/DeliveryPointZIP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:RoutingZipCodeType


element **mailPieceBlockType/ExtraServiceIMPpackageBarcode**

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_defs:intelligentMailPackageBarcodeType</code> element. It is a complex type containing several child elements. The root element is <code>mailxml_mm:ExtraServiceIMPpackageBarcode</code>, which is connected to a container element. This container element has four direct children: <code>mailxml_defs:PostalRoutingCodeAppID</code>, <code>mailxml_defs:DestinationZipCode</code>, <code>mailxml_defs:ChannelApplicationIdentifier</code>, and <code>mailxml_defs:ServiceTypeCode</code>. Additionally, there is a choice element (indicated by a circle with a vertical line) that branches into two paths. The first path leads to a container element that contains <code>mailxml_defs:MailerID6</code> and <code>mailxml_defs:SerialNumber10or14</code>. The second path leads to another container element that contains <code>mailxml_defs:MailerID9</code> and <code>mailxml_defs:SerialNumber7or11</code>. Finally, there is a <code>mailxml_defs:Mod10CheckDigit</code> element at the bottom.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_defs:intelligentMailPackageBarcodeType</code>
children	<code>mailxml_defs:PostalRoutingCodeAppID</code> <code>mailxml_defs:DestinationZipCode</code> <code>mailxml_defs:ChannelApplicationIdentifier</code> <code>mailxml_defs:ServiceTypeCode</code> <code>mailxml_defs:MailerID6</code> <code>mailxml_defs:SerialNumber10or14</code> <code>mailxml_defs:MailerID9</code> <code>mailxml_defs:SerialNumber7or11</code> <code>mailxml_defs:Mod10CheckDigit</code>


element **mailPieceBlockType/ReferenceableMailID**

diagram	 <p>The diagram shows a single element <code>mailxml_mm:ReferenceableMailID</code> enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:s10</code>


element **mailPieceBlockType/PieceID**

diagram	 <p>The diagram shows a single element <code>mailxml_mm:PieceID</code> enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:s22</code>


element **mailPieceBlockType/WastedPieceIndicator**

diagram	 <p>The diagram shows a single element <code>mailxml_mm:WastedPieceIndicator</code> enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:wastedPieceIndicatorType</code>


element **mailPieceBlockType/MLOCRrateANDpostageMarking**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s07

element **mailPieceBlockType/MoveComplianceUpdateMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:moveUpdateMethodType

element **mailPieceBlockType/MailOwner**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:mailOwnerBlockType
children	mailxml mm:CRID mailxml mm:SchedulerID mailxml mm:MaildatUserLicense mailxml mm:PermitPublicationData mailxml mm:MailOwnerMID6 mailxml mm:MailOwnerMID9

element mailPieceBlockType/BarCodeApplicator

diagram	<p>The diagram illustrates the <code>mailxml_mm:BarCodeApplicator</code> element, which is a simple type (indicated by a small square icon). It is connected by a line to a complex type <code>mailxml_defs:participantIDType</code> (indicated by a dashed rectangle with a small square icon). The complex type contains an <code>attributes</code> section (indicated by a dashed rectangle with a small square icon) which lists several attributes: <code>mailxml_defs:MailerID6</code>, <code>mailxml_defs:MailerID9</code>, <code>mailxml_defs:CRID</code>, <code>mailxml_defs:SchedulerID</code>, <code>mailxml_defs:MaildatUserLicense</code>, <code>mailxml_defs:ShippingAgentID</code>, and <code>mailxml_defs:ReceivingAgentID</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType

element mailPieceBlockType/MachineID

diagram	<p>The diagram shows the <code>mailxml_mm:MachineID</code> element, which is a simple type (indicated by a small square icon).</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04


element mailPieceBlockType/ACSKeyline

diagram	<p>The diagram shows the <code>mailxml_mm:ACSKeyline</code> element, which is a simple type (indicated by a small square icon).</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s16

element mailPieceBlockType/HoldForPickup


diagram	<p>The diagram shows the <code>mailxml_mm:HoldForPickup</code> element, which is a simple type (indicated by a small square icon).</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo

element **mailPieceBlockType/NumberOfPiecesToHold**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:positiveInteger

complexType mailPieceCancelType

diagram




namespace http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


children [mailxml mm:SubmittingParty](#) [mailxml mm:SubmittingSoftware](#) [mailxml mm:SubmitterTrackingID](#) [mailxml mm:UserLicenseCode](#) [mailxml mm:MaildatJobID](#) [mailxml mm:TransmittedCount](#) [mailxml mm:PDRMailPieceBlock](#) [mailxml mm:PDRRangePieceBlock](#) [mailxml mm:MailPieceID](#) [mailxml mm:PieceRangeID](#) [mailxml mm:CustomerGroupID](#) [mailxml mm:MailingGroupID](#) [mailxml mm:TransmittedCount](#) [mailxml mm:MailPieceBlockGroup](#) [mailxml mm:MailXMLPieceRangeBlock](#)

used by element **MailPieceCancelRequest**


element **mailPieceCancelType/SubmittingParty**

diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmittingParty element. It is connected to a dashed box labeled mailxml_defs:participantIDType. Inside this box, there is an attributes section containing the following elements: mailxml_defs:MailerID6, mailxml_defs:MailerID9, mailxml_defs:CRID, mailxml_defs:SchedulerID, mailxml_defs:MaildatUserLicense, mailxml_defs:ShippingAgentID, and mailxml_defs:ReceivingAgentID.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType

element **mailPieceCancelType/SubmittingSoftware**


diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmittingSoftware element. It is connected to a dashed box labeled mailxml_defs:submittingSoftwareType. Inside this box, there is an attributes section containing the following elements: mailxml_defs:SoftwareName, mailxml_defs:Vendor, mailxml_defs:Version, mailxml_defs:ApprovalDate, and mailxml_defs:ApprovalKey.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:submittingSoftwareType

element **mailPieceCancelType/SubmitterTrackingID**


diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmitterTrackingID element, which is represented by a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s20
------	------------------


element mailPieceCancelType/UserLicenseCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userLicenseCodeType


element mailPieceCancelType/MaildatJobID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:jobIDType

element mailPieceCancelType/TransmittedCount

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element mailPieceCancelType/PDRMailPieceBlock

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:PDRMailPieceBlockType
children	mailxml_mm:PackageID mailxml_mm:CQTDatabaseID mailxml_mm:MailPieceBlock

element **mailPieceCancelType/PDRRangePieceBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DatabaseContainerID mailxml_mm:PieceRangeBlock

element **mailPieceCancelType/PDRRangePieceBlock/DatabaseContainerID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:databaseContainerIDType

element **mailPieceCancelType/PDRRangePieceBlock/PieceRangeBlock**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:pieceRangeBlockType
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndica... mailxml_mm:Pieces mailxml_mm:Copies

mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies
--


element **mailPieceCancelType/MailPieceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:mailPieceIDType
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP


element **mailPieceCancelType/PieceRangeID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s22


element **mailPieceCancelType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s25


element **mailPieceCancelType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **mailPieceCancelType/TransmittedCount**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_mm:TransmittedCount</code> with a dashed border.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **mailPieceCancelType/MailPieceBlockGroup**

diagram	 A diagram showing the structure of <code>mailxml_mm:MailPieceBlockGroupType</code> . On the left is a box labeled <code>mailxml_mm:MailPieceBlockGr...</code> with a self-referencing arrow and a cardinality of <code>1..∞</code> . This box is connected to a central oval containing three dots. To the right of the oval is a dashed yellow box labeled <code>mailxml_mm:mailPieceBlockGroupType</code> . Inside this box are four elements: <code>mailxml_mm:ContainerID</code> (solid box), <code>mailxml_mm:ContainerDetailID</code> (dashed box), <code>mailxml_mm:BundleID</code> (dashed box), and <code>mailxml_mm:MailPieceBlock</code> (solid box with a self-referencing arrow and a cardinality of <code>1..∞</code>). The oval connects the main element to the group type box.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailPieceBlockGroupType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:BundleID mailxml_mm:MailPieceBlock


element **mailPieceCancelType/MailXMLPieceRangeBlock**

diagram	 A diagram showing the structure of <code>mailxml_mm:MailXMLPieceRangeBlockType</code> . On the left is a box labeled <code>mailxml_mm:MailXMLPieceRan...</code> with a self-referencing arrow and a cardinality of <code>1..∞</code> . This box is connected to a central oval containing three dots. To the right of the oval is a dashed yellow box labeled <code>mailxml_mm:mailXMLPieceRangeBlockType</code> . Inside this box are two elements: <code>mailxml_mm:ContainerID</code> (solid box with a cardinality of <code>1..∞</code>) and <code>mailxml_mm:PieceRangeBlock</code> (solid box with a self-referencing arrow and a cardinality of <code>1..∞</code>). The oval connects the main element to the group type box.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailXMLPieceRangeBlockType
children	mailxml_mm:ContainerID mailxml_mm:PieceRangeBlock


complexType mailPieceRequestType

diagram	<pre> xsd:complexType name="mailPieceRequestType" base="baseType"> <div> <div> <div> mailxml_mm:SubmittingParty </div> <div> mailxml_mm:SubmittingSoftware </div> <div> mailxml_mm:SubmitterTrackingID </div> <div> <div> mailxml_mm:UserLicenseCode mailxml_mm:MaildatJobID mailxml_mm:TransmittedCount mailxml_mm:PDRMailPieceBlock </div> 1..∞ </div> <div> <div> mailxml_mm:CustomerGroupID mailxml_mm:MailingGroupID mailxml_mm:TransmittedCount mailxml_mm:MailPieceBlockGr... </div> 1..∞ </div> </div> mailxml_mm:CampaignData </div> 0..∞ </pre>
---------	--


element **mailPieceRequestType/SubmittingParty**

diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmittingParty element. It is connected to a yellow box representing the mailxml_defs:participantIDType type. Inside this box, there is an attributes section containing the following elements: mailxml_defs:MailerID6, mailxml_defs:MailerID9, mailxml_defs:CRID, mailxml_defs:SchedulerID, mailxml_defs:MaildatUserLicense, mailxml_defs:ShippingAgentID, and mailxml_defs:ReceivingAgentID.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType


element **mailPieceRequestType/SubmittingSoftware**

diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmittingSoftware element. It is connected to a yellow box representing the mailxml_defs:submittingSoftwareType type. Inside this box, there is an attributes section containing the following elements: mailxml_defs:SoftwareName, mailxml_defs:Vendor, mailxml_defs:Version, mailxml_defs:ApprovalDate, and mailxml_defs:ApprovalKey.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:submittingSoftwareType


element **mailPieceRequestType/SubmitterTrackingID**

diagram	 <p>The diagram shows the structure of the mailxml_mm:SubmitterTrackingID element, which is represented by a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **mailPieceRequestType/UserLicenseCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userLicenseCodeType


element **mailPieceRequestType/MaildatJobID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:jobIDType


element **mailPieceRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **mailPieceRequestType/PDRMailPieceBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:PDRMailPieceBlockType
children	mailxml mm:PackageID mailxml mm:CQTDatabaseID mailxml mm:MailPieceBlock


element **mailPieceRequestType/CustomerGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s25


element **mailPieceRequestType/MailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **mailPieceRequestType/TransmittedCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **mailPieceRequestType/MailPieceBlockGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:mailPieceBlockGroupType
children	mailxml mm:ContainerID mailxml mm:ContainerDetailID mailxml mm:BundleID mailxml mm:MailPieceBlock

element **mailPieceRequestType/CampaignData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:campaignDataType
children	mailxml_mm:CampaignID mailxml_mm:USPSCampaignID mailxml_mm:CampaignTitle mailxml_mm:CampaignSerialGrouping mailxml_mm:CampaignCode mailxml_mm:DisplayName mailxml_mm:DateStart mailxml_mm:DateEnd mailxml_mm:ReferenceableMailData

complexType **mailXMLPieceRangeBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ContainerID mailxml_mm:PieceRangeBlock
used by	element mailPieceCancelType/MailXMLPieceRangeBlock

element **mailXMLPieceRangeBlockType/ContainerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s06
------	------------------


element **mailXMLPieceRangeBlockType/PieceRangeBlock**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:pieceRangeBlockType
children	mailxml mm:PieceRangeID mailxml mm:IMbarcodeLowerSerialization mailxml mm:IMbarcodeUpperSerialization mailxml mm:MailPreparer mailxml mm:MailOwner mailxml mm:ServiceTypeCode mailxml mm:MailClass mailxml mm:ServiceLevelIndicator mailxml mm:Pieces mailxml mm:Copies


complexType **manifestAndOrderIDInfoBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ManifestIDNumber mailxml mm:ConsigneeManifestID mailxml mm:PieceOrDetailRecordID mailxml mm:ConsigneePieceORDetailID
used by	element ManifestCreateResponse/ManifestCreateAccept/ManifestAndOrderIDInfoBlock


element **manifestAndOrderIDInfoBlockType/ManifestIDNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22


element **manifestAndOrderIDInfoBlockType/ConsigneeManifestID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22


element **manifestAndOrderIDInfoBlockType/PieceOrDetailRecordID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22

element **manifestAndOrderIDInfoBlockType/ConsigneePieceORDetailID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22

complexType **manifestErrorWarningDetailType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ErrorWarningCode mailxml_mm:ElectronicFileLineNumber mailxml_mm:IMpb

	mailxml_mm:DescriptionElectronicFileErrorWarning mailxml_mm:ErrorWarningMessage
used by	element manifestErrorWarningSummaryType/ManifestErrorWarningDetail


element **manifestErrorWarningDetailType/ErrorWarningCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:errorWarningCodeType


element **manifestErrorWarningDetailType/ElectronicFileLineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09


element **manifestErrorWarningDetailType/IMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType

element **manifestErrorWarningDetailType/DescriptionElectronicFileErrorWarning**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s34

element **manifestErrorWarningDetailType/ErrorWarningMessage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


complexType manifestErrorWarningSummaryType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:MID mailxml_mm:ElectronicFileSequenceNumber mailxml_mm:ElectronicFileReceiptDate mailxml_mm:ElectronicFileReceiptTime mailxml_mm:EntryFacilityZipCode mailxml_mm:MailingDate mailxml_mm:NumberOfRecordsRead mailxml_mm:NumberOfRecordsRejected mailxml_mm:NumberOfRecordsAccepted mailxml_mm:NumberOfElectronicFileD1RecordRecordsAccepted mailxml_mm:NumberOfElectronicFileD2RecordRecordsAccepted mailxml_mm:SummaryMessage mailxml_mm:ManifestErrorWarningDetail
used by	elements ManifestCreateResponse/ManifestCreateAccept/ManifestErrorWarningSummary ManifestCreateResponse/ManifestCreateReject/ManifestErrorWarningSummary


element manifestErrorWarningSummaryType/MID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9


element **manifestErrorWarningSummaryType/ElectronicFileSequenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns14


element **manifestErrorWarningSummaryType/ElectronicFileReceiptDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **manifestErrorWarningSummaryType/ElectronicFileReceiptTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **manifestErrorWarningSummaryType/EntryFacilityZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns05

element **manifestErrorWarningSummaryType/MailingDate**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **manifestErrorWarningSummaryType/NumberOfRecordsRead**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:ns09
------	-------------------


element **manifestErrorWarningSummaryType/NumberOfRecordsRejected**

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:NumberOfRecords...'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09


element **manifestErrorWarningSummaryType/NumberOfRecordsAccepted**

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:NumberOfRecords...'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09


element **manifestErrorWarningSummaryType/NumberOfElectronicFileD1RecordRecordsAccepted**

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:NumberOfElectron...'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09

element **manifestErrorWarningSummaryType/NumberOfElectronicFileD2RecordRecordsAccepted**

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:NumberOfElectron...'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09

element **manifestErrorWarningSummaryType/SummaryMessage**

diagram	 A diagram showing a dashed rectangular box containing the text 'mailxml_mm:SummaryMessage'.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60

element **manifestErrorWarningSummaryType/ManifestErrorWarningDetail**

diagram	<pre> classDiagram class ManifestErrorWarningSummaryType { ManifestErrorWar... 0..∞ } class ManifestErrorWarningDetailType { ErrorWarningCode ElectronicFileLine... IMpb DescriptionElectro... ErrorWarningMes... } ManifestErrorWarningSummaryType "0..∞" -- "1" ManifestErrorWarningDetailType </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:manifestErrorWarningDetailType
children	mailxml mm:ErrorWarningCode mailxml mm:ElectronicFileLineNumber mailxml mm:IMpb mailxml mm:DescriptionElectronicFileErrorWarning mailxml mm:ErrorWarningMessage

complexType manifestMailPieceSummaryType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ClassOfMail mailxml_mm:InternationalZone mailxml_mm:DestinationCountryCode mailxml_mm:BarCodeConstructCode mailxml_mm:WeightUnit mailxml_mm:TotalWeight mailxml_mm:TotalPieces mailxml_mm:TotalSacks mailxml_mm:ProcessingCategory mailxml_mm:InternationalProvince mailxml_mm:CountryType mailxml_mm:PriceGroup mailxml_mm:RateType mailxml_mm:BagNumber mailxml_mm:SubAreaWithinCountry

element manifestMailPieceSummaryType/ClassOfMail


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestMailClassType

element manifestMailPieceSummaryType/InternationalZone


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:internationalZoneType


element **manifestMailPieceSummaryType/DestinationCountryCode**

diagram	 A diagram showing the element name 'mailxml_mm:DestinationCountryCode' inside a dashed rectangular box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailPieceSummaryType/BarCodeConstructCode**

diagram	 A diagram showing the element name 'mailxml_mm:BarCodeConstructCode' inside a dashed rectangular box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04


element **manifestMailPieceSummaryType/WeightUnit**

diagram	 A diagram showing the element name 'mailxml_mm:WeightUnit' inside a dashed rectangular box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:weightUnitType


element **manifestMailPieceSummaryType/TotalWeight**

diagram	 A diagram showing the element name 'mailxml_mm:TotalWeight' inside a dashed rectangular box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **manifestMailPieceSummaryType/TotalPieces**

diagram	 A diagram showing the element name 'mailxml_mm:TotalPieces' inside a dashed rectangular box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **manifestMailPieceSummaryType/TotalSacks**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/TotalSacks</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **manifestMailPieceSummaryType/ProcessingCategory**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/ProcessingCategory</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **manifestMailPieceSummaryType/InternationalProvince**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/InternationalProvince</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28


element **manifestMailPieceSummaryType/CountryType**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/CountryType</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **manifestMailPieceSummaryType/PriceGroup**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/PriceGroup</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **manifestMailPieceSummaryType/RateType**

diagram	 A diagram showing the element <code>manifestMailPieceSummaryType/RateType</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType

element **manifestMailPieceSummaryType/BagNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28

element **manifestMailPieceSummaryType/SubAreaWithinCountry**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28

complexType manifestMailPieceType

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ClassofMail mailxml mm:DestinationZipPlusFour mailxml mm:DestinationZipCode mailxml mm:DetailRecordID mailxml mm:PieceID mailxml mm:ItemDescription mailxml mm:DestinationFacilityType mailxml mm:CarrierRoute mailxml mm:LogisticsManagerMID mailxml mm:MailOwnerMailerID9 mailxml mm:MailOwnerCRID mailxml mm:MailPreparerMailerID9 mailxml mm:MailerOrCustomersInternalReferenceNumber mailxml mm:ConsigneeApptID mailxml mm:ScheduledInductionDate mailxml mm:ScheduledInductionTime mailxml mm:ServiceTypeCode mailxml mm:IMpb mailxml mm:PieceOrPackageIMBarcode mailxml mm:IMcb mailxml mm:UnitValue mailxml mm:WeekendHolidayDelivery mailxml mm:SpecialService mailxml mm:ClientMID mailxml mm:FASTReservationNumber mailxml mm:FASTScheduledInductionDate mailxml mm:FASTScheduledInductionTime mailxml mm:CustomerReferenceID mailxml mm:DestinationCountryCode mailxml mm:BarCodeConstructCode mailxml mm:CustomerAgreementNumber mailxml mm:NameOfAddressee mailxml mm:MiscellaneousAddressInformation mailxml mm:AdditionalAddressInformation mailxml mm:DeliveryAddress mailxml mm:City mailxml mm:State mailxml mm:PostalCode mailxml mm:InternationalProvince mailxml mm:CountryType mailxml mm:ContainerType1 mailxml mm:ContainerID1 mailxml mm:ContainerType2 mailxml mm:ContainerID2 mailxml mm:ContainerType3 mailxml mm:ContainerID3 mailxml mm:Customs mailxml mm:PriceGroup mailxml mm:RateType mailxml mm:BagNumber mailxml mm:SubAreaWithinCountry

element manifestMailPieceType/ClassofMail

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType

element manifestMailPieceType/DestinationZipPlusFour

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09

element manifestMailPieceType/DestinationZipCode

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:zipCode

element manifestMailPieceType/DetailRecordID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02

element **manifestMailPieceType/PieceID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:mailPieceIDType
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP

element **manifestMailPieceType/ItemDescription**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50

element **manifestMailPieceType/DestinationFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

element **manifestMailPieceType/CarrierRoute**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

element **manifestMailPieceType/LogisticsManagerMID**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID6Type


element manifestMailPieceType/MailOwnerMailerID9

diagram	 A diagram showing the element 'mailxml_mm:MailOwnerMailerID9' in a solid rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID9Type


element manifestMailPieceType/MailOwnerCRID

diagram	 A diagram showing the element 'mailxml_mm:MailOwnerCRID' in a solid rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType


element manifestMailPieceType/MailPreparerMailerID9

diagram	 A diagram showing the element 'mailxml_mm:MailPreparerMaile...' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID9Type


element manifestMailPieceType/MailerOrCustomersInternalReferenceNumber

diagram	 A diagram showing the element 'mailxml_mm:MailerOrCustomer...' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element manifestMailPieceType/ConsigneeApptID

diagram	 A diagram showing the element 'mailxml_mm:ConsigneeApptID' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12


element **manifestMailPieceType/ScheduledInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:scheduledInductionDateType


element **manifestMailPieceType/ScheduledInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **manifestMailPieceType/ServiceTypeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04


element **manifestMailPieceType/IMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType


element **manifestMailPieceType/PieceOrPackageIMBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestMailPieceType/IMcb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMcbType


element **manifestMailPieceType/UnitValue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **manifestMailPieceType/WeekendHolidayDelivery**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:weekendHolidayIndexType


element **manifestMailPieceType/SpecialService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestExtraServiceCode


element **manifestMailPieceType/ClientMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09

element **manifestMailPieceType/FASTReservationNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12

element **manifestMailPieceType/FASTScheduledInductionDate**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:scheduledInductionDateType
------	--


element **manifestMailPieceType/FASTScheduledInductionTime**

diagram	 A diagram showing the element name 'mailxml_mm:FAST ScheduledInd...' inside a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **manifestMailPieceType/CustomerReferenceID**

diagram	 A diagram showing the element name 'mailxml_mm:CustomerReferen...' inside a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **manifestMailPieceType/DestinationCountryCode**

diagram	 A diagram showing the element name 'mailxml_mm:DestinationCountr...' inside a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailPieceType/BarCodeConstructCode**

diagram	 A diagram showing the element name 'mailxml_mm:BarCodeConstruct...' inside a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04

element **manifestMailPieceType/CustomerAgreementNumber**


diagram	 A diagram showing the element name 'mailxml_mm:CustomerAgreem...' inside a box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09

element **manifestMailPieceType/NameOfAddressee**


diagram	 A diagram showing the element name 'mailxml_mm:NameOfAddressee' inside a box with a small icon to the left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element manifestMailPieceType/MiscellaneousAddressInformation

diagram	 The diagram shows the element name 'mailxml_mm:MiscellaneousAdd...' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element manifestMailPieceType/AdditionalAddressInformation

diagram	 The diagram shows the element name 'mailxml_mm:AdditionalAddress...' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element manifestMailPieceType/DeliveryAddress

diagram	 The diagram shows the element name 'mailxml_mm:DeliveryAddress' in a solid rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element manifestMailPieceType/City

diagram	 The diagram shows the element name 'mailxml_mm:City' in a solid rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28


element manifestMailPieceType/State

diagram	 The diagram shows the element name 'mailxml_mm:State' in a dashed rectangular box with a small icon to its left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:stateCode


element **manifestMailPieceType/PostalCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s11


element **manifestMailPieceType/InternationalProvince**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28


element **manifestMailPieceType/CountryType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **manifestMailPieceType/ContainerType1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailPieceType/ContainerID1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestMailPieceType/ContainerType2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailPieceType/ContainerID2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestMailPieceType/ContainerType3**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailPieceType/ContainerID3**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestMailPieceType/Customs**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:customsType
children	mailxml_mm:Category mailxml_mm:Count mailxml_mm:Value


element **manifestMailPieceType/PriceGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **manifestMailPieceType/RateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:rateType

element **manifestMailPieceType/BagNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28

element **manifestMailPieceType/SubAreaWithinCountry**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28

complexType manifestMailType

diagram




namespace http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

children


[mailxml_mm:HeaderRecordID](#)
[mailxml_mm:ManifestIDNumber](#)
[mailxml_mm:ElectronicFileType](#)
[mailxml_mm:USPSElectronicFileVersionNumber](#)
[mailxml_mm:ElectronicFileNumber](#)
[mailxml_mm:DateOfMailing](#)
[mailxml_mm:TimeOfMailing](#)
[mailxml_mm:EntryFacilityType](#)
[mailxml_mm:EntryFacilityZipCode](#)
[mailxml_mm:EntryFacilityZipPlusFour](#)
[mailxml_mm:DirectEntryOriginCountryCode](#)
[mailxml_mm:ShipmentFeeCode](#)
[mailxml_mm:ExtraFeeForShipment](#)
[mailxml_mm:FileRecordCount](#)
[mailxml_mm:SoftwareVendorProductVersion](#)
[mailxml_mm:SoftwareVendorCode](#)
[mailxml_mm:TransactionID](#)

	mailxml_mm:TrackingInformation mailxml_mm:PaymentInformation mailxml_mm:SpecialProductInformation
used by	element ManifestCreateRequest/ManifestMailInfo


element **manifestMailType/HeaderRecordID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailType/ManifestIDNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22


element **manifestMailType/ElectronicFileType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:electronicFileType

element **manifestMailType/USPSElectronicFileVersionNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns03

element **manifestMailType/ElectronicFileNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns34

element **manifestMailType/DateOfMailing**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **manifestMailType/TimeOfMailing**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **manifestMailType/EntryFacilityType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryFacilityType


element **manifestMailType/EntryFacilityZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns05


element **manifestMailType/EntryFacilityZipPlusFour**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09


element **manifestMailType/DirectEntryOriginCountryCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestMailType/ShipmentFeeCode**

diagram	 The diagram shows the element name 'manifestMailType/ShipmentFeeCode' in a dashed box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **manifestMailType/ExtraFeeForShipment**

diagram	 The diagram shows the element name 'manifestMailType/ExtraFeeForShipment' in a dashed box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns06


element **manifestMailType/FileRecordCount**

diagram	 The diagram shows the element name 'manifestMailType/FileRecordCount' in a solid box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **manifestMailType/SoftwareVendorProductVersion**

diagram	 The diagram shows the element name 'manifestMailType/SoftwareVendorProductVersion' in a solid box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08

element **manifestMailType/SoftwareVendorCode**


diagram	 The diagram shows the element name 'manifestMailType/SoftwareVendorCode' in a solid box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04

element **manifestMailType/TransactionID**

diagram	 The diagram shows the element name 'manifestMailType/TransactionID' in a dashed box, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12

element **manifestMailType/TrackingInformation**


diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestTrackingInformationType
children	mailxml_mm:DetailRecordID mailxml_mm:IMpb mailxml_mm:MailClass mailxml_mm:ServiceTypeCode mailxml_mm:BarCodeConstructCode mailxml_mm:DestinationZipCode mailxml_mm:DestinationZipPlusFour mailxml_mm:DestinationFacilityType mailxml_mm:DestinationCountryCode mailxml_mm:PostalCode mailxml_mm:CarrierRoute mailxml_mm:LogisticsManagerMID mailxml_mm:MailOwnerMID mailxml_mm:ContainerID1 mailxml_mm:ContainerType1 mailxml_mm:ContainerType2 mailxml_mm:ContainerID2 mailxml_mm:ContainerType3 mailxml_mm:ContainerID3 mailxml_mm:MailOwnerCRID mailxml_mm:CustomerReferenceID mailxml_mm:FASTReservationNumber mailxml_mm:FASTScheduledInductionDate mailxml_mm:FASTScheduledInductionTime

element manifestMailType/PaymentInformation

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:paymentInformationType
children	mailxml_mm:PaymentAccountNumber mailxml_mm:PaymentMethod mailxml_mm:CSSCProductID mailxml_mm:CSSCNumber mailxml_mm:ProcessingCategory mailxml_mm:RateIndicator mailxml_mm:Height mailxml_mm:Width mailxml_mm:Length mailxml_mm:ExtraServiceFeeFifthService mailxml_mm:ExtraServiceFeeFourthService mailxml_mm:ExtraServiceFeeThirdService mailxml_mm:ExtraServiceFeeSecondService mailxml_mm:ExtraServiceFeeFirstService mailxml_mm:ExtraServiceCodeFifthService mailxml_mm:ExtraServiceCodeFourthService mailxml_mm:ExtraServiceCodeThirdService mailxml_mm:ExtraServiceCodeSecondService mailxml_mm:ExtraServiceCodeFirstService mailxml_mm:ValueOfArticle mailxml_mm:CODAmountDueSender mailxml_mm:HandlingCharge mailxml_mm:SurchargeType mailxml_mm:SurchargeAmount mailxml_mm:NonIncidentalEnclosureRateIndicator mailxml_mm:NonIncidentalEnclosureClass mailxml_mm:NonIncidentalEnclosurePostage mailxml_mm:NonIncidentalEnclosureWeight mailxml_mm:NonIncidentalEnclosureProcessingCategory mailxml_mm:POBoxIndicator mailxml_mm:SignatureWaiver mailxml_mm:PostalRoutingBarcode mailxml_mm:OpenDistributeContentsIndicator mailxml_mm:DeliveryOptionIndicator mailxml_mm:DestinationDeliveryPoint mailxml_mm:DiscountAmount mailxml_mm:DiscountType mailxml_mm:DimensionalWeight mailxml_mm:Zone mailxml_mm:DestinationRateInd mailxml_mm:PieceWeight mailxml_mm:WeightUnit mailxml_mm:PostageType mailxml_mm:Postage mailxml_mm:ChargebackCode mailxml_mm:MeterSerialNumber mailxml_mm:PostOfficeOfAccountZipCode


element manifestMailType/SpecialProductInformation

diagram	<pre> classDiagram class mailxml_mm_specialProductInformationType { mailxml_mm_ElectronicFileDetail... mailxml_mm_Impb mailxml_mm_RecipientName mailxml_mm_DeliveryAddress mailxml_mm_State mailxml_mm_City mailxml_mm_DeliveryZip mailxml_mm_DeliveryZipPlusFour mailxml_mm_RecipientEmailAdd... mailxml_mm_SenderName mailxml_mm_SenderEmailAddre... mailxml_mm_SenderSMSNumber mailxml_mm_RecipientSMSNum... } </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:specialProductInformationType

children	mailxml mm:ElectronicFileDetailRecordID mailxml mm:IMpb mailxml mm:RecipientName mailxml mm:DeliveryAddress mailxml mm:State mailxml mm:City mailxml mm:DeliveryZip mailxml mm:DeliveryZipPlusFour mailxml mm:RecipientEmailAddress mailxml mm:SenderName mailxml mm:SenderEmailAddress mailxml mm:SenderSMSNumber mailxml mm:RecipientSMSNumber
----------	---


complexType manifestPaymentExtractDataType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:RecordType mailxml mm:FileVersionNumber mailxml mm:TransactionID mailxml mm:MailingDate mailxml mm:MailingTime mailxml mm:ProcessingDate mailxml mm:ProcessingTime mailxml mm:EntryFacilityZip mailxml mm:EntryFacilityZip4 mailxml mm:PICIMpb mailxml mm:MailClass mailxml mm:ProcessingCategory mailxml mm:Weight mailxml mm:DimWeight mailxml mm:Length mailxml mm:Width mailxml mm:Height mailxml mm:PackageDestinationZIP mailxml mm:DestinationZIP4 mailxml mm:DestinationRateIndicator mailxml mm:RateIndicator mailxml mm:Zone mailxml mm:PostalRoutingBarcode mailxml mm:ExtraServiceCodeFirstService mailxml mm:FeeForExtraServiceCodeFirstService mailxml mm:ExtraServiceCodeSecondService mailxml mm:FeeForExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeThirdService mailxml mm:FeeForExtraServiceCodeService mailxml mm:DiscountType mailxml mm:DiscountAmount mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:CustomerReferenceNumber mailxml mm:PriceType mailxml mm:USPSCalculatedManifestPostage mailxml mm:PaymentStatus mailxml mm:CAPSTransactionID
used by	elements ManifestPaymentExtractDelivery/ManifestExtractData ManifestPaymentExtractQueryResponse/QueryResults/ManifestExtractData


element **manifestPaymentExtractDataType/RecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/FileVersionNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/TransactionID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/MailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/MailingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ProcessingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ProcessingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/EntryFacilityZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/EntryFacilityZip4**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/PICIMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/MailClass**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/Weight**

diagram	 A UML diagram of the Weight element, represented as a rectangle with the text 'mailxml_mm:Weight' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/DimWeight**

diagram	 A UML diagram of the DimWeight element, represented as a rectangle with the text 'mailxml_mm:DimWeight' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/Length**

diagram	 A UML diagram of the Length element, represented as a rectangle with the text 'mailxml_mm:Length' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/Width**

diagram	 A UML diagram of the Width element, represented as a rectangle with the text 'mailxml_mm:Width' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/Height**

diagram	 A UML diagram of the Height element, represented as a rectangle with the text 'mailxml_mm:Height' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/PackageDestinationZIP**

diagram	 A UML diagram of the PackageDestinationZIP element, represented as a rectangle with the text 'mailxml_mm:PackageDestinatio...' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/DestinationZIP4**

diagram	 A UML diagram of the DestinationZIP4 element, represented as a rectangle with the text 'mailxml_mm:DestinationZIP4' inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/DestinationRateIndicator**

diagram	 A diagram of the DestinationRateIndicator element, showing a box with the text "mailxml_mm:DestinationRateInd..." and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/RateIndicator**

diagram	 A diagram of the RateIndicator element, showing a box with the text "mailxml_mm:RateIndicator" and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/Zone**

diagram	 A diagram of the Zone element, showing a box with the text "mailxml_mm:Zone" and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/PostalRoutingBarcode**

diagram	 A diagram of the PostalRoutingBarcode element, showing a box with the text "mailxml_mm:PostalRoutingBarc..." and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeFirstService**

diagram	 A diagram of the ExtraServiceCodeFirstService element, showing a box with the text "mailxml_mm:ExtraServiceCodeF..." and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeFirstService**

diagram	 A diagram of the FeeForExtraServiceCodeFirstService element, showing a box with the text "mailxml_mm:FeeForExtraServic..." and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeSecondService**

diagram	 A diagram of the ExtraServiceCodeSecondService element, showing a box with the text "mailxml_mm:ExtraServiceCode..." and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/ExtraServiceCodeThirdService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/FeeForExtraServiceCodeService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/DiscountType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/DiscountAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/SurchargeType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/SurchargeAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/CustomerReferenceNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/PriceType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/USPSCalculatedManifestPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/PaymentStatus**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


element **manifestPaymentExtractDataType/CAPSTransactionID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm


complexType **manifestPieceListType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ManifestPieceOrDetailRecordID mailxml mm:ConsigneeManifestPieceORDetailID

element **manifestPieceListType/ManifestPieceOrDetailRecordID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22

element **manifestPieceListType/ConsigneeManifestPieceORDetailID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns22

complexType manifestTrackingInformationType

diagram




namespace


http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

children	mailxml_mm:DetailRecordID mailxml_mm:IMpb mailxml_mm:MailClass mailxml_mm:ServiceTypeCode mailxml_mm:BarCodeConstructCode mailxml_mm:DestinationZipCode mailxml_mm:DestinationZipPlusFour mailxml_mm:DestinationFacilityType mailxml_mm:DestinationCountryCode mailxml_mm:PostalCode mailxml_mm:CarrierRoute mailxml_mm:LogisticsManagerMID mailxml_mm:MailOwnerMID mailxml_mm:ContainerID1 mailxml_mm:ContainerType1 mailxml_mm:ContainerType2 mailxml_mm:ContainerID2 mailxml_mm:ContainerType3 mailxml_mm:ContainerID3 mailxml_mm:MailOwnerCRID mailxml_mm:CustomerReferenceID mailxml_mm:FASTReservationNumber mailxml_mm:FASTScheduledInductionDate mailxml_mm:FASTScheduledInductionTime
used by	element manifestMailType/TrackingInformation


element **manifestTrackingInformationType/DetailRecordID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestTrackingInformationType/IMpb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType


element **manifestTrackingInformationType/MailClass**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType


element **manifestTrackingInformationType/ServiceTypeCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ServiceTypeCodeType


element **manifestTrackingInformationType/BarCodeConstructCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04


element **manifestTrackingInformationType/DestinationZipCode**

diagram	 The diagram shows a rectangular box with a solid border. Inside the box, the text 'mailxml_mm:DestinationZipCode' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:zipCode


element **manifestTrackingInformationType/DestinationZipPlusFour**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text 'mailxml_mm:DestinationZipPlus...' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09


element **manifestTrackingInformationType/DestinationFacilityType**

diagram	 The diagram shows a rectangular box with a dashed border. Inside the box, the text 'mailxml_mm:DestinationFacility...' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01


element **manifestTrackingInformationType/DestinationCountryCode**

diagram	 The diagram shows a rectangular box with a solid border. Inside the box, the text 'mailxml_mm:DestinationCountr...' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02

element **manifestTrackingInformationType/PostalCode**

diagram	 The diagram shows a rectangular box with a solid border. Inside the box, the text 'mailxml_mm:PostalCode' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s11

element **manifestTrackingInformationType/CarrierRoute**

diagram	 The diagram shows a rectangular box with a solid border. Inside the box, the text 'mailxml_mm:CarrierRoute' is displayed in a blue font. To the left of the text is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s05
------	------------------

element **manifestTrackingInformationType/LogisticsManagerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9

element **manifestTrackingInformationType/MailOwnerMID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:MIDType
children	mailxml_defs:MID6 mailxml_defs:MID9


element **manifestTrackingInformationType/ContainerID1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:iMBType


element **manifestTrackingInformationType/ContainerType1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestTrackingInformationType/ContainerType2**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/ContainerType2' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestTrackingInformationType/ContainerID2**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/ContainerID2' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestTrackingInformationType/ContainerType3**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/ContainerType3' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **manifestTrackingInformationType/ContainerID3**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/ContainerID3' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBType


element **manifestTrackingInformationType/MailOwnerCRID**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/MailOwnerCRID' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType


element **manifestTrackingInformationType/CustomerReferenceID**

diagram	 The diagram shows a box with the text 'manifestTrackingInformationType/CustomerReferenceID' and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **manifestTrackingInformationType/FASTReservationNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s15


element **manifestTrackingInformationType/FASTScheduledInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:scheduledInductionDateType

element **manifestTrackingInformationType/FASTScheduledInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time

complexType **palletContainerRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueNumber mailxml_mm:VolumeNumber mailxml_mm:IssueDate

used by	element ContainerBundleSummaryRecords/PalletContainerRecord
---------	--

element **palletContainerRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **palletContainerRecordType/PublicationTitle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **palletContainerRecordType/PostageStatementLineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber1Type


element **palletContainerRecordType/ChargeableContainerLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType


element **palletContainerRecordType/ChargeableEntryLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableEntryLevelType


element **palletContainerRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **palletContainerRecordType/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **palletContainerRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

element **palletContainerRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


complexType **palletContainerVersionRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml mm:PublicationInfo mailxml mm:PublicationTitle mailxml mm:PostageStatementLineNumber mailxml mm:ChargeableContainerLevel mailxml mm:ChargeableEntryLevel mailxml mm:Containers mailxml mm:IssueNumber mailxml mm:VolumeNumber mailxml mm:IssueDate
used by	element ContainerBundleVersionRecords/PalletContainerVersionRecord


element **palletContainerVersionRecordType/PublicationInfo**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **palletContainerVersionRecordType/PublicationTitle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **palletContainerVersionRecordType/PostageStatementLineNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber1Type


element **palletContainerVersionRecordType/ChargeableContainerLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:chargeableContainerLevelType


element **palletContainerVersionRecordType/ChargeableEntryLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:chargeableEntryLevelType

element **palletContainerVersionRecordType/Containers**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **palletContainerVersionRecordType/IssueNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s06
------	------------------

element **palletContainerVersionRecordType/VolumeNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

element **palletContainerVersionRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


complexType **paymentInformationType**

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:PaymentAccountNumber mailxml mm:PaymentMethod mailxml mm:CSSCProductID mailxml mm:CSSCNumber mailxml mm:ProcessingCategory mailxml mm:RateIndicator mailxml mm:Height mailxml mm:Width mailxml mm:Length mailxml mm:ExtraServiceFeeFifthService mailxml mm:ExtraServiceFeeFourthService mailxml mm:ExtraServiceFeeThirdService mailxml mm:ExtraServiceFeeSecondService mailxml mm:ExtraServiceFeeFirstService mailxml mm:ExtraServiceCodeFifthService mailxml mm:ExtraServiceCodeFourthService mailxml mm:ExtraServiceCodeThirdService mailxml mm:ExtraServiceCodeSecondService mailxml mm:ExtraServiceCodeFirstService mailxml mm:ValueOfArticle mailxml mm:CODAmountDueSender mailxml mm:HandlingCharge mailxml mm:SurchargeType mailxml mm:SurchargeAmount mailxml mm:NonIncidentalEnclosureRateIndicator mailxml mm:NonIncidentalEnclosureClass mailxml mm:NonIncidentalEnclosurePostage mailxml mm:NonIncidentalEnclosureWeight mailxml mm:NonIncidentalEnclosureProcessingCategory mailxml mm:POBoxIndicator mailxml mm:SignatureWaiver mailxml mm:PostalRoutingBarcode mailxml mm:OpenDistributeContentsIndicator mailxml mm:DeliveryOptionIndicator mailxml mm:DestinationDeliveryPoint mailxml mm:DiscountAmount mailxml mm:DiscountType mailxml mm:DimensionalWeight mailxml mm:Zone mailxml mm:DestinationRateInd mailxml mm:PieceWeight mailxml mm:WeightUnit mailxml mm:PostageType mailxml mm:Postage mailxml mm:ChargebackCode mailxml mm:MeterSerialNumber mailxml mm:PostOfficeOfAccountZipCode
used by	element manifestMailType/PaymentInformation


element **paymentInformationType/PaymentAccountNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns10


element **paymentInformationType/PaymentMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:postagePaymentMethodType


element **paymentInformationType/CSSCProductID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s14


element **paymentInformationType/CSSCNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s22


element **paymentInformationType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **paymentInformationType/RateIndicaror**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **paymentInformationType/Height**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/Width**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/Length**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/ExtraServiceFeeFifthService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/ExtraServiceFeeFourthService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/ExtraServiceFeeThirdService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/ExtraServiceFeeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/ExtraServiceFeeFirstService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **paymentInformationType/ExtraServiceCodeFifthService**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03

element **paymentInformationType/ExtraServiceCodeFourthService**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s03
------	------------------


element **paymentInformationType/ExtraServiceCodeThirdService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **paymentInformationType/ExtraServiceCodeSecondService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **paymentInformationType/ExtraServiceCodeFirstService**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **paymentInformationType/ValueOfArticle**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **paymentInformationType/CODAmountDueSender**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **paymentInformationType/HandlingCharge**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **paymentInformationType/SurchargeType**

diagram	 A diagram showing the element <code>mailxml_mm:SurchargeType</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:surchargeType


element **paymentInformationType/SurchargeAmount**

diagram	 A diagram showing the element <code>mailxml_mm:SurchargeAmount</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/NonIncidentalEnclosureRateIndicator**

diagram	 A diagram showing the element <code>mailxml_mm:NonIncidentalEnclosureRateIndicator</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestRateLevelIndicatorType


element **paymentInformationType/NonIncidentalEnclosureClass**

diagram	 A diagram showing the element <code>mailxml_mm:NonIncidentalEnclosureClass</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestMailClassType


element **paymentInformationType/NonIncidentalEnclosurePostage**

diagram	 A diagram showing the element <code>mailxml_mm:NonIncidentalEnclosurePostage</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/NonIncidentalEnclosureWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/NonIncidentalEnclosureProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **paymentInformationType/POBoxIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **paymentInformationType/SignatureWaiver**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **paymentInformationType/PostalRoutingBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01


element **paymentInformationType/OpenDistributeContentsIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **paymentInformationType/DeliveryOptionIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01


element **paymentInformationType/DestinationDeliveryPoint**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns02


element **paymentInformationType/DiscountAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/DiscountType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **paymentInformationType/DimensionalWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:weightUnitType


element **paymentInformationType/Zone**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zoneICType


element **paymentInformationType/DestinationRateInd**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:manifestRateLevelIndicatorType


element **paymentInformationType/PieceWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **paymentInformationType/WeightUnit**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:weightUnitType


element **paymentInformationType/PostageType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01

element **paymentInformationType/Postage**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **paymentInformationType/ChargebackCode**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s06
------	------------------


element **paymentInformationType/MeterSerialNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **paymentInformationType/PostOfficeOfAccountZipCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns05


complexType **PDRMailPieceBlockType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:PackageID mailxml mm:CQTDatabaselD mailxml mm:MailPieceBlock
used by	elements mailPieceCancelType/PDRMailPieceBlock mailPieceRequestType/PDRMailPieceBlock

element **PDRMailPieceBlockType/PackageID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:packageIDType

element **PDRMailPieceBlockType/CQTDatabaselD**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CQTdatabaselDType

element **PDRMailPieceBlockType/MailPieceBlock**


diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailPieceBlockType
children	mailxml_mm:ServiceLevelIndicator mailxml_mm:LOTSequenceDirectionCode mailxml_mm:LOTSequenceNumber mailxml_mm:WalkSequenceNumber mailxml_mm:IMPackageBarcode mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:PlanetCode mailxml_mm:DeliveryPointZIP mailxml_mm:DeliveryContainerID mailxml_mm:DeliveryPointZIP mailxml_mm:IMB mailxml_mm:UPAAddress mailxml_mm:DeliveryPointZIP mailxml_mm:ExtraServiceIMPackageBarcode mailxml_mm:ReferenceableMailID mailxml_mm:PieceID mailxml_defs:ExtraServiceData mailxml_mm:WastedPieceIndicator mailxml_mm:MLOCRrateANDpostageMarking mailxml_mm:MoveComplianceUpdateMethod mailxml_mm:MailOwner mailxml_mm:BarCodeApplicator mailxml_mm:MachineID mailxml_mm:ACSKeyline mailxml_mm:HoldForPickup mailxml_mm:NumberOfPiecesToHold

complexType **periodicalStatementDataType**

diagram



namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	extension of mailxml mm:abstractPeriodicalStatementDataType
children	mailxml mm:AdvertisingPercentage mailxml mm:DeliveryStatisticsFileDate mailxml mm:AutomationAddressMatchDate mailxml mm:CustomerReferenceID mailxml mm:UserPostageStatementID mailxml mm:CarrierRouteAddressMatchDate mailxml mm:CarrierRouteSequencingDate mailxml mm:CertificationData mailxml mm:ContainerCount mailxml mm:CopyWeight mailxml mm:EditionCode mailxml mm:FirstIssueDate mailxml mm:FormType mailxml mm:IssueDate mailxml mm:IssueFrequency mailxml mm:LastIssueDate mailxml mm:PostageStatementMailingDate mailxml mm:Over10 mailxml mm:LimitedCirculationDiscountClaimed mailxml mm:PeriodicalLineItemData mailxml mm:PostagePaymentMethod mailxml mm:ProcessingCategory mailxml mm:PublicationTitle mailxml mm:CombinedMailingID mailxml mm:RateType mailxml mm:SingleRideAlongWeight mailxml mm:StatementSequenceNumber mailxml mm:EntryFacilityType mailxml mm:EntryZip mailxml mm:AgencyCostCode mailxml mm:RepositionableNotesIndicator mailxml mm:DocumentVersionData mailxml mm:MoveUpdateMethod mailxml mm:VolumeNumber mailxml mm:IssueNumber mailxml mm:InCountyAddressedSupplementPieces mailxml mm:OutsideCountyAddressedSupplementPieces mailxml mm:PiecesExcludingAddressedSupplementPieces mailxml mm:PostageAutoFinalization mailxml mm:EntryLocaleKey mailxml mm:StatementID mailxml mm:MailClass mailxml mm:Origin mailxml mm:PostageStatementStatus mailxml mm:TotalCopies mailxml mm:TotalPieces mailxml mm:TotalPostageAmount mailxml mm:TotalWeight mailxml mm:MailingAgentData mailxml mm:PublisherData mailxml mm:PendingPostageAmount mailxml mm:MailArrivalDateandTime mailxml mm:PaymentDateandTime mailxml mm:StartTheClockDate mailxml mm:ContainerPostage
used by	element PeriodicalStatementQueryResponse/QueryResults/PeriodicalStatementData

element **periodicalStatementDataType/StatementID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **periodicalStatementDataType/MailClass**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType

element **periodicalStatementDataType/Origin**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **periodicalStatementDataType/PostageStatementStatus**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementStatusType


element **periodicalStatementDataType/TotalCopies**

diagram	 A diagram showing a box with the text "mailxml_mm:TotalCopies" inside, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **periodicalStatementDataType/TotalPieces**

diagram	 A diagram showing a box with the text "mailxml_mm:TotalPieces" inside, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **periodicalStatementDataType/TotalPostageAmount**

diagram	 A diagram showing a box with the text "mailxml_mm:TotalPostageAmo..." inside, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **periodicalStatementDataType/TotalWeight**

diagram	 A diagram showing a box with the text "mailxml_mm:TotalWeight" inside, with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **periodicalStatementDataType/MailingAgentData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4


element **periodicalStatementDataType/PublisherData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4


element **periodicalStatementDataType/PendingPostageAmount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **periodicalStatementDataType/MailArrivalDateandTime**

diagram	 A dashed box containing the text "mailxml_mm:MailArrivalDateand..."
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **periodicalStatementDataType/PaymentDateandTime**

diagram	 A dashed box containing the text "mailxml_mm:PaymentDateandTi..."
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime

element **periodicalStatementDataType/StartTheClockDate**

diagram	 A dashed box containing the text "mailxml_mm:StartTheClockDate"
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **periodicalStatementDataType/ContainerPostage**

diagram	 A diagram showing the structure of the ContainerPostage element. On the left, a dashed box labeled "mailxml_mm:ContainerPostage" is connected to a yellow-shaded box labeled "mailxml_mm:containerPostageType". Inside this box, there are four main components: "mailxml_mm:ContainerID", "mailxml_mm:ContainerDetailID" (dashed), "mailxml_mm:Pieces", and "mailxml_mm:Copies". The "mailxml_mm:ContainerID" and "mailxml_mm:ContainerDetailID" are connected to a central point. The "mailxml_mm:Pieces" and "mailxml_mm:Copies" are connected to a central point. The "mailxml_mm:Copies" is further connected to a dashed box containing three sub-elements: "mailxml_mm:IMtb", "mailxml_mm:IMcb", and "mailxml_mm:IMpb".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType pieceRangeBlockType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PieceRangeID mailxml_mm:IMbarcodeLowerSerialization mailxml_mm:IMbarcodeUpperSerialization mailxml_mm:MailPreparer mailxml_mm:MailOwner mailxml_mm:ServiceTypeCode mailxml_mm:MailClass mailxml_mm:ServiceLevelIndicator mailxml_mm:Pieces mailxml_mm:Copies
used by	elements mailXMLPieceRangeBlockType/PieceRangeBlock mailPieceCancelType/PDRRangePieceBlock/PieceRangeBlock


element pieceRangeBlockType/PieceRangeID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s22


element **pieceRangeBlockType/IMbarcodeLowerSerialization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:MailerID6 mailxml_mm:SerialNumber9 mailxml_mm:MailerID9 mailxml_mm:SerialNumber6


element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID6Type


element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBSerialNumber9Type


element **pieceRangeBlockType/IMbarcodeLowerSerialization/MailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID9Type


element **pieceRangeBlockType/IMbarcodeLowerSerialization/SerialNumber6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBSerialNumber6Type


element **pieceRangeBlockType/IMbarcodeUpperSerialization**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:MailerID6 mailxml_mm:SerialNumber9 mailxml_mm:MailerID9 mailxml_mm:SerialNumber6


element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID6Type


element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBSerialNumber9Type


element **pieceRangeBlockType/IMbarcodeUpperSerialization/MailerID9**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID9Type


element **pieceRangeBlockType/IMbarcodeUpperSerialization/SerialNumber6**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMBSerialNumber6Type


element **pieceRangeBlockType/MailPreparer**

diagram	 <p>The diagram illustrates the MailPreparer element from the mailxml_mm namespace. It is connected to a larger block representing the mailxml_defs:participantIDType from the mailxml_defs namespace. This block contains an attributes section with the following elements: MailerID6, MailerID9, CRID, SchedulerID, MaildatUserLicense, ShippingAgentID, and ReceivingAgentID.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType


element **pieceRangeBlockType/MailOwner**

diagram	 <p>The diagram illustrates the MailOwner element from the mailxml_mm namespace. It is connected to a larger block representing the mailxml_defs:participantIDType from the mailxml_defs namespace. This block contains an attributes section with the following elements: MailerID6, MailerID9, CRID, SchedulerID, MaildatUserLicense, ShippingAgentID, and ReceivingAgentID.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:participantIDType


element **pieceRangeBlockType/ServiceTypeCode**

diagram	 A diagram showing a rectangular box with a small icon of three horizontal lines in the top-left corner. The text inside the box is "mailxml_mm:ServiceTypeCode".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ServiceTypeCodeType


element **pieceRangeBlockType/MailClass**

diagram	 A diagram showing a rectangular box with a small icon of three horizontal lines in the top-left corner. The text inside the box is "mailxml_mm:MailClass".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType


element **pieceRangeBlockType/ServiceLevelIndicator**

diagram	 A diagram showing a rectangular box with a small icon of three horizontal lines in the top-left corner. The text inside the box is "mailxml_mm:ServiceLevelIndica...".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:serviceLevelIndicatorType

element **pieceRangeBlockType/Pieces**


diagram	 A diagram showing a rectangular box with a small icon of three horizontal lines in the top-left corner. The text inside the box is "mailxml_mm:Pieces". Below the box, there is a small icon of three horizontal lines and the text "1..∞".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **pieceRangeBlockType/Copies**

diagram	 A diagram showing a rectangular box with a small icon of three horizontal lines in the top-left corner. The text inside the box is "mailxml_mm:Copies". Below the box, there is a small icon of three horizontal lines and the text "1..∞".
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


complexType **postageStatementDataType**

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	extension of mailxml_mm:abstractPostageStatementDataType
children	mailxml_mm:AgencyCostCode mailxml_mm:DeliveryStatisticsFileDate mailxml_mm:AutomationAddressMatchDate mailxml_mm:CustomerReferenceID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:UserPostageStatementID mailxml_mm:CarrierRouteAddressMatchDate mailxml_mm:CarrierRouteSequencingDate mailxml_mm:CertificationData mailxml_mm:ContainerCount mailxml_mm:EnclosedBy mailxml_mm:DMLType mailxml_mm:EstimateIndicator mailxml_mm:ExtendedForm mailxml_mm:FormType mailxml_mm:PostageStatementLineItemData mailxml_mm:PostageStatementMailingDate mailxml_mm:PackagingMethod mailxml_mm:PostageAffixedAmount mailxml_mm:PostagePaymentMethod mailxml_mm:ProcessingCategory mailxml_mm:RateType mailxml_mm:RegisterOfMailing mailxml_mm:SackingBasis mailxml_mm:SinglePieceWeight mailxml_defs:ExtraServiceData mailxml_mm:ExtraServiceSummaryData mailxml_mm:StatementSequenceNumber mailxml_mm:RepositionableNotesIndicator mailxml_mm:DocumentVersionData mailxml_mm:MeteredAffixedMethod mailxml_mm:CombinedMailingID mailxml_mm:SinglePieceDimensionalWeight mailxml_mm:EnclosingVolumeNo mailxml_mm:EnclosingIssueNo mailxml_mm:EnclosingIssueDate mailxml_mm:MoveUpdateMethod mailxml_mm:PaymentDateandTime mailxml_mm:MailArrivalDateandTime mailxml_mm:PostageAutoFinalization mailxml_mm:FCMLtrResidualPreIndicator mailxml_mm:SSFTID mailxml_mm:StatementID mailxml_mm:ConfirmationNumber mailxml_mm:MailClass mailxml_mm:Origin mailxml_mm:SpecialFeesAmount mailxml_mm:PostateStatementStatus mailxml_mm:TotalPieces mailxml_mm:TotalPostageAmount mailxml_mm:TotalPostageAmountDue mailxml_mm:TotalWeight mailxml_mm:PermitHolderData mailxml_mm:MailingOwnerData mailxml_mm:MailingAgentData mailxml_mm:PermitHolderForAPData mailxml_mm:StartTheClockDate mailxml_mm:ContainerPostage
used by	element PostageStatementQueryResponse/QueryResults/PostageStatementData


element [postageStatementDataType/StatementID](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element [postageStatementDataType/ConfirmationNumber](#)

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element [postageStatementDataType/MailClass](#)


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailClassType

element [postageStatementDataType/Origin](#)


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:string


element **postageStatementDataType/SpecialFeesAmount**

diagram	 A diagram showing the element <code>mailxml_mm:SpecialFeesAmount</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **postageStatementDataType/PostateStatementStatus**

diagram	 A diagram showing the element <code>mailxml_mm:Postate Statement...</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementStatusType


element **postageStatementDataType/TotalPieces**

diagram	 A diagram showing the element <code>mailxml_mm:TotalPieces</code> in a solid box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **postageStatementDataType/TotalPostageAmount**

diagram	 A diagram showing the element <code>mailxml_mm:TotalPostageAmo...</code> in a solid box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **postageStatementDataType/TotalPostageAmountDue**

diagram	 A diagram showing the element <code>mailxml_mm:TotalPostageAmo...</code> in a solid box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **postageStatementDataType/TotalWeight**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **postageStatementDataType/PermitHolderData**

diagram	 <p>The diagram shows the mailxml_mm:PermitHolderData element (dashed box) connected to a complex container (yellow box) labeled mailxml_mm:mailerDataType. This container holds several sub-elements: mailxml_mm:Address1, mailxml_mm:Address2, mailxml_mm:City, mailxml_mm:Country, mailxml_mm:Email, mailxml_mm:MID (with a plus icon), mailxml_mm:CRID, mailxml_mm:ContactName, mailxml_mm:PermitPublicationData (with a plus icon), mailxml_mm:PhoneAreaCode, mailxml_mm:PhoneExtension, mailxml_mm:PhoneLast4, mailxml_mm:PhonePrefix, mailxml_mm:State, mailxml_mm:ZipCode, and mailxml_mm:ZipCode4. The connections are shown with solid lines and dashed boxes, indicating optional or complex relationships.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:mailerDataType
children	mailxml mm:Address1 mailxml mm:Address2 mailxml mm:City mailxml mm:Country mailxml mm:Email mailxml mm:MID mailxml mm:CRID mailxml mm:ContactName mailxml mm:PermitPublicationData mailxml mm:PhoneAreaCode mailxml mm:PhoneExtension mailxml mm:PhoneLast4 mailxml mm:PhonePrefix mailxml mm:State mailxml mm:ZipCode mailxml mm:ZipCode4

element **postageStatementDataType/MailingOwnerData**

diagram




namespace http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type [mailxml_mm:mailerDataType](#)

children [mailxml_mm:Address1](#) [mailxml_mm:Address2](#) [mailxml_mm:City](#) [mailxml_mm:Country](#) [mailxml_mm:Email](#) [mailxml_mm:MID](#) [mailxml_mm:CRID](#) [mailxml_mm:ContactName](#) [mailxml_mm:PermitPublicationData](#) [mailxml_mm:PhoneAreaCode](#) [mailxml_mm:PhoneExtension](#) [mailxml_mm:PhoneLast4](#) [mailxml_mm:PhonePrefix](#) [mailxml_mm:State](#) [mailxml_mm:ZipCode](#) [mailxml_mm:ZipCode4](#)

element **postageStatementDataType/MailingAgentData**

diagram



namespace http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type [mailxml mm:mailerDataType](#)

children [mailxml mm:Address1](#) [mailxml mm:Address2](#) [mailxml mm:City](#) [mailxml mm:Country](#) [mailxml mm:Email](#) [mailxml mm:MID](#) [mailxml mm:CRID](#) [mailxml mm:ContactName](#) [mailxml mm:PermitPublicationData](#) [mailxml mm:PhoneAreaCode](#) [mailxml mm:PhoneExtension](#) [mailxml mm:PhoneLast4](#) [mailxml mm:PhonePrefix](#) [mailxml mm:State](#) [mailxml mm:ZipCode](#) [mailxml mm:ZipCode4](#)

element **postageStatementDataType/PermitHolderForAPData**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:mailerDataType
children	mailxml_mm:Address1 mailxml_mm:Address2 mailxml_mm:City mailxml_mm:Country mailxml_mm:Email mailxml_mm:MID mailxml_mm:CRID mailxml_mm:ContactName mailxml_mm:PermitPublicationData mailxml_mm:PhoneAreaCode mailxml_mm:PhoneExtension mailxml_mm:PhoneLast4 mailxml_mm:PhonePrefix mailxml_mm:State mailxml_mm:ZipCode mailxml_mm:ZipCode4

element **postageStatementDataType/StartTheClockDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **postageStatementDataType/ContainerPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:containerPostageType
children	mailxml_mm:ContainerID mailxml_mm:ContainerDetailID mailxml_mm:Pieces mailxml_mm:Copies mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


complexType **qualificationPreparerDataType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID
used by	elements qualificationReportDataType/QualificationReportPreparer qualificationReportSummaryDataType/QualificationReportPreparer


element **qualificationPreparerDataType/PermitNumber**

diagram	 A diagram showing the element <code>mailxml_mm:PermitNumber</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08


element **qualificationPreparerDataType/PermitType**

diagram	 A diagram showing the element <code>mailxml_mm:PermitType</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:permitTypeType


element **qualificationPreparerDataType/PermitZip4**

diagram	 A diagram showing the element <code>mailxml_mm:PermitZip4</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns09


element **qualificationPreparerDataType/PublicationNumber**

diagram	 A diagram showing the element <code>mailxml_mm:PublicationNumber</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s08


element **qualificationPreparerDataType/MailerID6**

diagram	 A diagram showing the element <code>mailxml_mm:MailerID6</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID6Type


element **qualificationPreparerDataType/MailerID9**

diagram	 A diagram showing the element <code>mailxml_mm:MailerID9</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailerID9Type


element **qualificationPreparerDataType/CRID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType


complexType **qualificationReportDataType**

diagram	 <p>The diagram shows the structure of the qualificationReportDataType complex type. It is a container for several child elements, all of which are optional (indicated by a circle with a plus sign). The elements are:</p> <ul style="list-style-type: none"> mailxml_mm:DMMSection (optional) mailxml_mm:BatchManifestIndicator (optional) mailxml_defs:ContainerInfoData (optional, 0..∞ occurrences) mailxml_mm:CustomerQualificationReportID (optional) mailxml_mm:CustomerCommitmentAgreementNumber (optional) mailxml_mm:FormType (optional) mailxml_mm:PreparedDate (optional) mailxml_mm:QualificationReportPreparer (optional, 1..∞ occurrences) mailxml_mm:PresortSWCompany (optional) mailxml_mm:PresortSWProduct (optional) mailxml_mm:PresortSWVersion (optional) mailxml_mm:DocumentVersionDataWithPermit (optional, 1..∞ occurrences) mailxml_mm:LogicalPhysicalBundleIndicator (optional) mailxml_mm:SoftwareVendorZAPOption (optional) mailxml_mm:ZoneMatrixDate (optional)
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_defs:ContainerInfoData mailxml_mm:CustomerQualificationReportID mailxml_mm:CustomerCommitmentAgreementNumber mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:DocumentVersionDataWithPermit mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:ZoneMatrixDate
used by	<p>elements</p> <p>QualificationReportCreateRequest/QualificationReport</p> <p>QualificationReportQueryResponse/QueryResults/QualificationReport</p>


element **qualificationReportDataType/DMMSection**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s12


element **qualificationReportDataType/BatchManifestIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **qualificationReportDataType/CustomerQualificationReportID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s66


element **qualificationReportDataType/CustomerCommitmentAgreementNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s40

element **qualificationReportDataType/FormType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:formType

element **qualificationReportDataType/PreparedDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	xs:dateTime
------	--------------------

element **qualificationReportDataType/QualificationReportPreparer**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:qualificationPreparerDataType
children	mailxml_mm:PermitNumber mailxml_mm:PermitType mailxml_mm:PermitZip4 mailxml_mm:PublicationNumber mailxml_mm:MailerID6 mailxml_mm:MailerID9 mailxml_mm:CRID

element **qualificationReportDataType/PresortSWCompany**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50

element **qualificationReportDataType/PresortSWProduct**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50

element **qualificationReportDataType/PresortSWVersion**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **qualificationReportDataType/LogicalPhysicalBundleIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:logicalPhysicalBundleIndicatorType

element **qualificationReportDataType/SoftwareVendorZAPOption**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01

element **qualificationReportDataType/ZoneMatrixDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

complexType **qualificationReportDetailDataType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:CustomerQualificationReportID mailxml_defs:ContainerInfoData mailxml_mm:DocumentVersionDataWithPermit
used by	element QualificationReportDetailCreateRequest/QualificationReport

element **qualificationReportDetailDataType/CustomerQualificationReportID**


diagram	
---------	--

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s66

complexType **qualificationReportSummaryDataType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DMMSection mailxml_mm:BatchManifestIndicator mailxml_mm:CustomerQualificationReportID mailxml_mm:FormType mailxml_mm:PreparedDate mailxml_mm:QualificationReportPreparer mailxml_mm:InformedAddressIndicator mailxml_mm:InformedAddressExpDate mailxml_mm:PresortSWCompany mailxml_mm:PresortSWProduct mailxml_mm:PresortSWVersion mailxml_mm:LogicalPhysicalBundleIndicator mailxml_mm:SoftwareVendorZAPOption mailxml_mm:BypassSeamlessAcceptance mailxml_mm:ZoneMatrixDate
used by	element QualificationReportSummaryCreateRequest/QualificationReportSummary

element **qualificationReportSummaryDataType/DMMSection**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s12
------	------------------


element **qualificationReportSummaryDataType/BatchManifestIndicator**

diagram	 A diagram showing the element <code>mailxml_mm:BatchManifestIndicator</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **qualificationReportSummaryDataType/CustomerQualificationReportID**

diagram	 A diagram showing the element <code>mailxml_mm:CustomerQualificationReportID</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s66


element **qualificationReportSummaryDataType/FormType**

diagram	 A diagram showing the element <code>mailxml_mm:FormType</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:formType


element **qualificationReportSummaryDataType/PreparedDate**

diagram	 A diagram showing the element <code>mailxml_mm:PreparedDate</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **qualificationReportSummaryDataType/QualificationReportPreparer**

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_mm:qualificationPreparerDataType</code>. It is a complex type containing several elements. The root element is <code>mailxml_mm:QualificationRepo...</code>, which is connected to a choice element (indicated by a circle with a vertical line and a horizontal line). This choice element has two branches. The first branch leads to another choice element (circle with a vertical line and a horizontal line), which contains three elements: <code>mailxml_mm:PermitNumber</code>, <code>mailxml_mm:PermitType</code>, and <code>mailxml_mm:PermitZip4</code>. The second branch leads to a choice element (circle with a vertical line and a horizontal line), which contains three elements: <code>mailxml_mm:PublicationNumber</code>, <code>mailxml_mm:MailerID6</code>, and <code>mailxml_mm:MailerID9</code>. The <code>mailxml_mm:CRID</code> element is also shown as a separate element within the structure.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:qualificationPreparerDataType
children	mailxml mm:PermitNumber mailxml mm:PermitType mailxml mm:PermitZip4 mailxml mm:PublicationNumber mailxml mm:MailerID6 mailxml mm:MailerID9 mailxml mm:CRID


element **qualificationReportSummaryDataType/InformedAddressIndicator**

diagram	 <p>The diagram shows the <code>mailxml_mm:InformedAddressIndicator</code> element, which is represented by a rectangle with a vertical line on the left side.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:yesNo</code>


element **qualificationReportSummaryDataType/InformedAddressExpDate**

diagram	 <p>The diagram shows the <code>mailxml_mm:InformedAddressExpDate</code> element, which is represented by a rectangle with a vertical line on the left side and a dashed border.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>xs:date</code>


element **qualificationReportSummaryDataType/PresortSWCompany**

diagram	 <p>The diagram shows the <code>mailxml_mm:PresortSWCompany</code> element, which is represented by a rectangle with a vertical line on the left side and a dashed border.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:s50</code>


element **qualificationReportSummaryDataType/PresortSWProduct**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50


element **qualificationReportSummaryDataType/PresortSWVersion**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **qualificationReportSummaryDataType/LogicalPhysicalBundleIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:logicalPhysicalBundleIndicatorType


element **qualificationReportSummaryDataType/SoftwareVendorZAPOption**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01


element **qualificationReportSummaryDataType/BypassSeamlessAcceptance**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **qualificationReportSummaryDataType/ZoneMatrixDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


complexType referenceableMailContentGroupType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ReferenceableMailContentType mailxml mm:ReferenceableMailContentLink
used by	elements referenceableMailDataType/ReferenceableMailContentGroup referenceableMailDataBarcodesType/ReferenceableMailContentGroup


element referenceableMailContentGroupType/ReferenceableMailContentType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:referenceableMailContentTypeType

element referenceableMailContentGroupType/ReferenceableMailContentLink


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:anyURI

complexType referenceableMailDataBarcodesType


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:ReferenceableMailID mailxml mm:TemplateCode mailxml mm:ReferenceableMailContentGroup mailxml mm:OriginalMailingGroupID mailxml mm:OriginalUserLicenseCode mailxml mm:OriginalMaildataJobID

	mailxml_mm:IMB
used by	element informedDeliveryCampaignCreateRequestType/ReferenceableMailDataBarcodes


element **referenceableMailDataBarcodesType/ReferenceableMailID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **referenceableMailDataBarcodesType/TemplateCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:sAZCaps


element **referenceableMailDataBarcodesType/ReferenceableMailContentGroup**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:referenceableMailContentGroupType
children	mailxml_mm:ReferenceableMailContentType mailxml_mm:ReferenceableMailContentLink

element **referenceableMailDataBarcodesType/OriginalMailingGroupID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **referenceableMailDataBarcodesType/OriginalUserLicenseCode**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:userLicenseCodeType
------	----------------------------------


element **referenceableMailDataBarcodesType/OriginalMaildatJobID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:jobIDType

element **referenceableMailDataBarcodesType/IMB**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:intelligentMailBarcodeType
children	mailxml_defs:BarcodeID mailxml_defs:MailClass mailxml_defs:ServiceTypeCode mailxml_defs:MailerID6 mailxml_defs:SerialNumber9 mailxml_defs:MailerID9 mailxml_defs:SerialNumber6 mailxml_defs:DeliveryPointZIP

complexType **referenceableMailDataType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ReferenceableMailID mailxml_mm:TemplateCode mailxml_mm:ReferenceableMailContentGroup

used by	element campaignDataType/ReferenceableMailData
---------	--


element **referenceableMailDataType/ReferenceableMailID**

diagram	 A diagram of the <code>mailxml_mm:ReferenceableMailID</code> element, represented as a rectangle with a small square icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:s10</code>

element **referenceableMailDataType/TemplateCode**

diagram	 A diagram of the <code>mailxml_mm:TemplateCode</code> element, represented as a dashed rectangle with a small square icon in the top-left corner.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	<code>mailxml_base:sAZCaps</code>

element **referenceableMailDataType/ReferenceableMailContentGroup**

diagram	 A diagram showing the <code>mailxml_mm:ReferenceableMailContentGroup</code> element (rectangle with a small square icon) connected via a line with a circle and three dots to a dashed yellow box labeled <code>mailxml_mm:referenceableMailContentGroupType</code> . Inside this box are two <code>mailxml_mm:ReferenceableMailContent</code> elements (rectangles with small square icons). The connection from the parent element has a multiplicity of <code>1..∞</code> .
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml mm:referenceableMailContentGroupType
children	mailxml mm:ReferenceableMailContentType mailxml mm:ReferenceableMailContentLink


complexType sackTrayContainerRecordType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLine... mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleSummaryRecords/SackTrayContainerRecord


element sackTrayContainerRecordType/PublicationInfo

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber


element **sackTrayContainerRecordType/PublicationTitle**

diagram	 A diagram showing the element <code>mailxml_mm:PublicationTitle</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **sackTrayContainerRecordType/PostageStatementLineNumber**

diagram	 A diagram showing the element <code>mailxml_mm:Postage Statement...</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber2Type


element **sackTrayContainerRecordType/ChargeableContainerLevel**

diagram	 A diagram showing the element <code>mailxml_mm:ChargeableContai...</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType


element **sackTrayContainerRecordType/ChargeableEntryLevel**

diagram	 A diagram showing the element <code>mailxml_mm:ChargeableEntryL...</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableEntryLevelType


element **sackTrayContainerRecordType/Containers**

diagram	 A diagram showing the element <code>mailxml_mm:Containers</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **sackTrayContainerRecordType/IssueDate**

diagram	 A diagram showing the element <code>mailxml_mm:IssueDate</code> with a solid border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **sackTrayContainerRecordType/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **sackTrayContainerRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05


complexType **sackTrayContainerVersionRecordType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DocumentVersionData mailxml_mm:PublicationInfo mailxml_mm:PublicationTitle mailxml_mm:PostageStatementLineNumber mailxml_mm:ChargeableContainerLevel mailxml_mm:ChargeableEntryLevel mailxml_mm:Containers mailxml_mm:IssueDate mailxml_mm:IssueNumber mailxml_mm:VolumeNumber
used by	element ContainerBundleVersionRecords/SackTrayContainerVersionRecord


element **sackTrayContainerVersionRecordType/PublicationInfo**

diagram	 <p>The diagram illustrates the structure of the <code>mailxml_mm:PublicationInfo</code> element. It is a container element (rectangle with a small square icon) that contains a choice element (octagon with a vertical line and a small square icon). This choice element has two branches, each leading to a sequence element (rectangle with three dots and a small square icon). The top sequence element contains three elements: <code>mailxml_defs:PermitNumber</code> (solid box), <code>mailxml_defs:PaymentAccountN...</code> (dashed box), and <code>mailxml_defs:PermitType</code> (solid box). The bottom sequence element contains two elements: <code>mailxml_defs:PermitZip4</code> (solid box) and <code>mailxml_defs:PublicationNumber</code> (solid box). Both sequence elements are enclosed within a dashed yellow box labeled <code>mailxml_defs:permitPublicationDataType</code>.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:permitPublicationDataType
children	mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber

element **sackTrayContainerVersionRecordType/PublicationTitle**

diagram	 <p>The diagram shows the <code>mailxml_mm:PublicationTitle</code> element as a simple text element (rectangle with a small square icon) enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s60


element **sackTrayContainerVersionRecordType/PostageStatementLineNumber**

diagram	 <p>The diagram shows the <code>mailxml_mm:Postage Statement...</code> element as a simple text element (rectangle with a small square icon) enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageStatementLineNumber2Type


element **sackTrayContainerVersionRecordType/ChargeableContainerLevel**

diagram	 <p>The diagram shows the <code>mailxml_mm:ChargeableContai...</code> element as a simple text element (rectangle with a small square icon) enclosed in a dashed box.</p>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableContainerLevelType


element **sackTrayContainerVersionRecordType/ChargeableEntryLevel**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:chargeableEntryLevelType


element **sackTrayContainerVersionRecordType/Containers**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **sackTrayContainerVersionRecordType/IssueDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **sackTrayContainerVersionRecordType/IssueNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **sackTrayContainerVersionRecordType/VolumeNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s05

complexType specialProductInformationType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:ElectronicFileDetailRecordID mailxml_mm:IMpb mailxml_mm:RecipientName mailxml_mm:DeliveryAddress mailxml_mm:State mailxml_mm:City mailxml_mm:DeliveryZip mailxml_mm:DeliveryZipPlusFour mailxml_mm:RecipientEmailAddress mailxml_mm:SenderName mailxml_mm:SenderEmailAddress mailxml_mm:SenderSMSNumber mailxml_mm:RecipientSMSNumber
used by	element manifestMailType/SpecialProductInformation


element specialProductInformationType/ElectronicFileDetailRecordID

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element specialProductInformationType/IMpb

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType


element **specialProductInformationType/RecipientName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element **specialProductInformationType/DeliveryAddress**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element **specialProductInformationType/State**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s02


element **specialProductInformationType/City**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s28

element **specialProductInformationType/DeliveryZip**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns05

element **specialProductInformationType/DeliveryZipPlusFour**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s09
------	------------------


element **specialProductInformationType/RecipientEmailAddress**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s64


element **specialProductInformationType/SenderName**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s48


element **specialProductInformationType/SenderEmailAddress**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s64


element **specialProductInformationType/SenderSMSNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s64


element **specialProductInformationType/RecipientSMSNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s64


complexType STCForContainerOrTrayType

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:StartTheClockDate mailxml_mm:IMtb mailxml_mm:IMcb mailxml_mm:IMpb


element STCForContainerOrTrayType/StartTheClockDate

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element STCForContainerOrTrayType/IMtb

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMtbType

element STCForContainerOrTrayType/IMcb


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMcbType

element STCForContainerOrTrayType/IMpb

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMpbType

complexType summaryRecordUpdateType

diagram




namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml mm:FullContainerID mailxml mm:PhysicalPostalCodeEntryPoint mailxml mm:EntryPointEDPostalCode mailxml mm:EntryPointEDFacilityType mailxml mm:DestinationZip mailxml mm:EntryPointFacilityType mailxml mm:EntryPointZip mailxml mm:EntryLocaleKey mailxml mm:EntryPointADLocaleKey mailxml mm:EntryPointADPostalCode mailxml mm:ContainerGroupingDescription mailxml mm:MailOwnerCRID mailxml mm:ParentContainerRefID mailxml mm:SiblingContainerID mailxml mm:TruckDispatchNumber mailxml mm:StopDesignator mailxml mm:ReservationNumber mailxml mm:CarrierID mailxml mm:ContainerShipDate mailxml mm:ContainerShipTime mailxml mm:ScheduledShipDate mailxml mm:ScheduledShipTime mailxml mm:ScheduledShipDateTime mailxml mm:ActualContainerShipDate mailxml mm:ActualContainerShipTime mailxml mm:ScheduledContainerPickupDate mailxml mm:ScheduledContainerPickupTime mailxml mm:ScheduledInductionDateTime mailxml mm:ActualContainerPickupDate mailxml mm:ActualContainerPickupTime mailxml mm:ContainerAcceptanceDate mailxml mm:ContainerAcceptanceTime mailxml mm:ScheduledInHomeDate mailxml mm:AdditionalInHomeRange mailxml mm:ScheduledInductionDateStartTime mailxml mm:ScheduledInductionDateEndTime mailxml mm:ActualInductionDate mailxml mm:ActualInductionTime mailxml mm:PostageStatementMailingDate mailxml mm:PostageStatementMailingTime mailxml mm:TruckAndDispatchNumber mailxml mm:ContainerReadyToPayTransactionID mailxml mm:TransportationCarrierID mailxml mm:CSATripID mailxml mm:CSADispatchNumber mailxml mm:CSAID mailxml mm:CSADispatchTime mailxml mm:InternalDate mailxml mm:TotalWeight mailxml mm:UniqueContainerID mailxml mm:ContainerStatus mailxml mm:TransShipBoLNumber mailxml mm:PostageGroupingID mailxml mm:ContainerHeightSource mailxml mm:TransportDUNSNumber mailxml mm:IMBarcode mailxml mm:IMpb mailxml mm:ContainerBarcode mailxml mm:UserInformationLine1 mailxml mm:UserInformationLine2 mailxml mm:ConsigneeContentID mailxml mm:FASTSchedulerID mailxml mm:CarrierRouteNumber mailxml mm:CinCode mailxml mm:ParentContainerID mailxml_defs:ContainerDetailData mailxml mm:ContainerDisplayName mailxml mm:ContainerType mailxml mm:ProcessingCategory mailxml mm:IncludedInOtherDoc mailxml mm:SiblingContainerID mailxml mm:SortationLevel mailxml mm:OverflowIndicator mailxml mm:SupplementalPhysicalContainerID mailxml mm:USPSPickup mailxml mm:TotalWeightOfContainer mailxml mm:AdditionalTrayPostageAmount mailxml mm:elInductionIndicator mailxml mm:ReadyForSASP mailxml mm:AcceptMisshipped mailxml mm:LabelDestLine1 mailxml mm:LabelDestLine2 mailxml mm:LabelContentLine1 mailxml mm:LabelContentLine2 mailxml mm:LabelEntryOriginPointLine mailxml mm:LabelUserInfoLine1 mailxml mm:LabelUserInfoLine2 mailxml mm:LabelContLabelCINCode mailxml mm:LabelContLabelType mailxml mm:PresortLabelingListEffectiveDate mailxml mm>LastUsedLabelingListEffectiveDate mailxml mm:PresortCityStatePublicationDate mailxml mm>LastUsedCityStatePublicationDate mailxml mm:PresortZoneChartMatrixPublicationDate mailxml mm>LastUsedZoneChartMatrixPublication mailxml mm>LastUsedMailDirectionPublicationDate
used by	element ContainerUpdateRequest/SummaryRecordUpdate

element **summaryRecordUpdateType/FullContainerID**


diagram	<pre> graph LR FCID[mailxml_mm:FullContainerID] -- choice --> CID[mailxml_defs:ContainerID 1..∞] FCID -- choice --> IMtb[mailxml_defs:IMtb] FCID -- choice --> IMcb[mailxml_defs:IMcb] CID -- choice --> CGID[mailxml_defs:CustomerGroupID] CID -- choice --> MGID[mailxml_defs:MailingGroupID] CID -- choice --> ULCD[mailxml_defs:UserLicenseCode] CID -- choice --> MJID[mailxml_defs:MaildatJobID] </pre>
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_defs:fullContainerIDType
children	mailxml_defs:CustomerGroupID mailxml_defs:MailingGroupID mailxml_defs:UserLicenseCode

	mailxml_defs:MaildatJobID mailxml_defs:ContainerID mailxml_defs:IMtb mailxml_defs:IMcb
--	--


element **summaryRecordUpdateType/PhysicalPostalCodeEntryPoint**

diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:PhysicalPostalCod..." inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **summaryRecordUpdateType/EntryPointEDPostalCode**

diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:EntryPointEDPostal..." inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryPointEDPostalCodeType


element **summaryRecordUpdateType/EntryPointEDFacilityType**

diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:EntryPointEDFacilit..." inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryPointEDFacilityTypeType


element **summaryRecordUpdateType/DestinationZip**

diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:DestinationZip" inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

element **summaryRecordUpdateType/EntryPointFacilityType**


diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:EntryPointFacilityT..." inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryFacilityType

element **summaryRecordUpdateType/EntryPointZip**


diagram	 A diagram showing a rectangular box with a small icon in the top-left corner and the text "mailxml_mm:EntryPointZip" inside.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:zipCodeThreeOrFiveDigit
------	--------------------------------------


element **summaryRecordUpdateType/EntryLocaleKey**

diagram	 A diagram showing the element <code>mailxml_mm:EntryLocaleKey</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:localeKeyType


element **summaryRecordUpdateType/EntryPointADLocaleKey**

diagram	 A diagram showing the element <code>mailxml_mm:EntryPointADLocaleKey</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryPointADLocaleKeyType


element **summaryRecordUpdateType/EntryPointADPostalCode**

diagram	 A diagram showing the element <code>mailxml_mm:EntryPointADPostalCode</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:entryPointADPostalCodeType

element **summaryRecordUpdateType/ContainerGroupingDescription**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerGroupingDescription</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s09

element **summaryRecordUpdateType/MailOwnerCRID**


diagram	 A diagram showing the element <code>mailxml_mm:MailOwnerCRID</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:CRIDType

element **summaryRecordUpdateType/ParentContainerRefID**


diagram	 A diagram showing the element <code>mailxml_mm:ParentContainerRefID</code> with a dashed border and a small icon to the left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:parentContainerRefIDType


element **summaryRecordUpdateType/SiblingContainerID**

diagram	 The diagram shows the element <code>mailxml_mm:SiblingContainerID</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **summaryRecordUpdateType/TruckDispatchNumber**

diagram	 The diagram shows the element <code>mailxml_mm:TruckDispatchNum...</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20


element **summaryRecordUpdateType/StopDesignator**

diagram	 The diagram shows the element <code>mailxml_mm:StopDesignator</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:stopDesignatorType


element **summaryRecordUpdateType/ReservationNumber**

diagram	 The diagram shows the element <code>mailxml_mm:ReservationNumber</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:reservationNumberType


element **summaryRecordUpdateType/CarrierID**

diagram	 The diagram shows the element <code>mailxml_mm:CarrierID</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a document or a list.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s15


element **summaryRecordUpdateType/ContainerShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipDateType


element **summaryRecordUpdateType/ContainerShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipTimeType


element **summaryRecordUpdateType/ScheduledShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipDateType


element **summaryRecordUpdateType/ScheduledShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipTimeType


element **summaryRecordUpdateType/ScheduledShipDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **summaryRecordUpdateType/ActualContainerShipDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipDateType


element **summaryRecordUpdateType/ActualContainerShipTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerShipTimeType


element **summaryRecordUpdateType/SchdeuledContainerPickupDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerPickupDateType


element **summaryRecordUpdateType/ScheduledContainerPickupTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerPickupTimeType


element **summaryRecordUpdateType/ScheduledInductionDateTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime


element **summaryRecordUpdateType/ActualContainerPickupDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerPickupDateType


element **summaryRecordUpdateType/ActualContainerPickupTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerPickupTimeType


element **summaryRecordUpdateType/ContainerAcceptanceDate**

diagram	 The diagram shows the element name 'mailxml_mm:ContainerAcceptanceDate' in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerAcceptanceDateType


element **summaryRecordUpdateType/ContainerAcceptanceTime**

diagram	 The diagram shows the element name 'mailxml_mm:ContainerAcceptanceTime' in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **summaryRecordUpdateType/ScheduledInHomeDate**

diagram	 The diagram shows the element name 'mailxml_mm:ScheduledInHomeDate' in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:scheduledInHomeDateType


element **summaryRecordUpdateType/AdditionalInHomeRange**

diagram	 The diagram shows the element name 'mailxml_mm:AdditionalInHomeRange' in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:additionalInHomeRangeType

element **summaryRecordUpdateType/ScheduledInductionDateStartTime**


diagram	 The diagram shows the element name 'mailxml_mm:ScheduledInductionDateStartTime' in a solid box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:dateTime

element **summaryRecordUpdateType/ScheduledInductionDateEndTime**


diagram	 The diagram shows the element name 'mailxml_mm:ScheduledInductionDateEndTime' in a solid box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	xs:dateTime
------	--------------------


element **summaryRecordUpdateType/ActualInductionDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **summaryRecordUpdateType/ActualInductionTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **summaryRecordUpdateType/PostageStatementMailingDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **summaryRecordUpdateType/PostageStatementMailingTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time

element **summaryRecordUpdateType/TruckAndDispatchNumber**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s20

element **summaryRecordUpdateType/ContainerReadyToPayTransactionID**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:n06


element **summaryRecordUpdateType/TransportationCarrierID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s15


element **summaryRecordUpdateType/CSATripID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **summaryRecordUpdateType/CSADispatchNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **summaryRecordUpdateType/CSAID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s10


element **summaryRecordUpdateType/CSADispatchTime**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **summaryRecordUpdateType/InternalDate**

diagram	 A diagram showing the element <code>mailxml_mm:InternalDate</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:internalDateType


element **summaryRecordUpdateType/TotalWeight**

diagram	 A diagram showing the element <code>mailxml_mm:TotalWeight</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:totalWeightType


element **summaryRecordUpdateType/UniqueContainerID**

diagram	 A diagram showing the element <code>mailxml_mm:UniqueContainerID</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:uniqueContainerIDType


element **summaryRecordUpdateType/ContainerStatus**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerStatus</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:maildatContainerStatusType


element **summaryRecordUpdateType/TransShipBoLNumber**

diagram	 A diagram showing the element <code>mailxml_mm:Trans ShipBoLNum...</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:transShipBoLNumberType


element **summaryRecordUpdateType/PostageGroupingID**

diagram	 A diagram showing the element <code>mailxml_mm:PostageGroupingID</code> in a dashed box with a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:postageGroupingIDType


element **summaryRecordUpdateType/ContainerHeightSource**

diagram	 The diagram shows the element <code>mailxml_mm:ContainerHeightSource</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:containerHeightSourceType</code>


element **summaryRecordUpdateType/TransportDUNSNumber**

diagram	 The diagram shows the element <code>mailxml_mm:TransportDUNSNumber</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:s15</code>


element **summaryRecordUpdateType/IMBarcode**

diagram	 The diagram shows the element <code>mailxml_mm:IMBarcode</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:IMcbType</code>


element **summaryRecordUpdateType/IMpb**

diagram	 The diagram shows the element <code>mailxml_mm:IMpb</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:IMpbType</code>


element **summaryRecordUpdateType/ContainerBarcode**

diagram	 The diagram shows the element <code>mailxml_mm:ContainerBarcode</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:IMcbType</code>


element **summaryRecordUpdateType/UserInformationLine1**

diagram	 The diagram shows the element <code>mailxml_mm:UserInformationLine1</code> in a dashed box with a small icon to its left.
namespace	<code>http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm</code>
type	<code>mailxml_base:userInformationLine1Type</code>


element **summaryRecordUpdateType/UserInformationLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userInformationLine2Type


element **summaryRecordUpdateType/ConsigneeContentID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:consigneeContentIDType


element **summaryRecordUpdateType/FASTSchedulerID**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:FASTSchedulerIDType


element **summaryRecordUpdateType/CarrierRouteNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:es4

element **summaryRecordUpdateType/CinCode**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03

element **summaryRecordUpdateType/ParentContainerID**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:s06
------	------------------


element **summaryRecordUpdateType/ContainerDisplayName**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerDisplayName</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50


element **summaryRecordUpdateType/ContainerType**

diagram	 A diagram showing the element <code>mailxml_mm:ContainerType</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mailXMLContainerType


element **summaryRecordUpdateType/ProcessingCategory**

diagram	 A diagram showing the element <code>mailxml_mm:ProcessingCategory</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **summaryRecordUpdateType/IncludedInOtherDoc**

diagram	 A diagram showing the element <code>mailxml_mm:IncludedInOtherDoc</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:includedInOtherDocType

element **summaryRecordUpdateType/SiblingContainerID**


diagram	 A diagram showing the element <code>mailxml_mm:SiblingContainerID</code> with a dashed border and a small icon to the left.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06

element **summaryRecordUpdateType/SortationLevel**


diagram	 A diagram showing the element <code>mailxml_mm:SortationLevel</code> with a dashed border and a small icon to the left.
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerLevelType


element **summaryRecordUpdateType/OverflowIndicator**

diagram	 The diagram shows the element name 'mailxml_mm:OverflowIndicator' in a blue font, enclosed in a dashed rectangular box with a drop shadow.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **summaryRecordUpdateType/SupplementalPhysicalContainerID**

diagram	 The diagram shows the element name 'mailxml_mm:SupplementalPhys...' in a blue font, enclosed in a dashed rectangular box with a drop shadow.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s06


element **summaryRecordUpdateType/USPSPickup**

diagram	 The diagram shows the element name 'mailxml_mm:USPSPickup' in a blue font, enclosed in a dashed rectangular box with a drop shadow.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **summaryRecordUpdateType/TotalWeightOfContainer**

diagram	 The diagram shows the element name 'mailxml_mm:TotalWeightOfCont...' in a blue font, enclosed in a dashed rectangular box with a drop shadow.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **summaryRecordUpdateType/AdditionalTrayPostageAmount**

diagram	 The diagram shows the element name 'mailxml_mm:AdditionalTrayPost...' in a blue font, enclosed in a dashed rectangular box with a drop shadow.
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **summaryRecordUpdateType/eInductionIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **summaryRecordUpdateType/ReadyForSASP**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **summaryRecordUpdateType/AcceptMisshipped**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:yesNo


element **summaryRecordUpdateType/LabelDestLine1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelDestLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelContentLine1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelContentLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelEntryOriginPointLine**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelUserInfoLine1**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userInformationLine1Type


element **summaryRecordUpdateType/LabelUserInfoLine2**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:userInformationLine1Type


element **summaryRecordUpdateType/LabelContLabelCINCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s30


element **summaryRecordUpdateType/LabelContLabelType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s01


element **summaryRecordUpdateType/PresortLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **summaryRecordUpdateType/LastUsedLabelingListEffectiveDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **summaryRecordUpdateType/PresortCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **summaryRecordUpdateType/LastUsedCityStatePublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **summaryRecordUpdateType/PresortZoneChartMatrixPublicationDate**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date

element **summaryRecordUpdateType/LastUsedZoneChartMatrixPublication**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	xs:date
------	---------


element **summaryRecordUpdateType/LastUsedMailDirectionPublicationDate**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


complexType **summaryZipDestinationReportType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:DestinationZip mailxml_mm:ProcessingCategory mailxml_mm:PostagePaymentMethod mailxml_mm:MLOCRRateType mailxml_mm:Weight mailxml_mm:RateAffixed mailxml_mm:NumberOfPieces mailxml_mm:NumberOfPiecesDifference mailxml_mm:PostageAffixed mailxml_mm:CumulativePostageAffixed mailxml_mm:TotalPostage mailxml_mm:NetPostageDue mailxml_mm:CumulativePostageDue mailxml_mm:RunningTotalPieces mailxml_mm:SortationLevel
used by	<div> <div>element</div> <div>SummaryZipDestinationReportCreateRequest/SummaryZipDestinationReport</div> </div>


element **summaryZipDestinationReportType/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit


element **summaryZipDestinationReportType/ProcessingCategory**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:processingCategoryType


element **summaryZipDestinationReportType/PostagePaymentMethod**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:postagePaymentMethodType


element **summaryZipDestinationReportType/MLOCRRateType**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:mlocrRateType

element **summaryZipDestinationReportType/Weight**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **summaryZipDestinationReportType/RateAffixed**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	xs:double
------	------------------


element **summaryZipDestinationReportType/NumberOfPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **summaryZipDestinationReportType/NumberOfPiecesDifference**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger


element **summaryZipDestinationReportType/PostageAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **summaryZipDestinationReportType/CumulativePostageAffixed**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **summaryZipDestinationReportType/TotalPostage**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **summaryZipDestinationReportType/NetPostageDue**


diagram	
---------	---

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double


element **summaryZipDestinationReportType/CumulativePostageDue**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:double

element **summaryZipDestinationReportType/RunningTotalPieces**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:nonNegativeInteger

element **summaryZipDestinationReportType/SortationLevel**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:containerLevelType

complexType **tMSDataLoggerDetailType**


diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
children	mailxml_mm:Date mailxml_mm:TimeStamp mailxml_mm:OperatingMode mailxml_mm:IMtb mailxml_mm:ErrorCode mailxml_mm:IndexNumber mailxml_mm:DestOrVia mailxml_mm:RouteAssignment mailxml_mm:GrossTrayWeight mailxml_mm:TransportationMode mailxml_mm:UniqueTrayIdentifier mailxml_mm:TrayTypeIndicator mailxml_mm:LowTareWeight mailxml_mm:ManifestWeight mailxml_mm:HighTareWeight mailxml_mm:ManifestPostage mailxml_mm:AssignedSort mailxml_mm:SAMSQuery mailxml_mm:DNRTrayBarcode mailxml_mm:IMcb mailxml_mm:ContainerTrayCount mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey

	mailxml_mm:LowTareWeight mailxml_mm:ManifestWeight mailxml_mm:HighTareWeight mailxml_mm:ManifestPostage mailxml_mm:AssignedSort mailxml_mm:SAMSQuery mailxml_mm:DNRTrayBarcode mailxml_mm:IMcb mailxml_mm:ContainerTrayCount mailxml_mm:DestinationZip mailxml_mm:EntryLocaleKey
used by	elements TMSDataLoggerDelivery/TMSDataLoggerDetail/TMSDataDetailBlock TMSDataLoggerQueryResponse/QueryResults/TMSDataLoggerDetail/TMSDataDetailBlock


element **tMSDataLoggerDetailType/Date**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:date


element **tMSDataLoggerDetailType/TimeStamp**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:time


element **tMSDataLoggerDetailType/OperatingMode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:operatingModeType


element **tMSDataLoggerDetailType/IMtb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMtbType


element **tMSDataLoggerDetailType/ErrorCode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s04


element **tMSDataLoggerDetailType/IndexNumber**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s96


element **tMSDataLoggerDetailType/DestOrVia**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s03


element **tMSDataLoggerDetailType/RouteAssignment**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s15


element **tMSDataLoggerDetailType/GrossTrayWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **tMSDataLoggerDetailType/TransportationMode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:transportationModeType


element **tMSDataLoggerDetailType/UniqueTrayIdentifier**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s24


element **tMSDataLoggerDetailType/TrayTypeIndicator**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_mm:trayTypeIndicatorType


element **tMSDataLoggerDetailType/LowTareWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **tMSDataLoggerDetailType/ManifestWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **tMSDataLoggerDetailType/HighTareWeight**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **tMSDataLoggerDetailType/ManifestPostage**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	xs:decimal


element **tMSDataLoggerDetailType/AssignedSort**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns03


element **tMSDataLoggerDetailType/SAMSQuery**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s15


element **tMSDataLoggerDetailType/DNRTrayBarcode**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:s50


element **tMSDataLoggerDetailType/IMcb**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:IMcbType


element **tMSDataLoggerDetailType/ContainerTrayCount**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:ns02

element **tMSDataLoggerDetailType/DestinationZip**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	mailxml_base:zipCodeThreeOrFiveDigit

element **tMSDataLoggerDetailType/EntryLocaleKey**

diagram	
namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm

type	mailxml_base:localeKeyType
------	----------------------------

simpleType agencyCostCodeType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	elements	abstractInternationalPostageStatementDataType/AgencyCostCode abstractPeriodicalStatementDataType/AgencyCostCode abstractPostageStatementDataType/AgencyCostCode	
	attribute	MailXMLPostageStatementRequestHeaderInfo/@AgencyCostCode	

simpleType BRMFeeType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	element	invoiceSummaryDataType/BRMFee	

simpleType BRMType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	element	invoiceSummaryDataType/BRMType	

simpleType campaignSerialGroupingType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	elements	campaignDataType/CampaignSerialGrouping informedDeliveryCampaignCreateRequestType/CampaignSerialGrouping	

simpleType chargeableBundleLevelType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	elements	PeriodicalLineItemData/ChargeableBundleLevel bundleRecordType/ChargeableBundleLevel bundleVersionRecordType/ChargeableBundleLevel	

simpleType chargeableContainerLevelType

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm		
type	restriction of xs:string		
used by	elements	PeriodicalLineItemData/ChargeableContainerLevel PostageStatementLineItemData/ChargeableContainerLevel bundleRecordType/ChargeableContainerLevel bundleVersionRecordType/ChargeableContainerLevel palletContainerRecordType/ChargeableContainerLevel palletContainerVersionRecordType/ChargeableContainerLevel sackTrayContainerRecordType/ChargeableContainerLevel sackTrayContainerVersionRecordType/ChargeableContainerLevel	

simpleType **chargeableContainerType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	PeriodicalLineItemData/ChargeableContainerType

simpleType **chargeableEntryLevelType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	PeriodicalLineItemData/ChargeableEntryLevel palletContainerRecordType/ChargeableEntryLevel palletContainerVersionRecordType/ChargeableEntryLevel sackTrayContainerRecordType/ChargeableEntryLevel sackTrayContainerVersionRecordType/ChargeableEntryLevel

simpleType **containerBundleStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	ContainerBundleReportCreateResponse/ContainerBundleReportCreateAccept/ContainerBundleStatus

simpleType **directOrMixedCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	InternationalPostageStatementLineItemSummaryData/DirectOrMixedCategory InternationalPostageStatementLineItemData/DirectOrMixedCategory

simpleType **DMLTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	abstractPostageStatementDataType/DMLType

simpleType **errorWarningCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	manifestErrorWarningDetailType/ErrorWarningCode

simpleType **fspiType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	

used by	elements	InternationalPostageStatementLineItemData/FullServiceParticipationIndicator PeriodicalLineItemData/FullServiceParticipationIndicator PostageStatementLineItemData/FullServiceParticipationIndicator invoiceLineItemDataType/FullServiceParticipationIndicator mailingGroupDataType/FullServiceParticipationIndicator
---------	----------	---

simpleType **gpExtraServiceType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	DocumentVersionDataWithPermit/GpExtraServiceType DocumentVersionData/GpExtraServiceType

simpleType **internationalPSPartSectionType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	InternationalPostageStatementLineItemSummaryData/PostageStatementPartsSection InternationalPostageStatementLineItemData/PostageStatementPartsSection

simpleType **internationalPSPartType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	InternationalPostageStatementLineItemSummaryData/PostageStatementPart InternationalPostageStatementLineItemData/PostageStatementPart

simpleType **internationalZoneType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	manifestMailPieceSummaryType/InternationalZone

simpleType **invoiceStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	accountHeaderInfoBlockType/Status

simpleType **manifestExtraServiceCode**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	manifestMailPieceType/SpecialService

simpleType **manifestMailClassType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	elements manifestMailPieceSummaryType/ClassOfMail paymentInformationType/NonIncidentalEnclosureClass

simpleType **manifestRateLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	elements paymentInformationType/DestinationRateInd paymentInformationType/NonIncidentalEnclosureRateIndicator

simpleType **manifestType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of mailxml_base:s02
used by	element ManifestCreateRequest/InternationalOrDomestic

simpleType **onePassOrTwoPassType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	elements CustomerMailReportCreateRequest/OnePassOrTwoPass SummaryZipDestinationReportCreateRequest/OnePassOrTwoPass

simpleType **periodicalPriceType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	element PeriodicalLineItemData/PeriodicalPrice

simpleType **postageAutoFinalizationType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	elements abstractPeriodicalStatementDataType/PostageAutoFinalization abstractPostageStatementDataType/PostageAutoFinalization

simpleType **postagePaymentMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm
type	restriction of xs:string
used by	elements paymentInformationType/PaymentMethod abstractInternationalPostageStatementDataType/PostagePaymentMethod abstractPeriodicalStatementDataType/PostagePaymentMethod abstractPostageStatementDataType/PostagePaymentMethod summaryZipDestinationReportType/PostagePaymentMethod

	attribute	MailXMLPostageStatementRequestHeaderInfo/@PostageStatementMethod
--	-----------	---

simpleType **priceType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	InternationalPostageStatementLinItemSummaryData/PriceType InternationalPostageStatementLinItemData/PriceType PostageStatementLinItemData/PriceType LinItemSummaryData/PriceType invoiceLinItemDataType/PriceType

simpleType **rateCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	elements	InternationalPostageStatementLinItemSummaryData/RateCategory InternationalPostageStatementLinItemData/RateCategory PeriodicalLinItemData/RateCategory PostageStatementLinItemData/RateCategory QualificationSummaryReport/RateCategory LinItemSummaryData/RateCategory invoiceLinItemDataType/RateCategory

simpleType **referenceableMailContentTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	referenceableMailContentGroupType/ReferenceableMailContentType

simpleType **residualPrepType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	abstractPostageStatementDataType/FCMLtrResidualPrepIndicator

simpleType **trayTypeIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.1/mailxml_mm	
type	restriction of xs:string	
used by	element	tMSDataLoggerDetailType/TrayTypeIndicator