

Mail.XML Version 24.2

System Messages Specification

May 20, 2022

Working Group Chair

Shawn Baldwin, WindowBook

Technical Director

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Editor

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2021 – Delivery Technology Advocacy Council (“DTAC”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



Copyright and Legal Notices

© 2022 Delivery Technology Advocacy Council. All Rights Reserved.

Copyright 2022 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third-party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

Mail.XML and Mail.dat are trademarks of DTAC.

About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third-party communication and incorporating presort planning, printing, and distribution processes.

About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema (*.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations:

xmlns:mailxml=http://delivery-tech.org/Specs/mailxml24.2/mailxml targetNamespace=http://delivery-tech.org/Specs/mailxml24.2/mailxml

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.2A/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.2A.xsd' <- Errata A
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.2B/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.2B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://deliverytech.org/Specs/mailxml24.2/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML_24.2.xsd' <- Major Version

What's New in Mail.XML Version 24.2?

With this release, the Mail.XML Messaging Protocol moves to Version 24.2. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 24.2 include:

- CR 2510 - Proposal to update the campaignDataType complex type to be consistent with the USPS Informed Delivery product.
- CR 2508 / 2413 - Proposal to remove ServiceCodeType value of SA for Fragile and update the value description list. The service will not be supported by USPS
- CR 2509 / 2414 - Proposal to update and Add Rate Category values to support Containerizations Discount for USPS Marketing Mail Flats
- CR 2511 / 2415 - Proposal to update and Add Rate Category values to support Package Service Parcel Select Ground Cubic pricing

Mail.XML 24.2 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

Note: Actual xsd filenames include the version number (e.g. *mailxml_base_24.2.xsd*).

- mailxml_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_tm:
- mailxml_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_mm:
- mailxml_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_iv:
- mailxml_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_dd:
- mailxml_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_id:
- mailxml_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=mailxml_sc:
- mailxml_defs.xsd: This module contains all the common definitions of attributes, elements and mailxml_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=mailxml_base:
- mailxml.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=mailxml:

The Mail.XML™ 24.2 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 24.2. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 24.2: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 24.2: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 24.2: Informed Visibility Specification documents all informed visibility messages

- Mail.XML™ 24.2: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 24.2: Identification Messaging Specification documents all identification messages
- Mail.XML™ 24.2: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 24.2: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 24.2: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 24.2: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 24.2: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

Contents

Abstract.....	3
About Mail.XML™	3
About Mail.XML Schema Modularization	3
Mail.XML Module Versioning Rules.....	3
What’s New in Mail.XML Version 24.2?	5
Mail.XML 24.2 XSD Modules:	5
The Mail.XML™ 24.2 Messaging Documentation Set	5
Index	8
Simple Types	11

Index

Schema mailxml_base_24.2.xsd

schema location: [..\MailXML v24.2 FINAL\mailxml_base_24.2.xsd](#)
attribute form default: **unqualified**
element form default: **qualified**
targetNamespace: **http://delivery-tech.org/Specs/mailxml24.2/base**

Simple types

[ActionCodeType](#)
[additionalInHomeRangeType](#)
[approvedPieceDesignTypeType](#)
[apptMethodType](#)
[apptStateType](#)
[apptStatusType](#)
[apptTypeType](#)
[barcodeRateType](#)
[billReasonCodeType](#)
[bundleDetailLevelType](#)
[bundleRecordStatusType](#)
[bundleStatusType](#)
[canadaAdMailOnlyType](#)
[cccLevelType](#)
[characteristicContentType](#)
[characteristicFeeType](#)
[characteristicIncentiveType](#)
[classNotificationType](#)
[closeoutIrregularitiesType](#)
[closeoutResolutionType](#)
[communicationRoleType](#)
[componentPeriodicalAdPercentStatusType](#)
[componentWeightSourceType](#)
[componentWeightStatusType](#)
[consigneeContentIDType](#)
[contactType](#)
[containerAcceptanceDateType](#)
[containerGrossWeightType](#)
[containerHeightSourceType](#)
[containerHeightType](#)
[containerLevelType](#)
[containerPickupDateType](#)
[containerPickupTimeType](#)
[containerShipDateType](#)
[containerShipTimeType](#)
[CQTdatabaseIDType](#)
[cRIDStatusType](#)
[CRIDType](#)
[databaseContainerIDType](#)
[dayFrequencyType](#)
[daysOfWeekType](#)
[dec18-8](#)
[deliveryPointZIP](#)
[electronicFileType](#)
[emailType](#)
[enclosedByType](#)
[entryDiscountType](#)
[entryFacilityType](#)
[entryPointADLocaleKeyType](#)
[entryPointADPostalCodeType](#)
[entryPointEDFacilityTypeType](#)
[entryPointEDPostalCodeType](#)
[es3](#)
[es4](#)
[es5](#)
[exemptionCodeType](#)
[fASTSchedulerIDType](#)
[feeNotificationType](#)
[flatRateIndicatorType](#)

[formType](#)
[gPSSystemType](#)
[IDType](#)
[iMBarcodeIDType](#)
[iMBLowerSerializationType](#)
[iMBSerialNumber6Type](#)
[iMBSerialNumber9Type](#)
[iMBType](#)
[iMBUpperSerializationType](#)
[IMcbType](#)
[IMpbType](#)
[IMtbType](#)
[includedInOtherDocType](#)
[inCountyOutCountyIndicatorType](#)
[inductionStatusType](#)
[internalDateType](#)
[internationalPriceGroupType](#)
[jobIDType](#)
[localeKeyType](#)
[logicalPhysicalBundleIndicatorType](#)
[logicalPhysicalContainerIndicatorType](#)
[mailAgreementTypeType](#)
[mailClassType](#)
[maildatContainerStatusType](#)
[mailerID6Type](#)
[mailerID9Type](#)
[mailXMLContainerType](#)
[mailXMLPresentationCategoryType](#)
[marketingOrFulfillmentType](#)
[meteredAffixedMethodType](#)
[mIDStatusType](#)
[mlocrRateType](#)
[monthType](#)
[moveUpdateMethodType](#)
[MPUIDType](#)
[n01](#)
[n02](#)
[n03](#)
[n05](#)
[n06](#)
[ns01](#)
[ns02](#)
[ns03](#)
[ns04](#)
[ns05](#)
[ns06](#)
[ns07](#)
[ns09](#)
[ns10](#)
[ns11](#)
[ns12](#)
[ns14](#)
[ns22](#)
[ns34](#)
[onePassPlannedOrActualFlagType](#)
[operatingModeType](#)
[packageCountRangeType](#)
[packageIDType](#)
[packagingMethodType](#)
[palletHandlingUnitType](#)
[palletType](#)
[parentContainerRefIDType](#)
[percentageType](#)
[permitTypeType](#)
[phoneNumberType](#)
[pickupOrDeliveryType](#)
[planetCodeType](#)
[postageGroupingIDType](#)
[postagePaymentMethodType](#)
[postageStatementLineNumber1Type](#)
[postageStatementLineNumber2Type](#)
[postageStatementLineNumber3Type](#)
[postageStatementStatusType](#)
[pricelncentiveIDType](#)
[processingCategoryType](#)
[qualificationReportClassType](#)

[rateLevelIndicatorType](#)
[rateLevelType](#)
[rateType](#)
[recurringStatusType](#)
[reservationNumberType](#)
[responsibleTransportationPartyType](#)
[roleType](#)
[RoutingZipCodeType](#)
[s01](#)
[s02](#)
[s03](#)
[s04](#)
[s05](#)
[s06](#)
[s07](#)
[s08](#)
[s09](#)
[s10](#)
[s1000](#)
[s11](#)
[s12](#)
[s14](#)
[s15](#)
[s16](#)
[s18](#)
[s19](#)
[s20](#)
[s200](#)
[s22](#)
[s24](#)
[s25](#)
[s256](#)
[s26](#)
[s260](#)
[s28](#)
[s30](#)
[s31](#)
[s32](#)
[s34](#)
[s35](#)
[s37](#)
[s40](#)
[s45](#)
[s48](#)
[s50](#)
[s500](#)
[s60](#)
[s64](#)
[s66](#)
[s80](#)
[s96](#)
[sackingBasisType](#)
[sAZCaps](#)
[scheduledInductionDateType](#)
[scheduledInductionTimeType](#)
[scheduledInHomeDateType](#)
[serialNumberSevenOrEleven](#)
[serialNumberTenOrFourteen](#)
[serviceCodeType](#)
[serviceLevelIndicatorType](#)
[serviceSubCodeType](#)
[ServiceTypeCodeType](#)
[severityType](#)
[simplifiedAddressType](#)
[sortationLevelType](#)
[standardFlatTypeType](#)
[standardParcelTypeType](#)
[stateCode](#)
[statusType](#)
[stopDesignatorType](#)
[surchargeType](#)
[totalWeightType](#)
[trailerLengthType](#)
[transportationMethodType](#)
[transportationModeType](#)
[transShipBoLNumberType](#)

[trayDistLabelType](#)
[trayType](#)
[trayTypeIndicatorType](#)
[truckDispatchNumberType](#)
[uniqueContainerIDType](#)
[unitLoadType](#)
[uOMType](#)
[userInformationLine1Type](#)
[userInformationLine2Type](#)
[userLicenseCodeType](#)
[uspsPackageUniqueCharacteristicType](#)
[uspsPickupType](#)
[wastedPieceIndicatorType](#)
[weekendHolidayIndexType](#)
[weekFrequencyType](#)
[weightBreakType](#)
[weightUnitType](#)
[yesNo](#)
[zipCodeFiveOrNineDigit](#)
[zipCodeThreeOrFiveDigit](#)
[zoneICType](#)

Simple Types

simpleType **actionCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
annotation	documentation Action Code for USPS

simpleType **additionalInHomeRangeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:n01

simpleType **approvedPieceDesignTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **apptMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **apptStateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **apptStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType apptType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType barcodeRateType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType billReasonCodeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType bundleDetailLevelType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType bundleRecordStatusType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType bundleStatusType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType canadaAdMailOnlyType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType cccLevelType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType characteristicContentType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType characteristicFeeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType characteristicIncentiveType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType classNotificationType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType closeoutIrregularitiesType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType closeoutResolutionType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType communicationRoleType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType componentPeriodicalAdPercentStatusType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType componentWeightSourceType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType componentWeightStatusType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType consigneeContentIDType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	mailxml_base:s09
------	----------------------------------

simpleType **contactType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **containerAcceptanceDateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **containerGrossWeightType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s05

simpleType **containerHeightSourceType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **containerHeightType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:n03

simpleType **containerLevelType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **containerPickupDateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **containerPickupTimeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:time

simpleType **containerShipDateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **containerShipTimeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:time

simpleType **CQTdatabaseIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType **cRIDStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **CRIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **databaseContainerIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType **dayFrequencyType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **daysOfWeekType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **dec18-8**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:decimal

simpleType **deliveryPointZIP**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType electronicFileType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of mailxml_base:s01

simpleType emailType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:string

simpleType enclosedByType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType entryDiscountType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType entryFacilityType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType entryPointADLocaleKeyType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s09

simpleType entryPointADPostalCodeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s09

simpleType entryPointEDFacilityType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s01

simpleType entryPointEDPostalCodeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s06

simpleType es3

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **es4**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **es5**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **exemptionCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **fASTSchedulerIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s12

simpleType **feeNotificationType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **flatRateIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **formType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **gPSSystemType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **IDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **iMBarcodeIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns02

simpleType **iMBLowerSerializationType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s18

simpleType **iMBSerialNumber6Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns06

simpleType **iMBSerialNumber9Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns09

simpleType **iMBType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **iMBUpperSerializationType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s18

simpleType **IMcbType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **IMpbType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **IMtbType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **includedInOtherDocType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **inCountyOutCountyIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **inductionStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **internalDateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **internationalPriceGroupType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **jobIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **localeKeyType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s09

simpleType **logicalPhysicalBundleIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **logicalPhysicalContainerIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **mailAgreementTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **mailClassType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **maildatContainerStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **mailerID6Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns06

simpleType **mailerID9Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns09

simpleType **mailXMLContainerType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **mailXMLPresentationCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **marketingOrFulfillmentType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **meteredAffixedMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **mIDStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **mlocrRateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **monthType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType **moveUpdateMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:integer

simpleType **MPUIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType **n01**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:positiveInteger
used by	simpleType additionalInHomeRangeType

simpleType **n02**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:positiveInteger

simpleType **n03**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger
used by	simpleType containerHeightType

simpleType **n05**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType **n06**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:nonNegativeInteger

simpleType ns01

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType ns02

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType iMBarcodeIDType

simpleType ns03

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType ServiceTypeCodeType

simpleType ns04

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType ns05

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType ns06

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes iMBSerialNumber6Type mailerID6Type

simpleType ns07

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType ns09

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes iMBSerialNumber9Type mailerID9Type

simpleType ns10

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **ns11**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **ns12**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **ns14**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **ns22**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **ns34**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **onePassPlannedOrActualFlagType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **operatingModeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **packageCountRangeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:integer

simpleType **packageIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s06

simpleType **packagingMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **palletHandlingUnitType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **palletType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **parentContainerRefIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s06

simpleType **percentageType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:decimal

simpleType **permitTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **phoneNumberType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **pickupOrDeliveryType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **planetCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **postageGroupingIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s08

simpleType **postagePaymentMethodType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **postageStatementLineNumber1Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **postageStatementLineNumber2Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **postageStatementLineNumber3Type**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **postageStatementStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **priceIncentiveIDType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s10

simpleType **processingCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **qualificationReportClassType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **rateLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **rateLevelType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **rateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **recurringStatusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **reservationNumberType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s15

simpleType **responsibleTransportationPartyType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **roleType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **RoutingZipCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s01**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes electronicFileType entryPointEDFacilityType weekendHolidayIndexType weightUnitType

simpleType **s02**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

used by	simpleType stopDesignatorType
---------	---

simpleType s03

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s04

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s05

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes containerGrossWeightType totalWeightType transShipBoLNumberType

simpleType s06

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes entryPointEDPostalCodeType packageIDType parentContainerRefIDType

simpleType s07

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s08

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType postageGroupingIDType

simpleType s09

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes consigneeContentIDType entryPointADLocaleKeyType entryPointADPostalCodeType localeKeyType

simpleType s10

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType priceIncentiveIDType

simpleType s1000

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s11

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s12

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType fASTSchedulerIDType

simpleType s14

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s15

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleType reservationNumberType

simpleType s16

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s18

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes iMBLowerSerializationType iMBUpperSerializationType

simpleType s19

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s20

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
used by	simpleType truckDispatchNumberType

simpleType **s200**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s22**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s24**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s25**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s256**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s26**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s260**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s28**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **s30**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s31

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s32

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s34

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s35

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s37

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s40

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string
used by	simpleTypes userInformationLine1Type userInformationLine2Type

simpleType s45

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s48

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s50

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s500

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s60

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s64

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s66

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s80

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType s96

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType sackingBasisType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType sAZCaps

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType scheduledInductionDateType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **scheduledInductionTimeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:time

simpleType **scheduledInHomeDateType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:date

simpleType **serialNumberSevenOrEleven**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **serialNumberTenOrFourteen**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **serviceCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **serviceLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **serviceSubCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **ServiceTypeCodeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:ns03

simpleType **severityType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **simplifiedAddressType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **sortationLevelType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **standardFlatTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **standardParcelTypeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **stateCode**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **statusType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **stopDesignatorType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s02

simpleType **surchargeType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **totalWeightType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s05

simpleType **trailerLengthType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType transportationMethodType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType transportationModeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType transShipBoLNumberType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s05

simpleType trayDistLabelType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType trayType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType trayTypeIndicatorType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType truckDispatchNumberType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s20

simpleType uniqueContainerIDType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType unitLoadType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType uOMType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType userInformationLine1Type

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s40

simpleType userInformationLine2Type

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	mailxml_base:s40

simpleType userLicenseCodeType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType uspsPackageUniqueCharacteristicType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	xs:string

simpleType uspsPickupType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType wastedPieceIndicatorType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType weekendHolidayIndexType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of mailxml_base:s01

simpleType weekFrequencyType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType weightBreakType

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
-----------	---

type	restriction of xs:string
------	---------------------------------

simpleType **weightUnitType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of mailxml base:s01

simpleType **yesNo**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **zipCodeFiveOrNineDigit**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **zipCodeThreeOrFiveDigit**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

simpleType **zoneICType**

namespace	http://delivery-tech.org/Specs/mailxml24.2/base
type	restriction of xs:string

XML Schema documentation generated by [XMLSpy](http://www.altova.com/xmlspy) Schema Editor <http://www.altova.com/xmlspy>