



## ***MailXML Version 21.0***

# **Identification Messages Specification**

**December 22, 2017**

**Working Group Chair**

Shawn Baldwin, BCC Software

**Technical Director**

Shariq Mirza, Idealliance

**Editor:**

Dianne Kennedy, Idealliance

Copyright (c) International Digital Enterprise Alliance, Inc. [Idealliance] (2004 – 2018). All Rights Reserved.

Mail.dat is a registered trademark of Idealliance  
Mail.XML is a trademark of Idealliance



## Copyright and Legal Notices

**© 2001 – 2018 International Digital Enterprise Alliance, Inc. All Rights Reserved.**

This document may be downloaded and copied provided that the above copyright notice and this Notice are included on all such copies. This document itself may not be modified in any way, except as needed for the purpose of developing International Digital Enterprise Alliance, Inc. ("Idealliance") specifications. Use of the specification or standard set forth in this document shall not create for the user any rights in or to such specification or standard or this document, which rights are exclusively reserved to Idealliance or its licensors or contributors.

Use of this document and any specification or standard contained herein is voluntary. By making use of this document or any specification or standard contained herein, the user assumes all risks and waives all claims against Idealliance, its licensors and contributors. By making this document available, Idealliance is not providing any professional services or advice to any person or entity. Any person or entity utilizing this document or any specification or standard contained herein should rely upon the advice of a competent professional before using any such information.

NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE REGARDING THE ACCURACY, ADEQUACY, COMPLETENESS, LEGALITY, RELIABILITY OR USEFULNESS OF ANY INFORMATION CONTAINED IN THIS DOCUMENT OR IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT MADE AVAILABLE BY IDEALLIANCE. THIS DOCUMENT AND THE INFORMATION CONTAINED HEREIN AND INCLUDED IN ANY SPECIFICATION OR STANDARD OR OTHER PRODUCT OR SERVICE OF IDEALLIANCE IS PROVIDED ON AN "AS IS" BASIS. IDEALLIANCE DISCLAIMS ALL WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, ANY ACTUAL OR ASSERTED WARRANTY OF NON-INFRINGEMENT OF PROPRIETARY RIGHTS, MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.

IN NO EVENT SHALL IDEALLIANCE, ITS LICENSEES, CONTRIBUTORS OR THEIR RESPECTIVE OFFICERS, DIRECTORS, EMPLOYEES, AGENTS, REPRESENTATIVES, SUPPLIERS OR CONTENT OR SERVICE PROVIDERS BE LIABLE FOR DAMAGES OF ANY KIND, INCLUDING WITHOUT LIMITATION, DIRECT, INDIRECT, COMPENSATORY, SPECIAL, INCIDENTAL, PUNITIVE OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION DAMAGES FROM DATA LOSS OR BUSINESS INTERRUPTION) EVEN IF MADE AWARE OF THE POSSIBILITY OF SUCH DAMAGES, WHETHER IN AN ACTION UNDER CONTRACT, TORT OR ANY OTHER THEORY, ARISING OUT OF OR IN CONNECTION WITH THE USE, INABILITY TO USE OR PERFORMANCE OF THIS DOCUMENT, THE SPECIFICATION OR STANDARD CONTAINED HEREIN, OR ANY OTHER DOCUMENT OR SPECIFICATION OR STANDARD MADE AVAILABLE BY IDEALLIANCE.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

Idealliance takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed or implicated with respect to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available. Idealliance does not represent that it has made any effort to identify any such rights. Information on Idealliance's procedures with respect to rights in Idealliance specifications can be found at the Idealliance website at [www.Idealliance.org](http://www.Idealliance.org). Copies of third-party claims of rights, assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification, can be obtained from the President of Idealliance at [patent-disclosure@Idealliance.org](mailto:patent-disclosure@Idealliance.org).

Idealliance requests interested parties to disclose any copyrights, trademarks, service marks, patents, patent applications, or other proprietary or intellectual property rights which may cover technology that may be required to implement this specification. Please address the information to the President of Idealliance at [patent-disclosure@Idealliance.org](mailto:patent-disclosure@Idealliance.org).

## Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant and to work with FAST.

Mail.XML and Mail.dat are trademarks of Idealliance.

## About MailXML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing.

The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS.

In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third party communication and incorporating presort planning, printing, and distribution processes.

## What's New in MailXML Version 21.0?

With this release, the Mail.XML Messaging Protocol moves to Version 21.0. In addition to minor cleanup, this release supports ongoing USPS modernization and automation efforts for 2018.

Changes supported by MailXML 21.0 include:

- Update the ContainerVisibilityEntry to contain fields to allow users to receive new Scan State events for Container / Handling Units..
- As part of the January 2018 Price Change release, PostalOne! will use the Container Type defined in the Qualification Report for Periodicals Sacks and Trays to map to the correct line on the postage statement. MailXML V21.0 allows line mapping for sack/tray directly as part of the PeriodicalStatementCreateRequest.
- Mail.XML V21.0 will add support for ASF (Auxiliary Service Facility) in ContainerStatusQueryResponse.
- MailXML V21.0 updates the ContainerVisibilityEntry to allow users to determine the party that was received the visibility data.
- MailXML V21.0 enables USPS to requiring permit information for Mailing Agents when only CRID or MID information is used to identify the correct Mailing Agent.

**Note:** In order to modify a campaign, a user must first delete the campaign and then create a new campaign with the updated parameters. There is no message to update or modify a campaign at this time.

## About MailXML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

## MailXML Module Versioning Rules

The following versioning rules will be followed:

- The MailXML wrapper schema<sup>\*\*</sup>.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations:  
**xmlns:mailxml="http://Idealliance.org/Specs/mailxml21.0/mailxml"**  
**targetNamespace="http://Idealliance.org/Specs/mailxml21.0/mailxml"**
- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) **and** all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as  
xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0A/mailxml" then at least one of the XSDs is at same version such as filename = 'mailxml\_15.0.A.xsd' <- Errata A

- If the wrapper version is labeled as  
xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0B/mailxml" then at least one of the XSDs is  
at same version such as filename = 'mailxml\_15.0B.xsd' <- Errata B
- If the wrapper version is labeled as  
xmlns:mailxml="http://Idealliance.org/Specs/mailxml15.0/mailxml" then at least one of the XSDs is  
at same version such as filename = 'mailxml\_15.0.xsd' <- Major Version

## MailXML 21.0 XSD Modules:

The following MailXML XSD modules/namespaces are used:

- **mailxml\_tm.xsd:** This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_tm:**
- **mailxml\_mm.xsd:** This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_mm:**
- **mailxml\_iv.xsd:** This module contains informed visibility messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_iv:**
- **mailxml\_dd.xsd:** This module contains all the data distribution messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_dd:**
- **mailxml\_id.xsd:** This module contains all the identification messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_id:**
- **mailxml\_sc.xsd:** This module contains all the supply chain messages and the attributes, elements and complex types that are *unique* to these messages. **Namespace=mailxml\_sc:**
- **mailxml\_defs.xsd:** This module contains all the common definitions of attributes, elements and complex types that are used across two or more message types. **Namespace=mailxml\_defs:**
- **mailxml\_base.xsd:** This module contains simple types that are shared across two or more modules that make up mailxml. These can be considered a building block for any message group. **Namespace=mailxml\_base:**
- **mailxml.xsd:** This module contains the system messages of MailXML and is used to build custom profiles for MailXML. **Namespace=mailxml:**

## The MailXML™ 21 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 16.0. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- *Mail.XML™ 21.0: Transportation Messaging Specification* documents all transportation messages
- *Mail.XML™ 21.0: Mailing Messaging Specification* documents all mailing messages
- *Mail.XML™ 21.0: Informed Visibility Specification* documents all informed visibility messages
- *Mail.XML™ 21.0: Data Distribution Messaging Specification* documents all data distribution messages

## MailXML Version 21.0 Identification Specification

- *Mail.XML™ 21.0: Identification Messaging Specification* documents all identification messages
- *Mail.XML™ 21.0: Supply Chain Messaging Specification* documents all supply chain messages
- *Mail.XML™ 21.0: System Messaging Specification* documents all systems and fault messages
- *Mail.XML™ 21.0: Simple Types Specification* documents all simple types used across MailXML messages
- *Mail.XML™ 21.0: Common Definitions Specification* documents all shared elements and complex types.
- *Mail.XML™ 21.0: Schemas* contains the .XSDs that make up the MailXML Messaging Specification

## Table of Contents

Abstract.....	i
About Mail.XML™ .....	i
What's New in Mail.XML Version 21.0?.....	i
About MailXML Schema Modularization .....	ii
MailXML Module Versioning Rules.....	ii
MailXML 21.0 XSD Modules:.....	iii
The Mail.XML™ 21 Messaging Documentation Set .....	iii
1 Index.....	1
2 Elements and Types .....	3





# 1 Index

## Elements

[CastofCharactersCancelRequest](#)  
[CastofCharactersCancelResponse](#)  
[CastofCharactersCreateRequest](#)  
[CastofCharactersCreateResponse](#)  
[CastofCharactersUpdateRequest](#)  
[CastofCharactersUpdateResponse](#)  
[CustomerRelationIdentifyQueryRequest](#)  
[CustomerRelationIdentifyQueryResponse](#)  
[CustomerRelationIdentifyUpdateRequest](#)  
[CustomerRelationIdentifyUpdateResponse](#)  
[IncentiveEnrollmentCreateRequest](#)  
[IncentiveEnrollmentCreateResponse](#)  
[USPSCRIDCreateValidateRequest](#)  
[USPSCRIDCreateValidateResponse](#)  
[USPSMIDCreateValidateRequest](#)  
[USPSMIDCreateValidateResponse](#)

## Simple types

[MIDorCRIDRequestType](#)

## Complex types

[CofCCreateAcceptType](#)  
[CofCCreateRejectType](#)  
[cridCreateResponseType](#)  
[CRIDEntryType](#)  
[cridQueryResponseType](#)  
[cRIDsRequestedType](#)  
[cridValidateResponseType](#)  
[customerIdentityType](#)  
[groupContainerIDType](#)  
[IncentiveEnrollmentEntryType](#)  
[legalAcknowledgementBlockCRIDType](#)  
[legalAcknowledgementBlockMIDType](#)  
[legalAcknowledgementBlockMSPSType](#)  
[mailPieceGroupCreateType](#)  
[mailPieceGroupResponseType](#)  
[midCreateResponseType](#)  
[midEntryType](#)  
[midQueryResponseType](#)  
[midValidateResponseType](#)



## 2 Elements and Types

### element **CastofCharactersCancelRequest**

diagram						
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:Participant</a> <a href="#">mailxml_id:Role</a> <a href="#">mailxml_id:UserLicenseCode</a> <a href="#">mailxml_id:MaildatJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:EffectiveDate</a> <a href="#">mailxml_id:ExpirationDate</a> <a href="#">mailxml_id:Duration</a> <a href="#">mailxml_id:DurationUnitofMeasure</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Message requesting the cancellation of unique identification the various roles for parties within the industry for a list to enable information access and sharing between USPS and multiple mailers.					

element **CastofCharactersCancelRequest/SubmittingParty**

diagram						
attributes	Name mailxml_defs:MailerID6 mailxml_defs:MailerID9 mailxml_defs:CRID mailxml_defs:SchedulerID mailxml_defs:MaildatUserLicense mailxml_defs:ShippingAgentID mailxml_defs:ReceivingAgentID	Type <b>mailxml_base:mailerID6Type</b> <b>mailxml_base:mailerID9Type</b> <b>mailxml_base:CRIDType</b> <b>mailxml_base:s12</b> <b>mailxml_base:userLicenseCodeType</b> <b>mailxml_base:s12</b> <b>mailxml_base:s12</b>	Use	Default	Fixed	Annotation

element **CastofCharactersCancelRequest/SubmittingSoftware**

diagram						
attributes	Name mailxml_defs:SoftwareName mailxml_defs:Vendor mailxml_defs:Version mailxml_defs:ApprovalDate mailxml_defs:ApprovalKey	Type <b>xs:string</b> <b>xs:string</b> <b>xs:string</b> <b>xs:date</b> <b>xs:string</b>	Use required required required	Default	Fixed	Annotation

element **CastofCharactersCancelRequest/SubmitterTrackingID**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersCancelRequest/Participant**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **CastofCharactersCancelRequest/Role**

diagram					
facets	Kind	Value	Annotation		
	enumeration	Data Update Agent			
	enumeration	Owner			
	enumeration	Confirm Subscriber			
	enumeration	Confirm Data Receiver			
	enumeration	ACS Data Receiver			
	enumeration	ACS Subscriber			
	enumeration	List Owner			
	enumeration	Mail Creator			
	enumeration	Addresssor			
	enumeration	Comail			
	enumeration	CoMingler			
	enumeration	MLOCR			
	enumeration	Mail Owner			
	enumeration	Mail Agent			
	enumeration	Entry Point Planner			
	enumeration	Shipment Planner			
	enumeration	Consolidator			
	enumeration	Secondary Consolidator			
	enumeration	Appointment Management Receiver			


## MailXML Version 21.0 Identification Specification

	enumeration	Consignee/Product Receiver
	enumeration	Dispatcher
	enumeration	Tracker CONFIRM-scan
	enumeration	Tracker CONFIRM-payer
	enumeration	Tracker Seed Source
	enumeration	Tracker Piece-level-scan
	enumeration	Tracker ASN-scan
	enumeration	Tracker Induction-scan
	enumeration	Tracker Planet-code
	enumeration	ACS receiver
	enumeration	ACS payer
	enumeration	Seamless Acceptance
	enumeration	Seamless Verification
	enumeration	Security
	enumeration	Logistics Provider
	enumeration	Carrier
	enumeration	Data Brokering Agent
	enumeration	Nixie
	enumeration	StartTheClock
	enumeration	ContainerVisibility
	enumeration	DeliveryPointValidation

### element **CastofCharactersCancelRequest/UserLicenseCode**

diagram	
---------	---


### element **CastofCharactersCancelRequest/MaildatJobID**

diagram	
---------	---

### element **CastofCharactersCancelRequest/CustomerGroupID**

diagram	
---------	---

### element **CastofCharactersCancelRequest/MailingGroupID**

diagram	
---------	---

element **CastofCharactersCancelRequest/MailPieceGroup**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **CastofCharactersCancelRequest/ContainerGroup**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

element **CastofCharactersCancelRequest/EffectiveDate**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersCancelRequest/ExpirationDate**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersCancelRequest/Duration**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersCancelRequest/DurationUnitofMeasure**

diagram			
facets	Kind	Value	Annotation
	enumeration	AirDryMetricTonne	
	enumeration	AirDryPercent	
	enumeration	AirDryShortTon	
	enumeration	Bale	
	enumeration	BoardFoot	
	enumeration	BookUnit	
	enumeration	Box	
	enumeration	Bundle	
	enumeration	C-Size	
	enumeration	Centimeter	
	enumeration	Cord	
	enumeration	CubicFoot	
	enumeration	CubicMeter	
	enumeration	Cubit	
	enumeration	Day	
	enumeration	DotsPerInch	
	enumeration	Foot	
	enumeration	Gallon	
	enumeration	Gram	
	enumeration	GramsPerSquareMeter	
	enumeration	Hour	
	enumeration	HundredBoardFeet	
	enumeration	HundredLinealFeet	
	enumeration	HundredPound	
	enumeration	HundredSquareFeet	
	enumeration	Inch	
	enumeration	Kilogram	
	enumeration	KilogramsPerDay	
	enumeration	KilogramsPerWeek	
	enumeration	KnownBreaks	
	enumeration	Layer	
	enumeration	Leaves	
	enumeration	LinearFoot	
	enumeration	LinesPerInch	
	enumeration	Load	
	enumeration	MagazineUnit	
	enumeration	Megabyte	
	enumeration	Meter	
	enumeration	MetricTon	
	enumeration	MetricTonsPerDay	
	enumeration	MetricTonsPerWeek	
	enumeration	Micron	



## MailXML Version 21.0 Identification Specification

enumeration	Millimeter
enumeration	Minute
enumeration	Month
enumeration	None
enumeration	Package
enumeration	Page
enumeration	PagesPerInch
enumeration	PalletUnit
enumeration	Percentage
enumeration	PerThousand
enumeration	Picas
enumeration	Piece
enumeration	PixelsPerInch
enumeration	Pound
enumeration	PoundsPerDay
enumeration	PoundsPerHour
enumeration	PoundsPerWeek
enumeration	PulpUnit
enumeration	Ream
enumeration	Reel
enumeration	Set
enumeration	Sheet
enumeration	ShortTon
enumeration	ShortTonsPerDay
enumeration	ShortTonsPerHour
enumeration	ShortTonsPerWeek
enumeration	Signature
enumeration	Skid
enumeration	SquareInch
enumeration	SquareFeet
enumeration	SquareMeter
enumeration	ThousandBoardFeet
enumeration	ThousandLinealFeet
enumeration	ThousandPieces
enumeration	ThousandSquareCentimeters
enumeration	ThousandSquareFeet
enumeration	ThousandSquareInch
enumeration	Ton
enumeration	TonsPerHour
enumeration	Unit
enumeration	UnknownBreaks
enumeration	Week
enumeration	Yard

element **CastofCharactersCancelResponse**

diagram	
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:CastofCharactersCancelAccept</a> <a href="#">mailxml_id:CastofCharactersCancelReject</a>
annotation	documentation Response to a message requesting the cancellation of unique identification the various roles for parties within the industry.

element **CastofCharactersCancelResponse/TrackingID**

diagram	
---------	--

element **CastofCharactersCancelResponse/SubmitterTrackingID**

diagram	
---------	--

element **CastofCharactersCancelResponse/CastofCharactersCancelAccept**

diagram						
children	<a href="#">mailxml_id:ReturnInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **CastofCharactersCancelResponse/CastofCharactersCancelAccept/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CastofCharactersCancelResponse/CastofCharactersCancelReject**

diagram						
children	<a href="#">mailxml_id:ReturnInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **CastofCharactersCancelResponse/CastofCharactersCancelReject/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CastofCharactersCreateRequest**

diagram						
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:Participant</a> <a href="#">mailxml_id:Role</a> <a href="#">mailxml_id:UserLicenseCode</a> <a href="#">mailxml_id:MaildatJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:EffectiveDate</a> <a href="#">mailxml_id:ExpirationDate</a> <a href="#">mailxml_id:Duration</a> <a href="#">mailxml_id:DurationUnitofMeasure</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Message requesting the creation of unique identification the various roles for parties within the industry for a list to enable information access and sharing between USPS and multiple mailers.					

element **CastofCharactersCreateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **CastofCharactersCreateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **CastofCharactersCreateRequest/SubmitterTrackingID**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersCreateRequest/Participant**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **CastofCharactersCreateRequest/Role**

diagram			
facets	Kind	Value	Annotation
	enumeration	Data Update Agent	
	enumeration	Owner	
	enumeration	Confirm Subscriber	
	enumeration	Confirm Data Receiver	
	enumeration	ACS Data Receiver	
	enumeration	ACS Subscriber	
	enumeration	List Owner	
	enumeration	Mail Creator	
	enumeration	Addresssor	
	enumeration	Comail	
	enumeration	CoMingler	
	enumeration	MLOCR	
	enumeration	Mail Owner	
	enumeration	Mail Agent	
	enumeration	Entry Point Planner	
	enumeration	Shipment Planner	
	enumeration	Consolidator	
	enumeration	Secondary Consolidator	
	enumeration	Appointment Management Receiver	


## MailXML Version 21.0 Identification Specification

	enumeration	Consignee/Product Receiver
	enumeration	Dispatcher
	enumeration	Tracker CONFIRM-scan
	enumeration	Tracker CONFIRM-payer
	enumeration	Tracker Seed Source
	enumeration	Tracker Piece-level-scan
	enumeration	Tracker ASN-scan
	enumeration	Tracker Induction-scan
	enumeration	Tracker Planet-code
	enumeration	ACS receiver
	enumeration	ACS payer
	enumeration	Seamless Acceptance
	enumeration	Seamless Verification
	enumeration	Security
	enumeration	Logistics Provider
	enumeration	Carrier
	enumeration	Data Brokering Agent
	enumeration	Nixie
	enumeration	StartTheClock
	enumeration	ContainerVisibility
	enumeration	DeliveryPointValidation


### element **CastofCharactersCreateRequest/UserLicenseCode**

diagram	
---------	---


### element **CastofCharactersCreateRequest/MaildatJobID**

diagram	
---------	---

### element **CastofCharactersCreateRequest/CustomerGroupID**

diagram	
---------	---

### element **CastofCharactersCreateRequest/MailingGroupID**

diagram	
---------	---

element **CastofCharactersCreateRequest/MailPieceGroup**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **CastofCharactersCreateRequest/ContainerGroup**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

element **CastofCharactersCreateRequest/EffectiveDate**

diagram	
---------	--

element **CastofCharactersCreateRequest/ExpirationDate**

diagram	
---------	--

element **CastofCharactersCreateRequest/Duration**

diagram	
---------	--



element **CastofCharactersCreateRequest/DurationUnitofMeasure**

diagram			
facets	Kind	Value	Annotation
	enumeration	AirDryMetricTonne	
	enumeration	AirDryPercent	
	enumeration	AirDryShortTon	
	enumeration	Bale	
	enumeration	BoardFoot	
	enumeration	BookUnit	
	enumeration	Box	
	enumeration	Bundle	
	enumeration	C-Size	
	enumeration	Centimeter	
	enumeration	Cord	
	enumeration	CubicFoot	
	enumeration	CubicMeter	
	enumeration	Cubit	
	enumeration	Day	
	enumeration	DotsPerInch	
	enumeration	Foot	
	enumeration	Gallon	
	enumeration	Gram	
	enumeration	GramsPerSquareMeter	
	enumeration	Hour	
	enumeration	HundredBoardFeet	
	enumeration	HundredLinealFeet	
	enumeration	HundredPound	
	enumeration	HundredSquareFeet	
	enumeration	Inch	
	enumeration	Kilogram	
	enumeration	KilogramsPerDay	
	enumeration	KilogramsPerWeek	
	enumeration	KnownBreaks	
	enumeration	Layer	
	enumeration	Leaves	
	enumeration	LinearFoot	
	enumeration	LinesPerInch	
	enumeration	Load	
	enumeration	MagazineUnit	
	enumeration	Megabyte	
	enumeration	Meter	
	enumeration	MetricTon	
	enumeration	MetricTonsPerDay	
	enumeration	MetricTonsPerWeek	
	enumeration	Micron	

enumeration	Millimeter
enumeration	Minute
enumeration	Month
enumeration	None
enumeration	Package
enumeration	Page
enumeration	PagesPerInch
enumeration	PalletUnit
enumeration	Percentage
enumeration	PerThousand
enumeration	Picas
enumeration	Piece
enumeration	PixelsPerInch
enumeration	Pound
enumeration	PoundsPerDay
enumeration	PoundsPerHour
enumeration	PoundsPerWeek
enumeration	PulpUnit
enumeration	Ream
enumeration	Reel
enumeration	Set
enumeration	Sheet
enumeration	ShortTon
enumeration	ShortTonsPerDay
enumeration	ShortTonsPerHour
enumeration	ShortTonsPerWeek
enumeration	Signature
enumeration	Skid
enumeration	SquareInch
enumeration	SquareFeet
enumeration	SquareMeter
enumeration	ThousandBoardFeet
enumeration	ThousandLinealFeet
enumeration	ThousandPieces
enumeration	ThousandSquareCentimeters
enumeration	ThousandSquareFeet
enumeration	ThousandSquareInch
enumeration	Ton
enumeration	TonsPerHour
enumeration	Unit
enumeration	UnknownBreaks
enumeration	Week
enumeration	Yard

element **CastofCharactersCreateResponse**

diagram						
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:CastofCharactersCreateAccept</a> <a href="#">mailxml_id:CastofCharactersCreateReject</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Response to a message requesting the creation of unique identification the various roles for parties within the industry.					

element **CastofCharactersCreateResponse/TrackingID**

diagram	
---------	--

element **CastofCharactersCreateResponse/SubmitterTrackingID**

diagram	
---------	--

element **CastofCharactersCreateResponse/CastofCharactersCreateAccept**

diagram	
---------	--

children	<a href="#">mailxml_id:UserCode</a> <a href="#">mailxml_id:MailJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ReturnInfo</a>
----------	--

element **CastofCharactersCreateResponse/CastofCharactersCreateReject**

diagram	
children	<a href="#">mailxml_id:UserCode</a> <a href="#">mailxml_id:MailJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ReturnInfo</a>

element **CastofCharactersUpdateRequest**

diagram						
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:Participant</a> <a href="#">mailxml_id:Role</a> <a href="#">mailxml_id:UserLicenseCode</a> <a href="#">mailxml_id:MaildatJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:EffectiveDate</a> <a href="#">mailxml_id:ExpirationDate</a> <a href="#">mailxml_id:Duration</a> <a href="#">mailxml_id:DurationUnitofMeasure</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
annotation	documentation Message requesting an update to unique identification the various roles for parties within the industry for a list to enable information access and sharing between USPS and multiple mailers.					

element **CastofCharactersUpdateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **CastofCharactersUpdateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **CastofCharactersUpdateRequest/SubmitterTrackingID**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersUpdateRequest/Participant**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **CastofCharactersUpdateRequest/Role**


diagram					
facets	Kind	Value	Annotation		
	enumeration	Data Update Agent			
	enumeration	Owner			
	enumeration	Confirm Subscriber			
	enumeration	Confirm Data Receiver			
	enumeration	ACS Data Receiver			
	enumeration	ACS Subscriber			
	enumeration	List Owner			
	enumeration	Mail Creator			
	enumeration	Addresssor			
	enumeration	Comail			
	enumeration	CoMingler			
	enumeration	MLOCR			
	enumeration	Mail Owner			
	enumeration	Mail Agent			
	enumeration	Entry Point Planner			
	enumeration	Shipment Planner			
	enumeration	Consolidator			
	enumeration	Secondary Consolidator			
	enumeration	Appointment Management Receiver			

	enumeration	Consignee/Product Receiver
	enumeration	Dispatcher
	enumeration	Tracker CONFIRM-scan
	enumeration	Tracker CONFIRM-payer
	enumeration	Tracker Seed Source
	enumeration	Tracker Piece-level-scan
	enumeration	Tracker ASN-scan
	enumeration	Tracker Induction-scan
	enumeration	Tracker Planet-code
	enumeration	ACS receiver
	enumeration	ACS payer
	enumeration	Seamless Acceptance
	enumeration	Seamless Verification
	enumeration	Security
	enumeration	Logistics Provider
	enumeration	Carrier
	enumeration	Data Brokering Agent
	enumeration	Nixie
	enumeration	StartTheClock
	enumeration	ContainerVisibility
	enumeration	DeliveryPointValidation


element **CastofCharactersUpdateRequest/UserLicenseCode**

diagram	
---------	---


element **CastofCharactersUpdateRequest/MaildatJobID**

diagram	
---------	---

element **CastofCharactersUpdateRequest/CustomerGroupID**

diagram	
---------	---

element **CastofCharactersUpdateRequest/MailingGroupID**

diagram	
---------	---



element **CastofCharactersUpdateRequest/MailPieceGroup**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **CastofCharactersUpdateRequest/ContainerGroup**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

element **CastofCharactersUpdateRequest/EffectiveDate**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersUpdateRequest/ExpirationDate**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersUpdateRequest/Duration**

diagram						
---------	--	--	--	--	--	--

element **CastofCharactersUpdateRequest/DurationUnitofMeasure**

diagram			
facets	Kind	Value	Annotation
	enumeration	AirDryMetricTonne	
	enumeration	AirDryPercent	
	enumeration	AirDryShortTon	
	enumeration	Bale	
	enumeration	BoardFoot	
	enumeration	BookUnit	
	enumeration	Box	
	enumeration	Bundle	
	enumeration	C-Size	
	enumeration	Centimeter	
	enumeration	Cord	
	enumeration	CubicFoot	
	enumeration	CubicMeter	
	enumeration	Cubit	
	enumeration	Day	
	enumeration	DotsPerInch	
	enumeration	Foot	
	enumeration	Gallon	
	enumeration	Gram	
	enumeration	GramsPerSquareMeter	
	enumeration	Hour	
	enumeration	HundredBoardFeet	
	enumeration	HundredLinealFeet	
	enumeration	HundredPound	
	enumeration	HundredSquareFeet	
	enumeration	Inch	
	enumeration	Kilogram	
	enumeration	KilogramsPerDay	
	enumeration	KilogramsPerWeek	
	enumeration	KnownBreaks	
	enumeration	Layer	
	enumeration	Leaves	
	enumeration	LinearFoot	
	enumeration	LinesPerInch	
	enumeration	Load	
	enumeration	MagazineUnit	
	enumeration	Megabyte	
	enumeration	Meter	
	enumeration	MetricTon	
	enumeration	MetricTonsPerDay	
	enumeration	MetricTonsPerWeek	
	enumeration	Micron	

enumeration	Millimeter
enumeration	Minute
enumeration	Month
enumeration	None
enumeration	Package
enumeration	Page
enumeration	PagesPerInch
enumeration	PalletUnit
enumeration	Percentage
enumeration	PerThousand
enumeration	Picas
enumeration	Piece
enumeration	PixelsPerInch
enumeration	Pound
enumeration	PoundsPerDay
enumeration	PoundsPerHour
enumeration	PoundsPerWeek
enumeration	PulpUnit
enumeration	Ream
enumeration	Reel
enumeration	Set
enumeration	Sheet
enumeration	ShortTon
enumeration	ShortTonsPerDay
enumeration	ShortTonsPerHour
enumeration	ShortTonsPerWeek
enumeration	Signature
enumeration	Skid
enumeration	SquareInch
enumeration	SquareFeet
enumeration	SquareMeter
enumeration	ThousandBoardFeet
enumeration	ThousandLinealFeet
enumeration	ThousandPieces
enumeration	ThousandSquareCentimeters
enumeration	ThousandSquareFeet
enumeration	ThousandSquareInch
enumeration	Ton
enumeration	TonsPerHour
enumeration	Unit
enumeration	UnknownBreaks
enumeration	Week
enumeration	Yard

element **CastofCharactersUpdateResponse**

diagram	
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:CastofCharactersUpdateAccept</a> <a href="#">mailxml_id:CastofCharactersUpdateReject</a>
annotation	documentation Response to a message requesting an update to unique identification the various roles for parties within the industry.


element **CastofCharactersUpdateResponse/TrackingID**

diagram	
---------	--

element **CastofCharactersUpdateResponse/SubmitterTrackingID**

diagram	
---------	--


element **CastofCharactersUpdateResponse/CastofCharactersUpdateAccept**

diagram						
children	<a href="#">mailxml_id:ReturnInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **CastofCharactersUpdateResponse/CastofCharactersUpdateAccept/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CastofCharactersUpdateResponse/CastofCharactersUpdateReject**

diagram						
children	<a href="#">mailxml_id:ReturnInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CustomerGroupID	mailxml_base:s25				
	mailxml_defs:MailingGroupID	xs:nonNegativeInteger	required			
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				

element **CastofCharactersUpdateResponse/CastofCharactersUpdateReject/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **CustomerRelationIdentifyQueryRequest**

diagram						
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_id:MaildatJobID	mailxml_base:jobIDType	required			
	mailxml_id:MPUID	mailxml_base:MPUIDType	required			
	mailxml_id:SegmentID	mailxml_base:s04	required			
	mailxml_id:ComponentID	mailxml_base:s08	required			
	mailxml_id:LinktoMaildatSummaryJobID	mailxml_base:jobIDType	required			
	mailxml_id:LinktoMaildatSummaryContainerID	mailxml_base:databaseContainerIDType	required			
annotation	documentation Query request for mail piece customer identifiers.					

element **CustomerRelationIdentifyQueryRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				

mailxml_defs:CRID	mailxml_base:CRIDType
mailxml_defs:SchedulerID	mailxml_base:s12
mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType
mailxml_defs:ShippingAgentID	mailxml_base:s12
mailxml_defs:ReceivingAgentID	mailxml_base:s12

element **CustomerRelationIdentifyQueryRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **CustomerRelationIdentifyQueryRequest/SubmitterTrackingID**

diagram						
---------	--	--	--	--	--	--

element **CustomerRelationIdentifyQueryResponse**

diagram						
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:QueryResults</a> <a href="#">mailxml_defs:QueryError</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_id:MaildatJobID	mailxml_base:jobIDType	required			

## MailXML Version 21.0 Identification Specification

	mailxml_id:MPUID	mailxml_base:MPUIDType	required
	mailxml_id:SegmentID	mailxml_base:s04	required
	mailxml_id:ComponentID	mailxml_base:s08	required
annotation	documentation Response to the Query request for mail piece customer identifiers.		


### element CustomerRelationIdentifyQueryResponse/TrackingID

diagram	
---------	---

### element CustomerRelationIdentifyQueryResponse/SubmitterTrackingID

diagram	
---------	---


### element CustomerRelationIdentifyQueryResponse/QueryResults

diagram	
children	<a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:Status</a> <a href="#">mailxml_id:CustomerID</a>

### element CustomerRelationIdentifyQueryResponse/QueryResults/MailingGroupID

diagram	
---------	---

### element CustomerRelationIdentifyQueryResponse/QueryResults/Status

diagram			
facets	Kind	Value	Annotation
	enumeration	Accepted	
	enumeration	Amended	
	enumeration	Cancelled	
	enumeration	Counterproposal	
	enumeration	New	
	enumeration	NoAction	
	enumeration	Original	
	enumeration	PartiallyAccepted	
	enumeration	Pending	
	enumeration	Rejected	
	enumeration	Replaced	



element **CustomerRelationIdentifyQueryResponse/QueryResults/CustomerID**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	<a href="#">mailxml_id:Owner</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Preparer</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Schedular</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Consolidator</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Logistics</a>	mailxml_base:s12				

element **CustomerRelationIdentifyUpdateRequest**

diagram						
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:UpdateCustomerInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_id:MaildatJobID	mailxml_base:jobIDType	required			
	mailxml_id:MPUID	mailxml_base:MPUIDType	required			
	mailxml_id:SegmentID	mailxml_base:s04	required			
	mailxml_id:ComponentID	mailxml_base:s08	required			
	mailxml_id:LinktoMaildatSummaryJobID	mailxml_base:jobIDType	required			
	mailxml_id:LinktoMaildatSummaryContainerID	mailxml_base:databaseContainerIDType	required			

annotation	documentation Request to update mail piece customer information.
------------	---

**element CustomerRelationIdentifyUpdateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


**element CustomerRelationIdentifyUpdateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


**element CustomerRelationIdentifyUpdateRequest/SubmitterTrackingID**

diagram	
---------	--


element **CustomerRelationIdentifyUpdateRequest/UpdateCustomerInfo**

diagram						
attributes	Name <a href="#">mailxml_id:Owner</a> <a href="#">mailxml_id:Preparer</a> <a href="#">mailxml_id:Scheduler</a> <a href="#">mailxml_id:Consolidator</a> <a href="#">mailxml_id:Logistics</a>	Type mailxml_base:s12 mailxml_base:s12 mailxml_base:s12 mailxml_base:s12 mailxml_base:s12	Use	Default	Fixed	Annotation


element **CustomerRelationIdentifyUpdateResponse**

diagram						
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:CustomerRelationIdentifyUpdateAccept</a> <a href="#">mailxml_id:CustomerRelationIdentifyUpdateReject</a>					
annotation	documentation Response for the update request for mail piece customer information.					

element **CustomerRelationIdentifyUpdateResponse/TrackingID**

diagram						
---------	---	--	--	--	--	--

element **CustomerRelationIdentifyUpdateResponse/SubmitterTrackingID**

diagram						
---------	---	--	--	--	--	--

element **CustomerRelationIdentifyUpdateResponse/CustomerRelationIdentifyUpdateAccept**

diagram						
children	<a href="#">mailxml_id:SetCustomerInfo</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_id:MaildatJobID	mailxml_base:jobIDType	required			
	mailxml_id:MPUID	mailxml_base:MPUIDType	required			
	mailxml_id:SegmentID	mailxml_base:s04	required			
	mailxml_id:ComponentID	mailxml_base:s08	required			
	mailxml_id:LinktoMaildatSummaryJobID	mailxml_base:jobIDType	required			
	mailxml_id:LinktoMaildatSummaryContainerID	mailxml_base:databaseContainerIDType	required			

## element

**CustomerRelationIdentifyUpdateResponse/CustomerRelationIdentifyUpdateAccept/SetCustomerInfo**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	<a href="#">mailxml_id:Owner</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Preparer</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Scheduler</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Consolidator</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Logistics</a>	mailxml_base:s12				

element **CustomerRelationIdentifyUpdateResponse/CustomerRelationIdentifyUpdateReject**

diagram						
children	<a href="#">mailxml_id:ReturnInfo</a>					
attribute	Name	Type	Use	Defau lt	Fixe d	Annotatio n
s	mailxml_id:MaildatJobID	mailxml_base:jobIDType	require d			
	mailxml_id:MPUID	mailxml_base:MPUIDType	require d			
	mailxml_id:SegmentID	mailxml_base:s04	require d			
	mailxml_id:ComponentID	mailxml_base:s08	require d			
	mailxml_id:LinktoMaildatSummaryJobID	mailxml_base:jobIDType	require d			
	mailxml_id:LinktoMaildatSummaryContainerID	mailxml_base:databaseContainerIDType	require d			

element **CustomerRelationIdentifyUpdateResponse/CustomerRelationIdentifyUpdateReject/ReturnInfo**

diagram						
children	<b>mailxml_defs:ReturnCode</b> <b>mailxml_defs:ReturnDescription</b> <b>mailxml_defs:errorWarning</b> <b>mailxml_defs:ContainerErrorWarningBlock</b>					


element **IncentiveEnrollmentCreateRequest**

diagram	
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:MSPIndicator</a> <a href="#">mailxml_id:IncentiveEnrollmentEntry</a> <a href="#">mailxml_id:Incentive</a>
annotation	documentation Request to USPS to create Incentive Enrollment information.

element **IncentiveEnrollmentCreateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **IncentiveEnrollmentCreateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	<b>xs:string</b>	required			
	mailxml_defs:Vendor	<b>xs:string</b>	required			
	mailxml_defs:Version	<b>xs:string</b>	required			
	mailxml_defs:ApprovalDate	<b>xs:date</b>				
	mailxml_defs:ApprovalKey	<b>xs:string</b>				

element **IncentiveEnrollmentCreateRequest/SubmitterTrackingID**

diagram	
---------	---


element **IncentiveEnrollmentCreateRequest/MSPIndicator**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

element **IncentiveEnrollmentCreateRequest/IncentiveEnrollmentEntry**

diagram	
children	<a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address1</a> <a href="#">mailxml_id:Address2</a> <a href="#">mailxml_id:City</a> <a href="#">mailxml_id:State</a> <a href="#">mailxml_id:ZipCode</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:EnrollingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **IncentiveEnrollmentCreateRequest/Incentive**

diagram			
facets	Kind	Value	Annotation
	enumeration	SS	
	enumeration	MT	
	enumeration	VV	
	enumeration	VP	
	enumeration	RE	
	enumeration	PI	
	enumeration	PP	
	enumeration	PS	
	enumeration	SB	
	enumeration	CT	
	enumeration	RR	
	enumeration	DC	
	enumeration	RT	
	enumeration	MI	
	enumeration	ME	
	enumeration	IV	
	enumeration	AD	
	enumeration	CP	



	enumeration	EM
	enumeration	PM
	enumeration	CO
	enumeration	HD

element **IncentiveEnrollmentCreateResponse**

diagram	
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:MSPIndicator</a> <a href="#">mailxml_id:SubmitterCRID</a> <a href="#">mailxml_id:IncentiveEnrollmentCreateAccept</a> <a href="#">mailxml_id:IncentiveEnrollmentCreateReject</a>
annotation	documentation Response to a request to USPS to create Incentive Enrollment information.

element **IncentiveEnrollmentCreateResponse/TrackingID**

diagram	
---------	--

element **IncentiveEnrollmentCreateResponse/SubmitterTrackingID**

diagram	
---------	--

element **IncentiveEnrollmentCreateResponse/MSPIndicator**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

element **IncentiveEnrollmentCreateResponse/SubmitterCRID**

diagram	
---------	--

element **IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateAccept**

diagram	
children	<a href="#">mailxml_id:IncentiveEnrollmentEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element

**IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateAccept/IncentiveEnrollmentEntry**

diagram	
children	<a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address1</a> <a href="#">mailxml_id:Address2</a> <a href="#">mailxml_id:City</a> <a href="#">mailxml_id:State</a> <a href="#">mailxml_id:ZipCode</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:EnrollingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateAccept/ReturnInfo**


diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

element **IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateReject**


diagram	
children	<a href="#">mailxml_id:IncentiveEnrollmentEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element


**IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateReject/IncentiveEnrollmentEntry**

diagram	 <p>The diagram shows a sequence container (rectangle with three horizontal lines) connected to a dashed box labeled <code>mailxml_id:IncentiveEnrollmentEntryType</code>. Inside this box, the following elements are listed in a sequence: <code>mailxml_id:CustomerCRID</code>, <code>mailxml_id:CustomerName</code>, <code>mailxml_id:PermitPublicationData</code> (with a '+' sign), <code>mailxml_id:CompanyHQIndicator</code>, <code>mailxml_id:Address1</code>, <code>mailxml_id:Address2</code>, <code>mailxml_id:City</code>, <code>mailxml_id:State</code>, <code>mailxml_id:ZipCode</code>, <code>mailxml_id:SequenceNumber</code>, <code>mailxml_id:EnrollingForSelf</code>, and <code>mailxml_id:LegalAcknowledgementBlock</code> (with a '+' sign).</p>
children	<a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address1</a> <a href="#">mailxml_id:Address2</a> <a href="#">mailxml_id:City</a> <a href="#">mailxml_id:State</a> <a href="#">mailxml_id:ZipCode</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:EnrollingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateReject/ReturnInfo**


diagram	 <p>The diagram shows a sequence container connected to a dashed box labeled <code>mailxml_defs:basicReturnInfoType</code>. Inside this box, the following elements are listed in a sequence: <code>mailxml_defs:ReturnCode</code>, <code>mailxml_defs:ReturnDescription</code>, <code>mailxml_defs:errorWarning</code> (with a '+' sign), and <code>mailxml_defs:ContainerErrorWarningBlock</code> (with a '+' sign). Multiplicity values are shown: <code>0..∞</code> for the container, <code>0..∞</code> for <code>mailxml_defs:errorWarning</code>, and <code>0..∞</code> for <code>mailxml_defs:ContainerErrorWarningBlock</code>.</p>
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

element **USPSCRIDCreateValidateRequest**


diagram	 <p>The diagram shows a sequence container connected to a dashed box. Inside this box, the following elements are listed in a sequence: <code>mailxml_id:SubmittingParty</code> (with a '+' sign), <code>mailxml_id:SubmittingSoftware</code> (with a '+' sign), <code>mailxml_id:SubmitterTrackingID</code>, <code>mailxml_id:CRIDRequestType</code>, and <code>mailxml_id:CRIDEntry</code> (with a '+' sign). A multiplicity value of <code>1..∞</code> is shown at the bottom right of the dashed box.</p>
---------	---

children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:CRIDRequestType</a> <a href="#">mailxml_id:CRIDEntry</a>
annotation	documentation Request to the USPS to create or validate one or more CRIDs.

element **USPSCRIDCreateValidateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				


element **USPSCRIDCreateValidateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				


element **USPSCRIDCreateValidateRequest/SubmitterTrackingID**

diagram	 A dashed box containing the text <code>mailxml_id:SubmitterTrackingID</code> .
---------	--


element **USPSCRIDCreateValidateRequest/CRIDRequestType**

diagram	 A diagram showing the element <code>mailxml_id:CRIDRequestType</code> enclosed in a dashed rectangular box. To the left of the box is a small icon consisting of three horizontal lines of decreasing width, resembling a list or menu symbol.		
facets	Kind	Value	Annotation
	enumeration	Query	
	enumeration	Create	
	enumeration	Validate	


element **USPSCRIDCreateValidateRequest/CRIDEntry**

diagram	 A diagram showing the <code>mailxml_id:CRIDEntry</code> element connected to a container box labeled <code>mailxml_id:CRIDEntryType</code> . The container box contains several sub-elements: <code>mailxml_id:CRID</code> , <code>mailxml_id:CompanyName</code> , <code>mailxml_id:PermitPublicationData</code> (with a plus icon), <code>mailxml_id:CompanyHQIndicator</code> , <code>mailxml_id:Address</code> (with a plus icon), <code>mailxml_id:AddressMatch</code> , <code>mailxml_id:ApplyingForSelf</code> , and <code>mailxml_id:LegalAcknowledgementBlock</code> (with a plus icon). The <code>mailxml_id:CRIDEntry</code> element has a cardinality of <code>1..∞</code> .
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **USPSCRIDCreateValidateResponse**

diagram	 A diagram showing the <code>USPSCRIDCreateValidateResponse</code> element connected to a container box. The container box contains two sub-elements: <code>mailxml_id:TrackingID</code> and <code>mailxml_id:SubmitterTrackingID</code> . Below these, there is a choice box containing three elements: <code>mailxml_id:USPSCRIDCreateResponse...</code> , <code>mailxml_id:USPSCRIDQueryResponse...</code> , and <code>mailxml_id:USPSCRIDValidateResponse...</code> .
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:USPSCRIDCreateResponse</a> <a href="#">mailxml_id:USPSCRIDQueryResponse</a> <a href="#">mailxml_id:USPSCRIDValidateResponse</a>
annotation	<p>documentation</p> <p>Response to a request to the USPS to query, create, or validate one or more CRIDs.</p>


element **USPSCRIDCreateValidateResponse/TrackingID**

diagram	 A dashed box containing the text <code>mailxml_id:TrackingID</code> .
---------	---


element **USPSCRIDCreateValidateResponse/SubmitterTrackingID**

diagram	
---------	---


element **USPSCRIDCreateValidateResponse/USPSCRIDCreateResponse**

diagram	
children	<a href="#">mailxml_id:USPSCRIDCreateAccept</a> <a href="#">mailxml_id:USPSCRIDCreateReject</a>


element **USPSCRIDCreateValidateResponse/USPSCRIDQueryResponse**

diagram	
children	<a href="#">mailxml_id:USPSCRIDQueryAccept</a> <a href="#">mailxml_id:USPSCRIDQueryReject</a>

element **USPSCRIDCreateValidateResponse/USPSCRIDValidateResponse**

diagram	
children	<a href="#">mailxml_id:USPSCRIDValidateAccept</a> <a href="#">mailxml_id:USPSCRIDValidateReject</a>

element **USPSMIDCreateValidateRequest**

diagram	
children	<a href="#">mailxml_id:SubmittingParty</a> <a href="#">mailxml_id:SubmittingSoftware</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:MIDRequestType</a> <a href="#">mailxml_id:MIDEntry</a>
annotation	documentation Request to USPS to create or validate MID information.

element **USPSMIDCreateValidateRequest/SubmittingParty**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:MailerID6	mailxml_base:mailerID6Type				
	mailxml_defs:MailerID9	mailxml_base:mailerID9Type				
	mailxml_defs:CRID	mailxml_base:CRIDType				
	mailxml_defs:SchedulerID	mailxml_base:s12				
	mailxml_defs:MaildatUserLicense	mailxml_base:userLicenseCodeType				
	mailxml_defs:ShippingAgentID	mailxml_base:s12				
	mailxml_defs:ReceivingAgentID	mailxml_base:s12				

element **USPSMIDCreateValidateRequest/SubmittingSoftware**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SoftwareName	xs:string	required			
	mailxml_defs:Vendor	xs:string	required			
	mailxml_defs:Version	xs:string	required			
	mailxml_defs:ApprovalDate	xs:date				
	mailxml_defs:ApprovalKey	xs:string				

element **USPSMIDCreateValidateRequest/SubmitterTrackingID**

diagram						
---------	--	--	--	--	--	--

element **USPSMIDCreateValidateRequest/MIDRequestType**

diagram			
facets	Kind	Value	Annotation
	enumeration	Query	
	enumeration	Create	
	enumeration	Validate	

element **USPSMIDCreateValidateRequest/MIDEntry**

diagram			
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>		

element **USPSMIDCreateValidateResponse**

diagram			
children	<a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:USPSMIDCreateResponse</a> <a href="#">mailxml_id:USPSMIDQueryResponse</a> <a href="#">mailxml_id:USPSMIDValidateResponse</a>		
annotation	documentation Response to a request to USPS to query, create, or validate MID information.		

element **USPSMIDCreateValidateResponse/TrackingID**

diagram			
---------	--	--	--

element **USPSMIDCreateValidateResponse/SubmitterTrackingID**

diagram			
---------	--	--	--



element **USPSMIDCreateValidateResponse/USPSMIDCreateResponse**

diagram	
children	<a href="#">mailxml_id:USPSMIDCreateAccept</a> <a href="#">mailxml_id:USPSMIDCreateReject</a>

element **USPSMIDCreateValidateResponse/USPSMIDQueryResponse**

diagram	
children	<a href="#">mailxml_id:USPSMIDQueryAccept</a> <a href="#">mailxml_id:USPSMIDQueryReject</a>

element **USPSMIDCreateValidateResponse/USPSMIDValidateResponse**

diagram	
children	<a href="#">mailxml_id:USPSMIDValidateAccept</a> <a href="#">mailxml_id:USPSMIDValidateReject</a>

complexType **CofCCreateAcceptType**

diagram	
children	<a href="#">mailxml_id:UserLicenseCode</a> <a href="#">mailxml_id:MaildatJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ReturnInfo</a>
used by	element <a href="#">CastofCharactersCreateResponse/CastofCharactersCreateAccept</a>

element **CofCCreateAcceptType/UserLicenseCode**

diagram	
---------	--

element **CofCCreateAcceptType/MaildatJobID**

diagram	
---------	---


element **CofCCreateAcceptType/CustomerGroupID**

diagram	
---------	---


element **CofCCreateAcceptType/MailingGroupID**

diagram	
---------	---

element **CofCCreateAcceptType/ContainerGroup**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

element **CofCCreateAcceptType/MailPieceGroup**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **CofCCreateAcceptType/ReturnInfo**

diagram	
children	<b>mailxml_defs:ReturnCode</b> <b>mailxml_defs:ReturnDescription</b> <b>mailxml_defs:errorWarning</b> <b>mailxml_defs:ContainerErrorWarningBlock</b>

complexType **CofCCreateRejectType**

diagram	
children	<a href="#">mailxml_id:UserLicenseCode</a> <a href="#">mailxml_id:MaildatJobID</a> <a href="#">mailxml_id:CustomerGroupID</a> <a href="#">mailxml_id:MailingGroupID</a> <a href="#">mailxml_id:ContainerGroup</a> <a href="#">mailxml_id:MailPieceGroup</a> <a href="#">mailxml_id:ReturnInfo</a>
used by	element <a href="#">CastofCharactersCreateResponse/CastofCharactersCreateReject</a>

element **CofCCreateRejectType/UserLicenseCode**

diagram	
---------	--

element **CofCCreateRejectType/MaildatJobID**

diagram	
---------	--


element **CofCCreateRejectType/CustomerGroupID**

diagram	
---------	--


element **CofCCreateRejectType/MailingGroupID**

diagram	
---------	---

element **CofCCreateRejectType/ContainerGroup**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

element **CofCCreateRejectType/MailPieceGroup**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **CofCCreateRejectType/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

complexType **cridCreateResponseType**

diagram	
children	<a href="#">mailxml_id:USPSCRIDCreateAccept</a> <a href="#">mailxml_id:USPSCRIDCreateReject</a>
used by	element <a href="#">USPSCRIDCreateValidateResponse/USPSCRIDCreateResponse</a>

element **cridCreateResponseType/USPSCRIDCreateAccept**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CRIDStatus</a> <a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:RelatedPermitPublicationData</a> <a href="#">mailxml_id:ReturnInfo</a>

element **cridCreateResponseType/USPSCRIDCreateAccept/CRID**

diagram	
---------	--

element **cridCreateResponseType/USPSCRIDCreateAccept/CRIDStatus**

diagram			
facets	Kind enumeration	Value New	Annotation

	enumeration	Existing
--	-------------	----------

element **cridCreateResponseType/USPSCRIDCreateAccept/CRIDEntry**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>


element **cridCreateResponseType/USPSCRIDCreateAccept/RelatedPermitPublicationData**

diagram	
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>


element **cridCreateResponseType/USPSCRIDCreateAccept/ReturnInfo**

diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>


element **cridCreateResponseType/USPSCRIDCreateReject**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:USPSCRIDCreateReject' connected to a dashed box containing two elements: 'mailxml_id:CRIDEntry' and 'mailxml_id:ReturnInfo'. Both child elements have a '+' icon in the top right corner, indicating they are optional.</p>
children	<a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element **cridCreateResponseType/USPSCRIDCreateReject/CRIDEntry**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:CRIDEntry' connected to a dashed box labeled 'mailxml_id:CRIDEntryType'. Inside this dashed box are several elements: 'mailxml_id:CRID', 'mailxml_id:CompanyName', 'mailxml_id:PermitPublicationData' (with a '+' icon), 'mailxml_id:CompanyHQIndicator', 'mailxml_id:Address' (with a '+' icon), 'mailxml_id:AddressMatch', 'mailxml_id:ApplyingForSelf', and 'mailxml_id:LegalAcknowledgementBlock' (with a '+' icon). The elements 'mailxml_id:PermitPublicationData', 'mailxml_id:Address', and 'mailxml_id:LegalAcknowledgementBlock' have a '+' icon in the top right corner, indicating they are optional.</p>
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **cridCreateResponseType/USPSCRIDCreateReject/ReturnInfo**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:ReturnInfo' connected to a dashed box labeled 'mailxml_defs:basicReturnInfoType'. Inside this dashed box are four elements: 'mailxml_defs:ReturnCode', 'mailxml_defs:ReturnDescription', 'mailxml_defs:errorWarning' (with a '+' icon), and 'mailxml_defs:ContainerErrorWarningBlock' (with a '+' icon). The elements 'mailxml_defs:errorWarning' and 'mailxml_defs:ContainerErrorWarningBlock' have a '+' icon in the top right corner, indicating they are optional. The cardinality '0..∞' is shown at the bottom of the dashed box and next to the 'mailxml_defs:ContainerErrorWarningBlock' element.</p>
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

complexType **CRIDEntryType**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>
used by	elements <a href="#">USPSCRIDCreateValidateRequest/CRIDEntry</a> <a href="#">crdCreateResponseType/USPSCRIDCreateAccept/CRIDEntry</a> <a href="#">crdCreateResponseType/USPSCRIDCreateReject/CRIDEntry</a> <a href="#">crdQueryResponseType/USPSCRIDQueryAccept/CRIDEntry</a> <a href="#">crdQueryResponseType/USPSCRIDQueryReject/CRIDEntry</a> <a href="#">crdValidateResponseType/USPSCRIDValidateAccept/CRIDEntry</a> <a href="#">crdValidateResponseType/USPSCRIDValidateReject/CRIDEntry</a>

element **CRIDEntryType/CRID**

diagram	
---------	--

element **CRIDEntryType/CompanyName**

diagram	
---------	--

element **CRIDEntryType/PermitPublicationData**

diagram	
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>

element **CRIDEntryType/CompanyHQIndicator**

diagram	
---------	--



## MailXML Version 21.0 Identification Specification

facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

### element **CRIDEntryType/Address**

diagram						
children	<b>mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates</b>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				

### element **CRIDEntryType/AddressMatch**

diagram						
facets	Kind	Value	Annotation			
	enumeration	Yes				
	enumeration	No				

### element **CRIDEntryType/ApplyingForSelf**

diagram						
facets	Kind	Value	Annotation			
	enumeration	Yes				
	enumeration	No				

element **CRIDEntryType/LegalAcknowledgementBlock**

diagram	
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:USPSLegalAgreement</a>

complexType **cridQueryResponseType**

diagram	
children	<a href="#">mailxml_id:USPSCRIDQueryAccept</a> <a href="#">mailxml_id:USPSCRIDQueryReject</a>
used by	element <a href="#">USPSCRIDCreateValidateResponse/USPSCRIDQueryResponse</a>


element **cridQueryResponseType/USPSCRIDQueryAccept**

diagram	
children	<a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:ReturnInfo</a>


element **cridQueryResponseType/USPSCRIDQueryAccept/CRIDEntry**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>


element **cridQueryResponseType/USPSCRIDQueryAccept/CRID**

diagram	
---------	---


element **cridQueryResponseType/USPSCRIDQueryAccept/ReturnInfo**

diagram	
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock

element **cridQueryResponseType/USPSCRIDQueryReject**

diagram	
children	<a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element **cridQueryResponseType/USPSCRIDQueryReject/CRIDEntry**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **cridQueryResponseType/USPSCRIDQueryReject/ReturnInfo**

diagram	
children	<b>mailxml_defs:ReturnCode</b> <b>mailxml_defs:ReturnDescription</b> <b>mailxml_defs:errorWarning</b> <b>mailxml_defs:ContainerErrorWarningBlock</b>

complexType **cRIDsRequestedType**

diagram	
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **cRIDsRequestedType/CRID**

diagram	
---------	--

element **cRIDsRequestedType/CompanyName**

diagram	
---------	--

element **cRIDsRequestedType/Address**

diagram						
children	<b>mailxml_defs:Address1 mailxml_defs:Address2 mailxml_defs:Address3 mailxml_defs:Address4 mailxml_defs:City mailxml_defs:County mailxml_defs:State mailxml_defs:ZipCode mailxml_defs:GPSCoordinates</b>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:CommunicationRole	mailxml_base:communicationRoleType				

element **cRIDsRequestedType/PermitPublicationData**

diagram						
children	<b>mailxml_defs:PermitNumber mailxml_defs:PaymentAccountNumber mailxml_defs:PermitType mailxml_defs:PermitZip4 mailxml_defs:PublicationNumber mailxml_defs:PaymentAccountNumber</b>					

element **cRIDsRequestedType/ApplyingForSelf**

diagram						
facets	Kind	Value	Annotation			
	enumeration	Yes				
	enumeration	No				

element **cRIDsRequestedType/LegalAcknowledgementBlock**

diagram	<p>The diagram shows a dashed box labeled <code>mailxml_id:LegalAcknowledge...</code> connected to a solid box labeled <code>mailxml_id:legalAcknowledgementBlockCRIDType</code>. The solid box contains three sub-elements: <code>mailxml_id:UnderstandLegalLiabilit...</code>, <code>mailxml_id:AcknowledgeNotifyingT...</code>, and <code>mailxml_id:USPSLegalAgreement</code>.</p>
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:USPSLegalAgreement</a>

complexType **cridValidateResponseType**

diagram	<p>The diagram shows a box labeled <code>cridValidateResponseType</code> connected to a choice box (indicated by a circle with a vertical line) containing two options: <code>mailxml_id:USPSCRIDValidateAccept</code> and <code>mailxml_id:USPSCRIDValidateReject</code>. The choice box has a cardinality of <code>1..∞</code>.</p>
children	<a href="#">mailxml_id:USPSCRIDValidateAccept</a> <a href="#">mailxml_id:USPSCRIDValidateReject</a>
used by	element <a href="#">USPSCRIDCreateValidateResponse/USPSCRIDValidateResponse</a>


element **cridValidateResponseType/USPSCRIDValidateAccept**

diagram	<p>The diagram shows a box labeled <code>mailxml_id:USPSCRIDValidateAccept</code> connected to a choice box (indicated by a circle with a vertical line) containing three options: <code>mailxml_id:CRIDEntry</code>, <code>mailxml_id:CRIDMatches</code>, and <code>mailxml_id:ReturnInfo</code>.</p>
children	<a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:CRIDMatches</a> <a href="#">mailxml_id:ReturnInfo</a>


element **cridValidateResponseType/USPSCRIDValidateAccept/CRIDEntry**

diagram	<p>The diagram shows a box labeled <code>mailxml_id:CRIDEntry</code> connected to a choice box (indicated by a circle with a vertical line) containing several options: <code>mailxml_id:CRID</code>, <code>mailxml_id:CompanyName</code>, <code>mailxml_id:PermitPublicationData</code>, <code>mailxml_id:CompanyHQIndicator</code>, <code>mailxml_id:Address</code>, <code>mailxml_id:AddressMatch</code>, <code>mailxml_id:ApplyingForSelf</code>, and <code>mailxml_id:LegalAcknowledge...</code>. The choice box has a cardinality of <code>1..∞</code>.</p>
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>


element **cridValidateResponseType/USPSCRIDValidateAccept/CRIDMatches**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
facets	Kind	Value	Annotation
	enumeration	No	


element **cridValidateResponseType/USPSCRIDValidateAccept/ReturnInfo**

diagram			
children	mailxml_defs:ReturnCode mailxml_defs:ReturnDescription mailxml_defs:errorWarning mailxml_defs:ContainerErrorWarningBlock		

element **cridValidateResponseType/USPSCRIDValidateReject**

diagram			
children	<a href="#">mailxml_id:CRIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>		

element **cridValidateResponseType/USPSCRIDValidateReject/CRIDEntry**

diagram			
children	<a href="#">mailxml_id:CRID</a> <a href="#">mailxml_id:CompanyName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:AddressMatch</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>		

element **cridValidateResponseType/USPSCRIDValidateReject/ReturnInfo**


diagram	
children	<b>mailxml_defs:ReturnCode</b> <b>mailxml_defs:ReturnDescription</b> <b>mailxml_defs:errorWarning</b> <b>mailxml_defs:ContainerErrorWarningBlock</b>

complexType **customerIdentityType**


diagram						
used by	elements	<a href="#">CustomerRelationIdentifyQueryResponse/QueryResults/CustomerID</a> <a href="#">CustomerRelationIdentifyUpdateResponse/CustomerRelationIdentifyUpdateAccept/SetCustomerInfo</a> <a href="#">CustomerRelationIdentifyUpdateRequest/UpdateCustomerInfo</a>				
attributes	Name	Type	Use	Default	Fixed	Annotation
	<a href="#">mailxml_id:Owner</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Preparer</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Scheduler</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Consolidator</a>	mailxml_base:s12				
	<a href="#">mailxml_id:Logistics</a>	mailxml_base:s12				
annotation	documentation Structure describng the customer information					




attribute **customerIdentityType/@Owner**  
 attribute **customerIdentityType/@Preparer**  
 attribute **customerIdentityType/@Scheduler**  
 attribute **customerIdentityType/@Consolidator**  
 attribute **customerIdentityType/@Logistics**  
 complexType **groupContainerIDType**

diagram						
children	<a href="#">mailxml_id:MaildatContainer</a> <a href="#">mailxml_id:MailXMLContainer</a> <a href="#">mailxml_id:ContainerBarcode</a>					
used by	elements	<a href="#">CastofCharactersCancelRequest/ContainerGroup</a> <a href="#">CastofCharactersCreateRequest/ContainerGroup</a> <a href="#">CastofCharactersUpdateRequest/ContainerGroup</a> <a href="#">CofCCreateAcceptType/ContainerGroup</a> <a href="#">CofCCreateRejectType/ContainerGroup</a>				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderContainerGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverContainerGroupID	mailxml_base:s12	optional			

#### element **groupContainerIDType/MaildatContainer**

diagram						
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:UserLicenseCode	mailxml_base:userLicenseCodeType				
	mailxml_defs:MaildatJobID	mailxml_base:jobIDType				
	mailxml_defs:ContainerID	mailxml_base:s06				
	mailxml_defs:UniqueContainerBarcode	mailxml_base:IMcbType				

#### element **groupContainerIDType/MailXMLContainer**


diagram						
---------	--	--	--	--	--	--

children	<b>mailxml_defs:MailingGroupID</b> <b>mailxml_defs:CustomerGroupID</b> <b>mailxml_defs:ContainerID</b> <b>mailxml_defs:ContainerBarcode</b>
----------	--

**element groupContainerIDType/ContainerBarcode**

diagram	
---------	---


**complexType IncentiveEnrollmentEntryType**

diagram		
children	<a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address1</a> <a href="#">mailxml_id:Address2</a> <a href="#">mailxml_id:City</a> <a href="#">mailxml_id:State</a> <a href="#">mailxml_id:ZipCode</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:EnrollingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>	
used by	elements	<a href="#">IncentiveEnrollmentCreateRequest/IncentiveEnrollmentEntry</a> <a href="#">IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateAccept/IncentiveEnrollmentEntry</a> <a href="#">IncentiveEnrollmentCreateResponse/IncentiveEnrollmentCreateReject/IncentiveEnrollmentEntry</a>

**element IncentiveEnrollmentEntryType/CustomerCRID**

diagram	
---------	---


**element IncentiveEnrollmentEntryType/CustomerName**

diagram	
---------	---

element **IncentiveEnrollmentEntryType/PermitPublicationData**

diagram	
children	<b>mailxml_defs:PermitNumber</b> <b>mailxml_defs:PaymentAccountNumber</b> <b>mailxml_defs:PermitType</b> <b>mailxml_defs:PermitZip4</b> <b>mailxml_defs:PublicationNumber</b> <b>mailxml_defs:PaymentAccountNumber</b>

element **IncentiveEnrollmentEntryType/CompanyHQIndicator**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

element **IncentiveEnrollmentEntryType/Address1**

diagram	
---------	--

element **IncentiveEnrollmentEntryType/Address2**

diagram	
---------	--

element **IncentiveEnrollmentEntryType/City**

diagram	
---------	--

element **IncentiveEnrollmentEntryType/State**

diagram	
---------	--


element **IncentiveEnrollmentEntryType/ZipCode**

diagram	
---------	--


element **IncentiveEnrollmentEntryType/SequenceNumber**

diagram	
---------	--


element **IncentiveEnrollmentEntryType/EnrollingForSelf**

diagram			
facets	Kind enumeration	Value Yes	Annotation
	enumeration	No	


element **IncentiveEnrollmentEntryType/LegalAcknowledgementBlock**

diagram			
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:MSPSLegalAgreement</a>		


complexType **legalAcknowledgementBlockCRIDType**

diagram			
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:USPSLegalAgreement</a>		
used by	elements	<a href="#">cRIDsRequestedType/LegalAcknowledgementBlock</a> <a href="#">CRIDEntryType/LegalAcknowledgementBlock</a>	


element **legalAcknowledgementBlockCRIDType/UnderstandLegalLiabilityForApplyingForSomeOneElse**

diagram			
facets	Kind enumeration	Value Yes	Annotation
	enumeration	No	


element **legalAcknowledgementBlockCRIDType/AcknowledgeNotifyingTheMailOwner**

diagram			
facets	Kind enumeration	Value Yes	Annotation
	enumeration	No	


element **legalAcknowledgementBlockCRIDType/USPSLegalAgreement**

diagram			
---------	---	--	--


**complexType legalAcknowledgementBlockMIDType**

diagram	
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:USPSLegalAgreement</a>
used by	element <a href="#">midEntryType/LegalAcknowledgementBlock</a>

**element legalAcknowledgementBlockMIDType/UnderstandLegalLiabilityForApplyingForSomeOneElse**

diagram			
facets	Kind enumeration enumeration	Value Yes No	Annotation


**element legalAcknowledgementBlockMIDType/AcknowledgeNotifyingTheMailOwner**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	


**element legalAcknowledgementBlockMIDType/USPSLegalAgreement**

diagram	
---------	---


**complexType legalAcknowledgementBlockMSPSType**

diagram	
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:MSPSLegalAgreement</a>
used by	element <a href="#">IncentiveEnrollmentEntryType/LegalAcknowledgementBlock</a>

**element legalAcknowledgementBlockMSPSType/UnderstandLegalLiabilityForApplyingForSomeOneElse**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	


element **legalAcknowledgementBlockMSPSType/AcknowledgeNotifyingTheMailOwner**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	


element **legalAcknowledgementBlockMSPSType/MSPSLegalAgreement**

diagram	
---------	---

complexType **mailPieceGroupCreateType**

diagram						
children	<a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
used by	elements	<a href="#">CastofCharactersCancelRequest/MailPieceGroup</a> <a href="#">CastofCharactersCreateRequest/MailPieceGroup</a> <a href="#">CastofCharactersUpdateRequest/MailPieceGroup</a> <a href="#">CofCCreateAcceptType/MailPieceGroup</a> <a href="#">CofCCreateRejectType/MailPieceGroup</a>				
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	optional			

element **mailPieceGroupCreateType/MailPieceID**

diagram						
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID					

element **mailPieceGroupCreateType/LeastMailPieceID**

diagram	
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP

element **mailPieceGroupCreateType/HighestMailPieceID**

diagram	
children	mailxml_defs:IMB mailxml_defs:PlanetCode mailxml_defs:DeliveryPointZIP mailxml_defs:DeliveryContainerID mailxml_defs:DeliveryPointZIP

complexType **mailPieceGroupResponseType**

diagram						
children	<a href="#">mailxml_id:SubmitterTrackingID</a> <a href="#">mailxml_id:TrackingID</a> <a href="#">mailxml_id:MailPieceID</a> <a href="#">mailxml_id:LowestMailPieceID</a> <a href="#">mailxml_id:HighestMailPieceID</a>					
attributes	Name	Type	Use	Default	Fixed	Annotation
	mailxml_defs:SenderMailPieceGroupID	mailxml_base:s12	required			
	mailxml_defs:ReceiverMailPieceGroupID	mailxml_base:s12	required			


element **mailPieceGroupResponseType/SubmitterTrackingID**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_id:SubmitterTrackingID</code> with a dashed border.
---------	--


element **mailPieceGroupResponseType/TrackingID**

diagram	 A diagram showing a single rectangular box labeled <code>mailxml_id:TrackingID</code> with a dashed border.
---------	---


element **mailPieceGroupResponseType/MailPieceID**

diagram	 A diagram showing a rectangular box labeled <code>mailxml_id:MailPieceID</code> connected to a dashed box labeled <code>mailxml_defs:mailPieceIDType</code> . Inside the dashed box, there is a <code>mailxml_defs:IMB</code> box, followed by a choice box (dashed oval) containing three options: <code>mailxml_defs:PlanetCode</code> (dashed box), <code>mailxml_defs:DeliveryPointZIP</code> (solid box), and <code>mailxml_defs:DeliveryContainerID</code> (solid box). Below the choice box is another <code>mailxml_defs:DeliveryPointZIP</code> (solid box).
children	<code>mailxml_defs:IMB</code> <code>mailxml_defs:PlanetCode</code> <code>mailxml_defs:DeliveryPointZIP</code> <code>mailxml_defs:DeliveryContainerID</code> <code>mailxml_defs:DeliveryPointZIP</code>

element **mailPieceGroupResponseType/LowestMailPieceID**


diagram	 A diagram showing a rectangular box labeled <code>mailxml_id:LowestMailPieceID</code> connected to a dashed box labeled <code>mailxml_defs:mailPieceIDType</code> . Inside the dashed box, there is a <code>mailxml_defs:IMB</code> box, followed by a choice box (dashed oval) containing three options: <code>mailxml_defs:PlanetCode</code> (dashed box), <code>mailxml_defs:DeliveryPointZIP</code> (solid box), and <code>mailxml_defs:DeliveryContainerID</code> (solid box). Below the choice box is another <code>mailxml_defs:DeliveryPointZIP</code> (solid box).
children	<code>mailxml_defs:IMB</code> <code>mailxml_defs:PlanetCode</code> <code>mailxml_defs:DeliveryPointZIP</code> <code>mailxml_defs:DeliveryContainerID</code> <code>mailxml_defs:DeliveryPointZIP</code>

element **mailPieceGroupResponseType/HighestMailPieceID**


diagram	 A diagram showing a rectangular box labeled <code>mailxml_id:HighestMailPieceID</code> connected to a dashed box labeled <code>mailxml_defs:mailPieceIDType</code> . Inside the dashed box, there is a <code>mailxml_defs:IMB</code> box, followed by a choice box (dashed oval) containing three options: <code>mailxml_defs:PlanetCode</code> (dashed box), <code>mailxml_defs:DeliveryPointZIP</code> (solid box), and <code>mailxml_defs:DeliveryContainerID</code> (solid box). Below the choice box is another <code>mailxml_defs:DeliveryPointZIP</code> (solid box).
children	<code>mailxml_defs:IMB</code> <code>mailxml_defs:PlanetCode</code> <code>mailxml_defs:DeliveryPointZIP</code> <code>mailxml_defs:DeliveryContainerID</code> <code>mailxml_defs:DeliveryPointZIP</code>




complexType **midCreateResponseType**

diagram	
children	<a href="#">mailxml_id:USPSMIDCreateAccept</a> <a href="#">mailxml_id:USPSMIDCreateReject</a>
used by	element <a href="#">USPSMIDCreateValidateResponse/USPSMIDCreateResponse</a>


element **midCreateResponseType/USPSMIDCreateAccept**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:MIDStatus</a> <a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:RelatedPermitPublicationData</a> <a href="#">mailxml_id:ReturnInfo</a>

element **midCreateResponseType/USPSMIDCreateAccept/MID**

diagram	
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:MID9</a>

element **midCreateResponseType/USPSMIDCreateAccept/MIDStatus**

diagram			
facets	Kind	Value	Annotation
	enumeration	New	
	enumeration	Existing	

element **midCreateResponseType/USPSMIDCreateAccept/MIDEntry**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>


element **midCreateResponseType/USPSMIDCreateAccept/RelatedPermitPublicationData**

diagram	
children	<a href="#">mailxml_defs:PermitNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a> <a href="#">mailxml_defs:PermitType</a> <a href="#">mailxml_defs:PermitZip4</a> <a href="#">mailxml_defs:PublicationNumber</a> <a href="#">mailxml_defs:PaymentAccountNumber</a>


element **midCreateResponseType/USPSMIDCreateAccept/ReturnInfo**

diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>


element **midCreateResponseType/USPSMIDCreateReject**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:USPSMIDCreateReject' connected to a dashed box containing two elements: 'mailxml_id:MIDEntry' and 'mailxml_id:ReturnInfo'. Both child elements have a '+' icon in the top right corner, indicating they are optional.</p>
children	<a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element **midCreateResponseType/USPSMIDCreateReject/MIDEntry**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:MIDEntry' connected to a dashed box labeled 'mailxml_id:midEntryType'. Inside this dashed box are several elements: 'mailxml_id:MID' (optional), 'mailxml_id:CustomerCRID' (optional), 'mailxml_id:CustomerName' (optional), 'mailxml_id:PermitPublicationData' (optional), 'mailxml_id:CompanyHQIndicator' (optional), 'mailxml_id:Address' (optional), 'mailxml_id:SequenceNumber' (optional), 'mailxml_id:ApplyingForSelf' (optional), and 'mailxml_id:LegalAcknowledgementBlock' (optional). Each child element has a '+' icon in the top right corner.</p>
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **midCreateResponseType/USPSMIDCreateReject/ReturnInfo**

diagram	 <p>The diagram shows a box labeled 'mailxml_id:ReturnInfo' connected to a dashed box labeled 'mailxml_defs:basicReturnInfoType'. Inside this dashed box are three elements: 'mailxml_defs:ReturnCode' (optional), 'mailxml_defs:ReturnDescription' (optional), and 'mailxml_defs:ContainerErrorWarningBlock' (optional). Each child element has a '+' icon in the top right corner. The dashed box also has a '0..∞' cardinality indicator at the bottom right.</p>
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

complexType **midEntryType**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>
used by	elements <a href="#">USPSMIDCreateValidateRequest/MIDEntry</a> <a href="#">midCreateResponseType/USPSMIDCreateAccept/MIDEntry</a> <a href="#">midCreateResponseType/USPSMIDCreateReject/MIDEntry</a> <a href="#">midQueryResponseType/USPSMIDQueryAccept/MIDEntry</a> <a href="#">midQueryResponseType/USPSMIDQueryReject/MIDEntry</a> <a href="#">midValidateResponseType/USPSMIDValidateAccept/MIDEntry</a> <a href="#">midValidateResponseType/USPSMIDValidateReject/MIDEntry</a>

element **midEntryType/MID**

diagram	
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:MID9</a>

element **midEntryType/CustomerCRID**

diagram	
---------	--

element **midEntryType/CustomerName**

diagram	
---------	--

element **midEntryType/PermitPublicationData**

diagram	
children	<b>mailxml_defs:PermitNumber</b> <b>mailxml_defs:PaymentAccountNumber</b> <b>mailxml_defs:PermitType</b> <b>mailxml_defs:PermitZip4</b> <b>mailxml_defs:PublicationNumber</b> <b>mailxml_defs:PaymentAccountNumber</b>

element **midEntryType/CompanyHQIndicator**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

element **midEntryType/Address**

diagram													
children	<b>mailxml_defs:Address1</b> <b>mailxml_defs:Address2</b> <b>mailxml_defs:Address3</b> <b>mailxml_defs:Address4</b> <b>mailxml_defs:City</b> <b>mailxml_defs:County</b> <b>mailxml_defs:State</b> <b>mailxml_defs:ZipCode</b> <b>mailxml_defs:GPSCoordinates</b>												
attributes	<table><thead><tr><th>Name</th><th>Type</th><th>Use</th><th>Default</th><th>Fixed</th><th>Annotation</th></tr></thead><tbody><tr><td>mailxml_defs:CommunicationRole</td><td><b>mailxml_base:communicationRoleType</b></td><td></td><td></td><td></td><td></td></tr></tbody></table>	Name	Type	Use	Default	Fixed	Annotation	mailxml_defs:CommunicationRole	<b>mailxml_base:communicationRoleType</b>				
Name	Type	Use	Default	Fixed	Annotation								
mailxml_defs:CommunicationRole	<b>mailxml_base:communicationRoleType</b>												


element **midEntryType/SequenceNumber**

diagram	
---------	--


element **midEntryType/ApplyingForSelf**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	


element **midEntryType/LegalAcknowledgementBlock**

diagram			
children	<a href="#">mailxml_id:UnderstandLegalLiabilityForApplyingForSomeOneElse</a> <a href="#">mailxml_id:AcknowledgeNotifyingTheMailOwner</a> <a href="#">mailxml_id:USPSLegalAgreement</a>		


complexType **midQueryResponseType**

diagram			
children	<a href="#">mailxml_id:USPSMIDQueryAccept</a> <a href="#">mailxml_id:USPSMIDQueryReject</a>		
used by	element	<a href="#">USPSMIDCreateValidateResponse/USPSMIDQueryResponse</a>	


element **midQueryResponseType/USPSMIDQueryAccept**

diagram			
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:MIDStatus</a> <a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>		


element **midQueryResponseType/USPSMIDQueryAccept/MID**

diagram			
children	<a href="#">mailxml_defs:MID6</a> <a href="#">mailxml_defs:MID9</a>		


element **midQueryResponseType/USPSMIDQueryAccept/MIDStatus**

diagram			
facets	Kind enumeration	Value New  Existing	Annotation


element **midQueryResponseType/USPSMIDQueryAccept/MIDEntry**

diagram			
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>		

element **midQueryResponseType/USPSMIDQueryAccept/ReturnInfo**

diagram			
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>		

element **midQueryResponseType/USPSMIDQueryReject**

diagram			
children	<a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>		

element **midQueryResponseType/USPSMIDQueryReject/MIDEntry**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **midQueryResponseType/USPSMIDQueryReject/ReturnInfo**

diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

complexType **midValidateResponseType**

diagram	
children	<a href="#">mailxml_id:USPSMIDValidateAccept</a> <a href="#">mailxml_id:USPSMIDValidateReject</a>
used by	element <a href="#">USPSMIDCreateValidateResponse/USPSMIDValidateResponse</a>

element **midValidateResponseType/USPSMIDValidateAccept**

diagram	
---------	--




children	<a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:MIDMatches</a> <a href="#">mailxml_id:ReturnInfo</a>
----------	---

**element midValidateResponseType/USPSMIDValidateAccept/MIDEntry**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

**element midValidateResponseType/USPSMIDValidateAccept/MIDMatches**

diagram			
facets	Kind	Value	Annotation
	enumeration	Yes	
	enumeration	No	

**element midValidateResponseType/USPSMIDValidateAccept/ReturnInfo**

diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

**element midValidateResponseType/USPSMIDValidateReject**

diagram	
children	<a href="#">mailxml_id:MIDEntry</a> <a href="#">mailxml_id:ReturnInfo</a>

element **midValidateResponseType/USPSMIDValidateReject/MIDEntry**

diagram	
children	<a href="#">mailxml_id:MID</a> <a href="#">mailxml_id:CustomerCRID</a> <a href="#">mailxml_id:CustomerName</a> <a href="#">mailxml_id:PermitPublicationData</a> <a href="#">mailxml_id:CompanyHQIndicator</a> <a href="#">mailxml_id:Address</a> <a href="#">mailxml_id:SequenceNumber</a> <a href="#">mailxml_id:ApplyingForSelf</a> <a href="#">mailxml_id:LegalAcknowledgementBlock</a>

element **midValidateResponseType/USPSMIDValidateReject/ReturnInfo**

diagram	
children	<a href="#">mailxml_defs:ReturnCode</a> <a href="#">mailxml_defs:ReturnDescription</a> <a href="#">mailxml_defs:errorWarning</a> <a href="#">mailxml_defs:ContainerErrorWarningBlock</a>

simpleType **MIDorCRIDRequestType**

used by	elements	<a href="#">USPSCRIDCreateValidateRequest/CRIDRequestType</a> <a href="#">USPSMIDCreateValidateRequest/MIDRequestType</a>
facets	Kind	Value
	enumeration	Query
	enumeration	Create
	enumeration	Validate