

***Mail.XML Version 25.2***

**System Messages Specification**

**September 19, 2022**

**Working Group Chair**

Shawn Baldwin, WindowBook

**Technical Director**

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

**Editor:**

Shariq Mirza, DTAC Associate, Assurety Consulting & Solutions

Copyright (c) 2022 – Delivery Technology Advocacy Council (“DTAC”). All Rights Reserved.

Mail.dat is a registered trademark of DTAC

Mail.XML is a trademark of DTAC



## Copyright and Legal Notices

**© 2022 Delivery Technology Advocacy Council. All Rights Reserved.**

Copyright 2022 – Delivery Technology Advocacy Council (“DTAC”) is the “Copyright Owner” of “Mail.XML®”. All rights reserved by the Copyright Owner under the laws of the United States, Belgium, the European Economic Community, and all states, domestic and foreign. This document may be downloaded and copied provided that all copies retain and display the copyright and any other proprietary notices contained in this document. This document may not be sold, modified, edited, or taken out of context such that it creates a false or misleading statement or impression as to the purpose or use of the Mail.XML® specification, which is an open standard. Use of this Standard, in accord with the foregoing limited permission, shall not create for the user any rights in or to the copyright, which rights are exclusively reserved to the Copyright Owner.

DTAC and the members of the Mail.XML® Specifications - Committee (collectively and individually, "Presenters") make no representations or warranties, express or implied, including, but not limited to, warranties of merchantability, fitness for a particular purpose, title, or non-infringement. The presenters do not make any representation or warranty that the contents of this document are free from error, suitable for any purpose of any user, or that implementation of such contents will not infringe any third party patents, copyrights, trademarks or other rights. By making use of this document, the user assumes all risks and waives all claims against Presenters.

In no event shall Presenters be liable to user (or other person) for direct, indirect, special or consequential damages arising from or related to any use of this document, including, without limitation, lost profits, business interruption, loss of programs, or other data on your information handling system even if Presenters are expressly advised of the possibility of such damages.

Some states do not allow the disclaimer or limitation of damages, so the disclaimers set forth above apply to the maximum extent permitted under applicable law.

## Abstract

This document describes the messaging protocol for use by mailers and their consignees. The Mail.XML™ Transaction Protocol defines the roles and responsibilities of Shippers and Consignees and defines the format and method for message exchange. This messaging protocol is designed to be XML and Web-Services compliant.

*Mail.XML and Mail.dat are trademarks of DTAC.*

## About Mail.XML™

Mail.XML™ is bringing a paradigm change to the industry by increasing business function specific B2B (Business to Business) communication within the industry that supports automation and in the end enables cost avoidance and higher profits through improved competence and effectiveness of communication. Mail.XML is designed to increase efficiency and lower costs by removing many manual data entry processes and enabling quick near real time communication between business partners. Mail.XML currently supports container based scheduling, pick up and drop off business processes, as well as identifying different business entities responsible for performing different services such as quality of mailing, address correction, and delivery confirmation on a mailing. The core focus of Mail.XML is communication between industry members and from industry to the final mail processing and delivery organization that delivers the mail to the end consumer, e.g., USPS. In the next few versions of Mail.XML the focus moves across mailing supply chain channels, and includes advanced functions such as payment; automated verification; enabling first, second, and third party communication and incorporating presort planning, printing, and distribution processes.

## What's New in Mail.XML Version 25.2?

With this release, the Mail.XML Messaging Protocol moves to Version 25.2. This release supports structure changes required by mailing industry and Postal Service.

Changes supported by Mail.XML 25.2 include:

- CR 2514 - Added new values, RG and CR, to characteristicIncentiveType to support promotions
- CR 2515 - Added new value, 2, to zoneIType
- CR 2516 - Removed the Rate Type and Rate Category values for Priority Mail Regional Rate Boxes so that this decommissioned product may not be available.
- CR 2517 - Removed the Containerization Discount enumeration values from the rateCategoryType type
- CR 2519 - Added rateLevelType enumerations for missing Container Quantity Detail Rate Levels
- CR 2520 - Removed commercialplus from priceType type
- CR 2521 - Removed "FSS" related enumeration values from various types

## About Mail.XML Schema Modularization

Today Mail.XML messages are grouped into 8 message types.

- Transportation Messages (TM)
- Mailing Messages (MM)
- Data Distribution Messages (DD)
- Dynamic Payment Template Messages
- Identification Messages (ID)
- Supply Chain Messages (SC)
- Informed Visibility (IV)
- System Messages
- Base: Shared simple types
- Definitions: Shared complex types and elements

The simple types shared across 2 or more modules are found in the Base schema. Likewise, the shared definitions module contains complex type definitions and elements that are shared across 2 or more modules.

## Mail.XML Module Versioning Rules

The following versioning rules will be followed:

The Mail.XML wrapper schema\*.xsd) will always be given the next higher version number (or Errata designation) when any update is made to base, defs or any module. The name of the .xsd file will indicate the new version and the new version number will be used in the namespace and target declarations: xmlns:mailxml="http://delivery-tech.org/Specs/mailxml25.2/mailxml" targetNamespace="http://delivery-tech.org/Specs/mailxml25.2/mailxml"

- When updates are made, only those modules that are updated will be given the next higher version number (or Errata letter designation).
- If updates are made to the base or defs, then the base and defs xsds will be given the next higher version number (or Errata designation) and all modules that call to them will also be given the next higher version number (or Errata designation).

For example:

- If the wrapper version is labeled as xmlns:mailxml="http://delivery-tech.org/Specs/mailxml25.2A/mailxml" then at least one of the XSDs is at same version such as filename = 'Mail.XML\_25.2A.xsd' <- Errata A

- If the wrapper version is labeled as xmlns:mailxml="http://delivery-tech.org/Specs/mailxml25.2B/mailxml" then at least one of the XSDs is at same version such as filename='Mail.XML\_25.2B.xsd' <- Errata B
- If the wrapper version is labeled as xmlns:mailxml="http://delivery-tech.org/Specs/mailxml25.2/mailxml" then at least one of the XSDs is at same version such as filename='Mail.XML\_25.2.xsd' <- Major Version

## Mail.XML 25.2 XSD Modules:

The following Mail.XML XSD modules/namespaces are used:

- Mail.XML\_tm.xsd: This module contains all the transportation (or FAST) messages and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_tm:
- Mail.XML\_mm.xsd: This module contains all the mailing messages (eDoc) and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_mm:
- Mail.XML\_iv.xsd: This module contains informed visibility messages and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_iv:
- Mail.XML\_dd.xsd: This module contains all the data distribution messages and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_dd:
- Mail.XML\_id.xsd: This module contains all the identification messages and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_id:
- Mail.XML\_sc.xsd: This module contains all the supply chain messages and the attributes, elements and complex types that are unique to these messages. Namespace=Mail.XML\_sc:
- Mail.XML\_defs.xsd: This module contains all the common definitions of attributes, elements and complex types that are used across two or more message types. Namespace=Mail.XML\_defs:
- Mail.XML\_base.xsd: This module contains simple types that are shared across two or more modules that make up Mail.XML. These can be considered a building block for any message group. Namespace=Mail.XML\_base:
- Mail.XML.xsd: This module contains the system messages of Mail.XML and is used to build custom profiles for Mail.XML. Namespace=Mail.XML:

## The Mail.XML™ 25.2 Messaging Documentation Set

The Mail.XML Messaging Specification has been organized into a set of documents. This *Schemas Specification* is one document in a set of documents that make up the Mail.XML Specification 25.2. Updates in this Specification are NOT backwardly compatible with previous versions. Other documents in the specification set include:

- Mail.XML™ 25.2: Transportation Messaging Specification documents all transportation messages
- Mail.XML™ 25.2: Mailing Messaging Specification documents all mailing messages
- Mail.XML™ 25.2: Informed Visibility Specification documents all informed visibility messages
- Mail.XML™ 25.2: Data Distribution Messaging Specification documents all data distribution messages
- Mail.XML™ 25.2: Identification Messaging Specification documents all identification messages
- Mail.XML™ 25.2: Supply Chain Messaging Specification documents all supply chain messages
- Mail.XML™ 25.2: System Messaging Specification documents all systems and fault messages
- Mail.XML™ 25.2: Simple Types Specification documents all simple types used across Mail.XML messages
- Mail.XML™ 25.2: Common Definitions Specification documents all shared elements and complex types.
- Mail.XML™ 25.2: Schemas contains the .XSDs that make up the Mail.XML Messaging Specification

## Table of Contents

Abstract .....	3
About Mail.XML™ .....	3
What's New in Mail.XML Version 25.2? .....	3
About Mail.XML Schema Modularization .....	3
Mail.XML Module Versioning Rules .....	4
The Mail.XML™ 25.2 Messaging Documentation Set .....	5
Index .....	8
Elements – Complex Types – Simple Types.....	11

# Index

## Schema mailxml\_base\_25.2.xsd

schema location: [..\mailxml\\_base\\_25.2.xsd](#)  
attribute form default: **unqualified**  
element form default: **qualified**  
targetNamespace: **http://delivery-tech.org/Specs/mailxml25.2/base**

Simple types

[ActionCodeType](#)  
[additionalInHomeRangeType](#)  
[approvedPieceDesignTypeType](#)  
[apptMethodType](#)  
[apptStateType](#)  
[apptStatusType](#)  
[apptTypeType](#)  
[barcodeRateType](#)  
[billReasonCodeType](#)  
[bundleDetailLevelType](#)  
[bundleRecordStatusType](#)  
[bundleStatusType](#)  
[canadaAdMailOnlyType](#)  
[cccLevelType](#)  
[characteristicContentType](#)  
[characteristicFeeType](#)  
[characteristicIncentiveType](#)  
[classNotificationType](#)  
[closeoutIrregularitiesType](#)  
[closeoutResolutionType](#)  
[communicationRoleType](#)  
[componentPeriodicalAdPercentStatusType](#)  
[componentWeightSourceType](#)  
[componentWeightStatusType](#)  
[consigneeContentIDType](#)  
[contactType](#)  
[containerAcceptanceDateType](#)  
[containerGrossWeightType](#)  
[containerHeightSourceType](#)  
[containerHeightType](#)  
[containerLevelType](#)  
[containerPickupDateType](#)  
[containerPickupTimeType](#)  
[containerShipDateType](#)  
[containerShipTimeType](#)  
[CQTdatabaseIDType](#)  
[cRIDStatusType](#)  
[CRIDType](#)  
[databaseContainerIDType](#)  
[dayFrequencyType](#)  
[daysOfWeekType](#)  
[dec18-8](#)  
[deliveryPointZIP](#)  
[electronicFileType](#)  
[emailType](#)  
[enclosedByType](#)  
[entryDiscountType](#)  
[entryFacilityType](#)  
[entryPointADLocaleKeyType](#)  
[entryPointADPostalCodeType](#)  
[entryPointEDFacilityTypeType](#)  
[entryPointEDPostalCodeType](#)



[es3](#)  
[es4](#)  
[es5](#)  
[exemptionCodeType](#)  
[fASTSchedulerIDType](#)  
[feeNotificationType](#)  
[flatRateIndicatorType](#)  
[formType](#)  
[gPSSystemType](#)  
[IDType](#)  
[iMBarcodeIDType](#)  
[iMBLowerSerializationType](#)  
[iMBSerialNumber6Type](#)  
[iMBSerialNumber9Type](#)  
[iMBType](#)  
[iMBUpperSerializationType](#)  
[IMcbType](#)  
[IMpbType](#)  
[IMtbType](#)  
[includedInOtherDocType](#)  
[inCountyOutCountyIndicatorType](#)  
[inductionStatusType](#)  
[internalDateType](#)  
[internationalPriceGroupType](#)  
[jobIDType](#)  
[localeKeyType](#)  
[logicalPhysicalBundleIndicatorType](#)  
[logicalPhysicalContainerIndicatorType](#)  
[machinabilityIndicatorType](#)  
[mailAgreementTypeType](#)  
[mailClassType](#)  
[maildatContainerStatusType](#)  
[mailerID6Type](#)  
[mailerID9Type](#)  
[mailXMLContainerType](#)  
[mailXMLPresentationCategoryType](#)  
[marketingOrFulfillmentType](#)  
[meteredAffixedMethodType](#)  
[mIDStatusType](#)  
[mlocrRateType](#)  
[monthType](#)  
[moveUpdateMethodType](#)  
[MPUIDType](#)  
[n01](#)  
[n02](#)  
[n03](#)  
[n05](#)  
[n06](#)  
[ns01](#)  
[ns02](#)  
[ns03](#)  
[ns04](#)  
[ns05](#)  
[ns06](#)  
[ns07](#)  
[ns09](#)  
[ns10](#)  
[ns11](#)  
[ns12](#)  
[ns14](#)  
[ns22](#)  
[ns34](#)  
[onePassPlannedOrActualFlagType](#)  
[operatingModeType](#)  
[packageCountRangeType](#)  
[packageIDType](#)  
[packagingMethodType](#)  
[palletHandlingUnitType](#)  
[palletType](#)

[parentContainerRefIDType](#)  
[percentageType](#)  
[permitTypeType](#)  
[phoneNumberType](#)  
[pickupOrDeliveryType](#)  
[planetCodeType](#)  
[postageGroupingIDType](#)  
[postagePaymentMethodType](#)  
[postageStatementLineNumber1Type](#)  
[postageStatementLineNumber2Type](#)  
[postageStatementLineNumber3Type](#)  
[postageStatementStatusType](#)  
[priceIncentiveIDType](#)  
[processingCategoryType](#)  
[qualificationReportClassType](#)  
[rateLevelIndicatorType](#)  
[rateLevelType](#)  
[rateType](#)  
[recurringStatusType](#)  
[reservationNumberType](#)  
[responsibleTransportationPartyType](#)  
[roleType](#)  
[RoutingZipCodeType](#)  
[s01](#)  
[s02](#)  
[s03](#)  
[s04](#)  
[s05](#)  
[s06](#)  
[s07](#)  
[s08](#)  
[s09](#)  
[s10](#)  
[s1000](#)  
[s11](#)  
[s12](#)  
[s14](#)  
[s15](#)  
[s16](#)  
[s18](#)  
[s19](#)  
[s20](#)  
[s200](#)  
[s22](#)  
[s24](#)  
[s25](#)  
[s256](#)  
[s26](#)  
[s260](#)  
[s28](#)  
[s30](#)  
[s31](#)  
[s32](#)  
[s34](#)  
[s35](#)  
[s37](#)  
[s40](#)  
[s45](#)  
[s48](#)  
[s50](#)  
[s500](#)  
[s60](#)  
[s64](#)  
[s66](#)  
[s80](#)  
[s96](#)  
[sackingBasisType](#)  
[sAZCaps](#)  
[scheduledInductionDateType](#)

[scheduledInductionTimeType](#)  
[scheduledInHomeDateType](#)  
[serialNumberSevenOrEleven](#)  
[serialNumberTenOrFourteen](#)  
[serviceCodeType](#)  
[serviceLevelIndicatorType](#)  
[serviceSubCodeType](#)  
[ServiceTypeCodeType](#)  
[severityType](#)  
[simplifiedAddressType](#)  
[sortationLevelType](#)  
[standardFlatTypeType](#)  
[standardParcelTypeType](#)  
[stateCode](#)  
[statusType](#)  
[stopDesignatorType](#)  
[surchargeType](#)  
[totalWeightType](#)  
[trailerLengthType](#)  
[transportationMethodType](#)  
[transportationModeType](#)  
[transShipBoLNumberType](#)  
[trayDistLabelType](#)  
[trayType](#)  
[trayTypeIndicatorType](#)  
[truckDispatchNumberType](#)  
[uniqueContainerIDType](#)  
[unitLoadType](#)  
[uOMType](#)  
[userInformationLine1Type](#)  
[userInformationLine2Type](#)  
[userLicenseCodeType](#)  
[uspsPackageUniqueCharacteristicType](#)  
[uspsPickupType](#)  
[wastedPieceIndicatorType](#)  
[weekendHolidayIndexType](#)  
[weekFrequencyType](#)  
[weightBreakType](#)  
[weightUnitType](#)  
[yesNo](#)  
[zipCodeFiveOrNineDigit](#)  
[zipCodeThreeOrFiveDigit](#)  
[zoneICType](#)

## Elements – Complex Types – Simple Types

### simpleType **actionCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
annotation	documentation Action Code for USPS

### simpleType **additionalInHomeRangeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:n01</a>

simpleType **approvedPieceDesignType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **apptMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **apptStateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **apptStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **apptType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **barcodeRateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **billReasonCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **bundleDetailLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **bundleRecordStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **bundleStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **canadaAdMailOnlyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **cccLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **characteristicContentType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **characteristicFeeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **characteristicIncentiveType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **classNotificationType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **closeoutIrregularitiesType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType closeoutResolutionType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType communicationRoleType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType componentPeriodicalAdPercentStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType componentWeightSourceType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType componentWeightStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType consigneeContentIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s09</a>

**simpleType contactType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType containerAcceptanceDateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

**simpleType containerGrossWeightType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	<a href="#">mailxml_base:s05</a>
------	----------------------------------

#### simpleType containerHeightSourceType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType containerHeightType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:n03</a>

#### simpleType containerLevelType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType containerPickupDateType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

#### simpleType containerPickupTimeType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:time</b>

#### simpleType containerShipDateType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

#### simpleType containerShipTimeType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:time</b>

#### simpleType CQTdatabaseIDType

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

**simpleType cRIDStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType CRIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType databaseContainerIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

**simpleType dayFrequencyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType daysOfWeekType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType dec18-8**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:decimal</b>

**simpleType deliveryPointZIP**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType electronicFileType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <a href="#">mailxml_base:s01</a>

**simpleType emailType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---



type	<b>xs:string</b>
------	------------------

#### simpleType **enclosedByType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **entryDiscountType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **entryFacilityType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **entryPointADLocaleKeyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s09</a>

#### simpleType **entryPointADPostalCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s09</a>

#### simpleType **entryPointEDFacilityType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s01</a>

#### simpleType **entryPointEDPostalCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s06</a>

#### simpleType **es3**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **es4**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **es5**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **exemptionCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **fASTSchedulerIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s12</a>

#### simpleType **feeNotificationType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **flatRateIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **formType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **gPSSystemType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **IDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **iMBarcodeIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns02</a>

#### simpleType **iMBLowerSerializationType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s18</a>

#### simpleType **iMBSerialNumber6Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns06</a>

#### simpleType **iMBSerialNumber9Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns09</a>

#### simpleType **iMBType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **iMBUpperSerializationType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s18</a>

#### simpleType **IMcbType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **IMpbType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **IMtbType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **includedInOtherDocType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **inCountyOutCountyIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **inductionStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **internalDateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

#### simpleType **internationalPriceGroupType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **jobIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **localeKeyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s09</a>

#### simpleType **logicalPhysicalBundleIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **logicalPhysicalContainerIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **machinabilityIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **mailAgreementTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **mailClassType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **maildatContainerStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **mailerID6Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns06</a>

#### simpleType **mailerID9Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns09</a>

#### simpleType **mailXMLContainerType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **mailXMLPresentationCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **marketingOrFulfillmentType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **meteredAffixedMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **mIDStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **mlocrRateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **monthType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

simpleType **moveUpdateMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:integer</b>

simpleType **MPUIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

simpleType **n01**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:positiveInteger</b>
used by	simpleType <a href="#">additionalInHomeRangeType</a>

#### simpleType n02

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:positiveInteger</b>

#### simpleType n03

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>
used by	simpleType <a href="#">containerHeightType</a>

#### simpleType n05

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

#### simpleType n06

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:nonNegativeInteger</b>

#### simpleType ns01

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns02

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">iMBarcodeIDType</a>

#### simpleType ns03

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">ServiceTypeCodeType</a>

#### simpleType ns04

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns05

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns06

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">iMBSerialNumber6Type</a> <a href="#">mailerID6Type</a>

#### simpleType ns07

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns09

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">iMBSerialNumber9Type</a> <a href="#">mailerID9Type</a>

#### simpleType ns10

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns11

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType ns12

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>



**simpleType ns14**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType ns22**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType ns34**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType onePassPlannedOrActualFlagType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType operatingModeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType packageCountRangeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:integer</b>

**simpleType packageIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s06</a>

**simpleType packagingMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType palletHandlingUnitType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **palletType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **parentContainerRefIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s06</a>

#### simpleType **percentageType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:decimal</b>

#### simpleType **permitTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **phoneNumberType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **pickupOrDeliveryType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **planetCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **postageGroupingIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s08</a>

simpleType **postagePaymentMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **postageStatementLineNumber1Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **postageStatementLineNumber2Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **postageStatementLineNumber3Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **postageStatementStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **priceIncentiveIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s10</a>

simpleType **processingCategoryType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **qualificationReportClassType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

simpleType **rateLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **rateLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **rateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **recurringStatusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **reservationNumberType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s15</a>

#### simpleType **responsibleTransportationPartyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **roleType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **RoutingZipCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **s01**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">electronicFileType</a> <a href="#">entryPointEDFacilityTypeType</a> <a href="#">weekendHolidayIndexType</a> <a href="#">weightUnitType</a>

#### simpleType s02

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">stopDesignatorType</a>

#### simpleType s03

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s04

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s05

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">containerGrossWeightType</a> <a href="#">totalWeightType</a> <a href="#">transShipBoLNumberType</a>

#### simpleType s06

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">entryPointEDPostalCodeType</a> <a href="#">packageIDType</a> <a href="#">parentContainerRefIDType</a>

#### simpleType s07

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s08

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">postageGroupingIDType</a>

#### simpleType s09

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">consigneeContentIDType</a> <a href="#">entryPointADLocaleKeyType</a> <a href="#">entryPointADPostalCodeType</a> <a href="#">localeKeyType</a>

#### simpleType s10

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">priceIncentiveIDType</a>

#### simpleType s1000

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s11

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s12

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">fASTSchedulerIDType</a>

#### simpleType s14

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s15

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">reservationNumberType</a>

#### simpleType s16

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s18

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">iMBLowerSerializationType</a> <a href="#">iMBUpperSerializationType</a>

#### simpleType s19

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s20

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleType <a href="#">truckDispatchNumberType</a>

#### simpleType s200

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s22

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s24

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s25

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s256

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s26

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s260

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s28

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s30

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s31

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s32

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s34

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s35

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>



#### simpleType s37

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s40

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>
used by	simpleTypes <a href="#">userInformationLine1Type</a> <a href="#">userInformationLine2Type</a>

#### simpleType s45

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s48

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s50

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s500

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s60

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType s64

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType s66**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType s80**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType s96**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType sackingBasisType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType sAZCaps**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType scheduledInductionDateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

**simpleType scheduledInductionTimeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:time</b>

**simpleType scheduledInHomeDateType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:date</b>

**simpleType serialNumberSevenOrEleven**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **serialNumberTenOrFourteen**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **serviceCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **serviceLevelIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **serviceSubCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **ServiceTypeCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:ns03</a>

#### simpleType **severityType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **simplifiedAddressType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **sortationLevelType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType standardFlatTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType standardParcelTypeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType stateCode**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType statusType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType stopDesignatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s02</a>

**simpleType surchargeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType totalWeightType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s05</a>

**simpleType trailerLengthType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType transportationMethodType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **transportationModeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **transShipBoLNumberType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s05</a>

#### simpleType **trayDistLabelType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **trayType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **trayTypeIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **truckDispatchNumberType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s20</a>

#### simpleType **uniqueContainerIDType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **unitLoadType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType uOMType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType userInformationLine1Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s40</a>

**simpleType userInformationLine2Type**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<a href="#">mailxml_base:s40</a>

**simpleType userLicenseCodeType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType uspsPackageUniqueCharacteristicType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	<b>xs:string</b>

**simpleType uspsPickupType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType wastedPieceIndicatorType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

**simpleType weekendHolidayIndexType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <a href="#">mailxml_base:s01</a>

**simpleType weekFrequencyType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
-----------	---

type	restriction of <b>xs:string</b>
------	---------------------------------

#### simpleType **weightBreakType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **weightUnitType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <a href="#">mailxml_base:s01</a>

#### simpleType **yesNo**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **zipCodeFiveOrNineDigit**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **zipCodeThreeOrFiveDigit**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>

#### simpleType **zoneICType**

namespace	http://delivery-tech.org/Specs/mailxml25.2/base
type	restriction of <b>xs:string</b>